

Catalogue



**Proximal Femoral Locking Plate III,
Twin Hole**

Thickness: 5.6mm
 Width: 17.6mm
 Hole Spacing: 18.0mm
 Material: Titanium Alloy



REF	Direction	Holes	Length (mm)
021631003	Left	3	120
021631004	Left	4	138
021631005	Left	5	156
021631006	Left	6	174
021631007	Left	7	192
021631008	Left	8	210
021631009	Left	9	228
021631010	Left	10	246
021631011	Left	11	264
021631012	Left	12	282
021631013	Left	13	300
021632003	Right	3	120
021632004	Right	4	138
021632005	Right	5	156
021632006	Right	6	174
021632007	Right	7	192
021632008	Right	8	210
021632009	Right	9	228
021632010	Right	10	246
021632011	Right	11	264
021632012	Right	12	282
021632013	Right	13	300

Cable Grip Locking Plate

Thickness: 5.6mm
 Width: 17.6mm
 Hole Spacing: 25.0mm
 Material: Titanium Alloy



REF	Direction	Holes	Length (mm)
021561002	Left	2	111
021561004	Left	4	161
021561006	Left	6	211
021561008	Left	8	261
021561010	Left	10	311
021561012	Left	12	361
021562002	Right	2	111
021562004	Right	4	161
021562006	Right	6	211
021562008	Right	8	261
021562010	Right	10	311
021562012	Right	12	361

Cable Locking Plate

Thickness: 5.6mm
 Width: 17.6mm
 Hole Spacing: 25.0mm
 Material: Titanium Alloy



REF	Holes	Length (mm)
021550006	6	162
021550008	8	212
021550010	10	262

Cable Clasp

Diameter: 1.8mm
Material: Pure Titanium

REF

010770000



Cable

Diameter: 1.8mm
Material: Co-Cr Alloy

REF	Diameter (mm)	Length (mm)
017820500	1.8	500



Distal Lateral Femoral Osteotomy Locking Plate, Twin Hole

Thickness: 5.6mm
Width: 16.0mm
Hole Spacing: 20.0mm
Material: Titanium Alloy



REF	Direction	Holes	Length (mm)
022981003	Left	3	121
022981004	Left	4	141
022981005	Left	5	161
022981006	Left	6	181
022981007	Left	7	201
022981008	Left	8	221
022981009	Left	9	241
022981010	Left	10	261
022981011	Left	11	281
022981012	Left	12	301
022981013	Left	13	321
022982003	Right	3	121
022982004	Right	4	141
022982005	Right	5	161
022982006	Right	6	181
022982007	Right	7	201
022982008	Right	8	221
022982009	Right	9	241
022982010	Right	10	261
022982011	Right	11	281
022982012	Right	12	301
022982013	Right	13	321

Distal Medial Femoral Osteotomy Locking Plate, Twin Hole

Thickness: 4.0mm
Width: 18mm
Hole Spacing: 20mm
Material: Titanium Alloy



REF	Direction	Holes	Length (mm)
026991004	Left	4	121
026992004	Right	4	121