



PERIPHERAL INTERVENTION

PRODUCT CATALOG

PERFORMA® DIAGNOSTIC PERIPHERAL CATHETERS

Merit Medical's Performa diagnostic peripheral catheters are designed to provide superior torque, increased shaft strength for better pushability, and large inner lumens for improved flow rates.

PERFORMA® HEADHUNTER CATHETERS

Catalog Number	French Size	Internal Diameter	Length	Recommended Guide Wire	Description
----------------	-------------	-------------------	--------	------------------------	-------------

HEADHUNTER 1

7715-A0	4	.042"/1.07 mm	100 cm	.035" (0.89 mm)	
7715-10	4	.042"/1.07 mm	100 cm	.038" (0.97 mm)	bumper tip
5575-A3	5	.046"/1.17 mm	100 cm	.035" (0.89 mm)	
5575-13	5	.046"/1.17 mm	100 cm	.038" (0.97 mm)	



HEADHUNTER 3

7715-B0	4	.042"/1.07 mm	100 cm	.035" (0.89 mm)	
7715-30	4	.042"/1.07 mm	100 cm	.038" (0.97 mm)	bumper tip
5575-B3	5	.046"/1.17 mm	100 cm	.035" (0.89 mm)	
5575-23	5	.046"/1.17 mm	100 cm	.038" (0.97 mm)	




HEADHUNTER 5

7715-C0	4	.042"/1.07 mm	100 cm	.035" (0.89 mm)	
7715-50	4	.042"/1.07 mm	100 cm	.038" (0.97 mm)	bumper tip
5575-C3	5	.046"/1.17 mm	100 cm	.035" (0.89 mm)	
5575-33	5	.046"/1.17 mm	100 cm	.038" (0.97 mm)	



HEADHUNTER 6

7715-D0	4	.042"/1.07 mm	100 cm	.035" (0.89 mm)	
7715-60	4	.042"/1.07 mm	100 cm	.038" (0.97 mm)	bumper tip
5575-D3	5	.046"/1.17 mm	100 cm	.035" (0.89 mm)	
5575-43	5	.046"/1.17 mm	100 cm	.038" (0.97 mm)	



PERFORMA® NEWTON CATHETERS

Catalog Number	French Size	Internal Diameter	Length	Recommended Guide Wire	Description
----------------	-------------	-------------------	--------	------------------------	-------------

NEWTON 1

7722-A0	4	.042"/1.07 mm	100 cm	.035" (0.89 mm)	
7722-10	4	.042"/1.07 mm	100 cm	.038" (0.97 mm)	bumper tip
5577-A3	5	.046"/1.17 mm	100 cm	.035" (0.89 mm)	
5577-13	5	.046"/1.17 mm	100 cm	.038" (0.97 mm)	



NEWTON 2

7722-B0	4	.042"/1.07 mm	100 cm	.035" (0.89 mm)	
7722-20	4	.042"/1.07 mm	100 cm	.038" (0.97 mm)	bumper tip
5577-B3	5	.046"/1.17 mm	100 cm	.035" (0.89 mm)	
5577-23	5	.046"/1.17 mm	100 cm	.038" (0.97 mm)	



NEWTON 3

7722-C0	4	.042"/1.07 mm	100 cm	.035" (0.89 mm)	
7722-30	4	.042"/1.07 mm	100 cm	.038" (0.97 mm)	bumper tip
5577-C3	5	.046"/1.17 mm	100 cm	.035" (0.89 mm)	
5577-33	5	.046"/1.17 mm	100 cm	.038" (0.97 mm)	



NEWTON 4

7722-D0	4	.042"/1.07 mm	100 cm	.035" (0.89 mm)	
7722-40	4	.042"/1.07 mm	100 cm	.038" (0.97 mm)	bumper tip
5577-D3	5	.046"/1.17 mm	100 cm	.035" (0.89 mm)	
5577-43	5	.046"/1.17 mm	100 cm	.038" (0.97 mm)	



NEWTON 5

7722-E0	4	.042"/1.07 mm	100 cm	.035" (0.89 mm)	
7722-50	4	.042"/1.07 mm	100 cm	.038" (0.97 mm)	bumper tip
5577-E3	5	.046"/1.17 mm	100 cm	.035" (0.89 mm)	
5577-53	5	.046"/1.17 mm	100 cm	.038" (0.97 mm)	



PERFORMA® BENTSON CATHETERS


Catalog Number	French Size	Internal Diameter	Length	Recommended Guide Wire	Description
BENTSON 1					
7721-A0	4	.042"/1.07 mm	100 cm	.035" (0.89 mm)	
7721-10	4	.042"/1.07 mm	100 cm	.038" (0.97 mm)	bumper tip
5578-A3	5	.046"/1.17 mm	100 cm	.035" (0.89 mm)	
5578-13	5	.046"/1.17 mm	100 cm	.038" (0.97 mm)	



BENTSON 1

BENTSON 2


7721-B0	4	.042"/1.07 mm	100 cm	.035" (0.89 mm)	
7721-20	4	.042"/1.07 mm	100 cm	.038" (0.97 mm)	bumper tip
5578-B3	5	.046"/1.17 mm	100 cm	.035" (0.89 mm)	
5578-23	5	.046"/1.17 mm	100 cm	.038" (0.97 mm)	



BENTSON 2

BENTSON 3

7721-C0	4	.042"/1.07 mm	100 cm	.035" (0.89 mm)	
7721-30	4	.042"/1.07 mm	100 cm	.038" (0.97 mm)	bumper tip
5578-C3	5	.046"/1.17 mm	100 cm	.035" (0.89 mm)	
5578-33	5	.046"/1.17 mm	100 cm	.038" (0.97 mm)	



BENTSON 3

PERFORMA® MANI CATHETERS

Catalog Number	French Size	Internal Diameter	Length	Recommended Guide Wire	Description
7716-A0	4	.042"/1.07 mm	100 cm	.035" (0.89 mm)	
7716-10	4	.042"/1.07 mm	100 cm	.038" (0.97 mm)	bumper tip
5579-A3	5	.046"/1.17 mm	100 cm	.035" (0.89 mm)	
5579-13	5	.046"/1.17 mm	100 cm	.038" (0.97 mm)	



MANI

PERFORMA® VERTEBRAL CATHETERS

Catalog Number	French Size	Internal Diameter	Length	Recommended Guide Wire	Description
7717-A0	4	.042"/1.07 mm	65 cm	.035" (0.89 mm)	
7717-10	4	.042"/1.07 mm	65 cm	.038" (0.97 mm)	bumper tip
7717-C0	4	.042"/1.07 mm	80 cm	.035" (0.89 mm)	
7717-30	4	.042"/1.07 mm	80 cm	.038" (0.97 mm)	bumper tip
7717-B0	4	.042"/1.07 mm	100 cm	.035" (0.89 mm)	
7717-20	4	.042"/1.07 mm	100 cm	.038" (0.97 mm)	bumper tip
5583-B3	5	.046"/1.17 mm	65 cm	.035" (0.89 mm)	
5583-23	5	.046"/1.17 mm	65 cm	.038" (0.97 mm)	
5583-A3	5	.046"/1.17 mm	100 cm	.035" (0.89 mm)	
5583-13	5	.046"/1.17 mm	100 cm	.038" (0.97 mm)	



VERTEBRAL

PERFORMA® MODIFIED CEREBRAL CATHETERS

Catalog Number	French Size	Internal Diameter	Length	Recommended Guide Wire	# of Side Ports	Description
7723-A0	4	.042"/1.07 mm	90 cm	.035" (0.89 mm)	-	
7723-10	4	.042"/1.07 mm	90 cm	.038" (0.97 mm)	-	bumper tip
5588-A3	5	.046"/1.17 mm	100 cm	.035" (0.89 mm)	-	
5588-13	5	.046"/1.17 mm	100 cm	.038" (0.97 mm)	-	

MODIFIED CEREBRAL



PERFORMA® BERENSTEIN CATHETERS

Catalog Number	French Size	Internal Diameter	Length	Recommended Guide Wire	# of Side Ports	Description
7718-C0	4	.042"/1.07 mm	40 cm	.035" (0.89 mm)	-	
7718-30	4	.042"/1.07 mm	40 cm	.038" (0.97 mm)	-	bumper tip
7718-B0	4	.042"/1.07 mm	65 cm	.035" (0.89 mm)	-	
7718-20	4	.042"/1.07 mm	65 cm	.038" (0.97 mm)	-	bumper tip
7718-A0	4	.042"/1.07 mm	100 cm	.035" (0.89 mm)	-	
7718-10	4	.042"/1.07 mm	100 cm	.038" (0.97 mm)	-	bumper tip
5592-C3	5	.046"/1.17 mm	40 cm	.035" (0.89 mm)	-	
5592-33	5	.046"/1.17 mm	40 cm	.038" (0.97 mm)	-	
5592-B3	5	.046"/1.17 mm	65 cm	.035" (0.89 mm)	-	
5592-23	5	.046"/1.17 mm	65 cm	.038" (0.97 mm)	-	
5592-A3	5	.046"/1.17 mm	100 cm	.035" (0.89 mm)	-	
5592-13	5	.046"/1.17 mm	100 cm	.038" (0.97 mm)	-	

BERENSTEIN



PERFORMA® STRAIGHT SELECTIVE CATHETERS

Catalog Number	French Size	Internal Diameter	Length	Recommended Guide Wire	# of Side Ports	Description
7748-A0	4	.042"/1.07 mm	110 cm	.035" (0.89 mm)	-	
7748-13	4	.042"/1.07 mm	110 cm	.038" (0.97 mm)	-	bumper tip

STRAIGHT SELECTIVE



PERFORMA® MW2 CATHETERS

MW2

Catalog Number	French Size	Internal Diameter	Length	Recommended Guide Wire	# of Side Ports	Description
7745-10	4	.042"/1.07 mm	40 cm	.038" (0.97 mm)	2	bumper tip
5590-13	5	.046"/1.17 mm	40 cm	.038" (0.97 mm)	-	
5590-23	5	.046"/1.17 mm	65 cm	.038" (0.97 mm)	-	
5590-33	5	.046"/1.17 mm	100 cm	.038" (0.97 mm)	-	



MW2

MODIFIED MW2

Catalog Number	French Size	Internal Diameter	Length	Recommended Guide Wire	# of Side Ports	Description
7745-A0	4	.042"/1.07 mm	40 cm	.035" (0.89 mm)	2	
7745-B0	4	.042"/1.07 mm	65 cm	.035" (0.89 mm)	2	
7745-C0	4	.042"/1.07 mm	100 cm	.035" (0.89 mm)	2	



MODIFIED MW2

PERFORMA® OSBORN CATHETERS

Catalog Number	French Size	Internal Diameter	Length	Recommended Guide Wire	# of Side Ports	Description
----------------	-------------	-------------------	--------	------------------------	-----------------	-------------

OSBORN 1

7746-A0	4	.042"/1.07 mm	100 cm	.035" (0.89 mm)	-	
7746-10	4	.042"/1.07 mm	100 cm	.038" (0.97 mm)	-	bumper tip



OSBORN 1

OSBORN 2

7746-B0	4	.042"/1.07 mm	65 cm	.035" (0.89 mm)	-	
7746-20	4	.042"/1.07 mm	65 cm	.038" (0.97 mm)	-	bumper tip
7746-C0	4	.042"/1.07 mm	100 cm	.035" (0.89 mm)	-	
7746-30	4	.042"/1.07 mm	100 cm	.038" (0.97 mm)	-	bumper tip



OSBORN 2

PERFORMA® HOOK CATHETERS

Catalog Number	French Size	Internal Diameter	Length	Recommended Guide Wire	# of Side Ports	Description
----------------	-------------	-------------------	--------	------------------------	-----------------	-------------

HOOK 0.8

7711-A0	4	.042"/1.07 mm	65 cm	.035" (0.89 mm)	2	
7711-10	4	.042"/1.07 mm	65 cm	.038" (0.97 mm)	2	bumper tip
5585-A3	5	.046"/1.17 mm	65 cm	.035" (0.89 mm)	2	
5585-13	5	.046"/1.17 mm	65 cm	.038" (0.97 mm)	2	



HOOK 0.8

HOOK 1.0


7711-B0	4	.042"/1.07 mm	65 cm	.035" (0.89 mm)	2	
7711-20	4	.042"/1.07 mm	65 cm	.038" (0.97 mm)	2	bumper tip
5585-B3	5	.046"/1.17 mm	65 cm	.035" (0.89 mm)	2	
5585-23	5	.046"/1.17 mm	65 cm	.038" (0.97 mm)	2	



HOOK 1.0


PERFORMA® MODIFIED HOOK SELECTIVE CATHETERS

Catalog Number	French Size	Internal Diameter	Length	Recommended Guide Wire	# of Side Ports
MODIFIED HOOK 1					
5585-C3	5	.046"/1.17 mm	80 cm	.035" (0.89 mm)	-
MODIFIED HOOK 2					
5585-D3	5	.046"/1.17 mm	80 cm	.035" (0.89 mm)	-
MODIFIED HOOK 3					
5585-E3	5	.046"/1.17 mm	80 cm	.035" (0.89 mm)	-



PERFORMA® SIMMONS CATHETERS

Catalog Number	French Size	Internal Diameter	Length	Recommended Guide Wire	Description
SIMMONS 1					
7720-A0	4	.042"/1.07 mm	100 cm	.035" (0.89 mm)	
7720-10	4	.042"/1.07 mm	100 cm	.038" (0.97 mm)	bumper tip
5576-F3	5	.046"/1.17 mm	65 cm	.035" (0.89 mm)	
5576-A3	5	.046"/1.17 mm	100 cm	.035" (0.89 mm)	
5576-13	5	.046"/1.17 mm	100 cm	.038" (0.97 mm)	
SIMMONS 2					
7720-B0	4	.042"/1.07 mm	100 cm	.035" (0.89 mm)	
7720-20	4	.042"/1.07 mm	100 cm	.038" (0.97 mm)	bumper tip
5576-G3	5	.046"/1.17 mm	65 cm	.035" (0.89 mm)	
5576-B3	5	.046"/1.17 mm	100 cm	.035" (0.89 mm)	
5576-23	5	.046"/1.17 mm	100 cm	.038" (0.97 mm)	
SIMMONS 3					
7720-C0	4	.042"/1.07 mm	100 cm	.035" (0.89 mm)	
7720-30	4	.042"/1.07 mm	100 cm	.038" (0.97 mm)	bumper tip
5576-C3	5	.046"/1.17 mm	100 cm	.035" (0.89 mm)	
5576-33	5	.046"/1.17 mm	100 cm	.038" (0.97 mm)	
SIMMONS 4					
7720-D0	4	.042"/1.07 mm	100 cm	.035" (0.89 mm)	
7720-40	4	.042"/1.07 mm	100 cm	.038" (0.97 mm)	bumper tip
5576-D3	5	.046"/1.17 mm	100 cm	.035" (0.89 mm)	
5576-43	5	.046"/1.17 mm	100 cm	.038" (0.97 mm)	
MODIFIED SIMMONS 1.5					
7720-F0	4	.042"/1.07 mm	100 cm	.035" (0.89 mm)	
7720-E0	4	.042"/1.07 mm	80 cm	.035" (0.89 mm)	
7720-70	4	.042"/1.07 mm	110 cm	.038" (0.97 mm)	bumper tip
7720-80	4	.042"/1.07 mm	120 cm	.038" (0.97 mm)	bumper tip
5576-E3	5	.046"/1.17 mm	100 cm	.035" (0.89 mm)	
MODIFIED SIMMONS					
7720-53	4	.042"/1.07 mm	80 cm	.038" (0.97 mm)	bumper tip



PERFORMA® COBRA CATHETERS

Catalog Number	French Size	Internal Diameter	Length	Recommended Guide Wire	# of Side Ports	Description
----------------	-------------	-------------------	--------	------------------------	-----------------	-------------

COBRA 1

7710-A0	4	.042"/1.07 mm	65 cm	.035" (0.89 mm)	2	
7710-10	4	.042"/1.07 mm	65 cm	.038" (0.97 mm)	2	bumper tip
7710-D0	4	.042"/1.07 mm	65 cm	.035" (0.89 mm)	-	
7710-40	4	.042"/1.07 mm	65 cm	.038" (0.97 mm)	-	bumper tip
5584-A3	5	.046"/1.17 mm	65 cm	.035" (0.89 mm)	2	
5584-D3	5	.046"/1.17 mm	65 cm	.035" (0.89 mm)	-	
5584-13	5	.046"/1.17 mm	65 cm	.038" (0.97 mm)	-	
5584-43	5	.046"/1.17 mm	65 cm	.038" (0.97 mm)	2	

COBRA 1



COBRA 2

7710-B0	4	.042"/1.07 mm	65 cm	.035" (0.89 mm)	2	
7710-E0	4	.042"/1.07 mm	65 cm	.035" (0.89 mm)	-	
7710-20	4	.042"/1.07 mm	65 cm	.038" (0.97 mm)	2	bumper tip
7710-50	4	.042"/1.07 mm	65 cm	.038" (0.97 mm)	-	bumper tip
5584-B3	5	.046"/1.17 mm	65 cm	.035" (0.89 mm)	2	
5584-E3	5	.046"/1.17 mm	65 cm	.035" (0.89 mm)	-	
5584-23	5	.046"/1.17 mm	65 cm	.038" (0.97 mm)	-	
5584-53	5	.046"/1.17 mm	65 cm	.038" (0.97 mm)	2	

COBRA 2



COBRA 3

7710-C0	4	.042"/1.07 mm	65 cm	.035" (0.89 mm)	2	
7710-F0	4	.042"/1.07 mm	65 cm	.035" (0.89 mm)	-	
7710-30	4	.042"/1.07 mm	65 cm	.038" (0.97 mm)	2	bumper tip
7710-60	4	.042"/1.07 mm	65 cm	.038" (0.97 mm)	-	bumper tip
5584-C3	5	.046"/1.17 mm	65 cm	.035" (0.89 mm)	2	
5584-F3	5	.046"/1.17 mm	65 cm	.035" (0.89 mm)	-	
5584-33	5	.046"/1.17 mm	65 cm	.038" (0.97 mm)	-	
5584-63	5	.046"/1.17 mm	65 cm	.038" (0.97 mm)	2	

COBRA 3



PERFORMA® SHEPHERD HOOK CATHETERS

Catalog Number	French Size	Internal Diameter	Length	Recommended Guide Wire	# of Side Ports	Description
----------------	-------------	-------------------	--------	------------------------	-----------------	-------------

SHEPHERD HOOK 0.8

7712-A0	4	.042"/1.07 mm	65 cm	.035" (0.89 mm)	2	
7712-10	4	.042"/1.07 mm	65 cm	.038" (0.97 mm)	2	bumper tip
5586-A3	5	.046"/1.17 mm	65 cm	.035" (0.89 mm)	2	
5586-13	5	.046"/1.17 mm	65 cm	.038" (0.97 mm)	2	

SHEPHERD HOOK 0.8



SHEPHERD HOOK 1.0

7712-B0	4	.042"/1.07 mm	65 cm	.035" (0.89 mm)	2	
7712-20	4	.042"/1.07 mm	65 cm	.038" (0.97 mm)	2	bumper tip
5586-B3	5	.046"/1.17 mm	65 cm	.035" (0.89 mm)	2	
5586-23	5	.046"/1.17 mm	65 cm	.038" (0.97 mm)	2	

SHEPHERD HOOK 1.0



SHEPHERD HOOK 1.0 MODIFIED

7712-C0	4	.042"/1.07 mm	65 cm	.035" (0.89 mm)	2	
7712-D0	4	.042"/1.07 mm	65 cm	.035" (0.89 mm)	-	
7712-30	4	.042"/1.07 mm	65 cm	.038" (0.97 mm)	2	bumper tip
7712-40	4	.042"/1.07 mm	65 cm	.038" (0.97 mm)	-	bumper tip
5586-43	5	.046"/1.17 mm	65 cm	.038" (0.97 mm)	2	

SHEPHERD HOOK 1.0 MOD.



PERFORMA® RENAL DOUBLE CURVE CATHETERS

Catalog Number	French Size	Internal Diameter	Length	Recommended Guide Wire	# of Side Ports	Description
----------------	-------------	-------------------	--------	------------------------	-----------------	-------------

7713-A0	4	.042"/1.07 mm	65 cm	.035" (0.89 mm)	2	
7713-B0	4	.042"/1.07 mm	65 cm	.035" (0.89 mm)	-	
7713-10	4	.042"/1.07 mm	65 cm	.038" (0.97 mm)	2	bumper tip
7713-20	4	.042"/1.07 mm	65 cm	.038" (0.97 mm)	-	bumper tip
5587-A3	5	.046"/1.17 mm	65 cm	.035" (0.89 mm)	2	
5587-13	5	.046"/1.17 mm	65 cm	.038" (0.97 mm)	-	
5587-23	5	.046"/1.17 mm	65 cm	.038" (0.97 mm)	2	

RENAL DOUBLE CURVE



PERFORMA® HOCKEY STICK CATHETERS

Catalog Number	French Size	Internal Diameter	Length	Tip Length	Recommended Guide Wire	# of Side Ports	Description
----------------	-------------	-------------------	--------	------------	------------------------	-----------------	-------------

7752-10	4	.042"/1.07 mm	100 cm	4.5 cm	.038" (0.97 mm)	-	bumper tip
7543-13	5	.046"/1.17 mm	100 cm	4.5 cm	.038" (0.97 mm)	-	
7541-13	6	.054"/1.37 mm	100 cm	4.5 cm	.038" (0.97 mm)	-	

HOCKEY STICK



PERFORMA® AMIR MOTARJEME® CATHETERS

Catalog Number	French Size	Internal Diameter	Length	Recommended Guide Wire	# of Side Ports	Description
AMIR MOTARJEME						
7747-C0	4	.042"/1.07 mm	65 cm	.035" (0.89 mm)	-	
7747-D0	4	.042"/1.07 mm	100 cm	.035" (0.89 mm)	-	
7747-E0	4	.042"/1.07 mm	65 cm	.035" (0.89 mm)	2	
7747-F0	4	.042"/1.07 mm	100 cm	.035" (0.89 mm)	2	
5591-A3	5	.046"/1.17 mm	65 cm	.035" (0.89 mm)	-	
5591-B3	5	.046"/1.17 mm	100 cm	.035" (0.89 mm)	-	
5591-C3	5	.046"/1.17 mm	65 cm	.035" (0.89 mm)	2	
5591-D3	5	.046"/1.17 mm	100 cm	.035" (0.89 mm)	2	




AMIR MOTARJEME CANE

7747-B0	4	.042"/1.07 mm	65 cm	.035" (0.89 mm)	-	
7747-20	4	.042"/1.07 mm	65 cm	.038" (0.97 mm)	-	bumper tip
7747-A0	4	.042"/1.07 mm	100 cm	.035" (0.89 mm)	-	
7747-10	4	.042"/1.07 mm	100 cm	.038" (0.97 mm)	-	bumper tip
5591-E3	5	.046"/1.17 mm	65 cm	.035" (0.89 mm)	-	
5591-F3	5	.046"/1.17 mm	100 cm	.035" (0.89 mm)	-	



PERFORMA® REUTER CATHETERS

Catalog Number	French Size	Internal Diameter	Length	Recommended Guide Wire	# of Side Ports	Description
7714-A0	4	.042"/1.07 mm	80 cm	.035" (0.89 mm)	2	
7714-10	4	.042"/1.07 mm	80 cm	.038" (0.97 mm)	2	bumper tip
7714-B0	4	.042"/1.07 mm	80 cm	.035" (0.89 mm)	-	
7714-20	4	.042"/1.07 mm	80 cm	.038" (0.97 mm)	-	bumper tip
5589-A3	5	.046"/1.17 mm	80 cm	.035" (0.89 mm)	-	
5589-B3	5	.046"/1.17 mm	80 cm	.035" (0.89 mm)	2	
5589-13	5	.046"/1.17 mm	80 cm	.038" (0.97 mm)	-	
5589-23	5	.046"/1.17 mm	80 cm	.038" (0.97 mm)	2	



PERFORMA® MIKAELSSON CATHETERS

Catalog Number	French Size	Internal Diameter	Length	Recommended Guide Wire	Description
7719-A0	4	.042"/1.07 mm	80 cm	.035" (0.89 mm)	
7719-10	4	.042"/1.07 mm	80 cm	.038" (0.97 mm)	bumper tip
5594-13	5	.046"/1.17 mm	80 cm	.038" (0.97 mm)	



MIKAELSSON

PERFORMA® KA CATHETERS

Catalog Number	French Size	Internal Diameter	Length	Recommended Guide Wire	Description
5582-23	5	.046"/1.17 mm	65 cm	.038" (0.97 mm)	
5582-33	5	.052"/1.32 mm	65 cm	.038" (0.97 mm)	high flow non-braided



KA

PERFORMA® KA2 CATHETERS

Catalog Number	French Size	Internal Diameter	Length	Recommended Guide Wire	
5582-13	5	.046"/1.17 mm	40 cm	.038" (0.97 mm)	
5582-43	5	.046"/1.17 mm	65 cm	.038" (0.97 mm)	
7514-13	6	.054"/1.37 mm	40 cm	.038" (0.97 mm)	
7514-23	6	.054"/1.37 mm	65 cm	.038" (0.97 mm)	



KA2

PERFORMA® DVS A1 CATHETERS (10 CM TAPER TIP)

Catalog Number	French Size	Internal Diameter	Length	Recommended Guide Wire	
5595-13	5	.046"/1.12 mm	65 cm	.035" (0.89 mm)	
5595-33	5	.046"/1.12 mm	100 cm	.035" (0.89 mm)	
5595-23	5	.046"/1.12 mm	65 cm	.038" (0.97 mm)	
5595-43	5	.046"/1.12 mm	100 cm	.038" (0.97 mm)	



DVS A1

PERFORMA® DVS A2 CATHETERS (15 CM TAPER TIP)

Catalog Number	French Size	Internal Diameter	Length	Recommended Guide Wire	
5595-A3	5	.046"/1.12 mm	65 cm	.035" (0.89 mm)	
5595-C3	5	.046"/1.12 mm	100 cm	.035" (0.89 mm)	
5595-B3	5	.046"/1.12 mm	65 cm	.038" (0.97 mm)	
5595-D3	5	.046"/1.12 mm	100 cm	.038" (0.97 mm)	



DVS A2

PERFORMA® UHF SHEPHERD FLUSH CATHETERS

Catalog Number	French Size	Internal Diameter	Length	Recommended Guide Wire	# of Side Ports	Description
7602-A1	5	.052"/1.32 mm	65 cm	.035" (0.89 mm)	6	non-braided
7602-B1	5	.052"/1.32 mm	90 cm	.035" (0.89 mm)	6	non-braided
7602-C1	5	.052"/1.32 mm	65 cm	.038" (0.97 mm)	6	non-braided
7602-D1	5	.052"/1.32 mm	90 cm	.038" (0.97 mm)	6	non-braided



SHEPHERD FLUSH

PERFORMA® ULTRA BOLUS FLUSH CATHETERS

Catalog Number	French Size	Internal Diameter	Length	Recommended Guide Wire	# of Side Ports	Description
7674-11	5	.052"/1.32 mm	65 cm	.035" (0.89 mm)	10	non-braided
7674-21	5	.052"/1.32 mm	90 cm	.035" (0.89 mm)	10	non-braided
7674-31	5	.052"/1.32 mm	65 cm	.038" (0.97 mm)	10	non-braided
7674-41	5	.052"/1.32 mm	90 cm	.038" (0.97 mm)	10	non-braided



ULTRA BOLUS FLUSH

PERFORMA® ULTRA HIGH FLOW PIGTAIL CATHETERS

Catalog Number	French Size	Internal Diameter	Length	Recommended Guide Wire	# of Side Ports	Description
7602-41	5	.052"/1.32 mm	65 cm	.035" (0.89 mm)	10	non-braided
7602-51	5	.052"/1.32 mm	90 cm	.035" (0.89 mm)	10	non-braided
7602-61	5	.052"/1.32 mm	110 cm	.035" (0.89 mm)	10	non-braided
7602-71	5	.052"/1.32 mm	65 cm	.038" (0.97 mm)	10	non-braided
7602-81	5	.052"/1.32 mm	90 cm	.038" (0.97 mm)	10	non-braided
7602-91	5	.052"/1.32 mm	110 cm	.038" (0.97 mm)	10	non-braided



PIGTAIL

PERFORMA® PIGTAIL FLUSH CATHETER

Catalog Number	French Size	Internal Diameter	Length	Recommended Guide Wire	# of Side Ports	Description
7749-A0	4	.042"/1.07 mm	80 cm	.035" (0.89 mm)	10	braided



PIGTAIL

PERFORMA® STRAIGHT FLUSH CATHETERS

Catalog Number	French Size	Internal Diameter	Length	Recommended Guide Wire	# of Side Ports	Description
7673-11	5	.052"/1.32 mm	65 cm	.035" (0.89 mm)	10	non-braided
7673-21	5	.052"/1.32 mm	90 cm	.035" (0.89 mm)	10	non-braided
7673-31	5	.052"/1.32 mm	65 cm	.035" (0.89 mm)	-	non-braided
7673-41	5	.052"/1.32 mm	65 cm	.038" (0.97 mm)	10	non-braided
7673-51	5	.052"/1.32 mm	90 cm	.038" (0.97 mm)	10	non-braided
7673-61	5	.052"/1.32 mm	65 cm	.038" (0.97 mm)	-	non-braided

STRAIGHT



PERFORMA® MODIFIED HOOK FLUSH CATHETERS

Catalog Number	French Size	Internal Diameter	Length	Recommended Guide Wire	# of Side Ports	Description
7603-A1	5	.052"/1.32 mm	65 cm	.035" (0.89 mm)	6	non-braided
7603-B1	5	.052"/1.32 mm	90 cm	.035" (0.89 mm)	6	non-braided
7603-C1	5	.052"/1.32 mm	65 cm	.038" (0.97 mm)	6	non-braided
7603-D1	5	.052"/1.32 mm	90 cm	.038" (0.97 mm)	6	non-braided

MODIFIED HOOK FLUSH



PERFORMA® VESSEL-SIZING CATHETERS

ALL SIDE PORTS BETWEEN TIP AND FIRST BAND

Vessel-Sizing Catheters (marker catheters) are designed to provide accurate measurement of the patient's anatomy and will take the guesswork out of selecting appropriate interventional devices. Making the correct sizing decisions save time and produce better patient outcomes.

Catalog Number	French Size	Internal Diameter	Length	Recommended Guide Wire	# of side Ports	Bands and Spacing	Description
2 BAND							
7742-2M65SH	4	.041"/1.04 mm	65 cm	.035" (0.89 mm)	5	2 (2 cm apart)	Pigtail
7742-2M100SH	4	.041"/1.04 mm	100 cm	.035" (0.89 mm)	5	2 (2 cm apart)	Pigtail
7744-2M65SH	4	.041"/1.04 mm	65 cm	.035" (0.89 mm)	5	2 (2 cm apart)	Straight
7744-2M100SH	4	.041"/1.04 mm	100 cm	.035" (0.89 mm)	5	2 (2 cm apart)	Straight
7743-2M65SH	4	.041"/1.04 mm	65 cm	.035" (0.89 mm)	5	2 (2 cm apart)	Ultra Bolus
7743-2M100SH	4	.041"/1.04 mm	100 cm	.035" (0.89 mm)	5	2 (2 cm apart)	Ultra Bolus
7755-2M65	4	.041"/1.04 mm	65 cm	.035" (0.89 mm)	6	2 (2 cm apart)	Mod. Hook
7755-2M100	4	.041"/1.04 mm	100 cm	.035" (0.89 mm)	6	2 (2 cm apart)	Mod. Hook
7602-2M65	5	.052"/1.32 mm	65 cm	.035" (0.89 mm)	10	2 (2 cm apart)	Pigtail
7602-2M	5	.052"/1.32 mm	100 cm	.035" (0.89 mm)	10	2 (2 cm apart)	Pigtail
7674-2M65	5	.052"/1.32 mm	65 cm	.035" (0.89 mm)	10	2 (2 cm apart)	Ultra Bolus
7674-2M	5	.052"/1.32 mm	100 cm	.035" (0.89 mm)	10	2 (2 cm apart)	Ultra Bolus
7673-2M65	5	.052"/1.32 mm	65 cm	.035" (0.89 mm)	10	2 (2 cm apart)	Straight
7673-2M	5	.052"/1.32 mm	100 cm	.035" (0.89 mm)	10	2 (2 cm apart)	Straight
7603-2M65	5	.052"/1.32 mm	65 cm	.035" (0.89 mm)	6	2 (2 cm apart)	Mod. Hook
7603-2M100	5	.052"/1.32 mm	100 cm	.035" (0.89 mm)	6	2 (2 cm apart)	Mod. Hook



2 BAND PIGTAIL



2 BAND ULTRA BOLUS



2 BAND STRAIGHT



2 BAND MOD. HOOK FLUSH

11 BAND

7602-11M65	5	.052"/1.32 mm	65 cm	.035" (0.89 mm)	10	11 (1 cm apart)	Pigtail
7602-11M	5	.052"/1.32 mm	100 cm	.035" (0.89 mm)	10	11 (1 cm apart)	Pigtail
7673-11M65SH	5	.052"/1.32 mm	65 cm	.035" (0.89 mm)	10	11 (1 cm apart)	Straight
7673-11M100SH	5	.052"/1.32 mm	100 cm	.035" (0.89 mm)	10	11 (1 cm apart)	Straight
7603-11M65	5	.052"/1.32 mm	65 cm	.035" (0.89 mm)	6	11 (1 cm apart)	Mod. Hook
7603-11M100	5	.052"/1.32 mm	100 cm	.035" (0.89 mm)	6	11 (1 cm apart)	Mod. Hook



11 BAND PIGTAIL

20 BAND

7742-20M65SH	4	.041"/1.04 mm	65 cm	.035" (0.89 mm)	5	20 (1 cm apart)	Pigtail
7742-20M100SH	4	.041"/1.04 mm	100 cm	.035" (0.89 mm)	5	20 (1 cm apart)	Pigtail
7602-20M65	5	.052"/1.32 mm	65 cm	.035" (0.89 mm)	10	20 (1 cm apart)	Pigtail
7602-20M	5	.052"/1.32 mm	100 cm	.035" (0.89 mm)	10	20 (1 cm apart)	Pigtail
7602-20M65SH	5	.052"/1.32 mm	65 cm	.035" (0.89 mm)	5	20 (1 cm apart)	Pigtail
7602-20M100SH	5	.052"/1.32 mm	100 cm	.035" (0.89 mm)	5	20 (1 cm apart)	Pigtail
7673-20M65SH	5	.052"/1.32 mm	65 cm	.035" (0.89 mm)	10	20 (1 cm apart)	Straight
7673-20M100SH	5	.052"/1.32 mm	100 cm	.035" (0.89 mm)	10	20 (1 cm apart)	Straight
7603-20M65SH	5	.052"/1.32 mm	65 cm	.035" (0.89 mm)	6	20 (1 cm apart)	Mod. Hook
7603-20M100SH	5	.052"/1.32 mm	100 cm	.035" (0.89 mm)	6	20 (1 cm apart)	Mod. Hook



20 BAND PIGTAIL


SH suffix identifies marker bands that are 16 mm closer to the distal end.

PERFORMA® VESSEL-SIZING CATHETERS

ALL SIDE PORTS BETWEEN BANDS

Catalog Number	French Size	Internal Diameter	Length	# of Side Ports	Bands and Spacing	Description
2 BAND**						
56535AVS2PIG	5	.052"/1.32 mm	65 cm	10	2 (2 cm apart)	Pigtail
510035AVS2PIG	5	.052"/1.32 mm	100 cm	10	2 (2 cm apart)	Pigtail
56535AVS2STR	5	.052"/1.32 mm	65 cm	10	2 (2 cm apart)	Straight
510035AVS2STR	5	.052"/1.32 mm	100 cm	10	2 (2 cm apart)	Straight
56535AVS2MHK	5	.052"/1.32 mm	65 cm	6	2 (2 cm apart)	Mod Hook
510035AVS2MHK	5	.052"/1.32 mm	100 cm	6	2 (2 cm apart)	Mod Hook

2 BAND PIGTAIL




2 BAND ULTRA BOLUS



2 BAND STRAIGHT



2 BAND MOD. HOOK FLUSH



20 BAND**

46535AVS20MHK	4	.041"/1.04mm	65 cm	6	20 (1 cm apart)	Mod Hook
56535AVS20PIG	5	.052"/1.32 mm	65 cm	10	20 (1 cm apart)	Pigtail
510035AVS20PIG	5	.052"/1.32 mm	100 cm	10	20 (1 cm apart)	Pigtail
56535AVS20MHK	5	.052"/1.32 mm	65 cm	6	20 (1 cm apart)	Mod Hook
510035AVS20MHK	5	.052"/1.32 mm	100 cm	6	20 (1 cm apart)	Mod Hook

20 BAND PIGTAIL



Recommended guide wire is .035" (0.89 mm)

** Platinum marker bands have side ports placed between bands to allow quick contrast filling of the vessel while visualising the marker bands.