




<b>Manufacturer:</b> A01 <b>BAS STEEL PROFILE SRL F/C:1019603000893</b> c. TVA:1019603000893 or. Taracalia, str. Voccalnahala 28 rep. Moldova		<b>MILL'S TEST CERTIFICATI</b> (ACC. TO EN10204 / 3.1) A03 5136 Date: 23.01.2026		<b>A02</b> Transport:		<b>A10</b> 	
<b>Customer:</b> A06 Metalica - Zuev SRL SEC. CIOCANA Industriala nr.48		No. A03 B03-B06 Welded cold sized tubes STEEL Grade Direct welded Package wrapped with 6 straps through the side 100% NDT on the weld seam. NDT on the weld seam acc.		Total weight, Kg 22 990		Total Length: 9 618 Pieces: 1 603 Bundles: 17	
<b>Contract No.:</b> A07 <b>Specification No</b> Order No. Destination		Plain ends, straight cut from mill		EN 10219-1/2 S235JRH		 	

**Product description**

Nr.crt.	Nr. Bu	Heat	Product	Dimension(mm)	Thickness	Length(m)	Deviat	Bundles	Pieces	Netto Weight (kg)	Brutto weight, kg	Meters	Product description	
													B01-B02	B09
1	93756	815700	EN 10219-2 / S235JRH	50 x 50 x 4.0 x 6000mm	6 000	6 000		1	49	1 550	294	294		
2	93734	815700	EN 10219-2 / S235JRH	50 x 50 x 4.0 x 6000mm	6 000	6 000		1	49	1 568	294	294		
3	93738	815700	EN 10219-2 / S235JRH	50 x 50 x 4.0 x 6000mm	6 000	6 000		1	49	1 578	294	294		
4	93752	815700	EN 10219-2 / S235JRH	50 x 50 x 4.0 x 6000mm	6 000	6 000		1	49	1 576	294	294		
5	93740	815700	EN 10219-2 / S235JRH	50 x 50 x 4.0 x 6000mm	6 000	6 000		1	49	1 582	294	294		
6	93759	815700	EN 10219-2 / S235JRH	50 x 50 x 4.0 x 6000mm	6 000	6 000		1	49	1 558	294	294		
7	93851	153181	EN 10219-2 / S235JRH	50 x 50 x 4.0 x 6000mm	6 000	6 000		1	49	1 564	294	294		
8	97735	825767-9	EN 10219-2 / S235JRH	40 x 20 x 2 x 6000mm	6 000	6 000		1	126	1 192	756	756		
9	97738	825767-9	EN 10219-2 / S235JRH	40 x 20 x 2 x 6000mm	6 000	6 000		1	126	1 190	756	756		
10	97980	825767-9	EN 10219-2 / S235JRH	40 x 20 x 2 x 6000mm	6 000	6 000		1	126	1 234	756	756		
11	97338	2509135	EN 10219-2 / S235JRH	40 x 20 x 2 x 6000mm	6 000	6 000		1	126	1 196	756	756		
12	97337	2509135	EN 10219-2 / S235JRH	40 x 20 x 2 x 6000mm	6 000	6 000		1	126	1 186	756	756		
13	97719	825767-9	EN 10219-2 / S235JRH	40 x 20 x 2 x 6000mm	6 000	6 000		1	126	1 180	756	756		
14	97392	2509322	EN 10219-2 / S235JRH	40 x 20 x 2 x 6000mm	6 000	6 000		1	126	1 196	756	756		
15	97989	825767-9	EN 10219-2 / S235JRH	40 x 20 x 2 x 6000mm	6 000	6 000		1	126	1 246	756	756		
16	97749	825767-9	EN 10219-2 / S235JRH	40 x 20 x 2 x 6000mm	6 000	6 000		1	126	1 198	756	756		
17	97300	2506021	EN 10219-2 / S235JRH	40 x 20 x 2 x 6000mm	6 000	6 000		1	126	1 196	756	756		

**«BAS STEEL PROFILE» S.R.L.**  
**OTK**

Nr.crt.	B07		B01-B02		B09 Dimension(mm)	C71-C92										
	Nr. Buf	Heat	Product	Product		C	Si	Mn	S	P	Cr	Ni	Cu	As	N	Al
						x100	x100	x100	x1000	x1000	x100	x100	x100	x1000	x1000	
1	93756	815700	EN 10219-2 / S235JRH	EN 10219-2 / S235JRH	50 x 50 x 4,0 x 6000	7	18	26	15	5	6	2	31		6	32
2	93734	815700	EN 10219-2 / S235JRH	EN 10219-2 / S235JRH	50 x 50 x 4,0 x 6000	7	18	26	15	5	6	2	31		6	32
3	93738	815700	EN 10219-2 / S235JRH	EN 10219-2 / S235JRH	50 x 50 x 4,0 x 6000	7	18	26	15	5	6	2	31		6	32
4	93752	815700	EN 10219-2 / S235JRH	EN 10219-2 / S235JRH	50 x 50 x 4,0 x 6000	7	18	26	15	5	6	2	31		6	32
5	93740	815700	EN 10219-2 / S235JRH	EN 10219-2 / S235JRH	50 x 50 x 4,0 x 6000	7	18	26	15	5	6	2	31		6	32
6	93759	815700	EN 10219-2 / S235JRH	EN 10219-2 / S235JRH	50 x 50 x 4,0 x 6000	7	18	26	15	5	6	2	31		6	32
7	93851	153181	EN 10219-2 / S235JRH	EN 10219-2 / S235JRH	50 x 50 x 4,0 x 6000	13	1,8	37	20	28	5	2	2		9	
8	97735	825767-9	EN 10219-2 / S235JRH	EN 10219-2 / S235JRH	40 x 20 x 2 x 6000m	11	1,1	36	18	25	5	1	2		3	
9	97738	825767-9	EN 10219-2 / S235JRH	EN 10219-2 / S235JRH	40 x 20 x 2 x 6000m	11	1,1	36	18	25	5	1	2		3	
10	97980	825767-9	EN 10219-2 / S235JRH	EN 10219-2 / S235JRH	40 x 20 x 2 x 6000m	11	1,1	36	18	25	5	1	2		3	
11	97338	2509135	EN 10219-2 / S235JRH	EN 10219-2 / S235JRH	40 x 20 x 2 x 6000m	85	14	28	14	10	6	2	24		5	45
12	97337	2509135	EN 10219-2 / S235JRH	EN 10219-2 / S235JRH	40 x 20 x 2 x 6000m	85	14	28	14	10	6	2	24		5	45
13	97719	825767-9	EN 10219-2 / S235JRH	EN 10219-2 / S235JRH	40 x 20 x 2 x 6000m	11	1,1	36	18	25	5	1	2		3	
14	97392	2509322	EN 10219-2 / S235JRH	EN 10219-2 / S235JRH	40 x 20 x 2 x 6000m	5	18	26	9	10	6	2	32		5	40
15	97989	825767-9	EN 10219-2 / S235JRH	EN 10219-2 / S235JRH	40 x 20 x 2 x 6000m	11	1,1	36	18	25	5	1	2		3	
16	97749	825767-9	EN 10219-2 / S235JRH	EN 10219-2 / S235JRH	40 x 20 x 2 x 6000m	11	1,1	36	18	25	5	1	2		3	
17	97300	2506021	EN 10219-2 / S235JRH	EN 10219-2 / S235JRH	40 x 20 x 2 x 6000m	7	16	26	13	21	6	2	37		8	35

«BAS STEEL PROFILE» S.R.L.  
**OTK**

**Mechanical Test**

Nr. crt.	Nr. Bu Heat	Product	Dimension(mm)	B09		C03	C11	C12	C13	D02	D03
				Direction of the test pieces	Test temperature						
1	93756	815700	EN 10219-2 / S235JRH	50 x 50 x 4.0 x 6000mm	ambient	339	419	39			
2	93734	815700	EN 10219-2 / S235JRH	50 x 50 x 4.0 x 6000mm	ambient	339	419	39			
3	93738	815700	EN 10219-2 / S235JRH	50 x 50 x 4.0 x 6000mm	ambient	339	419	39			
4	93752	815700	EN 10219-2 / S235JRH	50 x 50 x 4.0 x 6000mm	ambient	339	419	39			
5	93740	815700	EN 10219-2 / S235JRH	50 x 50 x 4.0 x 6000mm	ambient	339	419	39			
6	93759	815700	EN 10219-2 / S235JRH	50 x 50 x 4.0 x 6000mm	ambient	339	419	39			
7	93851	153181	EN 10219-2 / S235JRH	40 x 20 x 2 x 6000mm	ambient	289	412	33			
8	97735	825767-9	EN 10219-2 / S235JRH	40 x 20 x 2 x 6000mm	ambient	289	412	33			
9	97738	825767-9	EN 10219-2 / S235JRH	40 x 20 x 2 x 6000mm	ambient	289	412	33			
10	97980	825767-9	EN 10219-2 / S235JRH	40 x 20 x 2 x 6000mm	ambient	341	425	30			
11	97338	2509135	EN 10219-2 / S235JRH	40 x 20 x 2 x 6000mm	ambient	341	425	30			
12	97337	2509135	EN 10219-2 / S235JRH	40 x 20 x 2 x 6000mm	ambient	289	412	33			
13	97719	825767-9	EN 10219-2 / S235JRH	40 x 20 x 2 x 6000mm	ambient	298	401	36			
14	97392	2509322	EN 10219-2 / S235JRH	40 x 20 x 2 x 6000mm	ambient	289	412	33			
15	97989	825767-9	EN 10219-2 / S235JRH	40 x 20 x 2 x 6000mm	ambient	289	412	33			
16	97749	825767-9	EN 10219-2 / S235JRH	40 x 20 x 2 x 6000mm	ambient	289	412	33			
17	97300	2506021	EN 10219-2 / S235JRH	40 x 20 x 2 x 6000mm	ambient	338	426	32			

We state on our sole responsibility that the delivered products are in conformity with production standards or with contract Addendums.

Visual inspection: checked without any objection

Tolerances on dimensions and shape: pass

Draweted up.  
Eng. Filipov Nicolai

Signature of the QCD representative.  
Eng. Neki Yuri