

Mobile workstation Regula 83X3M



The workstation is intended for automated reading and authenticity verification of passports, ID cards, driving licenses, visas and other security documents.

Regula 83X3M enables text and barcode recognition, RFID tag reading.

The function of fingerprint scanning and verification is available.

The mobile workstation comprises a tablet PC and an optical document reader. It can be used both as a desktop solution (powered by the AC mains) and as a portable device (powered by a battery pack).

The document reader allows capturing document images in white, infrared, ultraviolet and white coaxial light depending on the workstation model. Regula 83X3M is optionally equipped with an RFID-reader. Workstation operation is controlled via special software **Regula Document Reader SDK**.

Functionality

- Capturing and processing images
 - supported document formats
 - ID-1
 - ID-2
 - ID-3
 - other documents with maximum size 90×130 mm
 - document detection sensor
 - automatic scanning after document detection
 - compensation of external light hitting during image capture in ultraviolet light (Smart UV)
 - automated selection of UV illumination intensity according to the document type
 - search and cropping of a document image from a general image
- the MRZ detection and recognition
- recognition and reading of 1D and 2D barcodes
- automated recognition of a document type
- processing graphic fields
- OCR of the visual zone
- reading RFID-tags
- analyzing and comparing text data
- automated authenticity verification of a document

Operation

1. The optical reader automatically detects a document in the reader slot.
2. Images of the document in functional illumination modes are formed. At the same time data from an RFID tag is read out.
3. A fingerprint is scanned.
4. Obtained data are processed by **Regula Document Reader SDK**.
5. The results of processing are available for further use.

Application

- Border control services
- Aviation security services
- Law-enforcement agencies
- Immigration services
- Financial institutions
- Hotels
- Car rental and leasing companies
- Cellular companies
- Business centers security service
- Event-agencies
- Medical institutions
- Tourist agencies
- Ticket offices
- Visa support agencies and consulates
- Insurance companies

- Casino security service

Delivery Set

- **Regula Document Reader SDK**

Functionality		Model								
		8303M. 100	8303M. 110	8303M. 111	8323M. 100	8323M. 110	8323M. 111	8333M. 100	8333M. 110	8333M. 111
Light sources of the optical document reader	white	+	+	+	+	+	+	+	+	+
	infrared 870±20 nm	+	+	+	+	+	+	+	+	+
	ultraviolet 365±5 nm		+	+		+	+		+	+
	coaxial white			+			+			+
Biometric fingerprint scanner								+	+	+
RFID-reader					+	+	+	+	+	+

Optical document reader

- Field of view, mm — 90×130: full passport page
- Sensor:
 - type — CMOS
 - colour model — RGB
 - colour depth, bit — 24
 - megapixels — 3
 - resolution, ppi — 400
 - frame size, pixels — 2048×1536

RFID-reader for Regula 8323M.XXX, 8333M.XXX

- Supported standards — ISO 14443: RFID tags of type A and B
- PC/SC protocol support
- Data exchange rate, Kbaud — 106, 212, 424, 848
- Reading an RFID tag regardless of its position in a document
- Anti-collision: reading an RFID tag according to the MRZ

Biometric fingerprint scanner for Regula 8333M.XXX

- Scanning time, s — 0,15
- Size of a window for scanning a fingerprint, mm — 16×24
- Resolution, dpi — 508
- Frame size, pixels — 480×320
- Connection interface — USB 2.0

Tablet PC

- CPU — Intel® Z8300™ 1.44 GHz
- RAM, Gb — 4
- Storage, Gb — 64 SSD
- Display — 8 inch, IPS, 1280×800 (multi-touch screen)
- Camera — 2 MP (front), 5 MP (rear)
- microSD support of up to 256 Gb
- Interfaces — 2xUSB 2.0, HDMI, microSIM, Bluetooth 4.0, WiFi 802.11 a/b/g/n, WCDMA (900/2100MHz), HSDPA, GPS/GLONASS/QZSS
- Battery, mAh — 8300/3.7V

- Protection rating — IP67
- OS — Microsoft Windows 10 Pro, 64 bit

Technical specifications

- Dimensions (length×width×height with the PC in the closed position), mm — 275×185×151
- Weight, kg, max — 4
- Power consumption, W, max — 60
- Power supply:
 - from the AC mains using the power adapter — 100—240 V / 19 V
 - from the batteries — 4500 mAh / 14,4 V (reader battery pack), 8300 mAh / 3,7 V (PC battery)
- Time of autonomous operation, h, max — 6
- Workstation warm-up time, min, not more than — 2
- Protection rating — IP41
- Connection interfaces — 1xUSB 2.0, 1xRJ45 Ethernet 10/100, DC IN 19V
- Additional functions — keyboard backlight, torch

Document reader software development kit (SDK)

SDK (**Full**) consists of three modules:

- Basic – supplied together with a device by default
- VizOCR – reading textual fields from a document page
- AAC – automatic authenticity control

VizOCR and AAC modules are optional and used to extend the functionality of Basic module.

Updates for SDK are provided regularly. Basic module has unlimited support. VizOCR and AAC are updated on subscription basis.

Functionality		Full SDK modules		
		Basic (supplied by default)	VizOCR	AAC
Document image capture and processing				
Document formats	<ul style="list-style-type: none"> • ID-1 (identity card) • ID-2 (passport card, visa) • ID-3 (passport) • other document formats up to 90×130 mm 	+		
Scanning process	<ul style="list-style-type: none"> • document detection sensor • automatic scanning after document detection • elimination of glare from laminate and holograms for white and infrared illumination • compensation of external light hitting during image capture in UV light (Smart UV) • automatic intensity selection of UV illumination for a certain document type • search and cropping of a document image from a received image 	+		
Machine readable zone (MRZ)				
Supported MRZ formats	<ul style="list-style-type: none"> • in conformity with ICAO 9303: <ul style="list-style-type: none"> ◦ 44×2 ◦ 30×3 ◦ 36×2 • in conformity with ISO IEC 18013 (IDL): <ul style="list-style-type: none"> ◦ 30×1 • support of special MRZ data structure for documents of certain countries 	+		
Features	<ul style="list-style-type: none"> • search for the MRZ along the whole document image • MRZ recognition in infrared and white light • control of check digits and data structure in conformity with the requirements of ICAO 9303 and BSI TR-03105 Part 5.1 • evaluation of MRZ quality specifications in conformity with ICAO 9303, ISO 7501, 1831, 1073-2 standards 	+		
Barcodes				
Supported formats	<ul style="list-style-type: none"> • 1D: Codabar, Code39 (+extended), Code93, Code128, EAN-8, EAN-13, IATA 2 of 5 (Airline), Interleaved 2 of 5 (ITF), Matrix 2 of 5, STF (Industrial), UPC-A, UPC-E 	+		

	<ul style="list-style-type: none"> • 2D: PDF417, Aztec Code, QR Code, Datamatrix 			
Authentication	<ul style="list-style-type: none"> • barcode format check 			+
Automatic document type recognition				
Order of document type recognition	<ul style="list-style-type: none"> • Country→Type→Series 		+	+
Features	<ul style="list-style-type: none"> • receiving a document template from the SDK database containing the following information: <ul style="list-style-type: none"> ◦ text and graphic fields position ◦ availability of barcodes and security features ◦ authenticity verification and its parameters ◦ RFID-chip availability ◦ a reference image from Information Reference Systems «Passport», «Autodocs», «Frontline Documents System» • processing of the received document images in compliance with the sample, including document image rotation by the angle given in the sample 		+	+
Graphic fields processing				
Types of graphic fields	<ul style="list-style-type: none"> • portrait of the document holder • signature • barcode • fingerprint, etc. 	+		
Features	<ul style="list-style-type: none"> • cropping and displaying graphic fields as separate images in compliance with the sample of the corresponding document • automatic searching of faces on the document image and cropping the document holder portrait if the document type is not recognized • document image rotation according to the document holder portrait position 	+		
OCR of the visual zone				
Recognition of character sets	<ul style="list-style-type: none"> • Central European and Eastern European Latin (1250) • Cyrillic (1251) • Western European Latin (1252) • Greek (1253) • Turkish (1254) • Baltic (1257) • other fonts of any size 		+	
Features	<ul style="list-style-type: none"> • dictionary support (name, surname, address, country, etc.) • automatic text division into separate fields (e.g. dividing the address into postal code, country, state, etc.) • recognition of dates with complex formats • recognition of characters from different character sets in one line 		+	
RFID SDK				
Supported RFID-chip standards	<ul style="list-style-type: none"> • ISO/IEC 14443-2 (type A and B) • ISO/IEC 14443-3 (MIFARE® Classic Protocol) • ISO/IEC 14443-4 	+		
Data access modes	<ul style="list-style-type: none"> • Direct • BAC • EAC 	+		

	<ul style="list-style-type: none"> • PACE • SAC 			
Authentication	<ul style="list-style-type: none"> • active (AA) • passive (PA) • chip (CA v1, CA v2) • terminal (TA v1, TA v2) 	+		
Supported applications	<ul style="list-style-type: none"> • ePassport (DG1–DG16) • eID (DG1–DG21) • eSign • eDL (DG1–DG14) 	+		
Certificate management	<ul style="list-style-type: none"> • local storage • receiving certificates online through the program interface • Master List, CRL support 	+		
Features	<ul style="list-style-type: none"> • reading RFID chips with extended length support • reading RFID chips in compliance with ICAO LDS 1.7, PKI 1.1 data formats • certified by BSI TR-03105 Part 5.1, BSI TR-03105 Part 5.2 	+		
Analysis and comparison of text data				
Document areas for cross-checking of the readout data	<ul style="list-style-type: none"> • MRZ • VIZ • RFID-chip • barcode 	+		
Verification	<ul style="list-style-type: none"> • validity of any dates • authenticity of names and surnames according to lists of wordstops • zero numbers of sample documents 	+		
Adjustment of formats and measuring units to those used in the user OS	<ul style="list-style-type: none"> • date • weight • height, etc. 	+		
Features	<ul style="list-style-type: none"> • complete or partial comparison of fields • integration of data received from several document pages • calculated field support (age, etc.) • transliteration to Latin characters in compliance with ICAO 9303 standards for comparison with the MRZ 	+		
Authenticity verification				
Operation available for any document	<ul style="list-style-type: none"> • checking luminescence (UV Dull Paper) of: <ul style="list-style-type: none"> ◦ the form ◦ the MRZ area ◦ the portrait area • checking the MRZ print contrast in compliance with ICAO 9303 (IR B900 Ink) 			+
Operations available after document type recognition	<ul style="list-style-type: none"> • checking image patterns in white, IR and UV light • checking luminescence of UV protection fibers • detection of false luminescence • checking photo embedding type: printing or attachment • checking IR Visibility of: <ul style="list-style-type: none"> ◦ elements of the form ◦ text data ◦ the photograph (main and additional) 			+

	<ul style="list-style-type: none"> • detection of holograms (OVD), OVI • reading a luminescent text and comparing it with the data obtained from the MRZ and VIZ (OCR Security Text) • visualization of IPI (Invisible Personal Information) • checking retroreflective protection • checking barcode format 			
Features	<ul style="list-style-type: none"> • checking operations are adjusted to documents with different degrees of wear and tear • the choice of checking operations depends on security features available in a questioned document 			+
Additional SDK functions				
Image formats	<ul style="list-style-type: none"> • .BMP • .JPG • .JP2 • .PNG • .TIF • other image formats are possible on request 	+		
Interoperability	<ul style="list-style-type: none"> • comparison modules: <ul style="list-style-type: none"> ◦ fingerprint images from RFID chip and external fingerprint scanner ◦ face images from document data page and/or RFID chip • Information Reference Systems «Passport», «Autodocs», «Frontline Documents System» 	*		
OS compatibility	<ul style="list-style-type: none"> • Microsoft Windows XP (SP3), Windows 7 (x86, x64), Windows 8, Windows 10 	+		
Drivers	<ul style="list-style-type: none"> • Microsoft certified 	+		
Features	<ul style="list-style-type: none"> • simultaneous optical scanning and RFID chip reading • firmware upgrade via USB interface (automatic upgrade after installing new SDK version) • multilingual interface 	+		
Software updates				
SDK	<ul style="list-style-type: none"> • twice a year 	*		
Document template database	<ul style="list-style-type: none"> • monthly 	*		

* - on request / individual agreement