




Members


**Wire Cutting Forceps, for hard wires up to diam. 2.2mm,
for soft wires up to diam. 3mm, length 230mm**

Code: BS14.1025.01



**Wire Cutting Forceps, for Kirschner wires and Schanz screws,
up to diam. 6mm**

Code: BS14.1055.01




HEMC House:

0-313, Sector-63, Noida, U. P. 201 301 (INDIA)

Customer care : +91-120-4088 888, Fax : +91-120-4088 777

Email : info@hemcmedical.com

Web Site : www.hemcmedical.com



Exhibitor's at:



ISO 13485:2016, ISO 9001:2015 Certified Company

****Shape/Color/Design may change at time of supply depending upon stock availability.**



Members

STILLE-RUSKIN Bone Rongeur, straight, length 230mm
Code: BS14.841.01



STILLE-RUSKIN Bone Rongeur, curved, length 230mm
Code: BS14.840.01



HEMC House:

D-313, Sector-63, Noida, U. P. 201 301 (INDIA)
Customer care : +91-120-4088 888, Fax : +91-120-4088 777
Email : info@hemcmedical.com
Web Site : www.hemcmedical.com



Exhibitor's at:






Members


STILLE-LUER Bone Rongeur, straight, length 270mm

Code: 733.270



STILLE-LUER Bone Rongeur, curved, length 270mm

Code: 734.270



MC House:

13, Sector-63, Noida, U. P. 201 301 (INDIA)

Customer care : +91-120-4088 888, Fax : +91-120-4088 777

Email : info@hemcmedical.com

Web Site : www.hemcmedical.com



Exhibitor's at:



ISO 13485:2016, ISO 9001:2015 Certified Company


**Shape/Color/Design may change at time of supply depending upon stock availability.



Members


BOHLER bone rongeur, straight, length 150mm

Code: BS14.810.01




BOHLER bone rongeur, curved, length 150mm

Code: BS14.811.01



IC House:
13, Sector-63, Noida, U. P. 201 301 (INDIA)
Customer care : +91-120-4088 888, Fax : +91-120-4088 777
Email : info@hemcmedical.com
Website : www.hemcmedical.com



Exhibitor's at:






Members

STILLE-LISTON Bone Rongeur, straight, length 270mm


Code: 730.270



Stille-Lston Bone Rongeur Straight L-270mm

STILLE-LISTON Bone Rongeur, curved, length 270mm

Code: 731.270



Stille-Lston Bone Rongeur Curved L-270mm

HEMC House:

D-313, Sector-63, Noida, U. P. 201 301 (INDIA)
Customer care : +91-120-4088 888, Fax : +91-120-4088 777
Email : info@hemcmedical.com
Web Site : www.hemcmedical.com



Exhibitor's at:



Members

**FARABEUF Bone Holding Forceps, length 270mm****Code: BS14.970.02**

Farabeuf bone Holding forceps L-270mm

Hohmann retractors**742****HOHMANN RETRACTOR**

CODE	SIZE (mm)	CODE	SIZE (mm)
742.006	6 x 150	742.024	24 x 240
742.008	8 x 150	742.025	25 x 240
742.010	10 x 150	742.028	28 x 240
742.012	12 x 150	742.030	30 x 240
742.015	15 x 150	742.035	35 x 240
742.018	18 x 240	742.040	40 x 260
742.020	20 x 240	742.043	43 x 260
742.022	22 x 240	742.070	70 x 280



Code No: 742

HEMC House:


D-313, Sector-63, Noida, U. P. 201 301 (INDIA)

Customer care : +91-120-4088 888, Fax : +91-120-4088 777

Email : info@hemcmedical.com

Web Site : www.hemcmedical.com

Exhibitor's at:





Members

Gigli saw wire

Code: 722.001 (handle)

Code: 722.002 (wire, 300mm)

Code: 722.003 (wire, 400mm)

Code: 722.004 (wire, 500mm)



PUTTI Rasp, length 300mm

Code: BS14.30.02 (flat/flat)

BS14.31.02 (flat/round)



Putty rasp

EMC House:

-313, Sector-63, Noida, U. P. 201 301 (INDIA)

Customer care : +91-120-4088 888, Fax : +91-120-4088 777

mail : info@hemcmedical.com

Web Site : www.hemcmedical.com

Exhibitor's at:





A Government of India recognized Export House



Members

DEMEL Bone Guide Wire, X-32mm, length 270mm
Code: BS14.1014.01



DEMEL Bone Guide Wire, X-45mm, length 270mm
Code: BS14.1014.02



DEMEL Bone Guide Wire, X-62mm, length 270mm
Code: BS14.1014.03



HEMC House:
D-313, Sector-63, Noida, U. P. 201 301 (INDIA)
Customer care : +91-120-4088 888, Fax : +91-120-4088 777
Email : info@hemcmedical.com
Web Site : www.hemcmedical.com



Exhibitor's at:



ISO 13485:2016, ISO 9001:2015 Certified Company

**Shape/Color/Design may change at time of supply depending upon stock availability.

Members



SMITH-PETERSEN chisel (osteotome), width 16mm, length 200mm
Code: BS14.255.04



Chisel (Osteotome) Wide 16mm L-220mm

LEXER chisel (osteotome), width 30mm, length 220mm
Code: BS14.240.06



Chisel (Osteotome) Wide 30mm L-220mm

HEMC House:
D-313, Sector-63, Noida, U. P. 201 301 (INDIA)
Customer care : +91-120-4088 888, Fax : +91-120-4088 777
Email : info@hemcmedical.com
Web Site : www.hemcmedical.com



Exhibitor's at:



ISO 13485:2016, ISO 9001:2015 Certified Company

**Shape/Color/Design may change at time of supply depending upon stock availability.



Members


Pelvic Reposition Forceps, small, 19cm

Code: RF14.100.01



Pelvic Reposition Forceps, medium, 23cm

Code: RF14.105.01



HEMC House:

D-313, Sector-63, Noida, U. P. 201 301 (INDIA)

Customer care : +91-120-4088 888, Fax : +91-120-4088 777

Email : info@hemcmedical.com

Web Site : www.hemcmedical.com



Exhibitor's at:





Members

602

DRILL BITS, PLAIN SHANK S.S.

CODE	Ø (mm)	Length (mm)	
602.100.20	2.0	100	
602.125.25	2.5	125	
602.200.25	2.5	200	Lot 11.18
602.250.25	2.5	250	
602.300.25	2.5	300	
602.125.27	2.7	125	
602.200.27	2.7	200	
602.250.27	2.7	250	
602.300.27	2.7	300	
602.125.28	2.8	125	
602.200.28	2.8	200	
602.250.28	2.8	250	Lot 11.19
602.300.28	2.8	300	
602.125.30	3.0	125	
602.200.30	3.0	200	
602.125.32	3.2	125	
602.200.32	3.2	200	Lot 11.20
602.125.35	3.5	125	
602.200.35	3.5	200	
602.250.35	3.5	250	
602.125.40	4.0	125	
602.195.40	4.0	195	
602.125.45	4.5	125	
602.200.45	4.5	200	Lot 11.22
602.250.45	4.5	250	
602.300.45	4.5	300	
602.200.50	5.0	200	
602.250.50	5.0	250	
602.200.60	6.0	200	
602.250.60	6.0	250	

Code No: 602

626

CANNULATED DRILL BITS, PLAIN SHANK S.S.

CODE	Ø (mm)	Length (mm)	
626.125.25	2.5	125	
626.200.25	2.5	200	
626.250.25	2.5	250	
626.300.25	2.5	300	Lot 11.24
626.125.28	2.8	125	
626.200.28	2.8	200	
626.250.28	2.8	250	
626.300.28	2.8	300	
626.125.32	3.2	125	
626.200.32	3.2	200	
626.250.32	3.2	250	
626.300.32	3.2	300	
626.125.35	3.5	125	
626.200.35	3.5	200	Lot 11.21
626.250.35	3.5	250	
626.300.35	3.5	300	
626.125.45	4.5	125	
626.200.45	4.5	200	
626.250.45	4.5	250	
626.300.45	4.5	300	Lot 11.23
626.200.50	5.0	200	
626.250.50	5.0	250	
626.200.60	6.0	200	
626.250.60	6.0	250	

Code No: 626

HEMC House:


D-313, Sector-63, Noida, U. P. 201 301 (INDIA)

Customer care : +91-120-4088 888, Fax : +91-120-4088 777

Email : info@hemcmedical.com

Web Site : www.hemcmedical.com

Exhibitor's at:



ISO 13485:2016, ISO 9001:2015 Certified Company

**Shape/Color/Design may change at time of supply depending upon stock availability.



Members

Hexagonal screw driver

614 HEXAGONAL SCREW DRIVERS	
CODE	TIP SIZE (mm)
614.015	1.5
614.025	2.5
614.035	3.5
614.040	3.5 (Extra Large)



Code No: 614

Hexagonal screw driver, cannulated

615 HEXAGONAL SCREW DRIVERS, CANNULATED	
CODE	TIP SIZE (mm)
615.025	2.5
615.035	3.5
615.045	4.5



Code No: 615

HEMC House:
 Plot-313, Sector-63, Noida, U. P. 201 301 (INDIA)
 Customer care : +91-120-4088 888, Fax : +91-120-4088 777
 Email : info@hemcmedical.com
 Web Site : www.hemcmedical.com



Exhibitor's at:



ISO 13485:2016, ISO 9001:2015 Certified Company

**Shape/Color/Design may change at time of supply depending upon stock availability.



Members

Threaded drill sleeve for drill bits

CODE	PRODUCTS
614.020	Hexagonal Screw Driver, 2.0mm Tip
614.025	Hexagonal Screw Driver, 2.5mm Tip
614.035	Hexagonal Screw Driver, 3.5mm Tip
617.025	Restricted Torque Screw Driver, 2.5mm Tip
617.035	Restricted Torque Screw Driver, 3.5mm Tip
801.024	Threaded Drill Sleeve 2.0mm for Ø2.4mm Bone Locking Screw
801.027	Threaded Drill Sleeve 2.0mm for Ø2.7mm Bone Locking Screw
801.035	Threaded Drill Sleeve 2.8mm for Ø3.5mm Bone Locking Screw
801.050	Threaded Drill Sleeve 4.3mm for Ø5.0mm Bone Locking Screw
660.23.18	Guide Wire with Front Threaded Tip 1.8 x 230mm (Ø x L)
660.23.20	Guide Wire with Front Threaded Tip 2.0 x 230mm (Ø x L)
612.150.18	Drill Bit, Quick Coupling End with Stopper 1.8 x 150mm (Ø x L)
612.150.20	Drill Bit, Quick Coupling End with Stopper 2.0 x 150mm (Ø x L)
612.225.28	Drill Bit, Quick Coupling End with Stopper 2.8 x 225mm (Ø x L)
612.225.43	Drill Bit, Quick Coupling End with Stopper 4.3 x 225mm (Ø x L)

THREADED DRILL
SLEEVE FOR 5.0mm

Code No: 801.050

Instruments for extraction screws 3.5/4.0mm & 4.5/6.5mm

CODE	PRODUCTS	QUANTITY
609	Counter Sink Shaft 5mm, 6mm & 8mm	3 Pc
619	Screw Driver Shaft Hexagonal With 2.0mm, 2.5mm & 3.5mm Tip	3 Pc
615.078	Extraction Bolt With 2.0mm, 2.5mm & 3.5mm Tip	3 Pc
619.01	Screw Driver Shaft, Square With 2.5mm & 3.5mm Tip	2 Pc
628	Conical Extraction Screw With 3.5mm & 4.5mm	2 Pc
713	Gouge For Broken Screw	1 Pc
729.001	Sharp Hook	1 Pc
633	Broken Screw Removal T Handle	1 Pc

CONICAL EXTRACTION
SCREW WITH 3.5mm & 4.5mm

Code No: 628

HEMC House:

D-313, Sector-63, Noida, U. P. 201 301 (INDIA)

Customer care : +91-120-4088 888, Fax : +91-120-4088 777

Email : info@hemcmedical.com

Web Site : www.hemcmedical.com

Exhibitor's at:



SYSTEM 1000

- Portable, lightweight and durable
- Variable speed control
- High precision, low - noise
- Imported German motor
- 135°C Autoclavable



BJ1103

BJ1107B

BJ1102

BJ1101

BJ1103B

Lot 11.16

Power Tools

BJJ-1	BJ1101	Sagittal saw
BJZ-1	BJ1102	Bone drill
BJZ-1	BJ1102SAO	AO drill
BJZ-1	BJ1103	Cannulated drill
BJZ-1	BJ1103B	Dual - function cannulated drill
BJZ-1	BJ1103D	Dual - function cannulated drill
BJJ-1	BJ1107	Acetabulum reaming drill
BJZ-1	BJ1107B	Dual - function acetabulum reaming drill
BJZ-1	BJ1107D	Dual - function acetabulum reaming drill
BJZ-1	BJ1109	Reciprocating saw
BJZ-1	BJ1302	Base model bone drill
BJZ-1	BJ1201	Medical electric plaster cutting saw
BJZ-1	BJ1201S	Medical electric plaster cutting saw

Main Accessories

BJ1001	Battery
BJ1002	Charger
BJ1003	Hand piece cover
BJ1004	Aseptic transfer kit
BJ1005	Key
BJ1002-4	Multi - function charger

Medical Electric Plaster Cutting Saw

BJ1201S		110V, 220V
BJ1201		
BJ1201	Flat wrench	
Saw blades	