

SZUTEST

CE
2765

Notified Body pursuant to the Construction Products Regulation
Permission No CPR-26-NB2765/03 05 2018 of
Ministry of Regional Development and Public Works

Certificate of Constancy of Performance No 2765-CPP-0038

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

Wood-based panels

Intended use: for internal use as structural components
(the characteristics and the performances are described in Annex I which is an inseparable part of this certificate)

placed on the market under the name of

KASTAMONU ENTEGRE AĞAÇ SAN. VE TİC. A. Ş.

Tavşanlı Mahallesi 4512. Sokak No:6 Gebze/Kocaeli – Turkey

and produced in the manufacturing plant

Tavşanlı Mahallesi 4512. Sokak No:6 Gebze/Kocaeli – Turkey

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

EN 13986:2004+A1:2015

under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the constancy of performance of the construction product

This certificate was first issued on 13 08 2018 and will remain valid until 19.05 2023 or neither the harmonised standard, the construction product, the assessment and verification of constancy of performance methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

19.05.2022

Manager of SZUTEST Ltd

Asen Hristov



The validity of certificate can be traced on <http://public.szutest.com.tr/CertificateIndex>

The certificate will be reissued each year after annual surveillance audit

Certificate of Constancy of Performance

No 2765-CPR-0038

Annex I

Product: Wood-based panels

Intended use: for internal use as structural components

Performance Characteristics:

Product	Declared characteristics				
	Reaction to fire	Internal Bond N/mm ²	Bending strength N/mm ²	Modulus of elasticity N/mm ²	Formaldehyde class
Kastamonu Medepan 4 mm	D s2 d0	≥ 0,65	≥ 23	≥ 2700	E1
Kastamonu Medepan 6 mm	C s2 d0	≥ 0,65	≥ 23	≥ 2700	E1
Kastamonu Medepan 7 mm	C s3 d0	≥ 0,65	≥ 23	≥ 2700	E1
Kastamonu Medepan 8 mm	C s2 d0	≥ 0,65	≥ 23	≥ 2700	E1
Kastamonu Medepan 10 mm	B s2 d0 - C s2 d0	≥ 0,60	≥ 22	≥ 2500	E1
Kastamonu Medepan 12 mm	B s2 d0	≥ 0,60	≥ 22	≥ 2500	E1
Kastamonu Medepan 16 mm	B s2 d0	≥ 0,55	≥ 20	≥ 2200	E1
Kastamonu Medepan 18 mm	B s1 d0	≥ 0,55	≥ 20	≥ 2200	E1
Kastamonu Teknopan 8 mm	C s2 d0	≥ 0,40	≥ 11	≥ 1800	E1
Kastamonu Teknopan 18 mm	C s1 d0	≥ 0,35	≥ 11	≥ 1600	E1
Kastamonu Teknopan 22 mm	B s2 d0	≥ 0,30	≥ 10,5	≥ 1500	E1

19.05.2022

Manager of SZUTEST Ltd

Asen Hristov



The validity of certificate can be traced on <http://public.szutest.com/tr/Certificate/Index>

The certificate will be reissued each year after annual surveillance audit

Page 1 of 2

Certificate of Constancy of Performance

No 2765-CPR-0038

Annex I - continued

Product	Reaction to fire	Internal Bond N/mm ²	Bending strength N/mm ²	Modulus of elasticity N/mm ²	Formaldehyde class
Kastamonu Teknopan 25 mm	B s2 d0	≥ 0,30	≥ 10,5	≥ 1500	E1
Kastamonu Teknopan 28 mm	C s2 d0	≥ 0,25	≥ 9,5	≥ 1350	E1
Kastamonu Teknopan 30 mm	B s2 d0	≥ 0,25	≥ 9,5	≥ 1350	E1
Kastamonu Teknopan 38 mm	B s2 d0	≥ 0,25	≥ 8,5	≥ 1200	E1
Kastamonu Medelam 8 mm	C s2 d0	NPD	NPD	NPD	E1
Kastamonu Medelam 10 mm	B s2 d0 - C S2 D0	NPD	NPD	NPD	E1
Kastamonu Medelam 18 mm	B s1 d0	NPD	NPD	NPD	E1
Kastamonu Teknolam 8 mm	B s2 d0	NPD	NPD	NPD	E1
Kastamonu Teknolam 18 mm	B s1 d0	NPD	NPD	NPD	E1
Kastamonu Teknolam 28 mm	B s1 d0	NPD	NPD	NPD	E1

Placed on the market by: KASTAMONU ENTEGRE AĞAÇ SAN VE TİC. A. Ş.

Produced in the manufacturing plant: Tavşanlı Mahallesi 4512. Sokak No:6 Gebze/Kocaeli – Turkey

19.05.2022


Manager of SZUTEST Ltd.

Asen Hristov



The validity of certificate can be traced on <http://public.szutest.com.tr/Certificate/Index>

The certificate will be reissued each year after annual surveillance audit Page 2 of 2



BELGE NUMARASI REFERENCE NUMBER OF LICENCE	028688-TSE-04/06
BELGENİN İLK VERİLİŞ TARİHİ DATE OF FIRST ISSUE OF LICENCE	28.08.2013
BELGENİN SON GEÇERLİLİK TARİHİ LICENCE VALID UNTIL	17.04.2020
BELGE SAHİBİ KURULUŞUN ADI NAME OF THE LICENCE HOLDER	KASTAMONU ENTEGRE AĞAÇ SANAYİ VE TİCARET ANONİM ŞİRKETİ
BELGE SAHİBİ KURULUŞUN ADRESİ ADDRESS OF THE LICENCE HOLDER	ALTUNIZADE MAH. KISIKLI CAD. ALLIANZ NO 13. ÜSKÜDAR İSTANBUL/TÜRKİYE
ÜRETİM YERİ ADI NAME OF THE MANUFACTURING PLACE	KASTAMONU ENTEGRE AĞAÇ SANAYİ VE TİCARET ANONİM ŞİRKETİ
ÜRETİM YERİ ADRESİ ADDRESS OF THE MANUFACTURING PLACE	TAVŞANLI MAH. KOMURCUOĞLU CADDESİ 4512 SOKAK NO 5 GEBZE KOCAELİ / TÜRKİYE
İPTAL EDİLEN BELGE NUMARASI (Varsa) INDICATION OF SUPERSEDED LICENCE (if any)	028688-TSE-04/05
TESCİLLİ TİCARİ MARKASI REGISTERED TRADE MARK	kastamonu+şekil
İLGİLİ TÜRK STANDARDI RELATED TURKISH STANDARD	TS EN 13329+A1 / 18.12.2017
BELGE KAPSAMI SCOPE OF LICENCE	"FLOORPAN SUN EXCLUSIVE" MODEL -İÇ MEKAN KULLANIM -AŞINMA MUKAVEMET SINIFI 23 (AC3) - TİCARİ KULLANIM -AŞINMA MUKAVEMETİ SINIFI 31 (AC3) LAMİNAT YER DÖŞEMELERİ "ARTFLOOR SUN EXCLUSIVE" MODEL -İÇ MEKAN KULLANIM -AŞINMA MUKAVEMET SINIFI 23 (AC3) - TİCARİ KULLANIM -AŞINMA SINIFI 31 (AC3) LAMİNAT YER DÖŞEMELERİ "FLOORPAN CLASSIC EXCLUSIVE" MODEL -İÇ MEKAN KULLANIM -AŞINMA MUKAVEMET SINIFI 23 (AC3) - TİCARİ KULLANIM -AŞINMA MUKAVEMET SINIFI 31 (AC3) LAMİNAT YER DÖŞEMELERİ "ARTFLOOR CLASSIC EXCLUSIVE" MODEL -İÇ MEKAN KULLANIM -AŞINMA MUKAVEMET SINIFI 23 (AC3) - TİCARİ KULLANIM -AŞINMA MUKAVEMET SINIFI 31 (AC3) LAMİNAT YER DÖŞEMELERİ "FLOORPAN SUN EXCLUSIVE" MODEL -İÇ MEKAN KULLANIM -AŞINMA MUKAVEMET SINIFI 32 (AC4) - TİCARİ KULLANIM -AŞINMA MUKAVEMETİ SINIFI 31 (AC4) LAMİNAT YER DÖŞEMELERİ "ARTFLOOR SUN EXCLUSIVE" MODEL -İÇ MEKAN KULLANIM -AŞINMA MUKAVEMET SINIFI 32 (AC4) - TİCARİ KULLANIM -AŞINMA SINIFI 31 (AC4) LAMİNAT YER DÖŞEMELERİ

[illegible]