



TEST SERTİFİKASI MILL TEST CERTIFICATE

Adress :Organize San. Bölgesi Sarıseki / İSKENDERUN
Tel :+90 326 656 28 90 PBX
Fax :+90 326 656 28 95
Web :www.toscelik.com.tr
E-mail :toscelik@toscelik.com.tr

MÜŞTERİ ADI & ADRESİ
NAME & ADDRESS OF THE CUSTOMER
SUMPAŞ SU SİST.MT.ELEK.SAN.VE TİC.A.Ş.
BÜSAN ÖZEL ORG.SAN.KOSGEB
CAD.NO:81 KARATAY/KONYA
KONYA 03323454535

DESCRIPTION OF GOODS:

EN 10255 NO: E-30-00969-16

SERTİFİKA NO/CERTIFICATE NO : 001785663
SAYFA/PAGE NO : 1 / 1
SEVK TARİHİ/DATE OF DISPATCH : 25.06.2024
SERTİFİKA TARİHİ/CERT. DATE : 25.06.2024
SERTİFİKA NORMU/CERT NORM. : EN 10204-3.1
800236063956
EN 10217 DOP : TPE.DOP.009

Ürün Bilgisi ve Mekanik Testler/Product Information and Mechanical Tests

SIRA ITEM	TIP TYPE	EBAT SIZE	PAKET NO PACK NO	DÖKÜM CAST NO	LOT NO	URT.NORM PRODUCT NORM	KALİTE STEEL GRADE	YS N/mm ²	TS N/mm ²	E %	IE 1 J	IE 2 J	IE 3 J	IE AV. J	TT °C	HT BAR	HT TIME Sec	VDC	FT	BD	EX	NDE	B
15	BPE	2X5,00X6000	JB03272216	1903816	10380512-25	EN 10255	S 195T	303	397	36,5						50	5	G	G		G	G	G
16	BPE	2"X5,00X6000	JB03272218	1903816	10380512-25	EN 10255	S 195T	303	397	36,5						50	5	G	G		G	G	G
17	BPE	2"X5,00X6000	JB03304298	1904482	10380512-25	EN 10255	S 195T	318	416	36,5						50	5	G	G		G	G	G
18	BPE	2"X5,00X6000	JB03304376	1904416	10380512-40	EN 10255	S 195T	315	412	36,5						50	5	G	G		G	G	G
19	BPE	2"X5,00X6000	JB03304377	1904416	10380512-40	EN 10255	S 195T	315	412	36,8						50	5	G	G		G	G	G
20	BPE	2"X5,00X6000	JB03304377	1904416	10380512-40	EN 10255	S 195T	316	414	36,8						50	5	G	G		G	G	G

Digitally signed by Lilian Munteanu
Date: 2024.12.06 09:05:34 GMT+02:00
Reason: MoldSign Signature
Location: Moldova

MOLDOVA EUROPEANĂ



Digitally signed by Lilian Munteanu
Date: 2024.10.01 10:44:38 EEST
Reason: MoldSign Signature
Location: Moldova

MOLDOVA EUROPEANĂ



Kimyasal Testler / Chemical Tests

SIRA ITEM	DÖKÜM NO HEAT NO	C %	SI %	S %	MN %	P %	AL %	CR %	MO %	NI %	CU %	N %	TI %	V %	SN %	NB %	CEI W %	CEPCM %
15	1902891	0.0575	0.0707	0.0233	0.284	0.0179	0.0299	0.0987	0.0030	0.0744	0.1733	0.0034	0.0025	0.0059	0.0038	0.0260	0.3284	0.1904
16	1902891	0.0623	0.0707	0.0233	0.284	0.0117	0.0523	0.1009	0.0163	0.1564	0.4674	0.0044	0.0298	0.0010	0.0200	0.0010	0.3508	0.2095
17	1902891	0.1043	0.0275	0.0233	0.284	0.0117	0.0523	0.1009	0.0163	0.1564	0.4674	0.0044	0.0298	0.0010	0.0200	0.0010	0.3508	0.2095
18	1902891	0.1043	0.0275	0.0233	0.284	0.0117	0.0523	0.1009	0.0163	0.1564	0.4674	0.0044	0.0298	0.0010	0.0200	0.0010	0.3508	0.2095

G iyi/Good
YS :Akma Muk./Yield Strength(N/mm²)
TS :Çekme Muk./Tensile Strength(N/mm²)
E :Uzama/Elongation (%)
NDE:Tahribatsız Test/Non Destructive Examination
B: Havsalı/Bevelled
VDC: Görsel Kontrol/Visual&Dimensional Check
EX: Genişletme/ Expanding
HT: Hidrostatik Test/ Hydrostatic Text(Bar)
IE :Darbe Enerjisi/Impact Energy(Joule)
TT :Test Sıcaklığı/ Test Temp.for Impact Testing(°C)
HT TIME: Saniye/ Second
FT: Yassılma/ Flattanning
BD: Bükme/Bending

BPE:BLACK PLAIN END PIPE

Sumpas
Su Sistemleri Metal Elek. San. ve Tic. A.Ş.
İzmir Çekmek Mh. Busan 3 Özel Org. San. Sit. Kosgeb Cd. No:81
TEL : 444 4 786 - FAX : 0332 345 44 70 Karatay / KONYA
Satış YD. 782 041 7000 Ticaret/Sicil No : 26577

ONAY / APPROVED BY
ERW Fabrikaları Kalite Müdürü/ ERW Plants Quality
Manager Bülent SÖNMEZ

TOSÇELİK Profil ve Sac
Toscelik Profil ve Sac Endüstri A.Ş.
Organize Sanayi Bölgesi Sarıseki/İSKENDERUN
T +90 (326) 6562890 (pbx) Fax : 90 + (326) 6562895
Aşım Gündüz V.D. : 098 001 3021

EU Declaration of Conformity

Manufacturer:

Franklin Electric, spol.s r.o
Hvezdoslavova 1276/1
62700 Brno-Slatina Czech Republic

EU Authorized Representative:

Franklin Electric S.r.l.
Via Asolo 7
36031 Dueville (VI) Italy

Herewith, we declare under our sole responsibility, that the Coverco brand 4-inch and 6 inch Oil-Filled Rewindable Submersible Motors, series NBS4 (Type 274xxx; 275xxx) and NBS6 (Type 277xxx)

when bearing the CE mark, are in conformity with the following European Union Directives:

2014/35/EU, Low Voltage Directive (LVD)
2014/30/EU, Electromagnetic Compatibility Directive (EMC)
2011/65/EU, and (EU) 2015/863, on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

Applied harmonized standards:

LVD and EMC: EN 60034-1:2010, Rotating electrical machines – Part 1

Other technical specifications:

NEMA MG 1–2016: 18.157 and 18.170 (General mechanical features)



Dieter Esch
Engineering Manager,
EMEA Motors Engineering
26. January 2024



Franklin Electric

EU-Declaration of Conformity

Manufacturer:

Franklin Electric Co., Inc.
9255 Coverdale Road
Fort Wayne, IN 46809 USA

Manufacturer and Authorized Representative:

Franklin Electric Europa GmbH
Rudolf-Diesel-Straße 20
D-54516 Wittlich (Germany)
E-mail: info@franklin-electric.de

Herewith, we declare under our sole responsibility, that the Franklin Electric 4-inch, 6 inch, and 8-inch Encapsulated Submersible Motors, model series:

214..., 224..., 234..., 244..., 254..., 226..., 236..., 276..., 239... and 279...

when bearing the CE mark, are in conformity with the following European Union Directives:

2014/35/EU, Low Voltage Directive (LVD)
2014/30/EU, Electromagnetic Compatibility Directive (EMC)
2011/65/EU, and (EU) 2015/863, on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

Applied harmonized standards:

LVD and EMC: EN 60034-1:2010, Rotating electrical machines – Part 1

Other technical specifications:

NEMA MG 1-2016: 18.157, 18.170, 18.181 (General mechanical features)

J. A. Weber
Manager, Product Certification Engineering
9 July 2019



Franklin Electric

EC Declaration of Conformity

Manufacturer:

Franklin Electric Europa GmbH
Rudolf-Diesel-Strasse 20
D-54516 Wittlich/Germany

Product:

6-Inch and 8-Inch Encapsulated Submersible Motors

Type Designations:

226..., 236..., 239..., 276..., 279...

The above products are in conformity with the following European Directives:

2014/35/EU (Low Voltage Directive)

and

2014/30/EU (EMC Directive)

Applied harmonized standards:

EN 60034-1

Applied national standards:

NEMA MG 1-2016: 18.170, 18.181

J. A. Weber
Manager, Product Certification Engineering
1 February 2018

DICHIARAZIONE DI INCORPORAZIONE (POMPA)

I prodotti su elencati sono conformi alla direttiva macchine 2006/42/EC, allegato II, B.

Questa quasi-macchina non deve essere messa in servizio finché la macchina finale non sia stata dichiarata in conformità con le disposizioni della direttiva macchine 2006/42/EC.

INCORPORATION DECLARATION (PUMP)

The products as listed above are in full conformity with the Machine Directive 2006/42/EC, Appendix II, B.

This sub-machine must not be commissioned until the final machine has been declared in full conformity with the provisions of the Machine Directive 2006/42/EC.

EINBAUERKLÄRUNG (PUMPE)

Die oben genannten Produkte entsprechen den Vorgaben von Anhang II B der Maschinenrichtlinie 2006/42/EG.

Diese unvollständige Maschine darf erst dann in Betrieb genommen werden, wenn die Konformität der Maschine, in die sie eingebaut wird, mit den Vorgaben der Maschinenrichtlinie 2006/42/EG erklärt worden ist.

DÉCLARATION D'INCORPORATION (POMPE)

Les produits indiqués ci-dessus sont conformes à la directive Machines 2006/42/EC, annexe II, B.

Cette quasi-machine ne doit pas être mise en service avant que la machine finale n'ait été déclarée conforme aux dispositions de la directive Machines 2006/42/EC.

DECLARACIÓN DE INCORPORACIÓN (BOMBA)

Los productos indicados anteriormente son conformes con la directiva máquinas 2006/42/EC, anexo II, B.

Esta cuasi máquina no se debe poner en servicio hasta que la máquina final se haya declarado conforme con las disposiciones de la directiva máquinas 2006/42/EC.

DEKLARACJA WBUDOWANIA (POMPA)

Powyżej wymienione produkty są zgodne z wymogami dyrektywy maszynowej 2006/42/EC, załącznik II, B.

Maszyna nieukończona objęta niniejszą deklaracją może zostać oddana do użytku dopiero wówczas, gdy maszyna, do której ma być wbudowana, uzyska deklarację zgodności z postanowieniami dyrektywy maszynowej 2006/42/EC.

INKORPORERINGSERKLÆRING (PUMPE)

Ovenstående produkter stemmer overens med maskindirektiv 2006/42/EF, bilag II, B.

Denne delmaskine må ikke sættes i drift før den endelige maskine er blevet erklæret i overensstemmelse med forskrifterne i maskindirektiv 2006/42/EF.

LIITTÄMISVAKUUTUS (PUMPPU)

Yllä luetellut tuotteet ovat konedirektiivin 2006/42/EY, liitteen II, B vaatimusten mukaisia.

Tätä puolivalmistetta ei saa ottaa käyttöön ennen kuin todetaan, että lopullinen kone on konedirektiivin 2006/42/EY säännösten mukainen.

ΔΗΛΩΣΗ ΕΝΣΩΜΑΤΩΣΗΣ (ΑΝΤΛΙΑ)

Τα προϊόντα που αναγράφονται συμμορφώνονται με την οδηγία μηχανών 2006/42/ΕC, συνημμένο ΙΙ, Β.

Αυτή η σχεδόν μηχανή δεν θα πρέπει να τεθεί σε λειτουργία πριν από την στιγμή όπου η τελική μηχανή στην οποία θα πρέπει να ενσωματωθεί δηλωθεί ως συμβατή στις διατάξεις της εντολής 2006/42/ΕC.

VERKLARING VAN INTEGRATIE (POMP)

De hierboven genoemde producten voldoen aan de machinerichtlijn 2006/42/EG, bijlage II, B.

Deze onvolledige machine mag niet in bedrijf worden genomen totdat de uiteindelijke machine in overeenstemming is verklaard met de voorschriften van de machinerichtlijn 2006/42/EG.

SAMMENSETNINGS ERKLÆRING (PUMPE)

De nevnte produktene på listen er utført i tråd med Direktiv for maskiner 2006/42/EC, vedlegg II, B.

Denne delvis ferdigstilte maskinen må ikke benyttes i arbeid før den ferdigstilte maskinen erklæres i samsvar med forskrifter i Direktiv for maskiner 2006/42/EC.

DECLARAÇÃO DE INCORPORAÇÃO (BOMBA)

Os produtos listados acima estão em conformidade com a diretiva máquinas 2006/42/CE, anexo II, B.

Este protótipo da máquina não deve ser posto em serviço até que a máquina final não tenha sido declarada em conformidade com as disposições da diretiva máquinas 2006/42/CE.

DEKLARATION OM INFÖRLIVANDE (PUMP)

De ovan listade produkterna överensstämmer med maskindirektivet 2006/42/EG, bilaga II, B.


Denna delvis fullbordade maskin får inte tas i drift innan den slutliga maskinen har förklarats förenlig med kraven i maskindirektivet 2006/42/EG.

ДЕКЛАРАЦИЯ О ВКЛЮЧЕНИИ (НАСОС)

Вышеописанные изделия соответствуют директиве о машинах 2006/42/ЕС, приложение II, В.

Эта полумашина не должна запускаться в эксплуатацию до тех пор, пока на окончательную машину не будет выписана декларация соответствия директиве о машинах 2006/42/ЕС.

Vertical S.r.l.



Riccardo Fornasa
Director of Engineering - R&D



BULGARKONTROLA

BULGARKONTROLA SA -Sofia

Conformity Assessment Body for Construction Products

With identification number 14 and Permit № ПОССП-14 on 15.09.2016

Issued by Ministry of Regional Development and Public Works

CERTIFICATE OF CONFORMITY

14 – HYPBCПCПБ – 3873

Issued pursuant to Art. 14, par.1 and par.2 of the Regulation № ПД-02-20-1 on 05.02.2015 on the terms and conditions for use of construction products in the construction of the Republic of Bulgaria on Ministry of Regional Development and Public Works for the **construction product**

VALVES AND ACCESSORIES FOR WATER SUPPLY

with trademark wato/europevalves

made of grey, ductile cast iron, stainless steel and epoxy coating,
with product range, operating pressure, dimensions and evaluated characteristics
in accordance with national requirements as per Annex № 1 to this certificate.

placed on the market by

“WATO BG” LTD

6100 Kazanlak, South Industrial Zone

Id No 201549826

manufactured by

“WATO BG” LTD

6100 Kazanlak, South Industrial Zone

This certificate certifies that the product has been evaluated
and meets national requirements set out in

BDS EN 1074-1:2004

BDS EN 1074-2:2004 /A1:2006

BDS EN 1074-3:2004

BDS EN 1074-4:2004

BDS EN 1074-5:2004

*and item 7.5 of Annex 3 to item 2 of Order № 02-14-1329 from 03.12.2015
of the Minister of Regional Development and Public Works*

The Certificate was issued on **04/08/2023**, cancel the Certificate № **14-HYPBCПCПБ-3447** from **31/07/2020** and remains valid for three years until **03/08/2026** provided that the manufacturer ensures consistency of product characteristics and the conditions of production or production control have not been changed significantly.

Place: Sofia

Date: 04/08/2023

Director of "Conformity Assessment" Dept.

T. Lyubenova

Digitally signed by Lilian Munteanu
Date: 2024.12.06 09:05:28 GMT+02:00
Reason: MoldSign Signature
Location: Moldova

MOLDOVA EUROPEANĂ



FC/CPNR -7-3.9/02

стр. 1/3



1. Product range, operating pressure and dimensions

№	Product range	DN mm	PN bar
I.	Isolating valves		
1.1.	Resilient seated gate valve Series 14/15	40÷800	10/16
1.2.	Metal seated gate valve Series 14/15	40÷1200	10/16
1.3.	Butterfly valve-Wafer type, Series 20	40÷1200	10/16
1.4.	Butterfly valve-Lug type, Series 20	40÷1200	10/16
1.5.	Butterfly valve-U type, Series 20	40÷600	10/16
1.6.	Butterfly valve-Concentric, double flanged, Series 13	50÷1200	10/16
1.7.	Butterfly valve-Double eccentric, double flanged, Series 14	100÷2400	10/16
1.8.	Service gate valve	¾"÷2"	10/16
II.	Check valves		
2.1.	Counterweight check valves flanged with tilted disc and hydraulic cylinder	100÷2000	10/16/25
2.2.	Check Valves flanged swing type, Series 48	40÷600	10/16/25
2.3.	Check Valves wafer swing, Series 16	40÷600	10/16
2.4.	Check Valves wafer dual plate, Series 16	40÷800	10/16
2.5.	Silent check valves	40÷600	10/16/25
2.6.	Foot valves	40÷600	10/16/25
2.7.	Ball check valves threaded	32÷65	10/16
2.8.	Ball check valves flanged	50÷300	10/16
III.	Air valves		
3.1.	Single chamber/single function threaded Air Valves	1"÷2"	10/16/25/40
3.2.	Single chamber/single function flanged Air Valves	40÷250	10/16/25/40
3.3.	Single chamber/double function flanged Air Valves	40÷250	10/16/25/40
3.4.	Double Chamber/Triple Function flanged Air Valves	40÷500	10/16/25/40
IV.	Control valves		
4.1.	Hydraulically operated control valve	50÷1000	10/16
4.2.	Mechanically operated control valve	40÷300	10/16
4.3.	Needle Control Valves (Larner Johnson Type)	80 ÷ 1200	10/16/25
V.	Accessories		
5.1.	Strainers flanged Y type	15÷600	10/16
5.2.	Strainers flanged T type	80÷1200	10/16
5.3.	Telescopic spindles for service and gate valves		
5.4.	Extension spindles for service and gate valves, fixed length		
5.5.	Telescopic surface boxes for service and gate valves		
5.6.	Surface boxes for service and gate valves, fixed length		

Place: Sofia
Date: 04/08/2023

Director of "Conformity Assessment" Dept.
/T. Lyubanova





2. Evaluated characteristics in accordance with national requirements

Characteristics	Requirement to declare / border level
Resistance to internal pressure of the body and all pressurized parts	no damage and leakage at $P = (1,5 \times P_N)$ bar
Resistance to the closing body of internal pressure	no damage and leakage at $P = (1,5 \times P_N)$ bar
Tightness of the body in internal pressure and any parts under pressure	no damage and leakage at $P = (1,5 \times P_N)$ bar
Tightness of the body at a certain pressure	without exceeding the leaks according to levels of A-F, at $P = (1,1 \times P_N)$ bar
Tightness of the body at a certain low pressure	without exceeding the leaks according to levels of A-F, at $P = 0,5$ bar

Place: Sofia
Date: 04/08/2023

Director of "Conformity Assessment" Dept.

/T. Lyubanova/

