

NISOTEC ANTIFRIZ 40

NISOTEC ANTIFRIZ 40 is an economical engine coolant based on mono-ethylene glycol (MEG) and specially selected corrosion inhibitors. It is a nitrite-, amine- and phosphate-free coolant. NISOTEC ANTIFRIZ 40 gives excellent protection against frost and corrosion of all engine cooling system metals. Change interval: 2 years. It is ready mix product. Features and Benefits:

- Good protection against corrosion of all parts of cooling system
- Good protection against frost
- Good protection against overheating

Performance Levels: SRPS H.Z2.010 tip III, BS 6580, ASTM D3306, AFNOR NF R 15-601, ASTM D4656, CUNA NC 956-16

Characteristics

| <i>Properties</i> | <i>Units</i> | <i>Typical Values</i> | <i>Methods</i> |
|------------------------------|-------------------|-----------------------|----------------|
| Density at 20 ⁰ C | g/cm ³ | 1.065 | ASTM D1122 |
| Color | - | Blue | Vizuelno |
| pH value | - | 6.5 | ASTM D1287 |
| Reserve alkalinity | - | 8.5 | ASTM D1121 |
| Foaming properties, max. | mL/ mL | 50/5 | ASTM D1881 |
| Boiling point, min. | ⁰ C | 108 | ASTM D1120 |
| Freezing protection | ⁰ C | -38 | SRPS H.Z8.053 |

Storage and handling instructions

Store in the original container, in dry well ventilated area. Protect from direct atmospheric influences. Follow storing and handling instructions given in SDS.

Pakovanje i isporuka

| <i>0.5L</i> | <i>1L</i> | <i>2L</i> | <i>4L</i> | <i>60L</i> | <i>210KG</i> | <i>IBC</i> |
|-------------|-----------|-----------|-----------|------------|--------------|------------|
| | X9 | | | | X | X |