



Optical Fiber Network System



Copper Network System






PRODUCT CATALOG

www.szcabling.com

www.dysta.cn

40	Crimping Tool& Cable Cutter	Photo
Features	• RJ11 / RJ12 / RJ45 plug compatible • Ergonomical Design	
Items	• Tool CP01 • Tool CP02	
41	Cable Cutter	Photo
Features	• Network wire compatible • Ergonomical Design	
Items	• Cable Cutter	
42	RJ-45/RJ-11 UTP Connector	Photo
Features	• RJ-45/ RJ-11 plug, UTP/FTP, Solid/Stranded, 8P8C / 6P4C • Contact: Phosphor bronze • Color: Transparent or other colors are available. • Jack: PC (UL94V-0) • Conductor: Stranded& Solid wire, 24AWG, 26AWG • Gold Plating: 3μ, 15μ, 50μ	
Items	• CAT3-RJ11-UTP-Connector / 3U / 30U / 50U • CAT5E-RJ45-UTP-Connector / 3U / 30U / 50U • CAT6-RJ45-UTP-Connector / 3U / 30U / 50U	
43	RJ-45/RJ-11 FTP Connector	Photo
Features	• RJ-45/ RJ-11 plug, UTP/FTP, Solid/Stranded, 8P8C / 6P4C • Contact: Phosphor bronze • Color: Transparent or other colors are available. • Jack: PC (UL94V-0) • Conductor: Stranded& Solid wire, 24AWG, 26AWG • Gold Plating: 3μ, 15μ, 50μ	
Items	• CAT3-RJ11-FTP-Connector 3U / 30U / 50U • CAT5E-RJ45-FTP-Connector 3U / 30U / 50U • CAT6-RJ45-FTP-Connector 3U / 30U / 50U • CAT6A-RJ45-FTP-Connector 30U / 50U • CAT7-RJ45-FTP-Connector 30U / 50U	
44	RJ45 Connector Boot Cap	Photo
Features	• Made of high density polyethylene (HDPE) • Protect the plug latch from snagging when pulling cords. • Colors available: green, gray, yellow, black, white, red, brown, blue, purple, etc. • The RJ45 plug boots design incorporates a latch guard the plug latch from snagging when pulling cords through pathways or cable managers.	
Items	• RJ45 - Boot Cap	

REV. MARK	ECN NO.	DATE	DRAW	APPROVE



FEATURES:

1 Electrial Test:

- A. 250V AC max at 2 amps.
- B. Dielectric with standing 500volts AC.
- C. Insulation Resistance:500 megaohms.
- D. Termination Resistance:35megaohms.

2 Mechanical:

- A. Cable-to-Plug tensile strength-20LBs (89N) min.
- B. Durability:500 mating cycles.
- C. gold plating(□01, □03, □06, □15, □30, □50)U"

REV. 版本	A/0	DATE 日期	2013. 09. 01	UNITS 单位	MM	TITLE 产品名称	8P8C(R)
DRAWN 绘图	<i>Linyue</i>	SCALE 比例		FULL		PART NO. 产品编号	CAT5E UTP 8P8C
APPROVED 审核	<i>Yynuk</i>	MATERIAL 材质	PC	TOL. 公差	0.00 ±0.12	VIEW 视图	第三角法
FIREATING 防火等级	94V2	(聚碳酸酯)					