

Maryland Dissecting Forceps

Soft curved, offset, double-action, Ø 5 mm, **17 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1322XPI
•			•	13-1322XPI-45
	•	•		13-1322CSI
	•		•	13-1322CSI-45

Recommended use with **Ø 5 mm sheath** and **handle w/o ratchet**

Maryland Dissecting Forceps

Diamond-serrated, double-action, Ø 10 mm, **25 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1411XPI
•			•	13-1411XPI-45
	•	•		13-1411CSI
	•		•	13-1411CSI-45

Recommended use with **Ø 10 mm sheath** and **handle w/o ratchet**

Maryland Dissecting Forceps

Diamond-serrated, double-action, Ø 5 mm, **21 mm jaw length**



Line		Length		Item no.
XPress Lock™	System CS™	330 mm	450 mm	
•		•		13-1412XPI
•			•	13-1412XPI-45
	•	•		13-1412CSI
	•		•	13-1412CSI-45

Recommended use with **Ø 5 mm sheath** and **handle w/o ratchet**

System CS™ Standard Handle

	Type	Item no.
	insulated, HF-port non-insulated	
System CS™ standard handle	•	13-1366SI
System CS™ standard handle	•	13-1364SI



System CS™ Standard Handle with Traditional Ratchet

	Type	Item no.
	insulated, HF-port non-insulated	
System CS™ standard handle with traditional ratchet	•	13-1362SITI
System CS™ standard handle with traditional ratchet	•	13-1363SRI



System CS™ Axial Handle with Ratchet

	Item no.
System CS™ axial handle with ratchet	13-1358AXDI



System CS™ Sheaths



	Diameter		Length		Item no.
	Ø 5 mm	Ø 10 mm	330 mm	450 mm	
Sheath for System CS™ inserts	•		•		13-1356CS
Sheath for System CS™ inserts	•			•	13-1356CS-45
Sheath for System CS™ inserts		•	•		13-1357CS
Sheath for System CS™ inserts		•		•	13-1357CS-45