

### DECLERATION of CONFORMITY NON-ABSORBABLE POLYPROPYLENE MONOFILAMENT SUTURE WITH / WITHOUT NEEDLES

Ref. MDD 93/42/EEC

Document No : TF-04.06 Issue Date : 07.11.2017

Revision No : 05

Revision Date : 29.04.2020

# **Declaration of Conformity**

In accordance with Medical Devices Directive 93/42/EEC

We herewith declare that the under-mentioned device, in view of its design and type of construction, meets the essential health and safety requirements of the above EC Directive 93/42/EEC as amended by Directive 2007/47/EC.

If the device is modified without the agreement of the under-designed, this declaration becomes invalid.

Manufacturer: HUAIAN PINGAN MEDICAL INSTRUMENT CO., LTD

Address No. 128 West Meigao Road, Huaian, Jiangsu, China.

European Representative : CMC Medical Devices & Drugs S.L.

Address C/ Horacio Lengo No 18, CP 29006, Malaga, Spain

**Product:** Non-absorbable Sutures with/without Needles

Brand name : PI

**Model name:** Polypropylene monofilament suture

Classification: Class IIb by Rule 8 of Annex IX, Council Directive 93/42/EEC

**GMDN Code:** Polypropylene monofilament suture (13909)

The product identified above complies with the essential requirements of the above EC Directives by meeting the following standards: (Appendix 1)

This Declaration of Conformity is based on the EC Directives 93/42/EEC, Annex II (- section 4) under the supervision of Notified body, UDEM (NB No. 2292).

Notified body:

UDEM ULUSLARARASI BELGELENDİRME DENETİM EĞİTİM MERKEZİ SAN. VE TİC. LTD. ŞTİ.

EC Certificate No.: M.2019.106.11952

Issue date: 14.05.2019 Valid until: 13.05.2024

Jehalf of Jehalf of Jehalf of MEDICAL

Place: Huaian Jiangsu, China Date: April 29, 2020

(name and signature or equivalent making of authorized person)



# DECLERATION of CONFORMITY NON-ABSORBABLE POLYPROPYLENE MONOFILAMENT SUTURE WITH / WITHOUT NEEDLES

Ref. MDD 93/42/EEC

Document No : TF-04.06 Issue Date : 07.11.2017

Revision No : 05

Revision Date : 29.04.2020

#### Appendix 1:

EN ISO 13485:2016	EN ISO 14971:2012	EN ISO 15223-1:2016	EN 1041+A1:2013
EN 10993-1/AC: 2009/AC:2010	EN 10993-3:2014	EN 10993-5:2009	EN 10993-6:2009
EN ISO 10993-7:2015	EN ISO 10993-11:2009	EN ISO 10993-12:2012	EN 14630:2012
EN ISO 11607-1:2006	EN ISO 11607-2:2006	EN ISO 11140-1:2009	EN 556-1: 2001/AC:2006
EN ISO 11737-1:2006/AC:2009	EN ISO 11737-2:2009	EN ISO 11135:2014	EN ISO 10993-10:2013
ISO 11607-1: 2006/Amd 1:2014	MEDDEV 2.7.1	MEDDEV 2.12.1	MEDDEV 2.12.2
MEDDEV 2.4/ 1	USP 35	ISO 14644-1:2015	ISO 14644-2:2000
	<861><871><881		
ISO 14644-3:2005	ISO 14644-4:2001	ISO 14644-5:2004	YY 0167:2005
YY0166:2002	YY0033:2000	European	YY043:2016
		Pharmacopoeia 9th	
		Edition	

product name	reference	model	
Sterile, Non-absorbable Sutures with/without Needles, Brand: PALENE, Polypropylene monofilament (PM)	USP 10/0	Suture length: from 13cm to 250cm; Needle length: from 4mm to 90mm;	
	USP 9/0	Suture length: from 13cm to 250cm; Needle length: from 4mm to 90mm;	
	USP 8/0	Suture length: from 13cm to 250cm; Needle length: from 4mm to 90mm;	
	USP 7/0	Suture length: from 13cm to 250cm; Needle length: from 4mm to 90mm;	
	USP 6/0	Suture length: from 13cm to 250cm; Needle length: from 4mm to 90mm;	
	USP 5/0	Suture length: from 13cm to 250cm; Needle length: from 4mm to 90mm;	
	USP 4/0	Suture length: from 13cm to 250cm; Needle length: from 4mm to 90mm;	
	USP 3/0	Suture length: from 13cm to 250cm; Needle length: from 4mm to 90mm;	
	USP 2/0	Suture length: from 13cm to 250cm; Needle length: from 4mm to 90mm;	
	USP 0	Suture length: from 13cm to 250cm; Needle length: from 4mm to 90mm;	



## **DECLERATION of CONFORMITY** NON-ABSORBABLE POLYPROPYLENE MONOFILAMENT SUTURE WITH / WITHOUT NEEDLES

**Revision No** 

Document No :

Issue Date

07.11.2017

TF-04.06

05

Revision Date : 29.04.2020

Ref. MDD 93/42/EEC

	USP 1	Suture length: from 13cm to 250cm; Needle length: from 4mm to 90mm;
	USP 2	Suture length: from 13cm to 250cm; Needle length: from 4mm to 90mm;
	USP 3	Suture length: from 13cm to 250cm; Needle length: from 4mm to 90mm;
	USP 4	Suture length: from 13cm to 250cm; Needle length: from 4mm to 90mm;