



Established in 2003, VG Medical, as a global leading valued brand, is specialized in field of OR and ICU, and offers the market with outstanding surgical lights, operating tables, medical ceiling pendant and digital integrated OR overall solution.

VG Medical adheres to the higher standard and practices the principle of quality first with our products feature being safe, effective and cost control centred. The motto "Feels so Good to Save" encourages us to continuously improve and innovate. VG Medical is now dedicated to the balancing of the industry monopoly and provide the world with better and cost worthy surgical products.

#### Model and Configuration

Model	COMFORT 300-519	COMFORT 300-519D
Table Length	2100mm	2100mm
Table Width	580mm	580mm
Lowest Height	650mm	540mm
Height Adjustment	400mm ■	360mm ■
Trendelenburg	30° ■	30° ■
Rev-Trend	30° ■	30° ■
Tilt (Left)	26° ■	26° ■
Tilt (Right)	26° ■	26° ■
Slide	360mm ■	360mm ■
Backboard Upwards	80° ■	80° ■
Backboard Downwards	40° ■	40° ■
Leg board Upwards	35° ▲	35° ▲
Leg board Downwards	100° ▲	100° ▲
Leg board Outwards	90° ▲	90° ▲
Head board Upwards	60° ▲	60° ▲
Head board Downwards	90° ▲	90° ▲
Kidney Elevator	120mm ▲	120mm ▲
Head Board	Dismountable	Dismountable
Leg Board	Dismountable	Dismountable
Flex/Reflex	220°/100°	220°/100°

COMFORT 300 Load capacity is 400kgs  
The Head Board and Leg Board can be interchanged.

■ Electrical ▲ Manual

VG-BCHU-0210.B



## COMFORT 300

### Electric Operating Table



VG Medical Technology Co., Ltd.

Tel: +86-510-88816999

Fax: +86-510-88806999

Add: No. 35-201, Changjiang South Road, Xinwu District, Wuxi, Jiangsu - China.

Email: sales@vg-med.com

Web: www.vg-med.com

\* Promotional material. Specifications maybe changed without notification. Please contact us for updated information



## QUALITY AND STANDARD

- Comply with IEC 60601-2-42, IEC 60601-1, IEC 60601-1-2;
- ISO 13485 certified;
- Medical Device Regulation (EU) 2017/745.



# PRODUCT FEATURES

- Germany electro-hydraulic system, with strong lifting ability and high reliability, dual controlling electric system, intelligent control, one button "0" position. Advanced electro-hydraulic floor brake system just by an easy button push.
- The table top can slide more than 360mm by power-driven, table board is full radiolucent. It is easy for accessing of C-arm and X-ray along the table length, optionally for diverse sizes of cassettes (standardly 35 x 43 cm).
- SUS#304 stainless, anti-erosive, easy clean, rubber plastic molded dust cover. Easy movable base on wheels.
- Multi-layer memory foam pad, high frequency weld. Quick connection leg section, improve the safety and accuracy. Lateral rails along the whole table length.
- Consists on 6 independent sections, inclusively dismountable head section and dismountable and divided 2 leg sections.
- Intelligent battery system with a large capacity battery, it is suitable for at least 100 surgical operations.
- Power supply: AC 220 V +/- 22 V, 50 Hz




Germany electro-hydraulic system



Emergency controlling panel



Integrated kidney elevator



SS304 body and memory foam pad

# SURGICAL POSITION

## Orthopedic/Trauma surgery



Supine Position (imagery space is 1200mm)



Beach Chair Position



Prone Position (spine surgery)



Supine Position (Orthopedic)

## General surgery

COMFORT 300 is suitable for surgical and examination with the high flexibility



Supine Position  
(cardiovascular)



Lateral Position  
(pelvis and spine surgery)



Supine Position  
(ENT/Neurosurgical—with  
head support)



Knee Position

## Urology/Gynecology

COMFORT 300 is suitable for different surgical position with the high flexibility



Urology/Gynecology  
Position



Lithotomy Position



Lateral Position



Supine Position



Sitting Position (Neurosurgical—with skull clamp)