

Datex-Ohmeda Compatible reusable spo2 sensor www.greatmade.com

Compatible Brand	OEM P/N	Greatmade P/N	Description(Connector, Length)	1-5 pcs	6-19 pcs	above 20 PCS
Datex-Ohmeda See below compatibilities	OXY-F-UN	AF051	Adult finger clip sensor , <u>8pin Male</u> , L=1M			
		PF051	pediatric finger clip sensor , <u>8pin Male</u> , L=1M.			
		AS051	Adult silicone soft tip sensor , <u>8pin , Male</u> , L=1M			
		PS051	Pediatric silicone soft tip sensor , <u>8pin Male</u> , L=1M			
	OXY-W-UN	NW051	neonate silicone wrap sensor , <u>8pin Male</u> , L=1M , Non-detachable			
	OXY-E-UN	AE051	Adult ear clip sensor , <u>8pin Male</u> , L=1M			
		AT051	Animal tongue clip sensor , <u>8 pin Male</u> , L=1M			
		NW051-Y	Multi-site Y cable with separate wrap, <u>8pin male</u> , Wrap Detachable			
		NW051- F	Adult/ Neonate multi-site spo2 sensor;8pin male,with FOAM wrap			

Compatibilities :


Use with Handheld pulse oximeters (Tuftsat, 3775)

Stand Alone pulse oximeter (37** series, 3800, 3900,3900P),respiratory gas monitors (4700, 5259RGM)

M-OSAT module , N-XOSAT option for Cardiocap.5 ; OEM partnerning monitors ;

All S/5 monitors, all AS/3,CS/3 Monitors , Cardiocap , Capnomac Ultima and Satlite

Require Adapter EX043 or EX044 or EX042



Datex-Ohmeda Compatible reusable spo2 sensor

Compatible Brand	OEM P/N	Greatmade P/N	Description(Connector, Length)	1-5 pcs	6-19 pcs	above 20 PCS
Datex-Ohmeda Trusat Pulse Oximeter	OXY-F4-MC	AF063	Adult finger clip sensor , <u>DB9 Male</u> , L=3M			
		PF063	pediatric finger clip sensor , <u>DB9 Male</u> , L=3M			
		AS063	Adult silicone soft tip sensor , <u>DB9 Male</u> , L=3M			
		PS063	Pediatric silicone soft tip sensor , <u>DB9 Male</u> , L=3M			
	OXY-W4-MC	NW063	neonate silicone wrap sensor , <u>DB9 Male</u> , L=3M , Non-detachable			
	OXY-E4-MC	AE063	Adult ear clip sensor , <u>DB9 Male</u> , L=3M			
		AT063	Animal tongue clip sensor , <u>DB9 Male</u> , L=3M			
		NW063-Y	Multi-site Y cable with separate wrap, <u>DB9 male</u> , Wrap Detachable			
		NW063- F	Adult/ Neonate multi-site spo2 sensor,DB9 male,with FOAM wrap			



Compatible Brand	OEM P/N	Greatmade P/N	Description(Connector, Length)	1-5 pcs	6-19 pcs	above 20 PCS
GE Procure	Ds-100A+ DOC-10	AF100 -GE	spo2 adult finger clip sensor ,14pin ,3m , Direct Connect . Oximax Technology			
Pro Series V2		AS100-GE	spo2 adult soft tip spo2 sensor ,14pin ,3m , Direct Connect . Oximax Technology			
With nellcor oximax		AE100-GE	Spo2 Adult ear clip spo2 sensor ,14pin , 3m, Direct connect, Oximax technology			
Could be fully compatible with		PF100-GE	spo2 pediatric finger clip sensor ,14pin ,3m , Direct Connect . Oximax Technology			
All oximax tech		PS100-GE	spo2 pediatric soft tip clip sensor ,14pin ,3m , Direct Connect . Oximax Technology			
With real oximax		NW100-GE	spo2 Neonate wrap spo2 sensor ,14pin ,3m , Direct Connect . Oximax Technology			
Chip		NW100-Y-GE	multi-site Y sensor ,14pin ,3m , Direct Connect . Oximax Technology			
		NW100-F-GE	Adult/ Neonate multi-site spo2 sensor ,with FOAM wrap,14pin ,3M ,direct connect			



With Original oximax chip

Use with GE Procure with OXIMAX technology

INVIVO Compatible reusable spo2 sensor

Compatible Brand	OEM P/N	Greatmade P/N	Description(Connector, Length)	1-5 pcs	6-19 pcs	above 20 PCS
Invivo 4500 Scout	9383	AF012	Adult finger clip sensor, 7 PIN Male Lemo , FGG,1B, L=3m			
Scout+1/+2/+3/+4 ,		PF012	Pediatric finger clip sensor, 7 PIN Male Lemo , FGG, 1B, L=3M			
Scout es , Millennia		AS012	Adult silicone soft tip sensor, 7 PIN Male Lemo , FGG, 1B,L=3M			
4500 plus, Omega 1445,		PS012	Pediatric silicone soft tip sensor, 7 PIN Male Lemo , FGG, 1B, L=3M			
Omni-Trak TVS, Sat Scout		NW012	neonate silicone wrap sensor, 7 PIN Male Lemo , FGG, 1B, L=3M, Non-detachable			
		AE012	Adult ear clip sensor, 7 PIN Male Lemo , FGG,1B, L=3m			
		AT012	Animal tongue clip sensor, 7 PIN Male Lemo , FGG,1B, L=3m			
		NW012-Y	Multi-site Y cable with separate wrap,Lemo 7pin, Wrap Detachable			
		NW012- F	Adult/ Neonate multi-site spo2 sensor,Lemo 7pin ,with FOAM wrap			



Compatible Brand	OEM P/N	Greatmade P/N	Description(Connector, Length)	1-5 pcs	6-19 pcs	above 20 PCS
Invivo with M*		AF012-M	Adult finger clip sensor, 7 PIN Male Lemo , FGG,1B, L=3m (with masimo tech)			

Compatibilities : Suitable for (**Artema** : Diascope 2, Gamme 8006, **Greatmade**, **SOM** vitalent 1000, Cicero Narkomed, Vitara, PM8014, D8060, narkomed, **Ge-Marquette** dashEagle 3000, 4000, solar, TRAM X50-Modules, **Hellige** Eagle 1000,2000,3000 **HP** 78352A/C, 78254A/C, Merlin:1020A, 1024A, 1025A/B 1205A, 1722A/B, 1732A/B, 2475B, **InVivo Research** 4500 scout, 4500 plus, **Ivy Biomedical** 405A, 405D, **Kontron** Micromon, Supermon ,Kolormon , 7840,7845, **Pach tech** vitalmax, 800series Schiller CM8, **Neilcor** N100, N200, N180, N6000, N190, N20, N3000, Require Adapter cable , **Datascope** : Expert , Passport **Require Adapter EX020 or EX021**

Neilcor OXIMAX Compatible reusable spo2 sensor (Oximax Technology)

Compatible Brand	OEM P/N	Greatmade P/N	Description(Connector, Length)	1-5 pcs	6-19 pcs	above 20 PCS
Neilcor oximax	AF024-1-OXI	AF024-1-OXI	Neilcor Adult finger clip sensor ,DB9 male -9pin,L=1m , OXIMAX Tech			
Neilcor compatible	AP024-1-OXI	AP024-1-OXI	Neilcor Pediatric finger clip sensor , DB9 male-9pin , L=1m, OXIMAX Tech			
Neilcor N-560.	AS024-1-OXI	AS024-1-OXI	Neilcor Adult silicone soft tip sensor , DB9 male-9pin , L=1m., OXIMAX Tech			
N-550, N595 pulse oximeter	PS024-1-OXI	PS024-1-OXI	Neilcor Pediatric silicone soft tip sensor , DB9 male-9pin, L=1m, OXIMAX Tech .			
	NW024-1-OXI	NW024-1-OXI	Neilcor Neonate silicone wrap sensor ,DB9 male-9pin, L=1M. OXIMAX Tech, Non-detachable			
	AE024-1-OXI	AE024-1-OXI	Neilcor Adult ear clip sensor ,DB9 male-9pin,L=1m , OXIMAX Tech			
	NW024-1-OXI-Y	NW024-1-OXI-Y	Neilcor Multi-site Y cable with separate wrap, DB9M , Wrap Detachable ,L=1M			
	NW024-OXI-1-F	NW024-OXI-1-F	Neilcor Adult/ Neonate multi-site spo2 sensor,DB9M ,with FOAM wrap , L=1M			

Require Spo2 Adapter Cable EX023 .



Neilcor OXIMAX Compatible reusable spo2 sensor (Oximax Technology)

Compatible Brand	OEM P/N	Greatmade P/N	Description(Connector, Length)	1-5 pcs	6-19 pcs	above 20 PCS
Neilcor oximax	AF024-3-OXI	AF024-3-OXI	Adult finger clip sensor ,DB9 male -9pin,L=3m , OXIMAX Tech			
Neilcor compatible	AP024-3-OXI	AP024-3-OXI	Pediatric finger clip sensor , DB9 male-9pin , L=3m, OXIMAX Tech			
Neilcor N-560.	AS024-3-OXI	AS024-3-OXI	Adult silicone soft tip sensor , DB9 male-9pin , L=3m., OXIMAX Tech			
N-550, N595 pulse oximeter	PS024-3-OXI	PS024-3-OXI	Pediatric silicone soft tip sensor , DB9 male-9pin, L=3m, OXIMAX Tech .			
	NW024-3-OXI	NW024-3-OXI	Neonate silicone wrap sensor ,DB9 male-9pin, L=3M. OXIMAX Tech ,Non-detachable			
	AE024-3-OXI	AE024-3-OXI	Adult ear clip sensor ,DB9 male-9pin,L=3m , OXIMAX Tech			
	NW024-3-OXI-Y	NW024-3-OXI-Y	Multi-site Y cable with separate wrap, DB9M , Wrap Detachable ,L=3M, Oximax tech			
	NW024-3-OXI-F	NW024-3-OXI-F	Adult/ Neonate multi-site spo2 sensor,DB9M ,with FOAM wrap , L=3M, Oximax tech			





Kontron Compatible reusable spo2 sensor

Compatible Brand	OEM P/N	Greatmade P/N	Description(Connector, Length)	1-5 pcs	6-19 pcs	above 20 PCS
Kontron		AF053	Adult finger clip sensor ,Round 6pin , L=3m			
Micromon		PF053	pediatric finger clip sensor, Round 6pin , L=3m			
Minimon		AS053	Adult silicone soft tip sensor, Round 6pin , L=3m			
Supermon		PS053	pediatric silicone soft tip sensor, Round 6 pin , L=3m			
Kolormon		NW053	Neonate silicone wrap sensor, Round 6 pin , L=3m. Non-detachable			
7840		AE053	Adult ear clip sensor, Round 6 pin, L=3m			
7845		AT053	_Animal tongue clip sensor, Round 6 pin , L=3m			
7137		NW053-Y	Multi-site Y cable with separate wrap, Round 6pin , Wrap Detachable, L=3m			
		NW053-F	Adult/ Neonate multi-site spo2 sensor, Round 6pin , L=3m, Foam Wrap			


Compatibilities
Use with Kontron Micromon, Minimon, Supermon, Kolormon, 7840, 7845, 7137



Neilcor/Colin Compatible reusable spo2 sensor

Compatible Brand	OEM P/N	Greatmade P/N	Description(Connector, Length)	1-5 pcs	6-19 pcs	above 20 PCS
Neilcor		AF054	Adult finger clip sensor ,3M 14pin , L=3m			
NPB-290/5, N-390		PF054	pediatric finger clip sensor, 3M 14pin , L=3m			
N-395, N-3000,		AS054	Adult silicone soft tip sensor, 3M 14pin , L=3m			
N-6000,		PS054	pediatric silicone soft tip sensor, 3M 14pin , L=3m			
Colin		NW054	Neonate silicone wrap sensor, 3M 14pin , L=3m . Non-detachable			
BP88/306		AE054	Adult ear clip sensor, 3M 14pin , L=3m			
Datascope		AT054	_Animal tongue clip sensor, 3M 14pin , L=3m			
Accutor plus(neilcor)		NW054-Y	Multi-site Y cable with separate wrap, 3M 14pin , Wrap Detachable ,L=3m			
		NW054-F	Adult/ Neonate multi-site spo2 sensor, 3M 14pin, L=3m, Foam Wrap			





Fukuda Denshi

Compatible Brand	OEM P/N	Greatmade No.	Description (Cable and connector)	1-5pcs	6-19pcs	Above 20pcs
Fukuda FCP-7411, FX-7402, FX-7202, FX-2111 FX-2155, FX-3010, F-7102 Customed : Custo Card Bosch : 603D /603ER /603S/606	FX-101	EC002A	Fukuda EKG cable , IEC , DB15M> Din 3.0			
		EC002AD	Fukuda EKG cable , AHA , DB15M> DIN 3.0			
		EC002B	Fukuda EKG cable , AHA , DB15M> Banana 4.0			
		EC002BI	Fukuda EKG cable , IEC , DB15M> Banana 4.0			
		EC002C	Fukuda EKG cable , AHA , DB15M> Grabber			
		EC002CI	Fukuda EKG cable , IEC , DB15M> Grabber			
		EC002DI	Fukuda EKG cable , IEC , DB15M> Snap			



Fukuda ME

Compatible Brand	OEM P/N	Greatmade No.	Description (Cable and connector)	1-5pcs	6-19pcs	Above 20pcs
Fukuda KP-500		EC027A	Fukuda ME KP-500 EKG cable , IEC , DB15M>DIN 3.0mm , no resistor , ..			
		EC027AD	Fukuda ME KP-500 EKG cable , AHA , DB15M> DIN 3.0mm , no resistor			
		EC027B	Fukuda ME KP-500 EKG cable , AHA , DB15M> Banana 4.0 , no resistor ,			
		EC027BI	Fukuda ME KP-500 EKG cable , IEC , DB15M> Banana 4.0 , no resistor			
		EC027C	Fukuda ME KP-500 EKG Cable , AHA , DB15M>Grabber , no resistor			
		EC027CI	Fukuda ME KP-500 EKG Cable , IEC , DB15M>Grabber , no resistor			
		EC027DI	Fukuda ME KP-500 EKG Cable , AHA , DB15M>Snap , no resistor			

412680-001	EC004	Multi-Link Leadwire set, <u>Banana ending</u> , <u>AHA</u>			
	EC004I	Multi-LINK Leadwire set, <u>Banana ending</u> , <u>IEC</u>			
	EC004B	Multi-Link Leadwire set, <u>Snap</u> , <u>AHA</u>			
	EC004BI	Multi-LINK Leadwire set, <u>Snap</u> , <u>IEC</u>			
	EC004C	Multi-Link Leadwire set, <u>Grabber</u> , <u>AHA</u>			
	EC004CI	Multi-LINK Leadwire set, <u>Grabber</u> , <u>IEC</u>			



GE Marquette One piece

Compatible Brand	OEM P/N	Greatmade No.	Description (Cable and connector)	1-5 pcs	6-19 pcs	Above 20 pcs
GE MAC500/1200		EC005A	<u>MAC-500/MAC-1200</u> One-piece EKG CABLE and leadwires, <u>AHA</u> , <u>Banana</u>			
		EC005AI	<u>MAC-500/MAC-1200</u> One-piece EKG CABLE and leadwires, <u>IEC</u> , <u>Banana</u>			
		EC005B	<u>MAC-500/MAC-1200</u> One-piece EKG CABLE and leadwires, <u>AHA</u> , <u>Grabber</u>			
		EC005BI	<u>MAC-500/MAC-1200</u> One-piece EKG CABLE and leadwires, <u>IEC</u> , <u>Grabber</u>			
		EC005C	<u>MAC-500/MAC-1200</u> One-piece EKG CABLE and leadwires, <u>AHA</u> , <u>Snap</u>			
		EC005CI	<u>MAC-500/MAC-1200</u> One-piece EKG CABLE and leadwires, <u>IEC</u> , <u>Snap</u>			

Compatibilities :

Hellige : MicroSmart, MAC 500/1100 ,MAC 1200/1200 ST.





Limb Electrode

OEM P/N	Greatmade No.		1-5 sets	6-19 sets	Above 20sets
	EC012	Limb Electrode (4pcs/set) Perfect for 3.0 plug , IEC, (RED ,Yellow , Green , Black)			
	EC012B	Limb Electrode (4pcs/set) Perfect for 4.0 Banana , IEC, (RED ,Yellow , Green , Black)			
	EC012C	Multi-use Limb Electrode for all types of ECG electrode, Metal plating AgCl (Dark), IEC			
	EC012C-S	Multi-use Limb Electrode for all types of ECG electrode, Metal plating Nickel (Shine), IEC			
	EC012-A	Limb Electrode (4pcs/set) Perfect for 3.0 DIN , AHA, (RED, Green, White, Black)			
	EC012B/A	Limb Electrode (4pcs/set) Perfect for 4.0 Banana , AHA, (RED, Green, White, Black)			
	EC012C/A	Multi-use Limb Electrode for all types of ECG electrode , Metal plating AgCl (Dark), AHA			
	EC012C-SA	Multi-use Limb Electrode for all types of ECG electrode , Metal plating Nickel (Shine) , AHA			



EC012A Suitable for all 3.0 Din Plug of EKG Cable

EC012B Suitable for All 4.0 Banana Plug of EKG Cable .

EC012C Suitable for All 4.0 Banana , 3.0DIN, Snap, Grabber electrode

Limb Electrode

OEM P/N	Greatmade No.	Description (Cable and connector)	1-5 pcs	6-19pcs	Above 20pcs
	EC012A-HP	Limb Electrode (4pcs/set) Perfect for 3.0 DIN , IEC, (Red, Green, Yellow, Black)			
	EC012B-HP	Limb Electrode (4pcs/set) Perfect for 4.0 Banana , IEC, (Red, Green, Yellow, Black)			
	EC012C-HP	Multi-use Limb Electrode for all types of ECG electrode, Metal plating AgCl (Dark), IEC			
	EC012D-HP	Multi-use Limb Electrode for all types of ECG electrode, Metal plating Nickel (Shine), IEC			

Suction Electrode

OEM P/N	Greatmade No.	Description (Cable and connector)	1-5pcs	6-19pcs	Above 20pcs
	EC013A	Adult Suction Electrodes (6 pcs/Set) , perfect for 3.0 DIN , Silicone			
	EC013B	Adult Suction Electrodes (6 pcs/ Set) , perfect for 4.0 Banana , silicone			
	EC013A/B	Adult Suction electrodes (6 pcs/ set) , for both 3.0 and 4.0 , silicone			
	EC013C	Adult Multi use electrode , 3.0, 4.0, Snap, grabber , Metal PLATING AgCl (Dark)			
	EC013C-S	Adult multi use electrode, 3.0,4.0, Snap,grabber, Metal PLATING Nickel(Shine)			
	EC013D	Pediatric Suction Electrode (6pcs/set) , suitable for 3.0 DIN plug			
	EC013E	Pediatric Suction Electrode (6pcs/set) , suitable for 4.0 banana			
	EC013F	Pediatric Multi-use Electrode(6 pcs/set) ,for 3.0 , 4.0 , Snap , Grabber , Plating AgCl(Dark)			
	EC013F-S	Pediatric Multi-use Electrode(6 pcs/set) ,for 3.0,4.0, Snap, Grabber, plating Nickel(Shine)			
	EC013G	Pediatric suction Electrodes (6pcs/set) , suitable for both 3.0 and 4.0			

EC013C



EC013B



EC013A Suitable for all 3.0mm DIN plug for EKG cable
EC013B Suitable for All 4.0 Banana Plug of EKG Cable .
EC013C For Multi-use , Suitable for all 3.0DIN , 4.0 Banana , Snap and Grabber

EC013A/B



EC013D



EC013F



EC013G



EC013A/B is suitable forboth 3.0 and 4.0 banana plug
FC013A/B: **Metal diameter : 21mm , Ball diameter :26mm**
C013C **Metal diameter : 24mm , Ball diameter : 32mm**
C013D/E **Metal diameter :17mm, Ball diameter :23mm**

EKG Cable Electrode Adapter

OEM P/N	Greatmade No.	Description (Cable and connector)	1-5pcs	6-19pcs	Above 20pcs
	EC018A	Electrode Adapter , 3.0DIN-> Snap , L=10CM			
	EC018B	Electrode Adapter , 4.0 Banana -> Snap , L=10CM			
	EC018C	Electrode Adapter , 3.0DIN->Grabber , L=10CM			
	EC018D	Electrode Adapter , 4.0 Banana-> Grabber , L=10CM			
	EC018E	Electrode Adapter , 4.0 Banana socket ->3.0 DIN Plug, L=10CM			
	EC018F	Electrode Adapter , 3.0DIN socket->4.0 Banana plug, L=10CM			

CF1109A	Child#9 Disposable Nibp Cuff, 15.8-21.3cm Arm Circumference ,Single tube	
CF1110A	Small Adult#10 Disposable Nibp Cuff,20-27 Arm Circumference ,Single tube	
CF1111A	Adult#11 Disposable Nibp Cuff, 25.3-34.3cm Arm Circumference ,Single tube	
CF1112A	Large Adult#12 Disposable Nibp Cuff , 32.1-43.4cm Arm Circumference ,Single tube	
CF1113A	THIGH #13 Disposable Nibp Cuff , 46-66cm Arm Circumference ,Single tube	

CF1101A - CF1105A



CF1107A - CF1113A

Non-Bladder Disposable NIBP Cuffs-Nonwovens(CF1107B-CF1112B Dual Tube Series)

Greatmade P/N	Description (Cable , Connector)	Unit Price
CF1101B	Neonate#1 Disposable Nibp Cuff, 3.3-5.6cm Arm Circumference, dual tubes	
CF1102B	Neonate#2 Disposable Nibp Cuff ,4.2-7.1cm Arm Circumference , dual tubes	
CF1103B	Neonate#3 Disposable Nibp Cuff ,5-10.5cm Arm Circumference ,dual tubes	
CF1104B	Neonate#4 Disposable Nibp Cuff, 6.9-11.7cm Arm Circumference ,dual tubes	
CF1105B	Neonate#5 Disposable Nibp Cuff, 8.9-15cm Arm Circumference ,dual tubes	
CF1107B	Infant#7 Disposable Nibp Cuff, 9.8-13.3cm Arm Circumference ,dual tubes	
CF1108B	Small Child#8 Disposable Nibp Cuff -12.4-16.8cm Arm Circumference ,dual tubes	
CF1109B	Child#9 Disposable Nibp Cuff, 15.8-21.3cm Arm Circumference,dual tubes	
CF1110B	Small Adult#10 Disposable Nibp Cuff,20-27 Arm Circumference ,dual tubes	
CF1111B	Adult#11 Disposable Nibp Cuff, 25.3-34.3cm Arm Circumference,dual tubes	
CF1112B	Large Adult#12 Disposable Nibp Cuff , 32.1-43.4cm Arm Circumference,dual tubes	
CF1113B	THIGH #13 Disposable Nibp Cuff , 46-66cm Arm Circumference ,dual tubes	



CF1101B - CF1105B

CF1107B- CF1113B

Non-Bladder Disposable NIBP Cuffs (TPU Material)

Greatmade P/N	Description (Cable , Connector)	Unit Price
CF1201A	Neonate#1 Disposable Nibp Cuff,3.3-5.6cm Arm Circumference,single tube, TPU	
CF1202A	Neonate#2 Disposable Nibp Cuff ,4.2-7.1cm Arm Circumference,single tube, TPU	
CF1203A	Neonate#3 Disposable Nibp Cuff ,5-10.5cm Arm Circumference ,Single tubes TPU	
CF1204A	Neonate#4 Disposable Nibp Cuff, 6.9-11.7cm Arm Circumference ,Single tubes TPU	
CF1205A	Neonate#5 Disposable Nibp Cuff, 8.9-15cm Arm Circumference,single tube, TPU	
CF1207A	Infant#7 Disposable Nibp Cuff, 9.8-13.3cm Arm Circumference ,single tube, TPU	
CF1208A	Small Child#8 Disposable Nibp Cuff 12.4-16.8cm Arm Circumference,single tube, TPU	
CF1209A	Child#9 Disposable Nibp Cuff, 15.8-21.3cm Arm Circumference ,Single tube, TPU	

CF1210A	Small Adult#10 Dipoable Nibp Cuff,20-27 Arm Circumference ,Single tube., TPU	
CF1211A	Adult#11 Dipoable Nibp Cuff, 25.3-34.3cm Arm Circumference ,Single tube, TPU	
CF1212A	Large Adult#12 Dipoable Nibp Cuff,32.1-43.4cm Arm Circumference,single tube TPU	
CF1213A	THIGH #13 Dipoable Nibp Cuff , 46-66cm Arm Circumference ,Single tube, TPU	

CF1201A - CF1205A



Since Jan,2010 , TPU cuff will use Soft TPU instead of Shine TPU .

Greatmade P/N	Description (Cable , Connector)	Unit Price
CF1201B	Neonate#1 Disposable Nibp Cuff,3.3-5.6cm Arm Circumference,dual tubes, TPU	
CF1202B	Neonate#2 Disposable Nibp Cuff ,4.2-7.1cm Arm Circumference,dual tubes, TPU	
CF1203B	Neonate#3 Disposable Nibp Cuff ,5-10.5cm Arm Circumference ,dual tubes TPU	
CF1204B	Neonate#4 Disposable Nibp Cuff, 6.9-11.7cm Arm Circumference ,dual tubes TPU	
CF1205B	Neonate#5 Disposable Nibp Cuff, 8.9-15cm Arm Circumference,Dual tubes, TPU	
CF1207B	Infant#7 Dipoable Nibp Cuff, 9.8-13.3cm Arm Circumference ,Dual tubes, TPU	
CF1208B	Small Child#8 Disposable Nibp Cuff 12.4-16.8cm Arm Circumference,Dual tubes, TPU	
CF1209B	Child#9 Disposable Nibp Cuff, 15.8-21.3cm Arm Circumference ,Dual tubes, TPU	
CF1210B	Small Adult#10 Dipoable Nibp Cuff,20-27 Arm Circumference ,Dual tubes., TPU	
CF1211B	Adult#11 Disposable Nibp Cuff, 25.3-34.3cm Arm Circumference ,Dual tubes, TPU	
CF1212B	Large Adult#12 Dipoable Nibp Cuff,32.1-43.4cm Arm Circumference,Dual tubes, TPU	
CF1213B	THIGH #13 Dipoable Nibp Cuff , 46-66cm Arm Circumference ,Dual tubeS, TPU	



Greatmade P/N	Description (Cable , Connector)	Unit Price
CF1201C	Neonate#1 Disposable Nibp Cuff 4.4-8.3cm Arm Circumference,single tube, TPU	
CF1202C	Neonate#2 Disposable Nibp Cuff ,4.9-9.2cm Arm Circumference,single tube, TPU	
CF1203C	Neonate#3 Disposable Nibp Cuff ,6.4-12.0cm Arm Circumference ,Single tubes TPU	
CF1204C	Neonate#4 Disposable Nibp Cuff, 7.0-13.1cm Arm Circumference ,Single tubes TPU	
CF1205C	Neonate#5 Disposable Nibp Cuff, 8.9-15cm Arm Circumference,single tube, TPU	

With connector , Tube Outer Diameter ; 3.5mm





Product Service

EC Certificate

Full Quality Assurance System

Directive 93/42/EEC on Medical Devices (MDD), Annex II excluding (4)
(Devices in Class IIa, IIb or III)

No. G1 17 12 02231 002

Manufacturer: Shenzhen Greatmade Tech limited

3rd Floor, Building B
Baifuli Industrial Zone, Shanghenglang
Huahui Road, Dalang Street
Longhua New District
518109 Shenzhen, Guangdong Province
PEOPLE'S REPUBLIC OF CHINA



EC-Representative: Prolinx GmbH

Brehmstr. 56
40239 Duesseldorf
GERMANY

Product Category(ies): Spo2 sensor

The Certification Body of TÜV SÜD Product Service GmbH declares that the aforementioned manufacturer has implemented a quality assurance system for design, manufacture and final inspection of the respective devices / device categories in accordance with MDD Annex II. This quality assurance system conforms to the requirements of this Directive and is subject to periodical surveillance. For marketing of class III devices an additional Annex II (4) certificate is mandatory. See also notes overleaf.

Report No.: GZ1728501

Valid from: 2018-04-11
Valid until: 2023-04-10

Date, 2018-04-11

S. Preiß
Stefan Preiß



TÜV SÜD Product Service GmbH is Notified Body with identification no. 0123

Page 1 of 2



A1 / 07 / 09



Product Service

EC Certificate

Full Quality Assurance System

Directive 93/42/EEC on Medical Devices (MDD), Annex II excluding (4)
(Devices in Class IIa, IIb or III)

No. G1 17 12 02231 002

Facility(ies):

Shenzhen Greatmade Tech limited
3rd Floor, Building B, Baifuli Industrial Zone, Shanghenglang,
Huahui Road, Dalang Street, Longhua New District, 518109
Shenzhen, Guangdong Province, PEOPLE'S REPUBLIC OF
CHINA

Page 2 of 2



DAKKS CERT / 18 33



Product Service

CERTIFICATE

No. Q1N 17 12 02231 001

Holder of Certificate: Shenzhen Greatmade Tech limited

3rd Floor, Building B
Baifuli Industrial Zone, Shanghenglang
Huahui Road, Dalang Street
Longhua New District
518109 Shenzhen, Guangdong Province
PEOPLE'S REPUBLIC OF CHINA

Facility(ies):

Shenzhen Greatmade Tech limited
3rd Floor, Building B, Baifuli Industrial Zone,
Shanghenglang, Huahui Road, Dalang Street,
Longhua New District, 518109 Shenzhen,
Guangdong Province, PEOPLE'S REPUBLIC OF
CHINA



Certification Mark:



Scope of Certificate: Design and Development, Production
and Distribution of Spo2 sensor,
Patient cable and leadwire, Blood pressure cuff

Applied Standard(s):

EN ISO 13485:2012 + AC:2012
Medical devices - Quality management systems -
Requirements for regulatory purposes
(ISO 13485:2003 + Cor. 1:2009)
DIN EN ISO 13485:2012
Upgrade required until 2019-03-31

The Certification Body of TÜV SÜD Product Service GmbH certifies that the company mentioned above has established and is maintaining a quality management system, which meets the requirements of the listed standard(s). See also notes overleaf.

Report No.: GZ1728501

Valid from: 2018-04-11
Valid until: 2021-04-10

Date, 2018-04-11

S. Preiß
Stefan Preiß



Page 1 of 1

