

Tracheal Tube Holder

- ▶ Securely holds tube in the proper position
- ▶ Provides maximum patient comfort and easy access to the oral cavity
- ▶ Simple repositioning of the tube without removal of the holder
- ▶ Hypo allergic adhesive surface
- ▶ Three sizes available

Ref	Tracheal Tube Sizes
550 0005 2	4.5 - 5.0 - 5.5 - 6.0 - 6.5 mm
550 0006 2	7.0 - 7.5 - 8.0 - 8.5 mm
550 0007 2	9.0 - 9.5 - 10.0 mm



Intubation Stylet

- ▶ Malleable aluminium rod with a plastic sleeve which allows the stylet to be easily adapted to any desired shape
- ▶ Smooth outer sleeve permits easy insertion and withdrawal
- ▶ Choice of 3 sizes to fit all adult and pediatric tracheal tubes
- ▶ Soft distal tip

Ref	Size
550 0001 1	2.5 - 4.5 mm (Small)
550 0002 1	5.0 - 8.0 mm (Medium)
550 0003 1	8.5 - 10.0 mm (Large)

Guedel Airway




- ▶ Maintains airway through the oral cavity and pharynx
- ▶ Anatomically correct design
- ▶ Atraumatic soft-rounded edges
- ▶ Resists collapse
- ▶ Smooth inner and outer surfaces
- ▶ Bite block provides access for suction catheters
- ▶ Flexible to ensure dental protection
- ▶ Sterile and clean pack bulk packaging
- ▶ Color coded



Ref		Size	Length ISO	Color	
Sterile	Non-sterile				
900 0030 1	900 0030 3	000	3 cm	Lilac	
900 0040 1	900 0040 3	00	4 cm	Pink	
900 0050 1	900 0050 3	0	5 cm	Blue	
900 0060 1	900 0060 3	1	6 cm	Black	
900 0070 1	900 0070 3	2	7 cm	White	
900 0080 1	900 0080 3	3	8 cm	Green	
900 0090 1	900 0090 3	4	9 cm	Yellow	
900 0100 1	900 0100 3	5	10 cm	Red	
900 0110 1	900 0110 3	6	11 cm	Orange	

Three Way Stopcock

- ▶ For pressures up to 5 bar (72 PSI)
- ▶ 360° rotation
- ▶ Color coded arrows indicating flow direction
- ▶ Transparent housing
- ▶ Rotating male luer lock and two female luer lock connectors
- ▶ Lipid Resistance

Ref	Color
760 3011 1	White 
760 3031 1	Blue 
760 3041 1	Red 



Three Way Stopcock

1200 PSI

- ▶ For pressures up to 83 bar (1200 PSI)
- ▶ 180° rotation
- ▶ Arrows indicating flow direction
- ▶ Transparent housing
- ▶ Rotating male luer lock and two female luer lock connectors



Ref
760 3111 1

Manifold

- ▶ Flat with cross handle
- ▶ Pressure tested
- ▶ Arrows to indicate the direction of flow
- ▶ Clear housing for maximal visual inspection
- ▶ Color coded
- ▶ Female luer connectors

Ref	
765 0301 1	Trio
765 0501 1	Quinto



Manifold

Pressure

- ▶ For pressures up to 41 bar (600 PSI)
- ▶ Arrows to indicate the direction of flow
- ▶ Clear housing for maximal visual inspection
- ▶ Rotating male luer and female luer connectors



Ref		Position
765 1301 1	Trio	Right

B-Vak Wound Drainage System

400 ml

- ▶ For low pressure wound drainage
- ▶ Approximately 400 ml bellow capacity
- ▶ Volume indicator marks
- ▶ Easy discharge of air and contents
- ▶ Cut-to-fit connector
- ▶ Radiopaque redon drain



Ref				Drain Size	Drain I.D.
Without Trocar	With 1 Trocar	With 1 Trocar and 2 Drains	With 2 Trocars		
171 0801 1	171 0811 1	017 0906 1	171 0821 1	08 Ch	1.5 mm
171 1001 1	171 1011 1	017 0903 1	171 1021 1	10 Ch	1.8 mm
171 1201 1	171 1211 1	017 0902 1	171 1221 1	12 Ch	2.0 mm
171 1401 1	171 1411 1	017 0901 1	171 1421 1	14 Ch	2.5 mm
171 1601 1	171 1611 1	017 0904 1	171 1621 1	16 Ch	3.3 mm
171 1801 1	171 1811 1	017 0905 1	171 1821 1	18 Ch	4.0 mm

Reinforced Tracheal Tube

Cuffed

- ▶ Metal reinforcing spiral within the wall of the entire tube helps to prevent the tube from kinking
- ▶ For both oral and nasal intubation
- ▶ Atraumatic, soft rounded, beveled tip
- ▶ Murphy eye
- ▶ Accurate positioning depth marks
- ▶ Radiopaque
- ▶ Standard volume, low pressure cuff
- ▶ Special cuff design provides an efficient low pressure seal
- ▶ Valve integrated pilot pressure cuff with designated size and nominal outside diameter markings
- ▶ Standard connector
- ▶ Pre-assembled stylet option for easier intubation of the tracheal tube

Ref		Size	I.D. (mm)	O.D. (mm)
Without Stylet	With Stylet			
551 7030 1	551 2030 1	3.0	3.0	5.3
551 7035 1	551 2035 1	3.5	3.5	5.8
551 7040 1	551 2040 1	4.0	4.0	6.3
551 7045 1	551 2045 1	4.5	4.5	6.8
551 7050 1	551 2050 1	5.0	5.0	7.3
551 7055 1	551 2055 1	5.5	5.5	7.8
551 7060 1	551 2060 1	6.0	6.0	8.4
551 7065 1	551 2065 1	6.5	6.5	9.0
551 7070 1	551 2070 1	7.0	7.0	9.6
551 7075 1	551 2075 1	7.5	7.5	10.2
551 7080 1	551 2080 1	8.0	8.0	10.8
551 7085 1	551 2085 1	8.5	8.5	11.3
551 7090 1	551 2090 1	9.0	9.0	11.9
551 7095 1	551 2095 1	9.5	9.5	12.4



Reinforced Tracheal Tube

Uncuffed

- ▶ Metal reinforcing spiral within the wall of the entire tube helps to prevent the tube from kinking
- ▶ For both oral and nasal intubation
- ▶ Atraumatic, soft rounded, beveled tip
- ▶ Murphy eye
- ▶ Accurate positioning depth marks
- ▶ Vocal cord markings
- ▶ Radiopaque
- ▶ Standard connector

Ref	Size	I.D. (mm)	O.D. (mm)
550 7030 1	3.0	3.0	5.3
550 7035 1	3.5	3.5	5.8
550 7040 1	4.0	4.0	6.3
550 7045 1	4.5	4.5	6.8
550 7050 1	5.0	5.0	7.3
550 7055 1	5.5	5.5	7.8
550 7060 1	6.0	6.0	8.4
550 7065 1	6.5	6.5	9.0
550 7070 1	7.0	7.0	9.6



Tracheostomy Tube

Cuffed

- ▶ Swivel 15 mm connector provides easy handling
- ▶ Flexible neckplate with slits for strap insertion providing secure positioning
- ▶ Designated size and nominal outside diameter markings on the neckplate
- ▶ Reliable inflation apparatus comprising of inflating tube, pilot balloon, and a check-valve with luer connection
- ▶ Soft, thin-walled, high-volume, low-pressure cuff
- ▶ Atraumatic, soft rounded tip, transparent, curved cannula
- ▶ Clear radiopaque line facilitates to help spatial positioning
- ▶ Obturator to prevent tissue drag and lumen obstruction



Ref	Size	Length (mm)
555 0050 1	5.0	57
555 0055 1	5.5	57
555 0060 1	6.0	55
555 0065 1	6.5	61
555 0070 1	7.0	67
555 0075 1	7.5	73
555 0080 1	8.0	80
555 0085 1	8.5	84
555 0090 1	9.0	91
555 0095 1	9.5	94
555 0100 1	10.0	94

Tracheostomy Tube

Uncuffed

- ▶ Swivel 15 mm connector provides easy handling
- ▶ Flexible neckplate with slits for strap insertion providing secure positioning
- ▶ Designated size and nominal outside diameter markings on the neckplate
- ▶ Atraumatic, soft rounded tip, transparent, curved cannula
- ▶ Clear radiopaque line facilitates to help spatial positioning
- ▶ Obturator to prevent tissue drag and lumen obstruction



Ref	Size	Length (mm)
556 0050 1	5.0	57
556 0055 1	5.5	57
556 0060 1	6.0	55
556 0065 1	6.5	61
556 0070 1	7.0	67
556 0075 1	7.5	73
556 0080 1	8.0	80
556 0085 1	8.5	84
556 0090 1	9.0	91
556 0095 1	9.5	94
556 0100 1	10.0	94