

Manufacturer: BAS STEEL PROFILE SRL F/C:1019603000893 c.TVA:1019603000893 or: Taracia, str. Voccalnaia 28 rep. Moldova		MILL'S TEST CERTIFICATE (ACC. TO EN10204 / 3.1) 3578 Date: 11.07.2025		Transport:			
Customer: Metalica - Zuev SRL SEC.CIOCANIA Industriala nr.48		No.		A03		A10	
Contract No. A07		Welded cold sized tubes STEEL Grade Direct welded Package wrapped with 6 straps through the side 100% NDT on the weld seam. NDT on the weld seam acc. EN ISO		B03-B06		B12	
Specification № A07		100% NDT on the weld seam. NDT on the weld seam acc. EN ISO		EN 10219-1/2 S235JRH		Total weight, Kg 22 404	
Order No.		Plain ends, straight cut from mill		EN 10219-1/2 S235JRH		Total Length Pieces: 3 252	
Destination		Plain ends, straight cut from mill		EN 10219-1/2 S235JRH		Bundles: 12	
CE		2174		ISO 9001		84	

Nr crt.	B07			B01-B02		B09		B11		B08		B12		B13	
	Nr. Bundles	Heat	Product	Dimension(mm)		Length(mm)		Deviation		Bundles		Pieces		Netto weight (kg)	
1	70653	SA03742	EN 10219-2 / S235JRH	100 x 60 x 3.0 x 12000mm		12 000		+50/-0		1		24		1 962 -	
2	70651	151661-9	EN 10219-2 / S235JRH	100 x 60 x 3.0 x 12000mm		12 000		+50/-0		1		24		1 988 -	
3	70649	SA03741	EN 10219-2 / S235JRH	100 x 60 x 3.0 x 12000mm		12 000		+50/-0		1		24		1 988 -	
4	70649	SA03741	EN 10219-2 / S235JRH	100 x 60 x 3.0 x 12000mm		12 000		+50/-0		1		24		1 988 -	
5	70644	SA03741	EN 10219-2 / S235JRH	100 x 60 x 3.0 x 12000mm		12 000		+50/-0		1		24		1 990 -	
6	70645	SA03741	EN 10219-2 / S235JRH	100 x 60 x 3.0 x 12000mm		12 000		+50/-0		1		24		1 978 -	
7	70647	SA03741	EN 10219-2 / S235JRH	100 x 60 x 3.0 x 12000mm		12 000		+50/-0		1		24		1 986 -	
8	70640	SA03742	EN 10219-2 / S235JRH	100 x 60 x 3.0 x 12000mm		12 000		+50/-0		1		24		1 978 -	
9	70641	SA03741	EN 10219-2 / S235JRH	100 x 60 x 3.0 x 12000mm		12 000		+50/-0		1		24		1 982 -	
10	70642	SA03741	EN 10219-2 / S235JRH	100 x 60 x 3.0 x 12000mm		12 000		+50/-0		1		24		1 984 -	
11	70634	SA03744	EN 10219-2 / S235JRH	100 x 60 x 3.0 x 12000mm		12 000		+50/-0		1		24		1 978 -	
12	70661	SA03742	EN 10219-2 / S235JRH	100 x 60 x 3.0 x 12000mm		12 000		+50/-0		1		7		582 -	

«BAS STEEL PROFILE» S.R.L.

OTK

Chemical Composition (химический состав)

C71-C92

Nr.ct.	B07		B01-B02	B09											Chemical Composition (химический состав)											C71-C92				
	Nr. Bundles	Heat		Product	Dimension(mm)	C	Si	Mn	S	P	Cr	Ni	Cu	As	N	Al														
1	70653	SA03742	EN 10219-2 / S235JRH	100 x 60 x 3.0 x 120	9	2	22	8	11	8		21		9	33															
2	70651	151661-9	EN 10219-2 / S235JRH	100 x 60 x 3.0 x 120	11	1,2	38	27	19	5	2	3		9																
3	70649	SA03741	EN 10219-2 / S235JRH	100 x 60 x 3.0 x 120	9	2	26	3	9	7		18		9	24															
4	70649	SA03741	EN 10219-2 / S235JRH	100 x 60 x 3.0 x 120	9	2	26	3	9	7		18		9	24															
5	70644	SA03741	EN 10219-2 / S235JRH	100 x 60 x 3.0 x 120	9	2	26	3	9	7		18		9	24															
6	70645	SA03741	EN 10219-2 / S235JRH	100 x 60 x 3.0 x 120	9	2	26	3	9	7		18		9	24															
7	70647	SA03741	EN 10219-2 / S235JRH	100 x 60 x 3.0 x 120	9	2	26	3	9	7		18		9	24															
8	70640	SA03742	EN 10219-2 / S235JRH	100 x 60 x 3.0 x 120	9	2	22	8	11	8		21		9	33															
9	70641	SA03741	EN 10219-2 / S235JRH	100 x 60 x 3.0 x 120	9	2	26	3	9	7		18		9	24															
10	70642	SA03741	EN 10219-2 / S235JRH	100 x 60 x 3.0 x 120	9	2	26	3	9	7		18		9	24															
11	70634	SA03744	EN 10219-2 / S235JRH	100 x 60 x 3.0 x 120	10	2	24	7	17	7		21		10	24															
12	70661	SA03742	EN 10219-2 / S235JRH	100 x 60 x 3.0 x 120	9	2	22	8	11	8		21		9	33															

«BAS STEEL PROFILE» S.R.L.
OTK

Mechanical Test

Nr.ct.	B07		B01-B02		B09		C03	C11	C12	C13	D02	D03
	Nr. Bundles	Heat	Product	Dimension(mm)	Direction of the test pieces	Test temperature						
1	70653	SA03742	EN 10219-2 / S235JRH	100 x 60 x 3.0 x 12000mm		ambient	341	443	27,4			
2	70651	151661-9	EN 10219-2 / S235JRH	100 x 60 x 3.0 x 12000mm		ambient	289	392	31			
3	70649	SA03741	EN 10219-2 / S235JRH	100 x 60 x 3.0 x 12000mm		ambient	336	441	27,4			
4	70649	SA03741	EN 10219-2 / S235JRH	100 x 60 x 3.0 x 12000mm		ambient	336	441	27,4			
5	70644	SA03741	EN 10219-2 / S235JRH	100 x 60 x 3.0 x 12000mm		ambient	336	441	27,4			
6	70645	SA03741	EN 10219-2 / S235JRH	100 x 60 x 3.0 x 12000mm		ambient	336	441	27,4			
7	70647	SA03741	EN 10219-2 / S235JRH	100 x 60 x 3.0 x 12000mm		ambient	336	441	27,4			
8	70640	SA03742	EN 10219-2 / S235JRH	100 x 60 x 3.0 x 12000mm		ambient	341	443	27,4			
9	70641	SA03741	EN 10219-2 / S235JRH	100 x 60 x 3.0 x 12000mm		ambient	336	441	27,4			
10	70642	SA03741	EN 10219-2 / S235JRH	100 x 60 x 3.0 x 12000mm		ambient	336	441	27,4			
11	70634	SA03744	EN 10219-2 / S235JRH	100 x 60 x 3.0 x 12000mm		ambient	336	447	26,6			
12	70661	SA03742	EN 10219-2 / S235JRH	100 x 60 x 3.0 x 12000mm		ambient	341	443	27,4			

We state on our sole responsibility that the delivered products are in conformity with production standards or with contract Addendums.

Visual inspection: checked without any objection

Tolerances on dimensions and shape: pass

Drawn up,

Eng. Filipov Nicolai

Signature of the QCD representative,

Eng. Neki Yuri

«BAS STEEL PROFILE» S.R.L.

OTK