

Specificații tehnice

[Acest tabel va fi completat de către ofertant în coloanele 2, 3, 4, 6, 7, iar de către autoritatea contractantă – în coloanele 1, 5,]

Numărul procedurii de achiziție: ocds-b3wdp1-MD-1752818313032
Obiectul achiziției: Echipament și accesorii TI (repetat)

Nr. d/o	Denumirea bunurilor/serviciilor	Denumirea modelului bunului/serviciului	Țara de origine	Producătorul	Specificarea tehnică deplină solicitată de către autoritatea contractantă	Specificarea tehnică deplină propusă de către ofertant	Standarde de referință
	1	2	3	4	5	6	7
1	Tablă digitală	DS-D5C75RB/B DS-D5AC12T5-8S2 Y810-2	China	Hikvision	Echipament nou. Nu se acceptă renovat Data producerii: minim anul 2024 Display Screen Size: 75 inch Resolution: 3840 × 2160 @60 Hz Brightness: 400 cd/m ² (Typ.) Color Depth: 10-bit color depth (1.07 billion colors) Response Time: 5 ms Contrast Ratio: 5000:1 (Static); 30000:1 (Dynamic) Refresh Rate: 60 Hz Viewing Angle: 178°(H)/178°(V) Aspect Ratio: 16:9 Surface Hardness: 9H Surface Glass: Tempered anti-glare glass Working Duration: 16/7	Display Screen Size: 75 inch Resolution: 3840 × 2160 @60 Hz Brightness: 400 cd/m ² (Typ.) Color Depth: 10-bit color depth (1.07 billion colors) Response Time: 2 ms Contrast Ratio: 5000:1 (Static); 30000:1 (Dynamic) Refresh Rate: 60 Hz Viewing Angle: 178°(H)/178°(V) Aspect Ratio: 16:9 Surface Hardness: 9H Surface Glass: Tempered anti-glare glass Working Duration: 16/7 Lifespan: 50000 hours	

				Lifespan: 50000 hours Touch Type: Infrared Touch Screen Touch Point: 50 point multi-touch Touch Response Time: ≤ 2 ms Minimum Touch Object: ≥ 1.5 mm ($\geq 90\%$ touching area) Touch Precision: ± 0.5 mm ($\geq 90\%$ touching area) Touch Resolution: 32768×32768 Interface Video & Audio Input: HDMI In (HDMI 2.0)$\times 3$, VGA In $\times 1$, DP In (DP 1.2)$\times 1$, Audio In $\times 1$ Video & audio output: HDMI Out (HDMI 2.0)$\times 1$, Audio Out $\times 1$, SPDIF Out $\times 1$ Control interface: TOUCH-USB 3.0 $\times 3$, RS232 $\times 1$ Network Interface: 2$\times$ LAN (1 Gbps), dual-band Wi-Fi (2.4/5 GHz, 802.11a/b/g/n/ac, 2$\times 2$ MIMO), supports AP mode and WPA/WPA2/802.1X authentication Data Transmission Interface: USB 3.0 $\times 4$, USB 2.0 $\times 1$, Type-C $\times 2$ Internal Function Loudspeaker: Built-in 2 $\times 20$ W+25W loudspeaker Bluetooth: Built-in BLE (Bluetooth Low Energy) module supports Bluetooth 5.1 Light Sensor: Yes Image Processing Technology: Supports 3D noise reduction, face detection, auto white	Touch Type: Infrared Touch Screen Touch Point: 50 point multi-touch Touch Response Time: ≤ 2 ms Minimum Touch Object: ≥ 1.5 mm ($\geq 90\%$ touching area) Touch Precision: ± 0.5 mm ($\geq 90\%$ touching area) Touch Resolution: 32768×32768 Interface Video & Audio Input: HDMI In (HDMI 2.0)$\times 3$, VGA In $\times 1$, DP In (DP 1.2)$\times 1$, Audio In $\times 1$ Video & audio output: HDMI Out (HDMI 2.0)$\times 1$, Audio Out $\times 1$, SPDIF Out $\times 1$ Control interface: TOUCH-USB 3.0 $\times 3$, RS232 $\times 1$ Network Interface: 2$\times$ LAN (1 Gbps), dual-band Wi-Fi (2.4/5 GHz, 802.11a/b/g/n/ac, 2$\times 2$ MIMO), supports AP mode and WPA/WPA2/802.1X authentication Data Transmission Interface: USB 3.0 $\times 4$, USB 2.0 $\times 1$, Type-C $\times 2$ Internal Function Loudspeaker: Built-in 2 $\times 20$ W+25W loudspeaker Bluetooth: Built-in BLE (Bluetooth Low Energy) module supports Bluetooth 5.1 Light Sensor: Yes Image Processing Technology: Supports 3D noise reduction, face	
--	--	--	--	--	--	--

				balance, purple edge removal, defogging, shadow and lens distortion correction. Audio Processing Technology: Supports dereverberation, adaptive noise and echo cancellation, automatic gain and level control, sound source localization, speech detection, and digital beamforming. Built-in System Operation System: Android 13.0 Memory: 8 GB Built-in Storage: 128 GB Processor: Quad-core Cortex-A76 × 4 (2.4GHz) and quad-core Cortex-A55 × 4 (1.8GHz) GPU: Mali-G610 MC4 HDCP Version: 2.3 Camera Pixel: Pixel 48MP for Photos & 8 MP for Video Camera Function: Support intelligent switching between Android system, OPS, and PC. Field Angle: 120°(diagonal), 110°(horizontal), 75°(vertical) Distortion: ≤2.5% Camera Resolution Ratio: Up to 4K Microphone Specification: Omnidirectional microphone array Mic Function: Echo reduction and smart noise-cancellation Voice Distance: 12 m	detection, auto white balance, purple edge removal, defogging, shadow and lens distortion correction. Audio Processing Technology: Supports dereverberation, adaptive noise and echo cancellation, automatic gain and level control, sound source localization, speech detection, and digital beamforming. Built-in System Operation System: Android 13.0 Memory: 8 GB Built-in Storage: 128 GB Processor: Quad-core Cortex-A76 × 4 (2.4GHz) and quad-core Cortex-A55 × 4 (1.8GHz) GPU: Mali-G610 MC4 HDCP Version: 2.3 Camera Pixel: Pixel 48MP for Photos & 8 MP for Video Camera Function: Support intelligent switching between Android system, OPS, and PC. Field Angle: 120°(diagonal), 110°(horizontal), 75°(vertical) Distortion: ≤2.5% Camera Resolution Ratio: Up to 4K Microphone Specification: Omnidirectional microphone array Mic Function: Echo reduction and smart noise-cancellation	
--	--	--	--	--	---	--

				VESA: 800 mm × 400 mm Accessory: user manual, touch writing pen, Bluetooth remote control, 3m touch USB cable, 3.5m HDMI cable (2.0), 1.5m power cable (European standard), wireless keyboard & mouse Dimensions (W × H × D): 1800 mm × 1050 mm × 100 mm Rolling stand: Mobile stand with wheels, compatible with interactive flat panel, height-adjustable, VESA-compatible OPS Module (Included) Operation System: Windows 11 Pro, License included Processor: 8 cores / 12 threads, 2.0 GHz base, up to 4.4 GHz turbo Memory: 8 GB Storage: 256GB M.2 NVMe SSD Network: 1× RJ45 (10/100/1000 Mbps), Wi-Fi 6 HDMI * 1, DP * 1, Audio in *1, Audio out *1 Data Transmission Interfaces: Bluetooth 5.2, USB 3.0 * 3, USB 2.0 * 2, Type-C * 1 Toate cablurile și accesoriile vor fi complet funcționale, testate și compatibile cu echipamentele oferite. Accesoriu obligatoriu: camera video conferințe Temperatură depozitare: între -20° C și 40° C	Voice Distance: 12 m VESA: 800 mm × 400 mm Accessory: user manual, touch writing pen, Bluetooth remote control, 3m touch USB cable, 3.5m HDMI cable (2.0), 1.5m power cable (European standard), wireless keyboard & mouse Dimensions (W × H × D): 1800 mm × 1050 mm × 100 mm Rolling stand: Mobile stand with wheels, compatible with interactive flat panel, height-adjustable, VESA-compatible OPS Module (Included) Operation System: Windows 11 Pro, License included Processor: 8 cores / 12 threads, 2.0 GHz base, up to 4.4 GHz turbo Memory: 8 GB Storage: 256GB M.2 NVMe SSD Network: 1× RJ45 (10/100/1000 Mbps), Wi-Fi 6 HDMI * 1, DP * 1, Audio in *1, Audio out *1 Data Transmission Interfaces: Bluetooth 5.2, USB 3.0 * 3, USB 2.0 * 2, Type-C * 1 Toate cablurile și accesoriile vor fi complet funcționale, testate și compatibile cu echipamentele oferite. Accesoriu obligatoriu: camera video conferințe	
--	--	--	--	--	--	--

					Garanție: minim 5 ani cu întreținere la Centrul de deservire autorizat în Republica Moldova, cu suport tehnic furnizat direct de la producătorul original (OEM). Soluționarea cazurilor de garanție în termen de până la 30 de zile lucrătoare.	Temperatură depozitare: între -20° C și 40° C Garanție: minim 5 ani cu întreținere la Centrul de deservire autorizat în Republica Moldova, cu suport tehnic furnizat direct de la producătorul original (OEM). Soluționarea cazurilor de garanție în termen de până la 30 de zile lucrătoare.	
--	--	--	--	--	---	--	--

Notă: Până la luarea Deciziei de atribuire a contractului și stabilirea câștigătorului, Ofertanții vor oferi Beneficiarului o demonstrație de bază privind funcționalitatea și performanța bunului/echipamentului propus la sediul Ofertantului, or la sediul Autorității contractante/Instituția Publică Cadastrul bunurilor Imobile, or la sediul unei companii/ instituții publice/autorități publice unde este instalat și utilizat/este funcțional.

Scopul testării de acceptanță preventivă se va efectua pentru verificarea echipamentului (tabla digitală) dacă este capabil să realizeze toate procesele și performanțele specificate în oferta tehnică, pentru verificarea conformității cu cerințele funcționale solicitate Anexa nr.22 "Specificații tehnice", pentru asigurarea calității bunului propus și reducerea riscurilor legate de implementare sau utilizare.

Semnat: _____ Numele, Prenumele: Moscin Daniel În calitate de: Manager de proiect

Ofertantul: „ARSCOM” S.R.L. Adresa: str. N. Zelinski , nr. 34/2 mun. Chișinău