

EXPORT ACCESORIES LIST FOR EEG – EMG – ECG AND ELECTROTHERAPY

C/. Llobateras, 14-16-18
Talleres 7 – Nave 4
Polígono Industrial "SANTIGA"
Aptdo. Correos 368
08210 BARBERÁ DEL VALLÉS
Barcelona – España

Tel: +34 93 7299400 - Fax: +34 93 7191656



PAPELES REGISTRALES S.A.

Fabricación de Papel Termosensible, Milimetrado y Accesorios Diversos. Production of Thermosensitive Chart, Recording Papers and Accesories.

www.lessap.com - e-mail:lessa@lessap.com



Valid from 01.03.2004

CODE	ITEM DESCRIPTION	PACKAGING
	DISPOSABLE AND REUSABLE STAINLESS STEEL NEEDLES	1 Box (50 packaging)
	DIST COADLE AND NECOADLE STAINLESS STELL NEEDLES	1 Packaging (5 pcs)
81.141.01	diam.0,35 (28G) x12mm disposable monopolar needle with 8cm long cable	
81.141.02	diam.0,35 (28G) x12mm disposable monopolar hook needle with 8cm long cable and 1mm	
81.141.03	diam.0,35 (28G) x12mm disposable monopolar needle with 1mm PIN	
81.141.04	diam.0,35 (28G) x18mm disposable monopolar needle with 1mm PIN	
	Please note: 1 Box contains 50 Pack/ 1Carton contains 8 Boxes	
		1 Packaging (10 pcs)
81.142.01	White connection leadwire 120cm. long and 2 mm pin connector for monopolar needles	T T dorlaging (10 poo)
81.142.02	White connection leadwire 120cm. long and DIN 42802 safety connector for monopolar	
J.1172.02	needles	
04 440 00	40 / / · · · · · · · · · · · · · · · · ·	
81.142.03	10pcs/set connection colored leadwire (R-B-Y-G-W) long. 120cm long and 2 mm pin connector for monopolar needles	
81.142.04	10pcs/set connection colored leadwire (R-B-Y-G-W) long. 120cm long and safety connector DIN 42802 for monopolar needles	
L	and the second s	
		1 Packaging (10 pcs)
81.143.01	diam.0,35 (28G) x12mm reusable AUTOCLAVABLE needle with 120 cm long lead wire and 2 mm pin connector	3 3 (· F)
81.143.02	diam.0,35 (28G) x12mm reusable AUTOCLAVABLE needle with 120 cm long lead wire and DIN 42802 safety connector	
		1 Box (100 packaging) 1 Packaging (1 pc)
81.143.03	diam. 0,35 (28G) x12mm disposable needle with 120cm long lead wire and 2mm pin connector	
81.143.04	diam. 0,35 (28G) x12mm disposable needle with 120cm long lead wire and safety connector DIN 42802	
	Please note: 1 Box contains 100 Packs	
		1 Box (50 packaging) 1 Packaging (5 pcs)
81.143.05	5pcs/set diam. 0,35 (28G) x12mm needles with 120cm long lead wires, 5 colours-B-R-G-Y-W, and 2mm pin connectors	i i ackaying (5 pcs)
81.143.06	5pcs/set diam. 0,35 (28G) x12mm needles with 120cm long lead wires, 5 colours-B-R-G-Y-W, and connector DIN 42802	
	Please note: 1 Box contains 50 Packs	

Page 1 of 36 1.2004




Valid from 01.03.2004

CODE	ITEM DESCRIPTION	PACKAGING
------	------------------	-----------

REUSABLE AND DISPOSABLE SENSORS

1 Packaging (1 pc)

	1 Packaging (1)
81.144.01	Reusable snoring sensor, with 2m long cable and safety connectors
81.144.02	Reusable paediatric 3-way thermocouple, with 2m long cable and safety connectors
81.144.03	Reusable adult 3-way thermocouple, with 2m long cable and safety connectors
81.144.04	Reusable limb movement sensor, with 2m long cable and safety connectors
81.144.05	Reusable adult respiration belt, with 2m long cable and safety connectors (with chest belt)
81.144.06	Reusable paediatric respiration belt, with 2m long cable and safety connectors(with chest belt)
81.144.07	Reusable eye movement sensor, with 2m long cable and safety connectors
81.144.08	Reusable tremor sensor, with 2m long cable and safety connectors
81.144.09	Reusable adult sensor respiration belt, with 2m long cable and safety connectors (without chest belt)
81.144.10	Reusable paediatric sensor respiration belt, with 2m long cable and safety connectors (without chest belt)



1 Packaging (1 p	2)
------------------	----

81.111.01	150cm long elastic chest belt, to be used with 81.114.01/81.114.10
81.111.02	100cm long elastic chest belt to be used with 81.114.01/81.114.10
81.111.03	70cm long elastic chest belt to be used with 81.114.01/81.114.10
81.111.04	50cm long elastic chest belt to be used with 81.114.01/81.114.10

BASIC MODULE FOR DISPOSALBE SENSORS


1 Packaging (1 pc)

81.146.01	Basic module for disposable snoring Sensors
81.146.02	Basic module for disposable eye Sensors
81.146.03	Basic module for disposable adult and paediatric respiration sensors
•	

DISPOSABLE SENSORS

1	ப		\sim	/	\sim	in	\sim	(5		00
	г	а	u	N۵	u	ш	u	w	υ	しる

		1 Packaging (5 pcs)
81.147.01	Disposable snoring sensor, to be used with 81.146.01	
81.147.02	Disposable eye movement sensor, to be used with 81.146.02	
81.147.03	Disposable respiration paediatric sensor, to be used with 81.146.03	
81.147.04	Disposable respiration adult sensor, to be used with 81.146.03	
	·	



Page 2 of 36 1.2004



Valid from 01.03.2004

CODE	ITEM DESCRIPTION	PACKAGING
------	------------------	-----------

MYOLINE: ELECTROMYOGRAPHY REUSABLE AND DISPOSABLE CONCENTRIC NEEDLES

1 Box (25 packaging) 1 Packaging (1 pc)

	1 Packaging (1 pc)
diam.0,35 (28G) x20mm ETO sterilized disposable concentric needle	
diam.0,35 (28G) x30mm ETO sterilized disposable concentric needle	
diam.0,35 (28G) x40mm ETO sterilized disposable concentric needle	
diam.0,35 (28G) x50mm ETO sterilized disposable concentric needle	
diam.0,45 (26G) x40mm ETO sterilized disposable concentric needle	
diam.0,45 (26G) x50mm ETO sterilized disposable concentric needle	
diam.0,50 (25G) x60mm ETO sterilized disposable concentric needle	
diam.0,60 (23G) x70mm ETO sterilized disposable concentric needle	
	diam.0,35 (28G) x30mm ETO sterilized disposable concentric needle diam.0,35 (28G) x40mm ETO sterilized disposable concentric needle diam.0,35 (28G) x50mm ETO sterilized disposable concentric needle diam.0,45 (26G) x40mm ETO sterilized disposable concentric needle diam.0,45 (26G) x50mm ETO sterilized disposable concentric needle diam.0,50 (25G) x60mm ETO sterilized disposable concentric needle



1 Box (10 packaging)

86.100.09	diam.0,35 (28G) x20mm NON sterile reusable concentric needle	
86.100.10	diam.0,35 (28G) x30mm NON sterilie reusable concentric needle	
86.100.11	diam.0,35 (28G) x40mm NON sterile reusable concentric needle	
86.100.12	diam.0,35 (28G) x50mm NON sterile reusable concentric needle	
86.100.13	diam.0,45 (26G) x40mm NON sterile reusable concentric needle	
86.100.14	diam.0,45 (26G) x50mm NON sterile reusable concentric needle	
86.100.15	diam.0,50 (25G) x60mm NON sterile reusable concentric needle	
86.100.16	diam.0,60 (23G) x70mm NON sterile reusable concentric needle	



1 Packaging (1 pc)

86.111.01	Reusable EMG cable with 5-pole DIN45322 connector
86.111.02	Reusable EMG cable 200 cm long with 5-pole DIN45322 connector
86.111.03	Reusable EMG cable with 5-pole DIN45322 connector (compatible with JAGER TOENNES
86.111.04	Reusable EMG cable with 3 colored safety connector

MYOLINE 2

1 Box (25 packaging) 1 Packaging (1 pc)

		i i dokaging (i po)
86.112.01	diam. 0,35 (28G) x30mm ETO sterilized disposable concentric needle with 100cm long lead wire and 5-pole connector	
86.112.02	diam. 0,45 (26G) x40mm ETO sterilized disposable concentric needle with 100cm long lead wire and 5-pole connector	
86.112.03	diam. 0,50 (25G) x60mm ETO sterilized disposable concentric needle with 100cm long lead wire and 5-pole connector	

Please note: 1 Box contains 25 Packs



Page 3 of 36 1.2004



Valid from 01.03.2004

CODE ITEM DESCRIPTION PACKAGING

DISPOSABLE TEFLON COATED MONOPOLAR NEEDLES

1 Box (100 packaging) 1 Packaging (1 pc)

		i i ackaying (i pc)
86.113.01	Diam. 0,35 (28G) x15mm long disposable teflon insulated monopolar needle, with 120cm long cable and safety connector	
86.113.02	Diam. 0,35 (28G) x35mm long disposable teflon insulated monopolar needle, with 120cm long cable and safety connector	
86.113.03	Diam. 0,35 (28G) x45mm long disposable teflon insulated monopolar needle, with 120cm long cable and safety connector	
	Please note: 1 Roy contains 100 Packs	<u>,</u>

Please note: 1 Box contains 100 Packs



Page 4 of 36 1.2004



Valid from 01.03.2004

CODE	ITEM DESCRIPTION	PACKAGING
------	------------------	-----------

REUSABLE STIMULATING AND RECORDING E.M.G. ELECTRODES,

86.114.01	Set of reusable stimulating and recording electrodes. The set contains: a moulded bipolar
	connector with 15cm long lead wire with 8 different connections. The bipolar moulded
	connector fits the reusable EMG cable used for disposable concentric needles.
	1 Pack contains
	(1 EMG cable + 8 64.114.01 elec.)

1 Packaging (1 pc)

		i i ackaging (i pc)
86.114.02	A pair of 1mm sockets moulded in a bipolar socket to fit the EMG needle cable	
86.114.03	A pair of AG/AGCL disc electrodes moulded in a bipolar socket to fit the EMG needle cable	
86.114.04	A pair of conductive elastic rings moulded in a bipolar socket to fit the EMG needle cable	
86.114.05	A pair of insulated alligator clips moulded in a bipolar socket to fit the EMG needle cable	
86.114.06	A pair of stainless steel rings electrodes moulded in a bipolar socket to fit the EMG needle cable	
86.114.07	A pair of THIN stainless steel rings electrodes moulded in a bipolar socket to fit the EMG needle cable	
86.114.08	A pair of Ag/AGCL flat electrodes moulded in a bipolar socket to fit the EMG needle cable	
86.114.09	A pair of stud adapters moulded in a bipolar socket to fit the EMG needle cable	



1 Packaging (1 pc)

86.114.10	A pair of stainless steel ring electrodes with 100cm long cable and safety connector Din 42802	
86.114.11	A pair of THIN stainless steel ring electrodes with 100cm long cable and safety connector Din 42802	
86.114.12	A pair of conductive elastic rings with 100cm long cable and safety connector Din 42802	









Page 5 of 36 1.2004



Valid from 01.03.2004

CODE	ITEM DESCRIPTION	PACKAGING	
		1 Packaging (1 pc)	
86.115.01	Stim/Rec bar with felter pads and 100cm long cable with safety connectors Din 42802	11 ackaging (1 pc)	
86.115.02	Recording bar with felter pads and 100cm long cable with 5 pole DIN 45322 connectors		
		1 Packaging (1 pc)	
86.115.03	Stim/Rec bar with stainless steel disc and 100cm long cable with safety connectors Din 42802		
6.115.04	Recording bar with stainless steel disc and 100cm long cable with 5 pole DIN 45322 connectors		
		1 Packaging (1 pc)	
6.115.05	Stim/Rec bar with stainless steel disc and 100cm long cable with safety connectors Din 42802		
86.115.06	Recording bar with stainless steel disc and 100cm long cable with 5 pole DIN 45322 connectors		-0
86.116.01	Disposable felter for 86.115.01 - 86.115.02	1 Packaging (20 pcs)	
36.116.01 36.116.02	Disposable felter for 86.118.03 - 86.118.04		-
			E 1
			- The contract of the contract

Page 6 of 36 1.2004



Valid from 01.03.2004

CODE ITEM DESCRIPTION PACKAGIN	G
--------------------------------	---

1 Packaging (1 pc)

		i rackaging (i pc)
86.117.01	2,5x25cm long elastic conductive ground electrode band with press stud connection	
86.117.02	2,5x40cm long elastic conductive ground electrode band with press stud connection	
86.117.03	2,5x70cm long elastic conductive ground electrode band with press stud connection	
86.117.04	2,5x25cm long elastic conductive ground electrode band with large diam. press stud connection	
86.117.05	2,5x40cm long elastic conductive ground electrode band with large diam. press stud connection	
86.117.06	2,5x70cm long elastic conductive ground electrode band with large diam. press stud connection	



1 Packaging (1 pc)

86.118.01	Recording metal electrodes, with interchangeable distance between electrodes, with 5 pole	84,82 €
	DIN45322 connector and 100cm long cable	
86.118.02	Stimulator metal electrodes, with interchangeable distance between electrodes, with safety Din 42802 and 100cm long cable connectors	84,82 €
86.118.03	Recording stimulator, with felter interchangeable round pads, with 5 pole DIN45322connector and 100cm long cable	84,82 €
86.118.04	Stimulator, with felter interchangeable round pads, with safety connector Din 42802 and 100cm long cable	84,82 €







Page 7 of 36 1.2004



Valid from 01.03.2004

CODE ITEM DESCRIPTION	PACKAGING
-----------------------	-----------

CLAMP AND SUCTION CHEST ELECTRODES FOR ECG RECORDING

1 Packaging (4 pcs)

		i i ackaging (+ pcs)
99.100.00	Clamp electrode for ECG w/ silver plated / silver chloride sensor adaptable to universal	
99.100.01	Clamp electrode for ECG w/ nickel sensor adaptable to universal connection + press-stud	
99.100.02	Clamp electrode for ECG w/ non metallic Ag/AgCl sensor adaptable to universal connection	
99.100.03	Obese Clamp electrode for ECG w/ silver plated / silver chloride sensor adaptable to universal connection	
99.100.10	Paediatric clamp electrode for ECG w/ silver plated / silver chloride sensor adaptable to universal connection	
99.100.11	Paediatric clamp electrode for ECG w/ nickel sensor adaptable to universal connection + press stud	





1 Packaging (1 pc)

99.111.10 Silver plated and silver chloride 15mm diam. suction chest electrode 99.111.11 Silver plated and silver chloride 20mm diam. suction chest electrode 99.111.12 Silver plated and silver chloride 24mm diam. suction chest electrode 99.111.13 Silver plated and silver chloride 30mm diam. suction chest electrode 99.111.14 Nickel plated 15mm diam. suction chest electrode 99.111.15 Nickel plated 20mm diam. suction chest electrode 99.111.16 Nickel plated 30mm diam. suction chest electrode 99.111.17 Nickel plated 30mm diam. suction chest electrode
99.111.12 Silver plated and silver chloride 24mm diam. suction chest electrode 99.111.13 Silver plated and silver chloride 30mm diam. suction chest electrode 99.111.14 Nickel plated 15mm diam. suction chest electrode 99.111.15 Nickel plated 20mm diam. suction chest electrode 99.111.16 Nickel plated 24mm diam. suction chest electrode
99.111.13 Silver plated and silver chloride 30mm diam. suction chest electrode 99.111.14 Nickel plated 15mm diam. suction chest electrode 99.111.15 Nickel plated 20mm diam. suction chest electrode 99.111.16 Nickel plated 24mm diam. suction chest electrode
99.111.14 Nickel plated 15mm diam. suction chest electrode 99.111.15 Nickel plated 20mm diam. suction chest electrode 99.111.16 Nickel plated 24mm diam. suction chest electrode
99.111.15 Nickel plated 20mm diam. suction chest electrode 99.111.16 Nickel plated 24mm diam. suction chest electrode
99.111.16 Nickel plated 24mm diam. suction chest electrode
99 111 17 Nickel plated 30mm diam, suction chest electrode
OCT TITLE
99.111.18 24mm silver plated and silver chloride suction chest electrode w/ 4mm socket
99.111.19 24mm nickel suction chest electrode w/ 4mm socket







1 Packaging (10 pcs)

		i Fackaging (10 pcs)
99.120.01	12mm diam. Gold plated disc electrode with 20cm lead wire and 4mm socket	
99.120.02	22 mm diam. Gold plated disc electrode with 20cm lead wire and 4mm socket	



1 Packaging (5 pcs)

	11 dokaging (5 pcs)
99.111.00	24mm diameter spare ball for suction chest electrode
99.111.01	30mm diameter spare ball for suction chest electrode

Page 8 of 36 1.2004



Valid from 01.03.2004

-		
CODE	ITEM DESCRIPTION	PACKAGING
	ECG DISPOSABLE ELECTRODES WITH ADHESIVE AND CONDUCTIVE SOLID GEL	1 Box (20 packaging)
99.099.01	24mm Ag/AgCl electrode with 60cm long colored lead wire (B-R-Y) and safety connector Din 42802	1 Packaging (3 pcs)
99.099.02	24mm Ag/AgCl electrode with 60cm long lead wire with 4mm socket	
99.099.03	24mm Ag/AgCl electrode with 90cm long colored lead wire (B-R-Y) and safety connector Din 42802	
99.099.04	24mm Ag/AgCl electrode with 90cm long lead wire with 4mm socket	
99.099.05	20mm Ag/AgCl electrode with 60cm long colored lead wire (B-R-Y) and safety connector Din 42802	
99.099.06	20mm Ag/AgCl electrode with 60cm long lead wire with 4mm socket	
99.099.07	20mm Ag/AgCl electrode with 90cm long colored lead wire (B-R-Y) and safety connector Din 42802	
99.099.08	20mm Ag/AgCl electrode with 90cm long lead wire with 4mm socket	
99.098.01	24mm RADIOLUCENT electrode with 60cm long lead wire and safety connector Din 42802	
99.098.02	24mm RADIOLUCENT electrode with 90cm long colored lead wire and safety connector Din 42802	
99.098.03	24mm RADIOLUCENT electrode with 60cm long lead wire with 4mm socket	
99.098.04	24mm RADIOLUCENT electrode with 90cm long lead wire with 4mm socket	
		1 Box (20 packaging) 1 Packaging (20 pcs)
81.139.13	20x25mm disposable electrode with stud connector	T Fackaging (20 pcs)
81.139.14	15X20mm disposable electrode with stud connector	
		_
-		1 Packaging (10 pcs)
81.140.04	28X22mm Ag/AgCl electrode with stud connector	
81.140.05	24mm Ag/AgCl electrode with stud connector	
	Please note: 1 Box contains 20 Packs	

Page 9 of 36 1.2004



Valid from 01.03.2004

CODE	ITEM DESCRIPTION	PACKAGING
------	------------------	-----------

ADAPTERS AND ESU GROUNDING PAD CONNECTING CABLE

1 Packaging (5 pcs)

		i i ackaying (5 pcs)
99.121.01	60cm long lead wire with snap connection and 2 mm pin plug black colour	
99.121.02	60cm long lead wire with snap connection and 2 mm pin plug red colour	
99.121.03	60cm long lead wire with snap connection and 2 mm pin plug green colour	
99.121.04	60cm long lead wire with snap connection and 2 mm pin plug yellow colour	
99.121.05	60cm long lead wire with snap connection and 2 mm pin plug white colour	
99.121.06	100cm long lead wire with snap connection and 2 mm pin plug black colour	
99.121.07	100cm long lead wire with snap connection and 2 mm pin plug red colour	
99.121.08	100cm long lead wire with snap connection and 2 mm pin plug green colour	
99.121.09	100cm long lead wire with snap connection and 2 mm pin plug yellow colour	
99.121.10	100cm long lead wire with snap connection and 2 mm pin plug white colour	

1 Packaging (5 pcs)

		i Fackaying (5 pcs
99.121.11	60cm long lead wire with snap connection and safety connector black colour	
99.121.12	60cm long lead wire with snap connection and safety connector red colour	
99.121.13	60cm long lead wire with snap connection and safety connector green colour	
99.121.14	60cm long lead wire with snap connection and safety connector yellow colour	
99.121.15	60cm long lead wire with snap connection and safety connector white colour	
99.121.16	60cm long lead wire with snap connection and safety connector brown colour	
99.121.17	60cm long lead wire with snap connection and safety connector blue colour	
99.121.18	100cm long lead wire with snap connection and safety connector black colour	
99.121.19	100cm long lead wire with snap connection and safety connector red colour	
99.121.20	100cm long lead wire with snap connection and safety connector green colour	
99.121.21	100cm long lead wire with snap connection and safety connector yellow colour	
99.121.22	100cm long lead wire with snap connection and safety connector white colour	



Page 10 of 36 1.2004



Valid from 01.03.2004

CODE	ITEM DESCRIPTION	PACKAGING	
99.113.05 99.113.06 99.113.07 99.113.08	Adapter with snap connection and 4mm black socket Adapter with snap connection and 4mm red socket Adapter with snap connection and 4mm green socket Adapter with snap connection and 4mm yellow socket	1 Packaging (5 pcs)	
99.113.09 99.113.10 99.113.11	Adapter with snap connection and 4mm white socket Adapter with stud connection and 4 mm male blackconnector Adapter with 4 mm male connector and snap black socket	1 Packaging (5 pcs)	
88.150.00 88.150.01 88.150.02 88.150.03	Electrosurgical grounding pad connecting 5m long cable with 6,3 mm plug Electrosurgical grounding pad connecting 5m long cable with 4 mm plug Electrosurgical grounding pad connecting 5m long cable with ValleyLab plug (REM) Electrosurgical grounding pad connecting 5m long cable with ValleyLab plug (non REM)	1 Packaging (1 pcs)	

Page 11 of 36 1.2004



Valid from 01.03.2004

	Valid from 01.03.200	4	
CODE	ITEM DESCRIPTION	PACKAGING	
	REUSABLE CONDUCTIVE RUBBER ELECTRODES FOR ELECTROTHERAPY WITH AND WITHOUT LEAD WIRE.		
	The electrodes made of highly conductive rubber are moulded into the lead wire.	1 Packaging (2 pcs)	
87.100.01	40x60mm electrode with 15cm BLACK lead wire and 4mm socke		
87.100.02	40x60mm electrode with 15cm RED lead wire and 4mm socker		
87.100.03	80x60mm electrode with 15cm BLACK lead wire and 4mm socke		
87.100.04	80x60mm electrode with 15cm RED lead wire and 4mm socker		
87.100.05	120x80mm electrode with 15cm BLACK lead wire and 4mm socke		
87.100.06	120x80mm electrode with 15cm RED lead wire and 4mm socker		
87.100.07	150x110mm electrode with 15cm BLACK lead wire and 4mm socke		
87.100.08	150x110mm electrode with 15cm RED lead wire and 4mm socke		
07.444.04		1 Packaging (5 pcs)	
87.111.01	180cm long BLACK lead wire with 4mm safety plug		←
87.111.02	180cm long RED lead wire with 4mm safety plug		

1	Pac	kag	ing (10	pcs

87.112.01	40X60 sponge pouch
87.112.02	80x60 sponge pouch
87.112.03	120x80 sponge pouch
87.112.04	150x110 sponge pouch




		: : dendging (20 pee)
87.112.05	50X50 sponge pouch	
87.112.06	60x85 sponge pouch	
87.112.07	80x120 sponge pouch	

Page 12 of 36 1.2004



Valid from 01.03.2004

CODE	ITEM DESCRIPTION	PACKAGING
		·
		1 Packaging (2 pcs)
87.113.01	40x60mm electrode with moulded 4mm plug	
87.113.02	80x60mm electrode with moulded 4mm plug	
87.113.03	120x80mm electrode with moulded 4mm plug	
87.113.04	150x110mm electrode with moulded 4mm plug	
		1 Packaging (25 pcs
87.113.05	50x50mm electrode with moulded 4mm pluc	do.aging (20 poo
87.113.06	60x85 mm electrode with moulded 4mm plug	
87.113.07	80x120 mm electrode with moulded 4mm plug	
		1 Packaging (25 pcs
87.113.08	50x50mm electrode with moulded 2mm plug	
87.113.09	60x85 mm electrode with moulded 2mm plug	
87.113.10	80x120 mm electrode with moulded 2mm plug	
		1 Packaging (2 pcs)
87.114.01	40x60mm with a 4 and 2mm moulded socket	i i ackaging (2 pcs
87.114.02	80x60mm with a 4 and 2mm moulded socker	
87.114.03	120x80mm with a 4 and 2mm moulded socket	
87.114.04	150x110mm with a 4 and 2mm moulded socket	
87.114.05	50x50mm with a 2mm moulded socket	1 Packaging (25 pcs
87.114.05 87.114.06	60x85 mm with a 2mm moulded socket	
87.114.00 87.114.07	80x120 mm with a 2mm moulded socket	
01.114.01	OUA 120 HIIII WILLI & ZIIIIII HIOUIUGU SOUKEI	
		1 Packaging (25 pcs
87.114.05	50x50mm with a 4mm moulded socket	
87.114.06	60x85 mm with a 4mm moulded socket	
87.114.07	80x120 mm with a 4mm moulded socket	








Page 13 of 36 1.2004



Valid from 01.03.2004




Page 14 of 36 1.2004



Valid from 01.03.2004

CODE ITEM DESCRIPTION PACKAGIN	G
--------------------------------	---

1 Packaging (1 pc)









Page 15 of 36 1.2004



Valid from 01.03.2004

CODE	ITEM DESCRIPTION	PACKAGING
------	------------------	-----------

DISPOSABLE AND REUSABLE ELECTRODES FOR ELECTROSTIMULATION AND ELECTROTHERAPY.

1 Box (20 packaging)

1 Packaging (10 pcs)

- 1	l Pac	kaging	(20	ncs

81.139.13	20x25mm disposable electrode with stud connector
81.139.14	15X20mm disposable electrode with stud connector





81.140.02	100cm long lead wire with spring connection and safety connector Din 42802
81 140 03	100cm long lead wire with spring connection and 2mm pin connector



1 Packaging (4 pcs)

87.119.01	35X45mm electrode with carbon liner and high conductive gel with snap connection	•
87.119.02	46X47mm electrode with carbon liner and high conductive gel with snap connection	
87.119.03	35X45mm electrode with silver/ silver chloride liner and high conductive gel with snap connection	
87.119.04	50X45mm electrode with silver/ silver chloride liner and high conductive gel with snap connection	
87.119.05	50X90mm electrode with carbon liner and high conductive gel with 2 snap connection	
87.119.06	50x90mmelectrode with silver/ silver chloride liner and high conductive gel with 2 snap connection	
87.119.07	40X90mm electrode with carbon liner and high conductive gel with snap connection	
87.119.08	50x90mm electrode with carbon liner and high conductive gel with snap connection	
87.119.09	40X90mm electrode with silver/ silver chloride liner and high conductive gel with snap connection	
87.119.10	50x90mm electrode with silver/ silver chloride liner and high conductive gel with snap connection	
87.119.11	45X80mm electrode with carbon liner and high conductive gel with snap connection	
87.119.20	50mm diameter electrode with carbon liner and high conductive gel with snap connection	
87.119.21	75mm diameter electrode with carbon liner and high conductive gel with snap connection	







Page 16 of 36 1.2004



Valid from 01.03.2004

CODE	ITEM DESCRIPTION	PACKAGING
		1 Packaging (4 pcs)
87.120.00	OFV4From alcotrode with parker lines and high conductive relavith 2 mm application during	
87.120.01	35X45mm electrode with carbon liner and high conductive gel, with 2 mm socket lead wire	
	50X45mm electrode with carbon liner and high conductive gel, with 2 mm socket lead wire	
87.120.02		
	50X50mm electrode with carbon liner and high conductive gel, with 2 mm socket lead wire	
87.120.03	35X45mm electrode with silver/ silver chloride liner and high conductive gel, with 2 mm socket lead wire	
87.120.04	50X45mm electrode with silver/ silver chloride liner and high conductive gel, with 2 mm socket lead wire	
87.120.05	32mm diameter electrode with carbon liner and high conductive gel, with 2 mm socket lead wire	
87.120.06	50mm diameter electrode with carbon liner and high conductive gel, with 2 mm socket lead wire	
87.120.07	75mm diameter electrode with carbon liner and high conductive gel, with 2 mm socket lead wire	
87.120.30		
87.120.31	40X90mm electrode with carbon liner and high conductive gel, with 2 mm socket lead wire	
07.120.31	50X90mm electrode with carbon liner and high conductive gel, with 2 mm socket lead wire	
87.120.32	oortooniin oloonood miir odroon indra mga oortoonii gar, miir 2 miir oosaa miir	
	45X98mm electrode with carbon liner and high conductive gel, with 2 mm socket lead wire	
87.120.33	40X90mm electrode with silver/ silver chloride liner and high conductive gel, with 2 mm socket lead wire	
87.120.34	50x90mm electrode with silver/ silver chloride liner and high conductive gel, with 2 mm socket lead wire	
87.120.35		
	75X140mm electrode with carbon liner and high conductive gel, with 2 mm socket lead wire	
87.120.40	50X90mm with carbon liner and high conductive gel, with 2 lead wire and 2 mm socket lead wire	
87.120.41	50X90mm electrode with conductive silver/silver chloride, with 2 lead wire and 2 mm socket lead wire	
87.120.50	50X50mm reusable silicone electrode	
87.120.51	50X100mm reusable silicone electrode	









Page 17 of 36 1.2004

87.120.62



EXPORT ACCESSORIES LIST FOR EEG-EMG-ECG AND ELECTROTHERAPY

Valid from 01.03.2004

CODE ITEM DESCRIPTION PACKAGING	
---------------------------------	--

1 Pack (1 pc)

	I	rack (Tpc)
87.120.59	Silicone electrode roll 55mmX10m. with 2 mm. central socket	

		1 Packaging (8 pcs.)
87.120.60	35x45mm self adhesive electrode with high conductive gel, with tab. CARBON LINER	
		1 Packaging (4 pcs.)
87.120.61	40x90mm self adhesive electrode with high conductive gel, with tab. CARBON LINER	

45x150mm self adhesive electrode with high conductive gel, with tab. CARBON LINER



Page 18 of 36 1.2004



Valid from 01.03.2004

CODE ITEM DESCRIPTION PACKA	GING
-----------------------------	------

REUSABLE SILICONE HEADCAPS

	REGORDEE GIELOGINE HEADONI G	
		1 Packaging (1 pc)
81.100.01	E.E.G. silicon Headcap w/ 2 bands and adjustable Velcro chin holder - large size	
81.100.02	E.E.G. silicon Headcap w/ 2 bands with adjustable Velcro chin holder - medium size	
81.100.03	E.E.G. silicon Headcap w/ 2 bands with adjustable Velcro chin holder - small size	
81.100.04	E.E.G. silicon Headcap w/ 4 bands with adjustable Velcro chin holder - large size	
81.100.05	E.E.G. silicon Headcap w/ 4 bands with adjustable Velcro chin holder - medium size	
81.100.06	E.E.G. silicon Headcap w/ 4 bands and adjustable Velcro chin holder - small size	





Traditional montage: the ELECTRODES are inside the cap

		1 Packaging (1 pc)
81.100.07	Headcap with 20 TIN moulded electrodes - Large adult size	
81.100.08	Headcap with 20 TIN moulded electrodes - Medium adult size	
81.100.09	Headcap with 20 TIN moulded electrodes - Small adult size	
81.100.10	Headcap with 20 TIN moulded electrodes - Extra-small adult size	
81.100.11	Headcap with 20 TIN moulded electrodes - Large infant size	
81.100.12	Headcap with 10 TIN moulded electrodes - Medium infant size	
81.100.13	Headcap with 10 TIN moulded electrodes - Small infant size	



Page 19 of 36 1.2004



Valid from 01.03.2004

CODE	ITEM DESCRIPTION	PACKAGING
		1 Packaging (1 pc)
81.100.14	Headcap with 20 Silver/silver chloride moulded electrodes - Large adult size	<u> </u>
81.100.15	Headcap with 20 Silver/silver chloride moulded electrodes - Medium adult size	
81.100.16	Headcap with 20 Silver/silver chloride moulded electrodes - Small adult size	
81.100.17	Headcap with 20 Silver/silver chloride moulded electrodes - Extra-small adult size	
81.100.18	Headcap with 20 Silver/silver chloride moulded electrodes - Large infant size	
81.100.19	Headcap with 10 Silver/silver chloride moulded electrodes - Medium infant size	
81.100.20	Headcap with 10 Silver/silver chloride moulded electrodes - Small infant size	
81.100.21	Headcap with 20 Sintered moulded electrodes - Large adult size	
81.100.22	Headcap with 20 Sintered moulded electrodes - Medium adult size	
81.100.23	Headcap with 20 Sintered moulded electrodes - Small adult size	
81.100.24	Headcap with 20 Sintered moulded electrodes - Extra-small adult size	
81.100.25	Headcap with 20 Sintered moulded electrodes - Large infant size	
81.100.26	Headcap with 10 Sintered moulded electrodes - Medium infant size	
81.100.27	Headcap with 10 Sintered moulded electrodes - Small infant size	

81.100.28	Headcap with 20 Radiolucent moulded electrodes and Radiolucent lead wire - Large adult size
81.100.29	Headcap with 20 Radiolucent moulded electrodes and Radiolucent lead wire - Medium adult size
81.100.30	Headcap with 20 Radiolucent moulded electrodes and Radiolucent lead wire - Small adult size
81.100.31	Headcap with 20 Radiolucent moulded electrodes and Radiolucent lead wire - Extra-small adult size
81.100.32	Headcap with 20 Radiolucent moulded electrodes and Radiolucent lead wire - Large infant size
81.100.33	Headcap with 10 Radiolucent moulded electrodes and Radiolucent lead wire - Medium infant size
81.100.34	Headcap with 10 Radiolucent moulded electrodes and Radiolucent lead wire - Small infant size




Page 20 of 36 1.2004



Valid from 01.03.2004

CODE	ITEM DESCRIPTION	PACKAGING
	Easy montage: the wires are outside the cap and connected with removable	
	sockets to the pins of the electrodes	
	II I W CO TIN II I I I I I I I I I I I I I I I I	1 Packaging (1 pc)
81.100.35	Headcap with 20 TIN moulded electrodes - Large adult size	
81.100.36	Headcap with 20 TIN moulded electrodes - Medium adult size	
81.100.37	Headcap with 20 TIN moulded electrodes - Small adult size	
81.100.38	Headcap with 20 TIN moulded electrodes - Extra-small adult size	
81.100.39	Headcap with 20 TIN moulded electrodes - Large infant size Headcap with 10 TIN moulded electrodes - Medium infant size	
81.100.40	•	
81.100.41	Headcap with 10 TIN moulded electrodes - Small infant size	
81.100.42	Headcap with 20 Silver/silver chloride moulded electrodes - Large adult size	
81.100.43	Headcap with 20 Silver/silver chloride moulded electrodes - Medium adult size	
81.100.44	Headcap with 20 Silver/silver chloride moulded electrodes - Small adult size	
81.100.45	Headcap with 20 Silver/silver chloride moulded electrodes - Extra-small adult size	
81.100.46	Headcap with 20 Silver/silver chloride moulded electrodes - Large infant size	
81.100.47	Headcap with 10 Silver/silver chloride moulded electrodes - Medium infant size	
81.100.48	Headcap with 10 Silver/silver chloride moulded electrodes - Small infant size	
81.100.49	Handon with 20 Sintered moulded electrodes. Large adult size	
81.100.49	Headcap with 20 Sintered moulded electrodes - Large adult size Headcap with 20 Sintered moulded electrodes - Medium adult size	
81.100.50	Headcap with 20 Sintered moulded electrodes - Medium adult size Headcap with 20 Sintered moulded electrodes - Small adult size	
81.100.51	Headcap with 20 Sintered moulded electrodes - Small adult size Headcap with 20 Sintered moulded electrodes - Extra-small adult size	
	•	
81.100.53 81.100.54	Headcap with 20 Sintered moulded electrodes - Large infant size Headcap with 10 Sintered moulded electrodes - Medium infant size	
	•	
81.100.55	Headcap with 10 Sintered moulded electrodes - Small infant size	
81.100.56	Headcap with 20 Radiolucent moulded electrodes and Radiolucent lead wire - Large adult size	
81.100.57	Headcap with 20 Radiolucent moulded electrodes and Radiolucent lead wire - Medium adult size	
81.100.58	Headcap with 20 Radiolucent moulded electrodes and Radiolucent lead wire - Small adult size	
81.100.59	Headcap with 20 Radiolucent moulded electrodes and Radiolucent lead wire - Extra-small adult size	
81.100.60	Headcap with 20 Radiolucent moulded electrodes and Radiolucent lead wire - Large infant size	
81.100.61	Headcap with 10 Radiolucent moulded electrodes and Radiolucent lead wire - Medium infant size	
81.100.62	Headcap with 10 Radiolucent moulded electrodes and Radiolucent lead wire - Small infant size	



Page 21 of 36 1.2004



Valid from 01.03.2004

CODE	ITEM DESCRIPTION	PACKAGING
	CAP ACCESSORIES	1 Packaging (1 pc)
81.100.63	Replacement large adult headcap (net only)	3 3 (1)
81.100.81	Replacement medium adult headcap (net only)	
81.100.65	Replacement small adult headcap (net only)	
81.100.66	Replacement extra small adult headcap (net only)	
81.100.67	Replacement large infant headcap (net only)	
81.100.68	Replacement medium infant headcap (net only)	
81.100.69	Replacement small infant headcap (net only)	
		1 Packaging (1 pc)
81.111.01	150cm long elastic chest belt	
81.111.02	100cm long elastic chest belt	
81.111.03	70cm long elastic chest belt	
81.111.04	50cm long elastic chest belt	





Page 22 of 36 1.2004



Valid from 01.03.2004

CODE	ITEM DESCRIPTION	PACKAGING	
81.112.01 81.112.02 81.112.03	Connection cable cap-headbox with 2mm plug Connection cable cap-headbox with safety connector DIN 42802 Connection cable cap-headbox with 2mm spring plug	1 Packaging (1 pc)	
81.113.01 81.113.02 81.113.03	Emergency lead wire with 2mm pin Emergency lead wire with safety connector Din 42802 Emergency lead wire with 2mm spring plug	1 Packaging (1 pc)	
81.114.01 81.114.02 81.114.03 81.114.04 81.114.05 81.114.06 81.114.07 81.114.08	Recording spare electrode for models from 81.100.07 to 81.100.13 with 1mm pin Recording spare electrode for models from 81.100.14 to 81.100.20 with 1mm pin Recording spare electrode for models from 81.100.21 to 81.100.27 with 1mm pin Recording spare electrode for models from 81.100.28.to 81.100.34 with 1mm pin Recording spare electrode for models from 81.100.07 to 81.100.13 with 30cm cable Recording spare electrode for models from 81.100.14 to 81.100.20 with 30cm cable Recording spare electrode for models from 81.100.21 to 81.100.27 with 30cm cable Recording spare electrode for models from 81.100.28 to 81.100.34 with 30cm cable	1 Packaging (5 pc)	
81.115.01 81.115.02	Disposable blunted needle for gel injection into disc electrode 15mm long Disposable blunted needle for gel injection into disc electrode 25mm long	1 Box (100 pcs)	

Page 23 of 36 1.2004



Valid from 01.03.2004

CODE	ITEM DESCRIPTION	PACKAGING
------	------------------	-----------

1 Packaging (1 pc)

	I Facka	iging (i pc)
81.116.01	Ground ear electrode Ag/AgCl Sintered sensor with lead wire 120cm long and safety connector DIN42802	
81.116.02	Ground ear electrode Ag/AgCl Sintered sensor with lead wire 120cm long and 2mm spring plug	
81.116.03	Ground ear electrode Ag/AgCl Sintered sensor with lead wire 120cm long and 2mm pin connector	
81.116.04	Ground ear electrode Ag/AgCl sensor with lead wire 120 cm long and safety connector DIN42802	
81.116.05	Ground ear electrode Tin sensor with lead wire 120cm long and safety connector DIN42802	
81.116.06	Ground ear electrode Gold sensor with lead wire 120cm long and safety connector DIN42802	



BRIDGE ELECTRODES FOR E.E.G RECORDING, CONNECTION LEAD WIRE

1 Packaging (10 pcs)

81.117.01	Adult silver/silver chloride bridge Electrode	Red Bridge		
81.117.02	Adult silver/silver chloride bridge Electrode	Blue Bridge		
81.117.03	Paediatric silver/silver chloride bridge Electrode	Red Bridge		
81.117.04	Adult silver/silver chloride Sintered bridge Electrode	Red Bridge		
81.117.05	Adult silver/silver chloride Sintered bridge Electrode	Blue Bridge		
81.117.06	Paediatric silver/silver chloride Sintered bridge Electrode	Red Bridge		
81.117.07	Adult Sintered electrode with gold plated silver screw	Red Bridge		
81.117.08	Adult Sinteredelectrode with gold plated silver screw	Blue Bridge		
81.117.09	Paediatric Sintered electrode with gold plated silver screw	Red Bridge		



Page 24 of 36 1.2004




Valid from 01.03.2004

CODE	ITEM DESCRIPTION	PACKAGING	
	"EF Medica" bridge Electrode: the silver screw does		
	holder and the lead wire has a 90° connection plug. The advantage is that the electrode and the lead wire	become "one piece only	
	The advantage is that the electrode and the lead wire	become "one piece only	1 Packaging (10 pcs)
81.117.10	·	become "one piece only Blue Bridge	1 Packaging (10 pcs)
81.117.10 81.117.11	The advantage is that the electrode and the lead wire		1 Packaging (10 pcs)



ELECTRODE COVERING SET

81.118.13	Electrode storage unit small without depolarization action					
		1 Packaging (10 pcs)				
81.119.01	120cm long lead wire with 2mm spring plug on one end, 2mm pin on the other end					
81.119.02	120cm long lead wire with 2mm spring plug on one end, and safety connector Din 42802 on the other end					
81.119.03	120cm long lead wire with 2mm spring plug on both ends					
81.119.04	120 cm long lead wire with insulated alligator clip and 2mm spring plug on the other end					
81.119.05	120 cm long lead wire with insulated alligator clip and safety connector DIN 42802 on the other end					
81.119.06	120cm long lead wire with a right angle (90°) 2mm pin on one end, 2mm straight pin on the other end					
81.119.07	120cm long lead wire with a right angle (90°) 2mm pin on one end, safety connector Din 42802 on the other end					



1 Packaging (1 pc)

Page 25 of 36 1.2004



Valid from 01.03.2004

CODE	ITEM DESCRIPTION	PACKAGING
------	------------------	-----------

REUSABLE <u>SILVER/SILVER CHLORIDE</u> 10MM DIAM "STAMPED" DISC ELECTRODES WITH POLYURETHANE LEAD WIRE AND MOULDED CONNECTOR

1 Packaging (10 pcs)

81.120.01	1 Packaging (10 pcs) 10pcs/set 10mm diam. AG/AGCL disc electrodes with 120cm long lead wires and 2mm moulded connectors				
81.120.02	AS ABOVE	but with	120cm long lead wires and safety connectors Din 42802		
81.120.03	AS ABOVE	but with	120 cm long lead wires and 2mm spring plug connectors		
81.120.04	AS ABOVE	but with	150cm long lead wires and 2mm pin connectors		
81.120.05	AS ABOVE	but with	150cm long lead wires and safety connectors Din 42802		
81.120.06	AS ABOVE	but with	200cm long lead wires and 2mm pin connectors		
81.120.07	AS ABOVE	but with	200cm long lead wires and safety connectors Din 42802		
81.120.08	AS ABOVE	but with	250cm long lead wires and 2mm pin connectors		
81.120.09	AS ABOVE	but with	250cm long lead wires and safety connectors Din 42802		
81.120.10	Disc electrode	s with 120cm	n long lead wires and 2 mm moulded connector		
81.120.12	Disc electrode	s with 120cm	n long lead wires and safetymoulded connector DIN42802		
81.120.11	Disc electrode	s with 120cm	long lead wires and 2 mmspring plug moulded connector		



REUSABLE FINE <u>SILVER</u> 10MM DIAM "STAMPED" DISC ELECTRODES WITH POLYURETHANE LEAD WIRE AND MOULDED CONNECTOR

1 Packaging (10 pcs)

04 404 04	10pcs/set 10mm diam. FINE SILVER disc electrodes with 120cm long lead wires and 2mm moulded connectors				
81.121.01					
81.121.02	AS ABOVE	but with	120cm long lead wires and	2mm sprin plug connectors	
81.121.03	AS ABOVE	but with	120cm long lead wires and	safety connectors Din 42802	
81.121.04	AS ABOVE	but with	150cm long lead wires and	2mm pin connectors	
81.121.05	AS ABOVE	but with	150cm long lead wires and	safety connectors Din 42802	
81.121.06	AS ABOVE	but with	200cm long lead wires and	2mm pin connectors	
81.121.07	AS ABOVE	but with	200cm long lead wires and	safety connectors Din 42802	
81.121.08	AS ABOVE	but with	250cm long lead wires and	2mm pin connectors	
81.121.09	AS ABOVE	but with	250cm long lead wires and	safety connectors Din 42802	
81.121.10	Disc electrode	s with 120cm	n long lead wires and 2 mm m	oulded connector	
81.121.11	Disc electrode	s with 120cm	n long lead wires and safetym	oulded connector DIN42802	
81.121.12	Disc electrode	s with 120cm	n long lead wires and 2 mmsp	ring plug moulded connector	



Page 26 of 36 1.2004



Valid from 01.03.2004

CODE	ITEM DESCRIPTION	PACKAGING
------	------------------	-----------

REUSABLE <u>SILVER GOLD PLATED</u> 10MM DIAM "STAMPED" DISC ELECTRODES WITH POLYURETHANE LEAD WIRE AND MOULDED CONNECTOR

1 Packaging (10 pcs)

			Trackaging (To poo
81.122.01	•		LVER gold plated STAMPED disc electrodes with 120cm long
	lead wires an	d 2mm moule	ded connectors
81.122.02	AS ABOVE	but with	120cm long lead wires and safety connectors Din 42802
81.122.03	AS ABOVE	but with	120cm long lead wires and 2mm spring plug connectors
81.122.04	AS ABOVE	but with	150cm long lead wires and 2mm pin connectors
81.122.05	AS ABOVE	but with	150cm long lead wires and safety connectors Din 42802
81.122.06	AS ABOVE	but with	200cm long lead wires and 2mm pin connectors
81.122.07	AS ABOVE	but with	200cm long lead wires and safety connectors Din 42802
81.122.08	AS ABOVE	but with	250cm long and lead wires 2mm pin connectors
81.122.09	AS ABOVE	but with	250cm long and lead wires safety connectors Din 42802
81.122.10	Disc electrode	es with 120cm	n long lead wires and 2 mm moulded connector
81.122.11	Disc electrode	s with 120cm	n long lead wires and safetymoulded connector DIN42802
81.122.12	Disc electrode	es with 120cm	n long lead wires and 2 mmspring plug moulded connector



Page 27 of 36 1.2004



Valid from 01.03.2004

CODE	ITEM DESCRIPTION	PACKAGING
------	------------------	-----------

REUSABLE <u>SILVER/SILVER CHLORIDE</u> 10 MM DIAM "CASTED" DISC ELECTRODES WITH POLYURETHANE LEAD WIRE AND MOULDED CONNECTOR

1 Packaging (10 pcs)

81.123.01	10pcs/set 10n	nm diam. AG	AGCL CASTED disc electr	odes with 120cm long lead wires	
	and 2mm mo	ulded conne	ctors	_	
81.123.02	AS ABOVE	but with	120cm long lead wires and	2mm spring plug connectors	
81.123.03	AS ABOVE	but with	120cm long lead wires and	safety connectors Din 42802	
81.123.04	AS ABOVE	but with	150cm long lead wires and	2mm pin connectors	
81.123.05	AS ABOVE	but with	150cm long lead wires and	safety connectors Din 42802	
81.123.06	AS ABOVE	but with	200cm long lead wires and	2mm pin connectors	
81.123.07	AS ABOVE	but with	200cm long lead wires and	safety connectors Din 42802	
81.123.08	AS ABOVE	but with	250cm long lead wires and	2mm pin connectors	
81.123.09	AS ABOVE	but with	250cm long lead wires and	safety connectors Din 42802	
81.123.10	Disc electrode	es with 120cm	n long lead wires and 2 mm m	oulded connector	
81.123.11	Disc electrode	es with 120cm	n long lead wires and safet <u>y</u> m	oulded connector DIN42802	
81.123.12	Disc electrode	es with 120cm	n long lead wires and 2 mmsp	ring plug moulded connector	



Page 28 of 36 1.2004



Valid from 01.03.2004

CODE	ITEM DESCRIPTION	PACKAGING
------	------------------	-----------

REUSABLE <u>SILVER GOLD PLATED</u> 10 MM DIAM "CASTED" DISC ELECTRODES WHITH POLYURETHANE LEAD WIRE AND MOULDED CONNECTOR

1 Packaging (10 pcs)

81.124.01	10pcs/set 10n	nm diam. go	ld CASTED disc electrodes	with 120cm long lead wires	and
	2mm moulded	d connectors	S		
81.124.02	AS ABOVE	but with	120cm long lead wires and	safety connectors Din 42802	
81.124.03	AS ABOVE	but with	120cm long lead wires and	2mm spring plug connectors	
81.124.04	AS ABOVE	but with	150cm long lead wires and	2mm pin connectors	
81.124.05	AS ABOVE	but with	150cm long lead wires and	safety connectors Din 42802	
81.124.06	AS ABOVE	but with	200cm long lead wires and	2mm pin connectors	
81.124.07	AS ABOVE	but with	200cm long lead wires and	safety connectors Din 42802	
81.124.08	AS ABOVE	but with	250cm long lead wires and	2mm pin connectors	
81.124.09	AS ABOVE	but with	250cm long lead wires and	safety connectors Din 42802	
81.124.10	Disc electrode	es with 120cm	n long lead wires and 2 mm m	oulded connector	
81.124.11	Disc electrode	es with 120cm	n long lead wires and safet <u>y</u> m	oulded connector DIN42802	
81.124.12	Disc electrode	es with 120cm	n long lead wires and 2 mmsp	ring plug moulded connector	



DOUBLE ADHESIVE RINGS

1 Packaging (500 pcs)

81.125.01	Double adhesive rings 13 x 5 mm	
81.125.02	Double adhesive rings 20 x 8 mm	
81.125.03	Double adhesive rings 30 x 10 mm	
81.125.04	Double adhesive rings 30 x 14 mm	
81.125.05	Double adhesive rings 40 x 16 mm	



Page 29 of 36 1.2004



Valid from 01.03.2004

CODE	ITEM DESCRIPTION	PACKAGING
	REUSABLE MOULDED, INSULATED AND WATERPROOF 10MM DIAM" FINE SILVER"	
	DISC ELECTRODES WITH POLYURETHANE LEAD WIRE AND MOULDED CONNECTOR	
		1 Packaging (10 pcs)
81.126.01	10pcs/set 10mm diam. FINE SILVER disc electrodeswith 120cm long lead wires and	
	2mm moulded connectors	

s)		-6
		0
	9 9	

1111111

81.126.02 AS ABOVE but with 120CM long lead wires and 2mm spring 81.126.03 long lead wires and AS ABOVE but with 120CM safety 81.126.04 long lead wires and AS ABOVE but with 150CM 2mm pin 81.126.05 AS ABOVE 150CM long lead wires and but with safety 81.126.06 AS ABOVE but with 200CM long lead wires 2mm pin 81.126.07 AS ABOVE but with 200CM long lead wires and safety 81.126.08 AS ABOVE but with 250CM long lead wires and 2mm pin 81.126.09 AS ABOVE 250CM long lead wires but with and safety

REUSABLE MOULDED, INSULATED AND WATERPROOF 10MM DIAM"
SILVER/SILVER CHLORIDE" DISC ELECTRODES WITH POLYURETHANE LEAD WIRE
AND MOULDED CONNECTOR

1 Packaging (10 pcs)

81.127.01	10pcs/set 10 2mm moulded		GCL disc elec	ctrodes with 120c	m long lea	d wires and	Trackaging (10 pcs)
81.127.02	AS ABOVE	but with	120CM	long lead wires	and	2mm spring	
81.127.03	AS ABOVE	but with	120CM	long lead wires	and	safety	
81.127.04	AS ABOVE	but with	150CM	long lead wires	and	2mm pin	
81.127.05	AS ABOVE	but with	150CM	long lead wires	and	safety	
81.127.06	AS ABOVE	but with	200CM	long lead wires	and	2mm pin	
81.127.07	AS ABOVE	but with	200CM	long lead wires	and	safety	
81.127.08	AS ABOVE	but with	250CM	long lead wires	and	2mm pin	
81.127.09	AS ABOVE	but with	250CM	long lead wires	and	safety	



Page 30 of 36 1.2004



Valid from 01.03.2004

CODE ITEM DESCRIPTION PACKAGIN	G
--------------------------------	---

REUSABLE MOULDED, INSULATED AND WATERPROOF 10MM DIAM" FINE SILVER GOLD PLATED" DISC ELECTRODES WITH POLYURETHANE LEAD WIRE AND MOULDED CONNECTOR

							1 Packaging (10 pcs)
81.128.01	10pcs/set 10r 2mm moulde		plated disc e	electrodes with 1	20cm lon	g lead wire and	
81.128.02	AS ABOVE	but with	120CM	long lead wires	and	2mm spring	
81.128.03	AS ABOVE	but with	120CM	long lead wires	and	safety	
81.128.04	AS ABOVE	but with	150CM	long lead wires	and	2mm pin	
81.128.05	AS ABOVE	but with	150CM	long lead wires	and	safety	
81.128.06	AS ABOVE	but with	200CM	long lead wires	and	2mm pin	
81.128.07	AS ABOVE	but with	200CM	long lead wires	and	safety	
81.128.08	AS ABOVE	but with	250CM	long lead wires	and	2mm pin	
81.128.09	AS ABOVE	but with	250CM	long lead wires	and	safety	



REUSABLE <u>SILVER/SILVER CHLORIDE</u> 6MM DIAM "STAMPED" DISC ELECTRODES WITH POLYURETHANE LEAD WIRE AND MOULDED CONNECTOR

1 Packaging (10 pcs)

81.129.01	10pcs/set 6mi	m diam. AG/	AGCL STAMPED disc electrodes with 120cm long lead wire					
	and 2mm moulded connectors							
81.129.02	AS ABOVE	but with	120cm long lead wires and safety connectors Din 42802					
81.129.03	AS ABOVE	but with	120 cm long lead wires and 2mm spring plug connectors					
81.129.04	AS ABOVE	but with	150cm long lead wires and 2mm pin connectors					
81.129.05	AS ABOVE	but with	150cm long lead wires and safety connectors Din 42802					
81.129.06	AS ABOVE	but with	200cm long lead wires and 2mm pin connectors					
81.129.07	AS ABOVE	but with	200cm long lead wires and safety connectors Din 42802					
81.129.08	AS ABOVE	but with	250cm long lead wires and 2mm pin connectors					
81.129.09	AS ABOVE	but with	250cm long lead wires and safety connectors Din 42802					
81.129.10	Disc electrode	s with 120cm	n long lead wires and 2 mm moulded connector					
81.129.11	· · · · · · · · · · · · · · · · · · ·							
81.129.12	Disc electrode	s with 120cm	n long lead wires and 2 mm spring plugmoulded connector					



Page 31 of 36 1.2004



Valid from 01.03.2004

CODE	ITEM DESCRIPTION	PACKAGING
------	------------------	-----------

REUSABLE FINE <u>SILVER</u> GOLD PLATED 6MM DIAM "STAMPED" DISC ELECTRODES WITH POLYURETHANE LEAD WIRE AND MOULDED CONNECTOR

1 Packaging (10 pcs)

81.130.01	10pcs/set 6mi	m diam. FIN	E SILVER GOLD PLATED" :	stamped disc electrodes with	
	120cm long le	ad wires			
81.130.02	AS ABOVE	but with	120cm long lead wires and	2mm sprin plug connectors	
81.130.03	AS ABOVE	but with	120cm long lead wires and	safety connectors Din 42802	
81.130.04	AS ABOVE	but with	150cm long lead wires and	2mm pin connectors	
81.130.05	AS ABOVE	but with	150cm long lead wires and	safety connector Din 42802	
81.130.06	AS ABOVE	but with	200cm long lead wires and	2mm pin connectors	
81.130.07	AS ABOVE	but with	200cm long lead wires and	safety connectors Din 42802	
81.130.08	AS ABOVE	but with	250cm long lead wires and	2mm pin connectors	
81.130.09	AS ABOVE	but with	250cm long lead wires and	safety connectors Din 42802	
81.130.10	Disc electrode	s with 120cm	n long lead wires and 2 mm m	oulded connector	
81.130.11	Disc electrode	s with 120cm	n long lead wires and safety m	noulded connector DIN42802	
81.130.12	Disc electrode	s with 120cm	n long lead wires and 2 mm sr	oring plugmoulded connector	



Page 32 of 36 1.2004



Valid from 01.03.2004

CODE	ITEM DESCRIPTION	PACKAGING
------	------------------	-----------

REUSABLE "SINTERED" DISC ELECTRODES WITH POLYURETHANE LEAD WIRE AND MOULDED CONNECTOR

1 Packaging (10 pcs)

81.132.01	•		TERED disc electrodes with	120cm long lead wires and 2mm	
	moulded con	nectors			
81.132.02	AS ABOVE	but with	120cm long lead wires and	2mm spring plug connectors	
81.132.03	AS ABOVE	but with	120cm long lead wires and	safety connectors Din 42802	
81.132.04	AS ABOVE	but with	150cm long lead wires and	2mm pin connectors	
81.132.05	AS ABOVE	but with	150cm long lead wires and	safety connectors Din 42802	
81.132.06	AS ABOVE	but with	200cm long lead wires and	2mm pin connectors	
81.132.07	AS ABOVE	but with	200cm long lead wires and	safety connectors Din 42802	
81.132.08	AS ABOVE	but with	250cm long lead wires and	2mm pin connectors	
81.132.09	AS ABOVE	but with	250cm long lead wires and	safety connectors Din 42802	
81.132.10	Disc electrode	es with 120cm	n long lead wires and 2 mm m	oulded connector	
81.132.11	Disc electrode	es with 120cm	n long lead wires and safety m	noulded connector DIN42802	
81.132.12	Disc electrode	es with 120cm	n long lead wires and 2 mm sp	oring plug moulded connector	



10MM AND 6MM DIAM. SPARE ELECTRODES

1 Packaging (100 pcs)

10mm" stamped silver disc electrode	11 dokaging (100 pcs)
10mm" stamped silver/silver chloride " disc electrode	
10mm" casted" fine silver disc electrode	
10mm "casted gold plated" disc electrode	
10mm "stamped gold" disc electrode	
	10mm" casted" fine silver disc electrode 10mm "casted gold plated" disc electrode



Page 33 of 36 1.2004



Valid from 01.03.2004

CODE	ITEM DESCRIPTION	PACKAGING
------	------------------	-----------

REUSABLE CARBON 10MM DIAM. DISC ELECTRODES WITH CARBON WIRE

1 Packaging (10 pcs)

					aonaging (10 poo,
81.135.01	10pcs/set 10mm diam. REUSABLE CARBON disc electrodes with 120cm long lead wires				
81.135.02	AS ABOVE	but with	120cm long lead wires and	safety connectors Din 42802	
81.135.03	AS ABOVE	but with	120cm long lead wires and	2mm spring plug connectors	
81.135.04	AS ABOVE	but with	150cm long lead wires and	2mm pin connectors	
81.135.05	AS ABOVE	but with	150cm long lead wires and	safety connectors Din 42802	
81.135.06	AS ABOVE	but with	200cm long lead wires and	2mm pin connectors	
81.135.07	AS ABOVE	but with	200cm long lead wires and	safety connectors	
81.135.08	AS ABOVE	but with	250cm long lead wires and	2mm pin connectors	
81.135.09	AS ABOVE	but with	250cm long lead wires and	safety connectors Din 42802	
81.135.10	Disc electrodes with 120cm long lead wires and 2 mm moulded connector				
81.135.11	Disc electrodes with 120cm long lead wires and safetymoulded connector DIN42802				
81.135.12	Disc electrodes with 120cm long lead wires and 2 mmspring plug moulded connector				



5 AND 10mm SINTERED ELECTRODES WITH PRESS-STUD

1 Packaging (2 pcs)

81.137.01	1mm thick and 5mm diam. Sintered sensor with 100cm long cable and DIN 42802
81.137.02	1mm thick and 10mm diam. Sintered sensor with 100cm long cable and DIN 42802
81.137.03	1mm thick and 5mm diam. Sintered sensor with 100cm long shielded "LOW NOISE " cable and DIN 42802
81.137.04	1mm thick and 10mm diam. Sintered sensor and 100cm long shielded "LOW NOISE " cable and DIN 42802
81.137.05	1mm thick and 5mm diam. Sintered electrode with hole in the middle to inject the gel and 100cm long cable with DIN42802
81.137.06	1mm thick and 10mm diam. Sintered electrode with hole in the middle to inject the gel and 100cm long cable with DIN42802
81.137.07	1mm thick and 5mm diam. Sintered electrode with hole in the middle to inject the gel and 100cm shielded "LOW NOISE "cable with DIN42802
81.137.08	1mm thick and 10mm diam. Sintered electrode with hole in the middle to inject the gel and 100cm shielded "LOW NOISE" cable with DIN42802



Page 34 of 36 1.2004



Valid from 01.03.2004

CODE	ITEM DESCRIPTION	PACKAGING
	DISPOSABLE SILVER SILVER CHLORIDE 10 mm DIAM. NON METALLIC EEG	
	ELECTRODES AND CONNECTING CABLE	4 Dealeraina (40
81.138.01	10mm diam. No metallic RADIOLUCENT disc electrodes	1 Packaging (10 pcs
81.138.02	10pcs/set 120cm long lead wire and 2mm moulded connectors	
81.138.03	AS ABOVE but with 120cm long lead wires and 2mm spring plug connectors	
81.138.04	AS ABOVE but with 120cm long lead wires and safety connectors Din 42802	
81.138.05	AS ABOVE but with 150cm long lead wires and 2mm pin connectors	
81.138.06	AS ABOVE but with 150cm long lead wires and safety connectors Din 42802	
81.138.08	120 cm long lead wire and 2 mm moulded connector	
81.138.09	120 cm long lead wire and 2 mm spring plug moulded connector	
81.138.10	120 cm long lead wire and safety moulded connector DIN 42802	
	CONDUCTIVE GEL FOR NEUROLOGICAL APPLICATION :SPRING CONNECTION CABLE	1 Box (20 packaging
		1 Packaging (6 pcs
81.139.01	20X25mm disposable electrode with 100cm long lead wire and safety connector Din 42802	
81.139.02	20X25mm disposable electrode with 100cm long lead wire and 2mm pin connector	
81.139.03	20X25mm disposable electrode with 150cm long lead wire and safety connector Din 42802	
81.139.04	20X25mm disposable electrode with 150cm long lead wire and 2mm pin connector	
	Please note: 1 Box contains 20 Pack/ 1Carton contains 8 Boxes	
		1 Box (20 packaging
	4FV00	1 Packaging (6 pcs
81.139.05	15X20mm disposable electrode with 100cm long lead wire and safety connector Din 42802	
81.139.06	15X20mm disposable electrode with 100cm long lead wire and 2mm pin connector	
81.139.07	15X20mm disposable electrode with 150cm long lead wire and safety connector Din 42802	
81.139.08	15X20mm disposable electrode with 150cm long lead wire and 2mm pin connector	

Please note: 1 Box contains 20 Pack/ 1Carton contains 8 Boxes







Page 35 of 36 1.2004



Valid from 01.03.2004

CODE	ITEM DESCRIPTION	PACKAGING	
1.139.09 1.139.10	15X20mm disposable electrode with 8cm long lead wire and 1mm pin connector 20X25mm disposable electrode with 8cm long lead wire and 1mm pin connector Please note: 1 Box contains 20 Pack/ 1Carton contains 8 Boxes	1 Box (20 packaging) 1 Packaging (10 pcs)	- 0
81.139.11 81.139.12	15X20mm disposable electrode with 8cm long lead wire and 0,7mm pin connector 20X25mm disposable electrode with 8cm long lead wire and 0,7mm pin connector Please note: 1 Box contains 20 Pack/ 1Carton contains 8 Boxes	1 Box (20 packaging) 1 Packaging (12 pcs)	- 8
	The"spring" is a new concept to connect the small electrodes to the device: the principle is based on the ligth weight of spring	1 Packaging (10 pcs)	
81.140.02 81.140.03	100cm long lead wire with spring connection and safety connector Din 42802 100cm long lead wire with spring connection and 2mm pin connector		@ @ Q
81.140.01	100cm long lead wire with 2 1mm socket and 5-pole DIN45322 connector	1 Pack (1 pieces)	- CONT CONT CONT.

The present price list nullifies and substitutes all the previous one.

Prices are subject to changes without notice.





Page 36 of 36 1.2004



PAPELES REGISTRALES, S.A.

C/. Llobateras, 14-16-18 Talleres 7 – Nave 4 Polígono Industrial "SANTIGA" Aptdo. Correos 368 08210 BARBERÁ DEL VALLÉS Barcelona – España

Tel: +34 93 7299400 - Fax: +34 93 7191656



Fabricación de Papel Termosensible, Milimetrado y Accesorios Diversos. Production of Thermosensitive Chart, Recording Papers and Accesories.