



山东海迪科医用制品有限公司

SHANDONG HAIDIKE MEDICAL PRODUCTS CO.,LTD.

Add: Tianfu Road, Dongcheng District, Shan County, 274300

Heze City, Shandong Province, China.

Tel: +86-530-4660062 Mobile: +86-13105409308 E-mail: info@suturescn.com Web: www.suturescn.com



SHANDONG HAIDIKE MEDICAL PRODUCTS CO.,LTD.

山东海迪科医用制品有限公司

Shandong Haidike Medical Products

RTMED -Your trustworthy partner in the wound closure solutions!

ISO BGMP (€ FD/A NMPA FSC

RT De ED



- Absorbable and nonabsorbable Surgical sutures
- Lifting threads for plastic surgery
- Hernia repair meshes
- Orthopedic casting tapes & splints
- Electric Wheelchair & Manual Wheelchair
- Veterinary surgical supplies
- Medical protection products etc.



ENTERPRISE BUSINESS LICENSE



FSC BY EUROPEAN UNION




























02

A Taper cutting

■ Microfine spatula Blunt point

____ Straight round bodied

SURGICAL SUTURES 510K

FREE SALE CERTIFICATE

Shandorg Haidke Medical Products Co., Ltd

ISO13485 CERTIFICATE

RTMED MADRID TRADEMARK

01

SHANDONG HAIDIKE MEDICAL PRODUCTS CO.,LTE

POLYGIYCOLIC ACID

Properties:

Structure: Multifilament, Braided

Colour: Violet . Undved

Chemical composition: Polyglycolic acid Coating: Polycaprolactone + Calcium Stearate

Sizes: USP 8/0 - USP 4

Type of absorption: Hydrolysis Sterilization: Ethylene Oxide Absorption: 60 - 90 days

Advantages:

- · High initial tensile strength
- Excellent knotting ability
- Reliable absorbability
- Easy to handle
- Outstanding holding power through the critical wound periode
- Smooth surface, slides smoothly through the tissue

SUTURE RT CED® SURGICAL SUTURE RT D POLYGLYCOLIC ACID (S ∆ (S ...) REV: A/3 EP9.0 C € 2992 (EE) 290716 1/2 Circle cutting 30mm RTmED 8 8 8

ABSORBABLE SUTURES

PGLA POLYGLACTIN 910

Properties:

Structure: Multifilament, Braided

Colour: Violet , Undyed

Chemical composition: Poly(glycolide-co-l-lactide 90/10)

Coating: Poly(glycolide-co-l-lactide 30/70) + Calcium Stearate

Sizes: USP 8/0 - USP 2

Type of absorption: Hydrolysis Sterilization: Ethylene Oxide Absorption: 56 - 70 days

Advantages:

- · High tensile strength
- Smooth tissue passage
- Easy knotting and tie down
- Excellent knot security
- · Reliable absorbability



RT cm ED® SURGICAL SUP SURGICAL SUTURES POLYGLACTIN USP 2/0 1/2 Circle round bodied 26mm RT to ED

SUTURE

WWW.HDKSUTURE.COM

POLYDIOXANONE

Properties:

Structure: Monofilament Colour: Violet, Undyed

Chemical composition: Poly (p-dioxanone)

Sizes: USP 7/0 - USP 2

Type of absorption: Hydrolysis Sterilization: Ethylene Oxide Absorption: 180 - 210 days

Advantages:

- · High initial tensile strength
- Prolonged wound support
- · Minimal tissue reaction
- · Lower incidence of infection and trauma due to smooth surface

PGCL POLIGLECAPRONE 25

Properties:

Structure: Monofilament Colour: Violet, Undyed

Chemical composition: Poly (glyclolide-co-caprolactone)

Sizes: USP 6/0 - USP 2

Type of absorption: Hydrolysis Sterilization: Ethylene Oxide Absorption: 90 - 120 days

Advantages:

- · High initial tensile strength
- · Easy handling
- · Smooth passage through tissue
- Excellent knotting ability



SUTURE

RT <u>ED</u>®

SURGICAL SUTUPE







CHROMIC CATGUT

Properties:

Colour: Brown

Composition: Purified connective tissue

Sizes: USP 7/0 - USP 4

Type of absorption: Proteolysis Sterilization: Gamma radiation Absorption: 90 - 100 days



ABSORBABLE SUTURES

Advantages:

- High tensile strength
- Excellent handling properties
- Minimal tissue reaction
- Uniform absorption

PLAIN CATGUT

Properties:

Colour: Beige

Composition: Purified connective tissue

Sizes: USP 7/0 - USP 4

Type of absorption: Proteolysis Sterilization: Gamma radiation Absorption: 60 - 70 days

- Easy knotting and tie down
- Excellent knot security
- Reliable absorbability





Advantages:

- · High tensile strength
- Smooth tissue passage

SILK

Properties:

Structure: Braided Colour: Black, White

Composition: Natural silk filaments

Coating: Silicon / wax Sizes: USP 8/0 - USP 4 Sterilization: Ethylene Oxide

Advantages:

- Excellent handling properties
- High tensile strength
- · Highly smooth and flexible
- · Good knot security



POLYPROPYLENE

Properties:

Structure: Monofilament

Colour: Blue

Chemical composition: Polypropylene

Sizes: USP 7/0 - USP 3 Sterilization: Ethylene Oxide

Advantages:

- · High tensile strength
- · Smooth tissue passage
- · Easy and secure knotting
- Minimal acute inflammatory reaction in tissues
- Excellent and permanent tissue support





NYLON

Properties:

Structure: Monofilament Colour: Blue, Black

Chemical composition: polyamide 6 - 6.6

Sizes: USP 12/0 - USP 4 Sterilization: Ethylene Oxide

Advantages:

- High tensile strength
- Smooth tissue passage
- Easy and secure knotting
- Excellent and permanent tissue support

POLYESTER

Properties:

Structure: Braided Colour: Green, White

Chemical composition: Polyethylene terephthalate

Coating: Silicon Sizes: USP 6/0 - USP 4 Sterilization: Ethylene Oxide

Advantages:

- High tensile strength
- Excellent handling properties
- Minimal tissue reaction
- Good knot security





NON-ABSORBABLE SUTURES

SUTURE "

RT D® NYLON monofilament

RT CED®

SURGICAL SUTU

Ultra High Molecular Weight Polyethylene (UHMWPE) **Properties:**

Structure: Braided

Colour: White, white+blue, white+black,

white+green

Chemical composition: Polyethylene

Sizes: USP 7/0 - USP 5 Sterilization: Ethylene Oxide

Advantages:

- Extremely strong, flexible and smooth
- Outstanding tensile strength
- Minimal inflammatory reaction



PTFE

Properties:

Structure: Monofilament

Colour: White

Chemical composition: polytetrafluoroethylene

Sizes: USP 2/0 - 6/0

Sterilization: Ethylene Oxide

SUTURE RT CED® USP 4/0

Advantages:

- High tensile strength; does not weaken when moistened.
- Decreased inflammation and faster wound repair.
- Soft, comfortable for patients.
- · Great handling properties and knot security.

01

05

NEEDLES

1/2 circle

3/8 circle

round bodied

round bodied

curved cutting

curved cutting

reverse cutting

reverse cutting

1/2 circle

taper cutting

spatula curved

spatula curved

ound bodied

round bodied heavy

without needle

double needle

3/8 circle

1/4 circle

1/2 circle

straight round bodied

straight curved cutting



Application:

Used for wound closure and tissue suture

Features and Advantages:

- Single use, avoid cross-infection
- Biologically compatible
- Significantly decrease wound closure time and reduce procedure & anaesthesia time
- Suture easily and efficiency as well as easily removed
- With better cosmetic results.

Disposable Trocars

Application:

It is used for laparoscopy surgery, the puncture of the abdominal wall of the human body is used to establish a working channel for abdominal surgery.

Features and Advantages:

- Unique air-tight design to prevent gas leakage.
- Anti-slip grain design, increasing the friction between cannular and abdominal wall, to avoid cannular fall off.
- Universal positioning of puncture cone without directional insertion.


Disposable Endo Cutter Stapler and The Cartridge

Application:

Suitable for endoscopic or open surgical tissue removal in abdominal surgery, gynecology, pediatrics, thoracic surgery.

Features and Advantages:

- One-handed control ensures complete tissue cutting and reduces tissue damage.
- Better tissue thickness adaptability.
- Larger rotation angle for easier operation.





PLAIN CATGUT

POLIGLECAPRONE 25

POLIGLECAPRONE 25 RAPID

POLIGLECAPRONE 25 PLUS


(size: 4-7/0)

(size: 2-6/0)

(size: 2-6/0)

(size: 2-6/0)

	(size: 4-6/0)	SK
BABLE	NYLON (size: 4-12/0)	NL
NON-ABSORBABLE	POLYPROPYLENE (size: 3-7/0)	PP
NON	POLYESTER (size: 4-7/0)	PB
	Ultra High Molecular Weight Polyethylene (UHMWPE) (size: 5-7/0)	UHMWPE
	PTFE (size: 2/0-6/0)	PTFE



200cm

250cm

300cm

400cm

Polyglycolic Acid 2/0 75mm 1/2 circle round bodied double needles 26mm



SHANDONG HAIDIKE MEDICAL PRODUCTS CO.,LTD.


DENTAL SUTURES


DENTAL SUTURES

SHANDONG HAIDIKE MEDICAL PRODUCTS CO..LTD.

SPECIALTY SUTURES PORTFOLIO

Dental






11





Dental sutures














DENTAL AND MAXILLOFACIAL SURGERY




Haidike surgical dental sutures allow dental and maxillofacial surgeons to obtain the best results for their patients. Our wide portfolio consists of absorbable and non-absorbable sutures.

Surgical procedures:

Dental implants
 Dental prostheses
 Maxillary sinus lify
 Bone grafts
 Removal of pathological processes
 Apicoectomies
 Periodontal surgery
 Gingival aesthetics
 Gingival graft
 Third molar surgery
 Frenectomies
 Pediatric dentistry

Ophthalmic sutures






WWW.HDKSUTURE.COM

Hernia Repair Mesh





Large mesh aperture

Promotes liquid circulation and smoothes tissue growth.


Less micropores

Greatly reduces the possibility of bacteria hiding and is not easy to infect.

Light weight

Reduce postoperative pain and foreign body sensation.


Hernia Example



Polypropylene Mesh 6x11cm Polypropylene Mesh 7.6x15cm Polypropylene Mesh 10x15cm Polypropylene Mesh 15x15cm Polypropylene Mesh 30x30cm

Products Description

After Mesh Repair



WWW.SUTURESCN.COM

13

SHANDONG HAIDIKE MEDICAL SUPPLIES

VETERINARY MEDICAL SUPPLIES

SHANDONG HAIDIKE MEDICAL PRODUCTS CO., LTD.



Cassette Sutures

Length	25m 50m 75m 100m
Absorbable	Chromic catgut, Plain catgut PGA, PGLA, PDO
Non-absorbable	Silk, Nylon , Polyester, Polypropylene



Suture Materials


Threads	Sizes
Silk	USP4-6/0
Nylon	USP4-8/0
Polyester	USP5-6/0
Polypropylene	USP2-6/0



Self-adhesive Elastic Bandage

Standard	Features	
5.0cm×450cm	Self-adhesive	
7.5cm×450cm	High elasticity	
10cm×450cm	Waterproof	
15cm×450cm	Easy to tear	

I.V. Cannula with Wings



Veterinary catheter



WWW.HDKSUTURE.COM

15

SHANDONG HAIDIKE MEDICAL PRODUCTS CO.,LTD.

BEAUTY LIFTING THREADS

SHANDONG HAIDIKE MEDICAL PRODUCTS CO.,LTD.

BEAUTY LIFTING THREADS

Lifting Threads Needle

....

Basic type, generally used for linear filling and simple lifting, Beginners can also operate effortlessly.

L TYPE

L type blunt needle, reduce the damage of blood vessels, bruising and hematoma. The pain was significantly reduced. W TYPE

Circular head, reducing the damage to the skin tissue. After the injection, the needle can be taken out then correct the position and depth of the needle, which improves the lack of a stitch of the other types.

U-COG

90

Double needle is used for eyebrow lifting and other parts requiring strong lifting. U-COG is a special structure line with strong lifting ability.

The local lifting effect is almost as good as the little facelift.

PDO/PCL Lifting Thread



Mono

Needle Sharp Needle

Parts Face, Body

Effects Tightening, Filling,
Wrinkles Removing, Whitening



Tornado Screw

Needle Sharp Needle

Parts Eye, Neck, Crow's Feet, Cheek

Effects Tightening, Filling, Whitening, Wrinkles Removing



Nasal COG

Needle L type Blunt Needle

Parts Nasal columella, Nasal bridge

ffects Rhinoplasty, Nose Shaping



COG Lifting

Needle L/W type Blunt Needle

Parts Lifting Eyebrow, Apple Zone,

Cheek, Chest

Face Lifting, V Face, Chest Lifting



Multi Threads

Needle L type Blunt Needle

Parts Face, Neck, Eye Bag, Crow's Feet

Effects Tightening, Filling, Whitening, Wrinkles Removing



Molding COG

Needle W type Blunt Needle

Face, Neck, Crow's Feet, Eye Bag

Tightening, Filling, Whitening, Wrinkles Removing



Forehead

Multi Threads / Tornado Screw / Mono Screw

Crow's feet / Eye bags / Eye Corner's Lifting

Blunt Needle For Eye 30G-25mm

Apple Zone)

Multi Threads / Tornado Screw / Mono Screw

Nasolabial folds / Mouth Corner's Lifting

Multi Threads / Tornado Screw / Mono Screw





Face Lifting

18G-100mm / 19G-100mm

Nose Dorsum / Nose Bridge

19G-60mm

Nose Columella 19G-38mm





WWW.HDKSUTURE.COM WWW.SUTURESCN.COM

17

SHANDONG HAIDIKE MEDICAL PRODUCTS CO.,LTD. ORTHOPEDIC CASTING TAPE

Orthopedic Casting Tape



USE INSTRUCTION

- Apply 1~2 layers stockinet over the affected body part;
- Wear surgical gloves;
- Choose proper size orthopedic casting tape, then open the package;
- Immerse the casting tape in normal temperature ($20^{\circ}\text{C} \sim 30^{\circ}\text{C}$) water for 5~6 seconds and squeeze 2~3 times. Then remove from the water and squeeze out the excess water. The curing time of orthopedic casting tape is directly related to the temperature of water. The curing time is shorter in high temperature water than in low temperature water. If the water temperature is over 27 °C, the curing time is too short to increase the difficulty of the operation.
- Wrap the casting tape spirally around the affected body part, overlapping the previous layer by one-half or two-thirds the width of the tape. The tension is moderate. If it is too loose, it will weaken the adhesion of the orthopedic casting tape. If it is too tight, it will affect the blood circulation.
- The intensity of the casting tape is related to the number of overlapped layers. Overlap 3~4 layers for the non-weight bearing parts, while overlap 5~6 layers for the weight bearing parts. If more layers are needed, please ensure the adhesivity between the layers.
- To increase the adhesion between layers, the casting tape will be shaped after wrapped. The operating time should be in 3⁵ minutes. The adhesion and shaping effect cannot reach the best if the operating time is longer or the immersed time is too long. The patients do not allow to move freely in 10 minutes before the orthopedic casting tape are completely hardened.
- The electric plaster saw is needed if the affected parts need to open a window or remove the orthopedic casting tape.

Orthopedic Casting Tape				
Product Description	Sizes	Specification(W×L)	Packaging	Operating Part
Fiberglass Orthopedic Casting Tape	RT002	5.0cm × 360cm	10bags/box 12boxes/ctn	Wrists/Childrens
Fiberglass Orthopedic Casting Tape	RT003	7.5cm × 360cm	10bags/box 12boxes/ctn	Arms
Fiberglass Orthopedic Casting Tape	RT004	10.0cm × 360cm	10bags/box 12boxes/ctn	Arms / Legs
Fiberglass Orthopedic Casting Tape	RT005	12.5cm × 360cm	10bags/box 9boxes/ctn	Legs
Fiberglass Orthopedic Casting Tape	RT006	15.0cm × 360cm	10bags/box 9boxes/ctn	Legs

Polymer Splint



Wrist Fixation Recommended sizes: 312 (7.5cmX30cm) 415 (10cmX40cm)



Thumb Fixation Recommended sizes: 312 (7.5cmX30cm) 415 (10cmX40cm)



The Fourth and Fifth Finger Fixation Recommended sizes: 312 (7.5cmX30cm) 415 (10cmX40cm)



Elbow Fixation Recommended sizes: 312 (7.5cmX30cm) 415 (10cmX40cm)



Forearm Fixation Recommended sizes: 335 (7.5cmX90cm) 430 (10cmX75cm)



Horseshoe Fixation Ankle Fixation
Recommended sizes: Recommended sizes:
335 (7.5cmX90cm) 430 (10cmX75cm)
430 (10cmX75cm) 530 (12.5cmX75cm)



Legs Fixation Recommended sizes: 335 (7.5cmX90cm) 545 (12.5cmX115cm)

Polymer splint


Product Description	Sizes Specification(WxL)	Packaging	Operating part
Medical Polymer Splint	312 7.50cmX30cm	20bags/box 6boxes/ctn	wrists/Childrens
Medical Polymer Splint	335 7.50cmX90cm	10bags/box 6boxes/ctn	arms/legs
Medical Polymer Splint	415 10.0cmX40cm	15bags/box 6boxes/ctn	arms/legs
Medical Polymer Splint	430 10.0cmX75cm	10bags/box 6boxes/ctn	legs
Medical Polymer Splint	530 12.5cmX75cm	10bags/box 6boxes/ctn	legs
Medical Polymer Splint	545 12.5cmX115cm	5bags/box 6boxes/ctn	legs
Medical Polymer Splint	630 15.0cmX75cm	10bags/box 6boxes/ctn	legs
Medical Polymer Splint	645 15.0cmX115cm	5bags/box 6boxes/ctn	legs

SHANDONG HAIDIKE MEDICAL PRODUCTS CO.,LTD.

POWERED WHEELCHAIR
SHANDONG HAIDIKE MEDICAL PRODUCTS CO.,LTD.

Powered Wheelchair







Front wheel size: 10 inches	Net weight: 47kg (actually prevail)
Rear wheel size: 16 inches	Maximum speed: 6km/h
Dimensions: 1180×630×1360mm	Theoretical travel: 15km
Safe load: 100kg	Motor (motor): DC24V250W*2pcs
Frame material: Carbon steel	Gradeability (gradient): 6 degrees
Battery: Standard	









Front wheel size: 8 inches	Net weight: 21.5kg (actually prevail)
Rear wheel size: 12 inches	Maximum speed: 6km/h
Dimensions: 990×590×950mm	Theoretical travel: 15km
Safe load: 100kg	Motor (motor): DC24V250W*2pcs
Frame material: Aluminum alloy	Gradeability (gradient): 6 degrees
Battery: 12AH/20AH lithium battery	Folding size: 765×590×350mm

Manual Wheelchair









Front wheel size: 7 inches	Net weight: 18kg (actually prevail)	
Rear wheel size: 24 inches	Armrest: blow molding/leather	
Dimensions: 950×680×900mm	Seat width: 460mm	
Safe load: 100kg	Seat height: 520mm	
Frame material: Aluminum alloy		
Tire: solid tire		









Front wheel size: 6 inches	Net weight: 7.2kg (actually prevail)
Rear wheel size: 8 inches	Armrest: blow molding/leather
Dimensions: 1000×500×910mm	Seat width: 340mm
Safe load: 100kg	Seat height: 490mm
Frame material: Aluminum alloy	Backrest height: 410mm
Folding size: 220×500×700mm	

WWW.HDKSUTURE.COM

21

SHANDONG HAIDIKE MEDICAL PRODUCTS CO.,LTD. REHABILITATION THERAPY SUPPLIES SHANDONG HAIDIKE MEDICAL PRODUCTS CO.,LTD.

Seniors Shopping Cart

A good helper for parents in life



Tie-rod brake design



Comfortable seat



Wear-resistant reinforced brake rear wheel



New Generation Multi-claw Crutches

Material upgrade



Smooth all the way

- Anti-stumbling design
- Steady walk without hindrance
- The inside and outside width design is balanced and stable.



Feel comfortable

- High wear-resistant handrail
- Surface cracked anti-skid treatment, anti-skid and wear-resistant, Ergonomic design, Fits to the hand without getting tired from holding for a long time.



Firmer and stronger

- 1.2mm wall thickness Thicken reinforcement
- · Lightweight and load-bearing



Firm and convenient

- Annular clavicle clamp
- Fixed main pole Three simple steps



Medical Grade Crutches




PE environmentally friendly foam material arm rest

Thick PE foam material, high resilience, non-slip, soft and comfortable, strong abrasion resistance, not tired after long-term use.



Leg height adjustment in 9 positions

The height of 9 levels is adjustable to meet the needs of people of different heights. Strengthen the aluminum alloy to provide super good support.



Stable and non-slip height adjustable

Grip three-position adjustment

The grip has three gears adjustment, the adjustment part is locked firmly and stably, and it is convenient to use and feel comfortable and soft




Non-slip durable rubber pad

The rubber pad is made of rubber, which is thicker, stable and non-slip, and the built-in metal gasket is wear-resistant and durable



Nursing Bed






WWW.HDKSUTURE.COM

24

Medical Disposable Protective Clothing



Executive Standard GB 19082-2009



Specifications: One-piece Sizes: □ 160 □ 165 □ 170 □ 175 □ 180 □ 185

Intended use: It is used to provide barrier and protection for the potentially infectious patients' blood, body fluids, secretions, etc. that clinical medical personnel come into contact with at work. It cannot be used to isolate places with strict microbiological index control requirements such as intensive care unit (room).

Expiration date:

2 years after production

Surgical Gowns

25







 $\textbf{Model:} \ \Box S \ \Box M \ \Box L \ \Box XL \ \Box XXL \ \Box XXXL \ \Box XXXXL$ Specifications:

□High performance type □Standard type

Intended use: For the surgical staff to wear, reduce the source of infection to the patient's surgical wound to prevent postoperative wound infection.

Storage:

Store in an environment with relative humidity not exceeding 80%, no corrosive gas, cool, dry, well ventilated and clean.

Expiration date:

3 years after production

Isolation Gown



Isolation Gown TYPE A/TYPE B

Isolation gowns - type A/type B Specifications:

120cm×120cm/One-size-fits-all

Material: 100% Non-woven fabric

Product description:

Non-woven fabrics are usually used as the main raw materials, which are made by cutting and sewing. Non-sterile, single-use

Expiration date:

3 years after production

Medical Scrubs Uniforms



Model:type A: split type; type B: gown type.



Specifications:

S M L XL XXL

Product Description: Usually made of cotton fiber or non-woven fabric. The medical scrubs uniforms is short-sleeve or long-sleeve style that have the function of blocking dandruff, and do not have liquid barrier properties. It is non-sterile supply and can be reused. It should be sterilized before using.

Expiration date:

3 years after production

MEDICAL PROTECTION PRODUCTS

MEDICAL PROTECTION PRODUCTS

Medical Goggle



□White □Black □Transparent **Model specifications** □Large □Medium □Small

Product description It is composed of a protective cover

made of polymer material, a foam strip and a fixing device. Non-sterile, single use.

Expiration date

3 years after production

Storage

This product should be stored in a dry, ventilated, non-corrosive gas warehouse.


Medical Isolation Shoe Cover



□Non-woven fabric □PVC □PP+PE



Medical Cap



Medical Isolation Mask



Model: Ear hook type / Headband type Product description It is composed of a protective cover made of polymer material, a foam strip and a fixing device. Non-sterile, single use. **Expiration date** 3 years after production Storage This product should be stored in a dry, ventilated, non-corrosive gas warehouse.

Medical Bed Sheet









Materials: 70% Polypropylene, 30% Polyethylene non-woven fabric

Product description	It is made by compounding or sewing non-woven fabric and plastic film. Non-sterile, single use.
Expiration date	3 years after production
Storage	This product should be stored in a dry ventilated, non-corrosive gas warehouse

Disposable Virus Specimen Collection Tube

Disposable sampler

Medical examination gloves



 According to the different materials used, it is divided into: polyvinyl chloride, butyronitrile; according to the size, it is divided into: XS, S, M, L, XL.

roduct Description: Usually made of materials such as polyvinyl chloride. Have sufficient strength and barrier properties. Non-sterile supply, single use.

Intended use: It will be wore by doctor to do checking for the patient

Model: Inactivated and non-inactivated



Disposable virus specimen collection tube is composed of swabs and/or collection cups and tubes containing storage solution. Non-sterile. **Expiration date** The product should be stored in a non-corrosive gas and well-ventilated warehouse at room

Medical rubber gloves



Usually made of materials such as polyvinyl chloride and rubber. Have sufficient strength and barrier properties. Non-sterile supply, single use.

It will be wore by doctor to do checking for the

SHANDONG HAIDIKE MEDICAL PRODUCTS CO.,LTC

MEDICAL PROTECTION PRODUCTS

MEDICAL PROTECTION PRODUCTS

SHANDONG HAIDIKE MEDICAL PRODUCTS CO..LTD.

Disposable Surgical Face Mask



3 Ply Flat type	Ear Loop	EN 14683:2019	Type IIR	NCN STERREE
Size	17.5 cm x 9.5 cm			
Material	Polypropylene spunbond nonwoven fabric, polypropylene melt- blown nonwoven, metal wire with plastic covering nose clip, polyester/nylon spandex blend ear loops			
Product performance:	The bacterial filtration efficiency of the mask should be not less than 98%.			
Application	It is worn by clinical staff during non-invasive procedures, covering the user's mouth, nose, and jaw, providing a certain physical barrier to prevent direct penetration of pathogenic microorganisms, particulate matter, in patients, etc.			
Expiration date	2 years after production			
Storage		e relative humidity should not exceed 80%, non-could be clean and isolated from fire sources.	orrosive gas and well-ventilated	



3 Ply Flat type	Ear Loop	EN 14683:2019	Type IIR	NOW STERRE
Size	14.5 cm x 9.5 cm			
Material	Polypropylene spunbond nonwoven fabric, polypropylene melt- blown nonwoven, metal wire with plastic covering nose clip, polyester/nylon spandex blend ear loops			
Product performance	The bacterial filtration efficiency of the mask should be not less than 98%.			
Application	It is worn by clinical staff during non-invasive procedures, covering the user's mouth, nose, and jaw, providing a certain physical barrier to prevent direct penetration of pathogenic microorganisms, particulate matter, in patients, etc.			
Expiration date	2 years after production			
Storage	Store at room temperature, the relative humidity should not exceed 80%, non-corrosive gas and well-ventilated room. Transportation means should be clean and isolated from fire sources.			

Disposable Medical Face Mask



3 Ply Flat type	Ear Loop	EN 14683:2019	Type I	NON STERRE
Size	17.5 cm x 9.5 cm			
Material	Polypropylene spunbond nonwoven fabric, polypropylene melt-blown nonwoven, metal wire with plastic covering nose clip, polyester/nylon spandex blend ear loops			
Product performance:	The bacterial filtration efficiency of the mask should be not less than 95%.			
Application	It is worn by clinical staff during non-invasive procedures, covering the user's mouth, nose, and jaw, providing a certain physical barrier to prevent direct penetration of pathogenic microorganisms, particulate matter, in patients, etc.			
Expiration date	2 years after production			
Storage	Store at room temperature, the relative humidity should not exceed 80%, non-corrosive gas and well-ventilated room. Transportation means should be clean and isolated from fire sources.			



3 Ply Flat type	Ear Loop	EN 14683:2019	Type IIR	NEON
Size	17.5 cm x 9.5 cm			
Material	Polypropylene spunbond nonw covering nose clip, polyester/n	voven fabric, polypropylene melt- blown nonwove ylon spandex blend ear loops	n, metal wire with plastic	
Product performance:	The bacterial filtration efficience	cy of the mask should be not less than 98%.		
Application		g non-invasive procedures, covering the user's mo nt direct penetration of pathogenic microorganisms,		
Expiration date	2 years after production			
Storage		e relative humidity should not exceed 80%, non-crould be clean and isolated from fire sources.	orrosive gas and well-ventilated	



3 Ply Flat type	Ear Loop	EN 14683:2019	Type I	NON
Size	14.5 cm x 9.5 cm			
Material	Polypropylene spunbond nonwoven fabric, polypropylene melt- blown nonwoven, metal wire with plastic covering nose clip, polyester/nylon spandex blend ear loops			
Product performance:	The bacterial filtration efficiency	cy of the mask should be not less than 95%.		
Application	It is worn by clinical staff during non-invasive procedures, covering the user's mouth, nose, and jaw, providing a certain physical barrier to prevent direct penetration of pathogenic microorganisms, particulate matter, in patients, etc.			
Expiration date	2 years after production			
Storage	Store at room temperature, the relative humidity should not exceed 80%, non-corrosive gas and well-ventilated room. Transportation means should be clean and isolated from fire sources.			



5 Ply Folding type	EN 14683:2019 Type IIR	NON STERRILE	
Size	11.5 cm x 15 cm		
Material	Polypropylene spunbond nonwoven fabric, polypropylene melt- blown nonwoven, nose clip, polyester/nylon spandex blend ear loops		
Product performance:	The bacterial filtration efficiency of the mask should be not less than 98%.		
Application	It is worn by clinical staff during non-invasive procedures, covering the user's mouth, nose, and jaw, providing a certain physical barrier to prevent direct penetration of pathogenic microorganisms, particulate matter, in patients, etc.		
Expiration date	2 years after production		
Storage	Store at room temperature, the relative humidity should not exceed 80%, non-corrosive gas and well-ventilated room. Transportation means should be clean and isolated from fire sources.		



3 Ply Cup type	Head Loop	EN14683:2019	Type IIR	NON
Size	13.5 cm x 13.5 cm			
Material	Polypropylene spunbond no spandex blend head loops	Polypropylene spunbond nonwoven fabric, polypropylene melt- blown nonwoven, nose clip, polyester/nylon spandex blend head loops		
Product performance:	The bacterial filtration efficiency of the mask should be not less than 98%.			
Application	It is worn by clinical staff during non-invasive procedures, covering the user's mouth, nose, and jaw, providing a certain physical barrier to prevent direct penetration of pathogenic microorganisms, particulate matter, in patients, etc.			
Expiration date	2 years after production			
Storage	Store at room temperature, the relative humidity should not exceed 80%, non-corrosive gas and well-ventilated room. Transportation means should be clean and isolated from fire sources.			





5 Ply Folding type	e Head Loop	N95-V1	STERILE EO
Size	11.5 cm x 15 cm		
Material	Polypropylene spunbond nonwoven fabric, polypropylene melt- blown nonwoven, nose clip, polyester/nylon spandex blend head loops		
Product performance:	The bacterial filtration efficiency of the mas	k should be not less than 95%	6.
Application	It is worn by clinical staff during non-invasive procedures, covering the user's mouth, nose, and jaw, providing a certain physical barrier to prevent direct penetration of pathogenic microorganisms, particulate matter, in patients, etc.		
Expiration date	11 months after production		
Storage	Store at room temperature, the relative humidity should not exceed 80%, non-corrosive gas and well-ventilated room. Transportation means should be clean and isolated from fire sources.		


SHANDONG HAIDINE MEDICAL PRODUCTS CO. ITD.

31

SURGICAL INSTRUMENTS SURGICAL INSTRUMENTS







SHANDONG HAIDIKE MEDICAL PRODUCTS CO.,LTD.

DISPOSABLE CONSUMABLES

SHANDONG HAIDIKE MEDICAL PRODUCTS CO.,LTD.





Infusion set







Disposable blood bag

Syringes













