

RAPORT DE INCERCARE NR. 60363/23/ROBCH

Client		Numărul eșantionului:
ECOCHIM-GRUP SRL		60363/23/ROBCH
OR. UNGHENI, STR. NAȚIONALĂ	119	Descriere obiect de incercat (conform cu declaratia Clientului)
- REPUBLICA MOLDOVA		Dezinfectant Universal "Bio-Dez"
		Lot: -
		Data fabricatiei: 05.08.2023
		Data expirare: 05.08.2026
		Data receptiei probei: 23.08.2023
		Cantitate prelevata:500 ml
		Responsabil prelevare: Cristinov Alexandr
		Ora receptiei probei: 12:30
		Temperatura receptie proba: 17°C
Data primirii obiectului de incercat:	24.08.2023	Sample condition with no objections
Data inceperii incercarii:	30.08.2023	
Data finalizarii incercarii:	22.11.2023	Comanda din 24.08.2023
Data eliberarii raportului:	22.11.2023	Probele au fost prelevate si livrate de catre Client.

Parametrii de testare	Metoda de testare	Unitate de masura	Rezultat
# * Chemical disinfectants and antiseptics. Quantitative suspension test for the evaluation of mycobactericidal activity of chemical disinfectants in the medical area including instrument disinfectants. Test methods and requirements (phase 2, step 1) 1)	EN 14348: 2005	-	Rezultatul incercarii se regaseste in raportul de incercare nr. D/23/B0672 primit de la subcontractor si anexat acestui raport.

¹⁾ Incercare efectuata de catre subcontractor cu Certificat de acreditare Nr. 648/LE1286.

Responsabil incercare: Mariana Ilinca, Sef Laborator Microbiologie Validat de: Mariana Ilinca, Sef Laborator Microbiologie

Autorizat de: Manager general Mihai Alina-Roxana (Aprobat cu semnatura electronica)

Laborator: Bucuresti 041914, sos. Berceni nr.8

Responsabilitatea esantionarii/ prelevarii probelor apartine solicitantului. Rezultatele se refera numai la obiectul supus incercarii. Daca nu se specifica altfel, incertitudinea de masurare a fost estimata pentru coeficientul K= 2 si nivel de incredere 95%. Fara aprobarea scrisa a laboratorului acest raport de incercare nu poate fi reprodus decat integral. Responsabilitatea S.C. J.S. HAMILTON ROMANIA S.R.L. se refera exclusiv la rezultatele si declaratiile prezentate in raportul original. Opiniile si interpretarile continute in prezentul raport de incercare nu sunt acoperite de acreditarea RENAR. Pentru detalii suplimentare va rugam sa solicitati Certificatul de Acreditare la adresa de email bucharest@hamilton.com.pl

* Metoda de testare acreditata # Test efectuat de catre subcontractor

ø Incercari neacreditate Pagina 1/1 PGL 09 F 01 Ed. 1 Rev.



Instituto Valenciano de Microbiología



Masía El Romeral Ctra. Bétera - San Antonio de Benagéber, Km 0,3 46117 Bétera (Valencia) Tel. 96 169 17 02 e-mail: <u>ivami@ivami.com</u> www.ivami.com



Test with the certificate of GLPs (Good Laboratory Practices) No. 2/21-C.VAL. General Directorate of Pharmacy and Medical Devices of the Health Department of the Valencian Region. Spain

Mycobactericidal activity of chemical disinfectants in the medical area including instrument disinfectants (phase 2, step 1), with the product "Dezinfectant Universal "Bio-Dez"". (EN 14348: 2005 Standard)

Report

Registration No.: D/23/B0672.

1. Laboratory identification Instituto Valenciano de Microbiología. 2. Client identification J.S. HAMILTON ROMANIA SRL.

SOS BERCENI, NR 8, SECTOR 4 Address BUCURESTI, ROMANIA, 041914.

3. Sample identification (information provided by the client)

CIF B-96337217

Dezinfectant Universal "Bio-Dez". Product name

60363/23/ROBCH. Batch number

05.08.2026. Expiration date

Manufacturer/Supplier SRL "Ecochim-Grup".

Not indicated. Keeping conditions

Hygienic handrub, Instrument disinfection, Condition for use

surface disinfection.

Not indicated. Diluent recommended by the manufacturer ...

Ethyl alcool 72-76%, CAS 64-17-5 and CE Active compound/s and its concentration/s ...

> 200-578-6 Benzalkonium chloride 0.024-0.029%, CAS 68424-85-1 and CE 270-325-2 Methylthionibium chloride 0.00024%,

CAS 61-73-4 and 200-515-2.

80% Concentrations requested for the assay

IVAMI is not responsible for client-supplied information. This information is not covered by the ENAC accreditation.

DESIN-1052-b // EN 14348: 2005 Version 3 (2019-10-02) Page 1 of 6 Registration No.: D/23/B0672 Instituto Valenciano de Microbiología

4. Information about sample reception

• Date of reception of the sample 2023/08/31.

• Aspect of the received samples...... Purple transparent liquid in plastic package.

5. Method of assay and its validation (EN 14348: 2005 Standard)

• Method used Dilution-neutralization.

1-histidine 1 g/L and saponin 30 g/L.

6. Experimental conditions

• Solvent of the product used in the assay ... Sterile distilled water.

• Product concentrations for the assay 80%, 50% and 0.1%.

• Aspect of the dilutions of the product 80% purple transparent liquid;

50% blue transparent liquid; 0.1% transparent liquid.

• Interfering substance Bovine serum albumin 3 g/L and erythrocytes 3

mL/L.

Stable.

• Stability of the mixture (interfering substance and product diluted in starila distilled water)

diluted in sterile distilled water)

• Temperature of incubation

 $36^{\circ}\text{C} \pm 1^{\circ}\text{C}$.

• Identification of the strains used

- Mycobacterium avium (ATCC 15769).
- *Mycobacterium terrae* (CECT 3028 = ATCC 15755).

7. Results of the assay

Control and validation assays
Evaluation of mycobactericidal activity
See tables 1, 2, 4 and 5.
See tables 3 and 6.

Number of replicates for each assay microorganism

1.

DESIN-1052-b // EN 14348: 2005 Version 3 (2019-10-02) Page 2 of 6 Registration No.: D/23/B0672 Instituto Valenciano de Microbiología

8. Special remarks

- All controls and validation were between the basic limits.
- For a valid test, at least one concentration must show a reduction lower than 4 log and at least one concentration must show a reduction equal or higher than 4 log.
- The highest concentration that can be assayed in the test (80%) is due to the mixtures to perform the assay.

9. Conclusion

The product **Dezinfectant Universal "Bio-Dez"**, batch 60363/23/ROBCH, when it is pure (80%), concentration requested by the client, **shows mycobactericidal activity** after 60 seconds, at $20^{\circ}C \pm 1^{\circ}C$, under dirty conditions (bovine serum albumin 3 g/L and erythrocytes 3 mL/L), against the strains *Mycobacterium avium* (ATCC 15769) and *Mycobacterium terrae* (CECT 3028 = ATCC 15755), when tested as required by **EN 14348: 2005 Standard**.

Note: The results obtained correspond to the sample received in the laboratory.

Use of the ENAC mark: The ENAC "mark" can only be used by the holder of the accreditation. Its use in packaging, installations, shop windows, advertising or other documentation format other than that issued by the accredited entity (IVAMI) is not allowed.

Bétera (Valencia), November 9, 2023.

MIGUEL FRANCO, CLAUDIA (FIRMA)

Signed: Claudia Miguel. Responsible Technician

Quality Assurance Review:

The assay development and the results obtained have been supervised by the Director of the study.

The Quality Assurance Director has inspected the development of the assay, proving that has been realized following the proper procedure and using the adequate media, materials and reagents, following as well the Good Laboratory Practices (GLPs) and the final report contains the primary data obtained.

MONTOYA VIECO, ELENA (FIRMA)

Signed. Elena Montoya. Responsible for the Laboratory Area (Study Director) ESTEBAN BERMUDEZ, ENCARNACION PILAR (FIRMA)

Signed. Encarnación Esteban. Technical Director (Quality Assurance Director)

Reference

• EN 14348: 2005. Chemical disinfectants and antiseptics. Quantitative suspension test for the evaluation of mycobactericidal activity of chemical disinfectants in the medical area including instrument disinfectants. Test methods and requirements (phase 2, step 1).

DESIN-1052-b // EN 14348: 2005 Version 3 (2019-10-02) Page 4 of 6 Registration No.: D/23/B0672 Instituto Valenciano de Microbiología

Table 1.-Assay with Mycobacterium avium (ATCC 15769): Validation and controls.

	Suspensio validati (Nv ₀)	on	Control of experimental conditions (A)		Neutralizer (<i>B</i>)		Validation of the method (C) with sample concentration: 80%				
Vc ₁	97	X =	Vc_1	98	X = 96	Vc_1	92	X = 95	Vc_1	93	X = 91
Vc_2	104	100.5	Vc_2	94	A - 90	Vc_2	98	A - 93	Vc_2	89	A - 91
30 ≤	$\leq X \text{ of } Nv$	$0 \le 160$?	$X \text{ of } A \text{ is } \ge 0.5 \text{ x } X$		$X \text{ of } B \text{ is } \ge 0.5 \text{ x } X \text{ of }$		$X \text{ of } C \text{ is } \ge 0.5 \text{ x } X \text{ of }$		$\mathbf{x} \mathbf{X} \mathbf{of}$		
	Yes		(of Nv_0 ? Yes			<i>Nv</i> ₀ ? Y€	es	Nv ₀ ? Yes		S

Table 2.- Assay with *Mycobacterium avium* (ATCC 15769): Suspension of the assay.

	N	Vc_1	Vc_2	
Suspension of the assay (N y	10 ⁻⁷	391		$Xwm = 4.00 \times 10^9 = 1g = 9.60$ $N_0 = N/10 = 1g = 8.60$
N_0	10-8	44	41	$8.17 \le N_0 \le 8.70$? Yes

Table 3.- Assay with Mycobacterium avium (ATCC 15769).

Concentrations of the sample (%)	Dilutions	Vc ₁	Vc ₂	$Lg Na = lg$ $(X \times 10 \text{ o}$ $Xwm \times 10)$	$LgR \\ (lgN_0 = 8.60)$	Time of contact (sec)
	10^{0}	<14	<14			
80 %	10-1	<14	<14	< 2.15	> 6.45	60
8U 70	10-2	<14	<14	< 2.15	> 0.43	00
	10 ⁻³	<14	<14			
	10^{0}	<14	<14			
50 %	10 ⁻¹	<14	<14	< 2.15	> 6.45	60
30 70	10-2	<14	<14	< 2.15	<i>-</i> 0.43	00
	10-3	<14	<14			
	10^{0}	>660	>660			
0.1 %	10-1	>660	>660	>6.82	<1.78	60
0.1 %	10-2	>660	>660			60
	10^{-3}	>660	>660			

Observations:

$$N$$
 10⁻⁷: 198 + 193; 202 + 203;
10⁻⁸: 20 + 24; 19 + 22;
 Na 80% 10⁰: 0 + 0; 0 + 0;
50% 10⁰: 0 + 0; 0 + 0;
0.1% 10⁻³: >330 +>330; >330 +>330;

DESIN-1052-b // EN 14348: 2005 Version 3 (2019-10-02) Page 5 of 6 Registration No.: D/23/B0672 Instituto Valenciano de Microbiología

Table 4.-Assay with *Mycobacterium terrae* (CECT 3028 = ATCC 15755): Validation and controls.

Suspension of validation (Nv0) Control of experimental conditions (A)		Neutralizer (B)	Validation of the method (C) with sample concentration: 80%	
$ Vc_1 $ 79 $X=$	$Vc_1 = 66$ $X = 68$	Vc_1 75 $X = 77$	$ Vc_1 $ 67 $X=$	
$ Vc_2 $ 82 80.5	$ Vc_2 $ 70 $ A=08 $	$ Vc_2 $ 79 $ A-77 $	$ Vc_2 $ 72 69.5	
$30 \le X \text{ of } Nv_0 \le 160?$	$X \text{ of } A \text{ is } \ge 0.5 \text{ x } X$	$X \text{ of } B \text{ is } \ge 0.5 \text{ x } X \text{ of }$	$X \text{ of } C \text{ is } \ge 0.5 \text{ x } X \text{ of }$	
Yes	of Nvo? Yes	Nv ₀ ? Yes	Nv ₀ ? Yes	

Table 5.- Assay with *Mycobacterium terrae* (CECT 3028 = ATCC 15755): Suspension of the assay.

Suspension of	N	Vc ₁	Vc_2	
the assay (N y	10 ⁻⁷	295	275	$Xwm = 2.86 \times 10^9 = 1g = 9.46$
N_0)	10-8	32	29	$N_0 = N/10 = 1g = 8.46$ $8.17 \le N_0 \le 8.70$? Yes

Table 6.- Assay with *Mycobacterium terrae* (CECT 3028 = ATCC 15755).

Concentrations of the sample (%)	Dilutions	Vc ₁	Vc_2	$Lg Na = lg$ $(X \times 10 \text{ o}$ $Xwm \times 10)$	$LgR \\ (lgN_0 = 8.46)$	Time of contact (sec)
	10^{0}	<14	<14			
80 %	10 ⁻¹	<14	<14	-2 15	>6.31	60
80 70	80 % 10-2 <14 <14	<2.15	/0.51	00		
	10 ⁻³	<14	<14			
	10^{0}	<14	<14			
50 %	10-1	<14	<14	<2.15	>6.31	60
30 70	10-2	<14	<14	~2.13		
	10-3	<14	<14			
	10^{0}	>660	>660			
0.1%	10-1	>660	>660	> 6.02	<1.64	60
	10-2	>660	>660	>6.82	<1.64	60
	10-3	>660	>660			

Observations:

N

$$10^{-7}$$
: $150 + 145$; $130 + 145$;
 Nv₀: $40 + 39$; $40 + 42$;

 10^{-8} : $17 + 15$; $14 + 15$;
 A: $32 + 34$; $34 + 36$;

 Na
 80% 10^{0} : $0 + 0$; $0 + 0$;
 B: $39 + 36$; $40 + 39$;

 50% 10^{0} : $0 + 0$; $0 + 0$;
 C: $36 + 31$; $35 + 37$;

 0.1% 10^{-3} : $>330 + >330$; $>330 + >330$;

Explanations:

Vc: Counts per mL.

Xwm: weighted mean of X.

X: Values of Vc_1 and Vc_2 (1. + 2. duplicates); R: reduction (Lg $R = \lg N_0 - \lg Na$).

DESIN-1052-b // EN 14348: 2005 Version 3 (2019-10-02) Page 6 of 6 Registration No.: D/23/B0672 Instituto Valenciano de Microbiología











REPORT OF ANALYSIS No. 136987/21/JSHR/Z2

Replaces Report of Analysis No. 136987/21/JSHR of 2021-04-14

Client ECOCHIM-GRUP SRL OR. OTACI, STR. VOITOVICI 21 2059 CHIŞINĂU		Sample description (according to declaration of Client) DEZINFECTANT UNIVERSAL "BIO-DEZ" Sample quantity: 2 pcs x 1 L Production date: 26.01.2021 Expiration date: 26.01.2024 Sampling date: 22.02.2021 Sample temperature: 15°C Reception hour: 15:00 Responsible for sampling: Crestinov Alexandr
Sample received:	2021-03-18	Sample condition with no objections
Analysis completed (the date of performance of the laboratory activity):	2021-04-14	Order of 2021-03-09
Report dated:	2021-07-27	The samples were delivered by Client

Test	Method	Unit	Result
* Chemical disinfectants and antiseptics - Hygienic handrub - Test method and requirements (phase 2, step 2) ¹⁾	PN-EN 1500:2013-07		The preparation has bactericidal effect against transient microorganisms used in the hygienic procedure of hand disinfection - a single rubbing of 3ml of the preparation for 60 seconds.

¹⁾ The results of the analysis in attachment No 1 to the report of analysis.

Identification of the change: test result

THE END OF THE REPORT

Authorized by:

Approved by: Hanna Wachowska, Laboratory Director (Approved with electronic signature)

Laboratory: Tychy 43-100, Goździków 1

The results relate to the analysed samples only. Unless otherwise specified given expanded measurement uncertainty was estimated for the coverage factor k=2 at 95% confidence level. Sampling uncertainty has not been taken into consideration. Unless otherwise specified when conformity is stated J.S. Hamilton Poland Sp. z o.o. applies the simple acceptance decision rule in accordance with ILAC-G8:09/2019. This Report cannot be reproduced partially without a prior written consent of J.S. Hamilton Poland Sp. z o.o. Responsibility of J.S. Hamilton Poland Sp. z o.o. is restricted exclusively to the results and statements presented in original copy of the Report. The service confirmed by this Report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on www.hamilton.com.pl

* Test method accredited; # Test performed by external provider

Page 1/1

Form PO-10/02a of 20.01.2020





A) IDENTYFICATION OF THE SAMPLE:					
Name of the product	DEZINFECTANT UNIVERSAL "BIO-DEZ"				
	Sample quantity: 2 pcs x 1 L				
	Production date: 26.01.2021				
	Expiration date: 26.01.2024				
	Sampling date: 22.02.2021				
	Sample temperature: 15°C				
	Reception hour: 15:00				
	Responsible for sampling: Crestinov Alexandr				
The active substance	Ethyl alcohol 72-76% CAS 64-17-5 CE 200-578-6				
	Benzalkonium chloride 0,024-0,029% CAS 68424-85-1 CE 270-325-2				
	Methylthioninium chloride 0,00024% CAS 61-73-4 and 200-515-2				
B) TEST METHOD:					
Method	EN 1500:2013 Chemical disinfectants and antiseptics - Hygienic handrub - Test method and requirements (phase 2, step 2)				
Neutralizer	Polysorbate 80 30 g/l, saponine 30g/l, histidine 1g/l, cysteine 1g/l				
C) EXPERIMENTAL CONDITIONS	:				
Product test concentrations (%V/V)	100%				
Test temperature	20°C				
Contact time	3ml of the preparation for 60s				
Incubation temperature	36±1 °C				
Test-organism	E. coli K12 NCTC 10538				

Date: 27.07.2021

Authorized by: Daria Depa, Senior Specialist Analyst, Cosmetics Microbiology Laboratory Approved by: Hanna Wachowska, Laboratory Director (Approved with qualified electronic signature)

This enclosure is an inseparatable part of the report of analysis and cannot be reproduced partially without a priori written consent of J.S. Hamilton Poland Sp. z o.o. Responsibility of J.S. Hamilton Poland Sp. z o.o. is restricted exclusively to the results and statements presented in an original copy of the enclosure.



Table 1. PROCEDURE FOR REFERENCE HYGIENIC HANDRUB

PRODUCT: Standard 2-propanol 60% (V/V) TEST ORGANISM: *E. coli* K12 NCTC 10538

NUMBER IN CONTAMINATION FLUID: 2,4 x 10⁸ cfu/ml

vo	lunteer		n	umber of cfu p	er plate from o	di l ution 10x			
	Hand		prevalues			postva			Reduction
Nr	left/right	x10 ⁻⁴	x10 ⁻⁵	log x	$x10^{0}$	x10 ⁻¹	x 10 ⁻²	log y	log z
	ı	288	29		61	7	0		
1	r	247	22	6,42	33	3	0	1,65	4,77
	I	167	17		51	5	0		
2	r	291	28	5,81	36	4	0	1,63	4,18
	I	175	11		42	5	0		
3	r	275	25	6,33	29	2	0	1,54	4,79
	1	220	21		30	3	0		
4	r	192	19	6,31	68	6	0	1,65	4,66
	ļ	164	15		37	3	0		
5	r	301	33	6,35	52	5	0	1,64	4,71
_		200	20		23	2	0		
6	r	198	18	6,30	37	4	0	1,46	4,83
_	l	287	22		60	6	0		
7	r	288	29	6,45	42	5	0	1,70	4,75
	ı	298	28	0.40	31	4	0	4.00	4 77
8	r	213	21	6,40	58	5	0	1,63	4,77
_	<u> </u>	283	23	5.00	34	3	0	4.00	4.04
9	<u>r</u>	311	33	5,96	51 53	5	0	1,62	4,34
10	-	313	32	C 45	36	6 4		1 CE	4,80
10	1	251 175	25 18	6,45	54	5	0	1,65	4,60
11	r	295	22	6,35	47	3	0	1,69	4,66
- ''	1	183	19	0,33	72	7	0	1,09	4,00
12	r	171	17	5,74	36	4	0	1,71	4,03
12	<u>'</u>	206	22	3,74	29	2	0	1,71	4,00
13	r	317	33	6,41	49	5	0	1,57	4,84
- 10	Ti .	295	28	0,11	55	6	0	1,01	1,01
14	r	279	25	6,45	64	7	Ö	1,78	4.68
	i	248	22	5,15	72	7	0	.,, .	.,
15	r	256	26	6,40	66	6	0	1,84	4,56
		301	31	-,	46	5	0	.,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
16	r	261	26	6,45	27	3	0	1,55	4,90
	j.	259	24	·	41	4	0		
17	r	271	28	6,42	22	1	0	1,47	4,96
		259	22		61	6	0		
18	r	288	23	6,43	33	3	0	1,65	4,78
	l	223	21		35	4	0		
19	r	205	20	6,33	45	5	0	1,60	4,72
	I	297	28		54	6	0		
20	r	257	24	5,90	28	3	0	1,59	4,31
X _{śr}				6,28				1,63	
s				0,23				0,09	0,25

log x-logarithm of the average value of the initial left and right hand

log y-logarithm of the average value of the final left and right hand

log z-logarithm reduction

 $x ext{ \'sr- overall}$ average of log x, log y, log z

Date: 27.07.2021

Authorized by: Daria Depa, Senior Specialist Analyst, Cosmetics Microbiology Laboratory

Approved by: Hanna Wachowska, Laboratory Director (Approved with qualified electronic signature)

This enclosure is an inseparatable part of the report of analysis and cannot be reproduced partially without a priori written consent of J.S. Hamilton Poland Sp. z o.o. Responsibility of J.S. Hamilton Poland Sp. z o.o. is restricted exclusively to the results and statements presented in an original copy of the enclosure.

Page 2 / 6

Form PO-10/05b of 20.01.2020



Table 2. HYGIENIC HANDRUB PROCEDURE WITH THE PRODUCT

PRODUCT P 136987/21/JSHR

TEST ORGANISM: E. coli K12 NCTC 10538

NUMBER IN CONTAMINATION FLUID: 2,4 x 108 cfu/ml

	land eft/right	4	prevalues	umber of cfu pe					
I	eft/right	4				postvalues			Reduction
I		x10 ⁻⁴	x10 ⁻⁵	log x	$x10^{0}$	x10 ⁻¹	x 10 ⁻²	log y	log z
1 1 1		132	14		103	11	1		
1 1	•	224	21	6,24	92	9	0	1,98	4,26
I		>330	125		89	7	0		
2 r	•	304	31	6,27	78	4	0	1,68	4,59
		144	15		97	9	0		
3 r	•	132	11	6,14	78	5	0	1,93	4,21
		328	34		87	8	0		
4 r	•	>330	85	6,20	99	9	0	1,89	4,32
		164	11		116	11	2		
5 r	•	132	12	6,16	99	8	0	2,03	4,13
1 . !		>330	121		61	3	0		
6 r	•	320	32	6,27	83	9	0	1,67	4,60
_ [328	33		61	4	0		
7 r	•	288	29	6,49	71	7	0	1,81	4,68
		>330	58		91	9	0		
8 r	•	>330	22	5,51	72	6	0	1,82	3,69
		336	36	5.00	79	8	0	4.00	0.04
9 r	•	>330	21	5,90	106	12	2	1,96	3,94
1 40		296	28	0.00	74	7	0	4.00	4.40
10 r		>330 228	41 21	6,02	85 93	9	0	1,90	4,12
1 11 "				6.40	93 80	5		1.00	4.06
11 r		104	11 48	6,19	107		0	1,93	4,26
12 r		>330 200	48 20	5.07	94	11 9	1 0	1,98	4.00
12 1		248	25	5,97	112	14	2	1,90	4,00
13 r		212	22	6,36	113	11	1	2,06	4,31
13 1		>330	48	0,30	89	8	0	2,00	4,51
14 r		255	22	6,02	91	9	0	1,95	4,07
17 1		278	28	0,02	99	7	0	1,00	4,07
15 r		169	17	6,34	67	6	0	1,77	4,57
10 1		178	11	3,54	104	11	1	1,11	1,57
16 r		255	25	6,32	69	7	ö	1,93	4,39
1.5		274	28	3,32	79	8	0	.,00	.,50
17 r		231	24	6,40	107	12	2	1,97	4,44
		225	22	-,,,	92	9	0	.,	.,
18 r		183	19	6,31	66	7	o	1,89	4,42
		199	17	, , ,	53	5	0	,	,
19 r		252	23	6,35	89	8	О	1,83	4,51
I		266	22		97	9	0		·
20 r	·	231	21	6,39	68	7	0	1,91	4,48
X _{śr}				6,19				1,89	4,30
S				0,22			ľ	0,10	0,25

log x-logarithm of the average value of the initial left and right hand

log y-logarithm of the average value of the final left and right hand

log z-logarithm reduction

x śr- overall average of log x, log y, log z

Date: 27.07.2021

Authorized by: Daria Depa, Senior Specialist Analyst, Cosmetics Microbiology Laboratory

Approved by: Hanna Wachowska, Laboratory Director (Approved with qualified electronic signature)

This enclosure is an inseparatable part of the report of analysis and cannot be reproduced partially without a priori written consent of J.S. Hamilton Poland Sp. z o.o. Responsibility of J.S. Hamilton Poland Sp. z o.o. is restricted exclusively to the results and statements presented in an original copy of the enclosure.

Page 3 / 6

Form PO-10/05b of 20.01.2020



Table 3. LIST OF COMPUTED IG VALUES AND IG REDUCTIONS

volu	inteer	R 2-p	propanol 60%	(V/V)		Р	
Nr		log x	log y	log z	log x	log y	log z
1	R-P	6,42	1,65	4,77	6,24	1,99	4,25
2	R-P	5,81	1,63	4,18	6,27	1,91	4,36
3	R-P	6,33	1,54	4,79	6,14	1,93	4,21
4	R-P	6,31	1,65	4,66	6,20	1,96	4,24
5	R-P	6,35	1,64	4,71	6,16	2,03	4,13
6	P-R	6,30	1,46	4,83	6,27	1,84	4,43
7	P-R	6,45	1,70	4,75	6,49	1,81	4,68
8	P-R	6,40	1,63	4,77	5,51	1,90	3,61
9	P-R	5,96	1,62	4,34	5,90	1,96	3,94
10	P-R	6,45	1,65	4,80	6,02	1,90	4,12
11	R-P	6,35	1,69	4,66	6,19	1,93	4,26
12	R-P	5,74	1,71	4,03	5,97	2,00	3,97
13	R-P	6,41	1,57	4,84	6,36	2,06	4,31
14	R-P	6,45	1,78	4,68	6,02	1,95	4,07
15	R-P	6,40	1,84	4,56	6,34	1,90	4,43
16	P-R	6,45	1,55	4,90	6,32	1,93	4,39
17	P-R	6,42	1,47	4,96	6,40	1,97	4,44
18	P-R	6,43	1,65	4,78	6,31	1,89	4,42
19	P-R	6,33	1,60	4,72	6,35	1,83	4,51
20	P-R	5,90	1,59	4,31	6,39	1,91	4,48
X ₂₀		6,28	1,63	4,65	6,19	1,93	4,26
X10(R-P)		6,26	1,67	4,59	6,19	1,97	4,22
X10 (P-R)		6,31	1,59	4,72	6,20	1,90	4,30

Criteria:

Rs (R-P) = 4,59-4,22=0,37 Rs (P-R)= 4,72-4,30=0,42

Abs= 0,37-0,42=-0,05<2

logx(R) = 6.28 > 5logx(P) = 6.19 > 5

logz(P), logz(R) > 3

Validation conditions of neutralizer and methods have been satisfied

Date: 27.07.2021

Authorized by: Daria Depa, Senior Specialist Analyst, Cosmetics Microbiology Laboratory

Approved by: Hanna Wachowska, Laboratory Director (Approved with qualified electronic signature)

This enclosure is an inseparatable part of the report of analysis and cannot be reproduced partially without a priori written consent of J.S. Hamilton Poland Sp. z o.o. Responsibility of J.S. Hamilton Poland Sp. z o.o. is restricted exclusively to the results and statements presented in an original copy of the enclosure.



Table 4. COMPUTATION OF INDIVIDUAL DIFFERENCES OF Ig R-P

volunteer	log	RF	difference	difference	
	R	Р	R-P	high to low	Range +/-
1	4,77	4,25	0,52	1,16	1
2	4,18	4,36	- 0,18	0,68	2
3	4,79	4,21	0,59	0,61	3
4	4,66	4,24	0,42	0,59	4
5	4,71	4,13	0,58	0,58	5
6	4,83	4,43	0,40	0,53	6
7	4,75	4,68	0,07	0,52	7
8	4,77	3,61	1,16	0,52	8
9	4,34	3,94	0,40	0,51	9
10	4,80	4,12	0,68	0,42	10
11	4,66	4,26	0,40	0,40	11
12	4,03	3,97	0,06	0,40	12
13	4,84	4,31	0,53	0,40	13
14	4,68	4,07	0,61	0,36	14
15	4,56	4,43	0,13	0,21	15
16	4,90	4,39	0,51	0,13	16
17	4,96	4,44	0,52	0,07	17
18	4,78	4,42	0,36	0,06	18
19	4,72	4,51	0,21	- 0,17	- 19
20	4,31	4,48	-0,17	- 0,18	- 20
	sum of ranks	(+): 171			
	sum of ranks	(-): 39			

SORTING OF INDIVIDUAL DIFFERENCES AND COMPUTATION FOR HODGES-LEHMANN 97,5% UPPER CONFIDENCE LIMITS FOR THE DIFFERENCE IN Ig BETWEEN R-P

	_									
		1,16	0,68	0,61	0,59	0,58	0,53	0,52	0,52	0,51
1	1,16	1,16								<u> </u>
2	0,68	0,92	0,68							
3	0,61	0,89	0,65	0,61						
4	0,59	0,87	0,63	0,60	0,59					
5	0,58	0,87	0,63	0,59	0,58	0,58				
6	0,53	0,85	0,61	0,57	0,56	0,55	0,53			
7	0,52	0,84	0,60	0,57	0,56	0,55	0,53	-0,52		
8	0,52	0,84	0,60	0,56	0,55	0,55	0,53	-0,52	-0,52	
9	0,51	0,83	0,59	0,56	0,55	0,54	0,52	-0,52	-0,51	-0,51
10	0,42	0,79	0,55	0,52	0,50	0,50	0,48	-0,47	-0,47	-0,21
11	0,40	0,78	0,54	0,51	0,49	0,49	0,47	-0,46	-0,46	-0,20
12	0,40	0,78	0,54	0,51	0,49	0,49	0,47	-0,46	-0,46	
13	0,40	0,78	0,54	0,50	0,49	0,49	0,47	-0,46		
14	0,36	0,76	0,52	0,49	0,47	0,47	0,45			
15	0,21	0,69	0,45	0,41	0,40	0,39				
16	0,13	0,65	0,41	0,37	0,36					
17	0,07	0,62	0,38	0,34						
18	0,06	0,61	0,37							
19	-0,17	0,50								
20	-0,18									

Date: 27.07.2021

Authorized by: Daria Depa, Senior Specialist Analyst, Cosmetics Microbiology Laboratory Approved by: Hanna Wachowska, Laboratory Director (Approved with qualified electronic signature)

This enclosure is an inseparatable part of the report of analysis and cannot be reproduced partially without a priori written consent of J.S. Hamilton Poland Sp. z o.o. Responsibility of J.S. Hamilton Poland Sp. z o.o. is restricted exclusively to the results and statements presented in an original copy of the enclosure.



Table 6. WILCOXON'S TMATCHED PAIRS SIGNED-RANKS TEST: CRITICAL VALUES LESS WITH RANG SUM (+) OR (-) AT DIFFERENT LEVELS OF SIGNIFICANCE

n	one-side	d level of sign	ificance
	0,05	0,025	0,01
18	47	40	32
19	53	46	27
20	60	52	43
21	68	59	49
22	75	66	56

For the designated level of significance 0,025 for n=20 the value read from the table 6 is 52.

Hence c = 52+1 = 53.

For the distribution of 53 Table 5 assigns a value of 0,55 which is less than the agreed inferiority margin of 0,6.

Therefore, the hypothesis of inferiority of PP compared to the reference RP is rejected.

The test preparation (PP) is non-inferior to RP.

Date: 27.07.2021

Authorized by: Daria Depa, Senior Specialist Analyst, Cosmetics Microbiology Laboratory

Approved by: Hanna Wachowska, Laboratory Director (Approved with qualified electronic signature)

This enclosure is an inseparatable part of the report of analysis and cannot be reproduced partially without a priori written consent of J.S. Hamilton Poland Sp. z o.o. Responsibility of J.S. Hamilton Poland Sp. z o.o. is restricted exclusively to the results and statements presented in an original copy of the enclosure.

Page 6 / 6 Form PO-10/05b of 20.01.2020



REPORT OF ANALYSIS No. 80248/21/ROBCH

Client		Sample number:			
ECOCHIM-GRUP SRL		80248/21/ROBCH			
OR. OTACI, STR. VOITOVIO	CI 21	Sample description (according to declaration of Client)			
2059 CHIŞINĂU		DEZINFECTANT UNIVERSAL "BIO-DEZ"			
		Lot: -			
		Data fabricatie: 01.10.2021			
		Data expirarii: 01.10.2024			
		Data prelevarii: -			
		Cantitate prelevata: 2 x 500 ml			
		Responsabil prelevare: CRESTINOV ALEXANDR			
		Ora receptiei probei: 15:30			
	142 22 222	Temperatura receptie proba: 15°C			
Sample received: 11.10.2021		Sample condition with no objections			
Tests performed: 21.10.2021					
Tests completed:	13.12.2021	Order of 11.10.2021			
Report dated: 13.12.2021		Sampling and delivery were carried out by client.			

Test	Method	Unit	Result
# * Fungicidal activity in medical area. Chemical disinfectants and antiseptics. Quantitative suspension test for the evaluation of fungicidal or yeasticidal activity in the medical area. Test method and requirements (phase 2, step 1).	EN 13624:2014	- Total	Test method performed by the subcontractor; the results are taken in full from the test report No D/21/B0644, issued by the subcontractor. The results of the analysis are listed starting with enclosure No1 to report of analysis.

Elaborated by: Mariana Ilinca, Manager of Microbiological Laboratory Authorized by: Mariana Ilinca, Manager of Microbiological Laboratory

Approved by: Alina-Roxana Mihai, General Manager (Approved with qualified electronic signature)

Laboratory: Bucuresti 041914, sos. Berceni nr.8

Responsabilitatea esantionarii/ prelevarii probelor apartine solicitantului. Rezultatele se refera numai la obiectul supus incercarii. Daca nu se specifica altfel, incertitudinea de masurare a fost estimata pentru coeficientul K= 2 si nivel de incredere 95%. Fara aprobarea scrisa a laboratorului acest raport de incercare nu poate fi reprodus decat integral. Responsabilitatea S.C. J.S. HAMILTON ROMANIA S.R.L. se refera exclusiv la rezultatele si declaratiile prezentate in raportul original. Opiniile si interpretarile continute in prezentul raport de incercare nu sunt acoperite de acreditarea RENAR. Pentru detalii suplimentare va rugam sa solicitati Certificatul de Acreditare la adresa de email bucharest@hamilton.com.pl

* Test method accredited # Test performed by external provider

ø Non accredited methods

Page 1 / 1





A) IDENTYFICATION OF THE SAMPLE	
Name of the product/Details about the product	DEZINFECTANT UNIVERSAL "BIO-DEZ"
Traine of the product Details decay the product	Expiration date: 01.10.2024.
	Manufacturer (supplier): Ecochim-Grup SRL.
	Storing conditions: Dry, without sun, 5-25 Celsius degree.
	Conditions of use: Hygienic handrub, surface disinfection,
	medical instruments disinfection, surgical handrub
Active compound/s and its concentration/s	Ethyl alcohol 72-76%, CAS 64-17-5 and CE 200-578-6. Benzalkonium chloride 0.024-0.029%, CAS 68424-85-1 and CE 270-325-2, Methylthionibium chloride 0.00024%, CAS 61-73-4 and 200-515-2
Concentrations requested for the assay	Pure (80%).
B) TEST METHOD	
Performed in accredited contracted partner	UNE-EN 13624:2014 Chemical disinfectants and antiseptics.
laboratory, Scope of Accreditation Nr. 648/LE1286	Quantitative suspension test for the evaluation of the fungicidal
Report Registration No. D/21/B0644	or yeasticidal activity in the medical area. Test method and
Quantitative evaluation assay of yeasticidal activity	requirements (phase 2, step 1). AENOR.
under dirty conditions, in the medical area (phase 2,	
step 1), with product Desinfectant Universal"Bio-	
Dez", (UNE-EN 13624: 2014 Standard).	
Testing method	Procedure DESIN-1058-b // EN 13624:2014
C) INFORMATION ABOUT SAMPLE REC	EPTION
Date of reception of order with test conditions	21.10.2021
Date of reception of the sample	25.10.2021
Aspect of the received product	Blue liquid in plastic package
D) METHOD OF ASSAY AND ITS VALIDA	TION (UNE-EN 13624: 2014 Standard)
Method used	Dilution-neutralization
Neutralizer	Tryptone 5 g/L, yeast extract 2.5 g/L, dextrose 10 g/L, sodium thioglycolate 1 g/L, sodium thiosulfate 1 g/L, sodium bisulphite 2.5 g/L, soy lecithin 7 g/L, polysorbate-80 5 g/L, glycine 1 g/L, l-histidine 1 g/L and Saponin 30 g/L.
E) EXPERIMENTAL CONDITIONS	
Assay period	2021/11/08 to 2021/11/14.
Solvent of the product used in the assay	Sterile distilled water.
Product concentrations for the assay	Pure (80%), 50%, 0.1%
Aspect of the dilutions of the product	Pure (80%) and 50% blue liquid;
•	0.1% transparent.
Contact time	60 seconds
Assay temperature	+20°C ± 1°C
Interfering substance	Bovine serum albumin 3 g/L and erythrocytes 3 mL/L.
Stability of the mixture (interfering substance and	Stable
product diluted in sterile distilled water)	
Temperature of incubation	+30°C± 1°C
Identification of the strain used	Candida albicans CECT-1394 (ATCC 10231)

Laboratory: Bucharest 041914, 8 Berceni Street.

The results relate to the analyzed samples only. The enclosore cannot be reproduced partially without a prior written consent of J.S. Hamilton Romania S.R.L. Responsibility of J.S. Hamilton Romania is restricted exclusively to the results and statements presented in original copy of the enclosore.

JS. HAMILTON ROMANIA S.R.L.

8 Berceni Street, 041902 Bucharest, Romania Tel.+40 21 634 10 81 bucharest@hamilton.com.pl, www.hamilton.com.pl

Enclosore no. 1 subcontracted tests

^{*}Test method accredited # Test performed by subcontractor. Ø Non accredited methods.



ENCLOSORE NO. 1 SUBCONTRACTED TESTS TO REPORT OF ANALYSIS NO 80248/21/ROBCH Results of the assay

Number of replicates per assay organism

1.

Special remarks

- All controls and validation were between the basic limits.
- At least one concentration of the sample showed a log reduction lower than 4 log.
- At least one concentration of the sample showed a log reduction higher than 4 log.
- The highest concentration that can be assayed in the test (80%) is due to the mixtures to perform the assay.
- No precipitate formed during the test procedure (the test mixtures were homogeneous).

Conclusion

The product Desinfectant Universal"Bio-Dez", batch not indicated, when is pure (80%), shows yeasticidal activity after 60 seconds at 20°C ± 1°C, under dirty conditions (bovine serum albumin 3 g/L and erythrocytes 3 mL/L), for the reference strain Candida albicans (CECT 1394 = ATCC 10231), when tested as required by the UNE-EN 13624: 2014 Standard.

Note: The results obtained correspond to the sample received in the laboratory.

Quality Assurance Review:

The assay development and the results obtained have been supervised by the Director of the study.

The Quality Assurance Director has inspected the development of the assay, proving that has been realized following the proper procedure and using the adequate media, materials, and reagents, following the Good Laboratory Practices (GLPs) as well and the final report contains the primary data obtained.

Reference

UNE-EN 13624: 2014. Chemical disinfectants and antiseptics. Quantitative suspension test
for the evaluation of the fungicidal or yeasticidal activity in the medical area. Test method
and requirements (phase 2, step 1). AENOR.

Laboratory: Bucharest 041914, 8 Berceni Street.

The results relate to the analyzed samples only. The enclosore cannot be reproduced partially without a prior written consent of J.S. Hamilton Romania S.R.L. Responsibility of J.S. Hamilton Romania is restricted exclusively to the results and statements presented in original copy of the enclosore.

*Test method accredited # Test performed by subcontractor. Ø Non accredited methods.

JS. HAMILTON ROMANIA S.R.L.

8 Berceni Street, 041902 Bucharest, Romania Tel.+40 21 634 10 81 bucharest@hamilton.com.pl, www.hamilton.com.pl

Enclosore no. 1 subcontracted tests



ENCLOSORE NO. 1 SUBCONTRACTED TESTS TO REPORT OF ANALYSIS NO 80248/21/ROBCH Results of the assay with Candida albicans (CECT 1394 = ATCC 10231).

Seeding: Pour plates. No. of plates: 1 /mL.

Table 1.-Validation and controls.

	isp <mark>ens</mark> io idation (experimental (B)		(B)		Sampl	Validation of t method (C) Sample concentra Pure (80%)			
Vc1	86	X= 90	Vc1	72	X= 74	Vc1	75 X= 73		Vc1	66	X=
V_{C2}	94		Vc2	76		Vc2 71		Vc2	61	63.5	
30 ≤ x	of Nv₀ ≤ Yes	≦ 160?	x of.	4 es ≥ 0 Nv ₀ ? Yes	,5 <i>X</i> de	$x \text{ of } B \text{ es} \ge 0.5 X \text{ de}$ Nv_0 , or $0.0005 Nv_B$? Yes		x of	$x \text{ of } C \text{ es } \ge 0.5 X \text{ of } Nv_0$? Yes		
Suspension of validation (NvB)		Vc1:	79 I	Vc1: 77	30≤≥	X=78 de Nv _B 160? Yes	8 a/1000 ≤				

Table 2. -Suspension of the assay.

100000	N	Vc_1	Vc_2	$Xwm = 3.35 \times 10^7$
Suspension of assay (N and N ₀)	10-5	>330	>330	lg N = 7.53 $N_0 = N/10$
	10-6	32	35	$lg N_0 = 6.53$ 6.17 $\leq lg N_0 \leq 6.70$? Yes

Table 3.-Results of the activity assays with the sample.

Concentrations of the sample (%)	Dilutions steps	Vc1	Vc2	Lg Na = lg (X x 10 or Xmw x 10)	LgR (lg $N_0 = 6.53$)	Time of contact (seconds)	
Pure (80%)	Na ⁰	<14	<14	e0.15	~ 4.20	60	
	Na ⁻¹	<14	<14	<2.15	>4.38		
500/	Na ⁰	<14	<14	-0.15	> 4.20		
50%	Na-1	<14	<14	<2.15	>4.38	60	
0.1%	Na ⁰	>330	>330	> 4.50	-2.01	Tree III	
	Na ⁻¹	>330	>330	>4.52	<2.01	60	

Explanations:

Vc = number per mL (one or two plates); Xwm = ponderated mean of X.

 $X = \text{mean of Vc}_1$ and Vc_2 (duplicate of 1 + 2); R (reduction): ($\lg R = \lg N_0 - \lg N_a$).

Laboratory: Bucharest 041914, 8 Berceni Street.

The results relate to the analyzed samples only. The enclosore cannot be reproduced partially without a prior written consent of J.S. Hamilton Romania S.R.L. Responsibility of J.S. Hamilton Romania is restricted exclusively to the results and statements presented in original copy of the enclosore.

JS. HAMILTON ROMANIA S.R.L.

8 Berceni Street, 041902 Bucharest, Romania Tel.+40 21 634 10 81 bucharest@hamilton.com.pl, www.hamilton.com.pl

Enclosore no. 1 subcontracted tests

^{*}Test method accredited # Test performed by subcontractor. Ø Non accredited methods.



RAPORT DE INCERCARE NR. 34692/23/ROBCH/Z1

Inlocuieste Raportul de Incercare Nr. 34692/23/ROBCH din 07.11.2023

Client		Numărul eșantionului:					
ECOCHIM-GRUP SRL		34692/23/ROBCH					
OR. UNGHENI, STR. NAȚIONA	LĂ 119	Descriere obiect de incercat (conform cu declaratia Clientului)					
- REPUBLICA MOLDOVA		Dezinfectant Universal "Bio-Dez"					
		Lot: -					
		Cantitate prelevata:500 ml					
		Responsabil prelevare: Cristinov Alexandr					
		Ora receptiei probei: 08:00					
		Temperatura receptie proba: 15°C					
		Sample condition with no objections					
Data primirii obiectului de incerc	at: 17.05.2023						
Data finalizarii incercarii:	07.11.2023	Comanda numar 5331/23/ROBCH din 17.05.2023					
Data eliberarii raportului:	19.01.2024	Probele au fost prelevate si livrate de catre Client.					

Parametrii de testare	Metoda de testare	Unitate de masura	Rezultat
# * Quantitative suspension test for the evaluation of bactericidal activity in medical area ¹⁾	EN 13727:2012+A2:2015	-	Test efectuat de catre subcontractor.; rezultatele se regasesc integral in raportul Nr D/23/B0419, primit de la subcontractor. Rezultatele analizelor sunt incluse in anexa nr 1 la raportul de analiza.

¹⁾ Modificare efectuata: se ataseaza raportul de incercare Nr D23/B0840, primit de la subcontractor, raport care include rezultatele incercarii solicitate.

Preluare date de catre: Mariana Ilinca, Sef Laborator Microbiologie Validat de: Mariana Ilinca, Sef Laborator Microbiologie


Autorizat de: Alina-Roxana Mihai, Manager General (Aprobat cu semnatura electronica)

Laborator: Bucuresti 041914, sos. Berceni nr.8

Responsabilitatea esantionarii/ prelevarii probelor apartine solicitantului. Rezultatele se refera numai la obiectul supus incercarii. Daca nu se specifica altfel, incertitudinea de masurare a fost estimata pentru coeficientul K= 2 si nivel de incredere 95%. Fara aprobarea scrisa a laboratorului acest raport de incercare nu poate fi reprodus decat integral. Responsabilitatea S.C. J.S. HAMILTON ROMANIA S.R.L. se refera exclusiv la rezultatele si declaratiile prezentate in raportul original. Opiniile si interpretarile continute in prezentul raport de incercare nu sunt acoperite de acreditarea RENAR, Pentru detalii suplimentare va rugam sa solicitati Certificatul de Acreditare la adresa de email bucharest@hamilton.com.pl

* Metoda de testare acreditata # Test efectuat de catre subcontractor

Pagina 1 / 1 ø Incercari neacreditate PGL 09 F 01 Ed. 1 Rev. 4





A) IDENTYFICATION OF THE SAMPLE						
Name of the product/Details about the product	Dezinfectant Universal "Bio-Dez".					
	Manufacturer(supplier): Ecochim-Grup					
	Condition of use: Instrument disinfection, surface					
	disinfection, Hygienic handrub, surgical handrub.					
Active(s) Substance(s) and its concentration(s)	Ethyl alcool 72-76%, CAS 64-17-5 and CE 200-578-0					
	Benzalkonium chloride 0.024-0.029%, CAS 68424-85-1 and					
	CE 270-325-2 Methylthionibium chloride 0.00024%, CAS					
	61-73-4 and 200-515-2.					
Concentration ordered for the assay	97%, 80%.					
B) TEST METHOD						
Performed in accredited subcontracted partner laboratory: Scope	EN 13727: 2012 + A2: 2015. Chemical disinfectants and					
of Accreditation Nr. 648/LE1286	antiseptics. Quantitative suspension test for the evaluation of					
Report No.: D/23/B0419- Quantitative evaluation assay of the	bactericidal activity of chemical disinfectants for instruments					
bactericidal activity in the medical area (phase 2, step 1), with	used in Medicine. Test method and requirements (phase 2,					
the product "Dezinfectant Universal "Bio-Dez"". (EN 13727:	step 1).					
2012 + A2: 2015 Standard)						
Testing method	EN 13727: 2012 + A2: 2015 Standard					
Methods of assay and its validation UNE-EN 13727: 2012 + A2						
Method	Dilution-neutralization.					
Neutralizer	Tryptone 5 g/L, yeast extract 2.5 g/L, dextrose 10 g/L,					
	sodium thioglycolate 1 g/L, sodium thiosulfate 1 g/L, sodium					
	bisulphite 2.5 g/L, soya lecithin 7 g/L, polysorbate-80 5 g/L,					
	glycine 1 g/L, l-histidine 1 g/L and saponin 30 g/L.					
C) INFORMATION ABOUT SAMPLE RECEPTION	2022/05/10					
Date of reception of the sample	2023/05/18.					
Date of reception of order with test conditions	2023/08/30.					
Aspect of the received product	Blue liquid in plastic container.					
D) EXPERIMENTAL CONDITIONS	T-0-0/40/44					
Assay period	2023/10/11 to 2023/10/15.					
Solvent of the product used in the assay	Sterile distilled water.					
Product concentrations for the assay	97%, 80%, 50% and 0.1%.					
Aspect of the dilutions of the product	97%, 80% and 50% blue liquid;					
	0.1% transparent liquid					
Contact time	60 seconds.					
Assay temperature	20°C ± 1°C					
Interfering substance	Bovine serum albumin 3 g/L + erythrocytes 3 mL/L.					
Stability of the mixture (interfering substance and product	97% flocs formation;					
diluted in sterile distilled water)	80%, 50% and 0.1% stable.					
Incubation temperature	$+36^{\circ}\text{C} \pm 1^{\circ}\text{C}$					
Identification of the strains used:	- Pseudomonas aeruginosa CECT-116 (ATCC-15442).					
	- Staphylococcus aureus CECT-239 (ATCC-6538).					
	- Enterococcus hirae CECT-4081 (ATCC-10541).					
	,					
	- <i>Escherichia coli</i> K12 (CECT 433 = NCTC 10538).					

The results relate to the analyzed samples only. The enclosore cannot be reproduced partially without a prior written consent of J.S. Hamilton Romania S.R.L. Responsibility of J.S. Hamilton Romania is restricted exclusively to the results and statements presented in original copy of the enclosore.

JS. HAMILTON ROMANIA S.R.L.

8 Berceni Street, 041902 Bucharest, Romania Tel.+40 21 634 10 81 bucharest@hamilton.com.pl, www.hamilton.com.pl

Enclosore no. 1 subcontracted tests

Laboratory: Bucharest 041914, 8 Berceni Street.

^{*}Test method accredited # Test performed by subcontractor. Ø Non accredited methods.



Results of the assay

Special remarks

- All controls and validation were between the basic limits.
- For a valid test, at least one concentration must show a log reduction lower than 5 log, and at least one concentration must show a log reduction equal or higher than 5 log.
- Flocs formation is observed during the test procedure at 97%.
- The client requests the complete test including the concentration of 80% as the maximum concentration. It also requests the modified method (97%) additionally.

Conclusion

The product Dezinfectant Universal "Bio-Dez", batch 34692/23/ROBCH, when it is pure (97%) (modified method) and 80%, concentrations requested by the client, shows bactericidal activity after 60 seconds at 20°C ± 1°C, under dirty conditions (bovine serum albumin 3 g/L and erythrocytes 3 mL/L), for the reference strains *Pseudomonas aeruginosa* (CECT 116 = ATCC 15442), *Staphylococcus aureus* (CECT 239 = ATCC 6538), *Enterococcus hirae* (CECT 4081 = ATCC 10541) and *Escherichia coli* K12 (CECT 433 = NCTC 10538), when tested according to EN 13727: 2012 + A2: 2015 Standard.

Note: The results obtained correspond to the sample received in the laboratory.

Laboratory: Bucharest 041914, 8 Berceni Street.

The results relate to the analyzed samples only. The enclosore cannot be reproduced partially without a prior written consent of J.S. Hamilton Romania S.R.L. Responsibility of J.S. Hamilton Romania is restricted exclusively to the results and statements presented in original copy of the enclosore.

*Test method accredited # Test performed by subcontractor. Ø Non accredited methods.

JS. HAMILTON ROMANIA S.R.L.

8 Berceni Street, 041902 Bucharest, Romania Tel.+40 21 634 10 81 bucharest@hamilton.com.pl, www.hamilton.com.pl

Enclosore no. 1 subcontracted tests



Results of the assay (Bactericidal suspension) with Pseudomonas aeruginosa (CECT 116 = ATCC 15442).

Seeding: Pour plates. No. of plates: 1 /mL.

Table 1.-Validation and controls

	Suspension of alidation (Nvo)		ez	Control perime ndition	ntal	100.00	ontrol o ralizat	of the ion (B)	Validation of the method (C) Sample concentration: 80%		
Vc1	44	X= 42	Vc1	36 X=35		Vc1 38 X=	Vc1	32	X= 33		
Vc2	40		Vc2	34		Vc2 37	37.5	Vc2	34		
$30 \le X \text{ of } Nv_0 \le 160?$ Yes		$X \text{ of } A \text{ is } \ge 0.5 X \text{ of}$ N_{10} ? Y es			$X \text{ of } B \text{ is } \ge 0.5 X \text{ of}$ Nv_0 ? Yes			Xof	C is ≥ 0. Nv ₀ ? Yes	5 X of	
Suspension of validation (NvB)		Vc1	: 40 V	′c2: 39	X = 39.5 $30 \le x \text{ of } Nv_B/1000 \le 160? \text{ Yes}$						

Table 2.-Suspension of the assay

	N	Vc1	Vc_2	$Xwm = 1.68 \times 10^8$, $\lg N = 8.22$
Suspension of assay (N and No)	10-6	164	171	$N_0 = N/10$; $\log N_0 = 7.22$
	10-7	18	16	$7.17 \le \lg N_0 \le 7.70$? Yes

Table 3.-Results of the activity assays with the sample

Concentrations of the sample (%)	Dilutions steps	Vc1	Vc ₂	Lg Na = 1g (X x 10 o Xwm x 10)	Lg R (Lg N ₀ =7.22)	Time of contact (sec)	
80%	Na ⁰	<14	<14	<2.15	>5.07	60	
8076	Na -1	<14	<14	~2.15	-5.07		
50%	Na ⁰	<14	<14	~2.15	>5.07	60	
30%	Na ⁻¹	<14	<14	<2.15	~5.07	60	
0.1%	Na ⁰	>330	>330	>4.52	<2.70	60	
0.176	Na ⁻¹	>330	>330	~4.32	~2.70	00	

Explanations:

Vc = number per mL (one or two plates); Xwm = weighted mean of X.

 $X = \text{mean of } Vc_1 \text{ and } Vc_2 \text{ (duplicate of } 1 + 2);$

Logarithmic reduction R: ($\lg R = \lg N_0 - \lg N_a$).

Laboratory: Bucharest 041914, 8 Berceni Street.

The results relate to the analyzed samples only. The enclosore cannot be reproduced partially without a prior written consent of J.S. Hamilton Romania S.R.L. Responsibility of J.S. Hamilton Romania is restricted exclusively to the results and statements presented in original copy of the enclosore.

JS. HAMILTON ROMANIA S.R.L.

8 Berceni Street, 041902 Bucharest, Romania

Tel.+40 21 634 10 81 bucharest@hamilton.com.pl, www.hamilton.com.pl

Enclosore no. 1 subcontracted tests

^{*}Test method accredited # Test performed by subcontractor. Ø Non accredited methods.



Results of the assay (Bactericidal suspension) with *Pseudomonas aeruginosa* (CECT 116 = ATCC 15442) following the modified method (97%).

Seeding: Pour plates. No. of plates: 1 /mL.

Table 4.-Validation and controls

Suspension of validation (Nvo)			ez	Control perime ndition	ntal		ontrol o tralizat	of the ion (B)	Validation of the method (C) Sample concentration: 97%		
Vc1	42	X= 41	Vcı	37	X= 36	Vc1	31	X= 32	Vcı	30	X= 31
Vc2	40		Vc2	35		Vc2	33		Vc2	32	
$30 \le X \text{ of } Nv_0 \le 160?$ Yes Suspension of validation (Nv_B)		X of	A is ≥ 0 Nv ₀ ? Yes	.5 X of	X of	B is ≥ 0 Nv_0 ? Yes		Xof	C is ≥ 0. Nv ₀ ? Yes	5 <i>X</i> of	
		Vc1	: 43 V	c ₂ : 45	30≤2	X=4 x of Nv x 160? Y	B/1000 ≤				

Table 5.-Suspension of the assay

	N	Vc_1	Vc2	$Xwm = 1.86 \times 10^9$, $\lg N = 9.27$
Suspension of assay (N and No)	10-7	189	183	$N_0 = N/100$; $\log N_0 = 7.27$
	10-8	20	18	7.17 ≤ lg N ₀ ≤ 7.70? Yes

Table 6.-Results of the activity assays with the sample

Concentrations of the sample (%)	Dilutions steps	Vc ₁	Vc2	$Lg Na = lg$ $(X \times 10 \text{ o}$ $Xwm \times 10)$	Lg R (Lg N ₀ =7.27)	Time of contact (sec)
97%	Na ⁰	<14	<14	~215	>5.10	60
	Na-1	<14	<14	<2.15	>5.12	60

Explanations:

Vc = number per mL (one or two plates); Xwm = weighted mean of X.

 $X = \text{mean of } Vc_1 \text{ and } Vc_2 \text{ (duplicate of } 1 + 2);$

Logarithmic reduction R: ($\lg R = \lg N_0 - \lg N_a$).

Laboratory: Bucharest 041914, 8 Berceni Street.

The results relate to the analyzed samples only. The enclosore cannot be reproduced partially without a prior written consent of J.S. Hamilton Romania S.R.L. Responsibility of J.S. Hamilton Romania is restricted exclusively to the results and statements presented in original copy of the enclosore.

*Test method accredited # Test performed by subcontractor. Ø Non accredited methods.

JS. HAMILTON ROMANIA S.R.L.

8 Berceni Street, 041902 Bucharest, Romania Tel.+40 21 634 10 81 bucharest@hamilton.com.pl, www.hamilton.com.pl

Enclosore no. 1 subcontracted tests



Results of the assay (Bactericidal suspension) with Staphylococcus aureus (CECT 239 = ATCC 6538).

Seeding: Pour plates. No. of plates: 1 /mL.

Table 7.-Validation and controls

	spensio idation		Control of experimental conditions (A)				ontrol o ralizat	of the ion (B)	Validation of the method (C) Sample concentration: 80%		
Vc1	48	X= 49	Vc1	47	X= 46	Vc_1	48	X= 46	Vc1	40	X= 42
V_{C2}	50		Vc2	45		Vc2 44		Vc2	44		
$30 \le X \text{ of } N_{10} \le 160?$ Yes		$X \text{ of } A \text{ is } \ge 0.5 X \text{ of}$ Nv_0 ? Yes			$X \text{ of } B \text{ is } \ge 0.5 X \text{ of}$ N_{0} ? Y es			X of C is $\geq 0.5 X$ of Nv_0 ? Yes			
Suspension of validation (Nv _B)		Vc1: 52 Vc2: 56				X=5 s of Nv 160? Y	g/1000 ≤				

Table 8.-Suspension of the assay

	N	Vc_1	Vc2	$Xwm = 1.84 \times 10^8$, $\lg N = 8.27$
Suspension of assay (N and No)	10-6	177	189	$N_0 = N/10$; $\log N_0 = 7.27$
	10-7	20	19	$7.17 \le \lg N_0 \le 7.70?$ Yes

Table 9.-Results of the activity assays with the sample

Concentrations of the sample (%)	Dilutions steps	Vc ₁	Vc2	Lg Na = lg (X x 10 o Xwm x 10)	Lg R (Lg N ₀ =7.27)	Time of contact (sec)	
80%	Na ⁰	<14	<14	c2.15	>5.10	60	
	Na ⁻¹	<14	<14	<2.15	>5.12	60	
500/	Na ⁰	<14	<14	215	25.40	60	
50%	Na-1	<14	<14	<2.15	>5.12	60	
0.1%	Na ⁰	>330	>330	~4.50	~2.75		
	Na-1	>330	>330	>4.52	<2.75	60	

Explanations:

Vc = number per mL (one or two plates); Xwm = weighted mean of X.

 $X = \text{mean of } V_{C1} \text{ and } V_{C2} \text{ (duplicate of } 1 + 2);$

Logarithmic reduction R: ($\lg R = \lg N_0 - \lg N_a$).

Laboratory: Bucharest 041914, 8 Berceni Street.

The results relate to the analyzed samples only. The enclosore cannot be reproduced partially without a prior written consent of J.S. Hamilton Romania S.R.L. Responsibility of J.S. Hamilton Romania is restricted exclusively to the results and statements presented in original copy of the enclosore.

JS. HAMILTON ROMANIA S.R.L.

8 Berceni Street, 041902 Bucharest, Romania

Tel.+40 21 634 10 81 bucharest@hamilton.com.pl, www.hamilton.com.pl

Enclosore no. 1 subcontracted tests

^{*}Test method accredited # Test performed by subcontractor. Ø Non accredited methods.



Results of the assay (Bactericidal suspension) with Staphylococcus aureus (CECT 239 = ATCC 6538) following the modified method (97%).

Seeding: Pour plates. No. of plates: 1 /mL.

Table 10.-Validation and controls

	spensio da <mark>ti</mark> on		Control of experimental conditions (A)			Control of the neutralization (B)			1	idation on nethod (e concen 97%	()
Vc_1	51	X= 52	Vc1	46	X = 48	Vc1	50	X= 52	Vc1	39	X= 40
Vc2	53	3	Vc2	Vc2 50 1		Vc2	54		Vc2	3	
30 ≤ <i>X</i>	of N _{V0} Yes	≤ 160?	Xof	A is ≥ 0 Nvo? Yes	.5 X of	Xof	B is ≥ (Nvo? Yes		X of C is ≥ 0.5. Nvo? Yes		5 X of
Suspension of validation (Nv _B)		Vc1	: 56 V	c ₂ : 58		X = 5 s of Nv_1 160? Y	$_{\rm B}/1000 \le$				

Table 11.-Suspension of the assay

	N	Vc1	Vc_2	$Xwm = 1.97 \times 10^9$, $\lg N = 9.29$
Suspension of assay (N and N_0)	10-7	190	201	$N_0 = N/100$; $\log N_0 = 7.29$
	10-8	22	20	7.17 ≤ lg N ₀ ≤ 7.70? Yes

Table 12.-Results of the activity assays with the sample

Concentrations of the sample (%)	Dilutions steps	Vc1	Vc2	$Lg Na = lg$ $(X \times 10 \text{ o}$ $Xwm \times 10)$	Lg R (Lg N ₀ =7.29)	Time of contact (sec)
070/	Na ⁰	<14	<14	-215	>E 14	60
97%	Na-1	<14	<14	<2.15	>5.14	60

Explanations:

Vc = number per mL (one or two plates); Xwm = weighted mean of X.

 $X = \text{mean of } Vc_1 \text{ and } Vc_2 \text{ (duplicate of } 1 + 2);$

Logarithmic reduction R: ($\lg R = \lg N_0 - \lg N_a$).

Laboratory: Bucharest 041914, 8 Berceni Street.

The results relate to the analyzed samples only. The enclosore cannot be reproduced partially without a prior written consent of J.S. Hamilton Romania S.R.L. Responsibility of J.S. Hamilton Romania is restricted exclusively to the results and statements presented in original copy of the enclosore.

*Test method accredited # Test performed by subcontractor. Ø Non accredited methods.

JS. HAMILTON ROMANIA S.R.L.

8 Berceni Street, 041902 Bucharest, Romania Tel.+40 21 634 10 81 bucharest@hamilton.com.pl, www.hamilton.com.pl

Enclosore no. 1 subcontracted tests



Results of the assay (Bactericidal suspension) with Enterococcus hirae (CECT 4081 = ATCC 10541).

Seeding: Pour plates. No. of plates: 1 /mL.

Table 13.-Validation and controls

	ispensio idation		Control of experimental conditions (A)				Control of the neutralization (B)		1	idation on nethod (e concen 80%	0
Vc1	47	X= 49	Vc1	40	X=	Vc1	47	X=	Vc1	45	X= 44
V_{C2}	51		Vc2	44	42	Vc2	42	44.5	Vc2	43	Ĩ
30 ≤ X	of Nv ₀ Yes	≤ 160?	X of	A is ≥ 0 Nv ₀ ? Yes).5 <i>X</i> of	Xof	B is ≥ 0 Nv_0 ? Yes	0.5 X of	$X \text{ of } C \text{ is } \ge 0.5 X$ Nv_0 ? Yes		5 X of
Suspension of validation (NvB)		Vc1	: 50 V	c₂: 52		X = 5 $x \text{ of } Nv_x$ x 160? Y	g/1000 ≤				

Table 14.-Suspension of the assay

	N	Vc1	Vc2	$Xwm = 1.88 \times 10^8$, $\lg N = 8.27$
Suspension of assay (N and No)	10-6	181	192	$N_0 = N/10$; $\lg N_0 = 7.27$
	10-7	20	21	7.17 ≤ lg N ₀ ≤ 7.70? Yes

Table 15.-Results of the activity assays with the sample

Concentrations of the sample (%)	Dilutions steps	Vc1	Vc2	Lg Na = 1g (X x 10 o Xwm x 10)	Lg R (Lg N ₀ =7.27)	Time of contact (sec)
80%	Na ⁰	<14	<14	<2.15	>5.12	60
8076	Na -1	<14	<14	~2.13	-5.12	0
50%	Na ⁰	<14	<14	<2.15	>5.12	60
30%	Na ⁻¹	<14	<14	~2.13	~5.12	00
0.1%	Na ⁰	>330	>330	>4.52	<2.75	60
0.1%	Na ⁻¹	>330	>330	~4.32	~2.73	60

Explanations:

Vc = number per mL (one or two plates); Xwm = weighted mean of X.

 $X = \text{mean of } Vc_1 \text{ and } Vc_2 \text{ (duplicate of } 1 + 2);$

Logarithmic reduction R: ($\lg R = \lg N_0 - \lg N_a$).

Laboratory: Bucharest 041914, 8 Berceni Street.

The results relate to the analyzed samples only. The enclosore cannot be reproduced partially without a prior written consent of J.S. Hamilton Romania S.R.L. Responsibility of J.S. Hamilton Romania is restricted exclusively to the results and statements presented in original copy of the enclosore.

JS. HAMILTON ROMANIA S.R.L.

8 Berceni Street, 041902 Bucharest, Romania Tel.+40 21 634 10 81 bucharest@hamilton.com.pl, www.hamilton.com.pl

Enclosore no. 1 subcontracted tests

^{*}Test method accredited # Test performed by subcontractor. Ø Non accredited methods.



Results of the assay (Bactericidal suspension) with Enterococcus hirae (CECT 4081 = ATCC 10541), following the modified method (97%).

Seeding: Pour plates. No. of plates: 1 /mL.

Table 16.-Validation and controls

	ispensio idation		ex	Control aperime andition	ntal		ontrol o tralizat	of the ion (B)	1	idation on nethod (e concen 97%	
Vc1	46	X= 47	Vc1	40	X= 42	Vc1	42	X= 44	Vc1	37	X= 36
Vc2	48	200 11 20	Vc2	44	- C-190	Vc2	46		Vc2	35	
30 ≤ X	of Nv ₀	≤ 160?	Xof	A is ≥ 0 Nw? Yes	.5 X of	Xof	B is ≥ 0 Nv_0 ? Yes		of X of C is ≥ 0.5 Nv_0 ? Yes		5 <i>X</i> of
Suspension of validation (NvB)		Vc	ı: 51 <i>V</i>	c ₂ : 53		X = 5 s of Nv_1 160? Y	B/1000 ≤				

Table 17.-Suspension of the assay

90 514 6040 205-U 913-UU	N	Vc1	Vc2	$Xwm = 1.84 \times 10^9$, $\lg N = 9.27$
Suspension of assay (N and No)	10-7	179	188	$N_0 = N/100$; $\log N_0 = 7.27$
	10-8	20	18	$7.17 \le \lg N_0 \le 7.70?$ Yes

Table 18.-Results of the activity assays with the sample

Concentrations of the sample (%)	Dilutions steps	Vc1	Vc2	$Lg Na = lg$ $(X \times 10 \text{ o}$ $Xwm \times 10)$	Lg R (Lg N ₀ =7.27)	Time of contact (sec)
070/	Na ⁰	<14	<14	215	>5.10	60
97%	Na-1	<14	<14	<2.15	>5.12	60

Explanations:

Vc = number per mL (one or two plates); Xwm = weighted mean of X.

 $X = \text{mean of } Vc_1 \text{ and } Vc_2 \text{ (duplicate of } 1 + 2);$

Logarithmic reduction R: ($\lg R = \lg N_0 - \lg N_a$).

Laboratory: Bucharest 041914, 8 Berceni Street.

The results relate to the analyzed samples only. The enclosore cannot be reproduced partially without a prior written consent of J.S. Hamilton Romania S.R.L. Responsibility of J.S. Hamilton Romania is restricted exclusively to the results and statements presented in original copy of the enclosore.

JS. HAMILTON ROMANIA S.R.L.

8 Berceni Street, 041902 Bucharest, Romania

Tel.+40 21 634 10 81 bucharest@hamilton.com.pl, www.hamilton.com.pl

Enclosore no. 1 subcontracted tests

^{*}Test method accredited # Test performed by subcontractor. Ø Non accredited methods.



Results of the assay (Bactericidal suspension) with Escherichia coli K12 (CECT 433 = NCTC 10538).

Seeding: Pour plates. No. of plates: 1 /mL.

Table 19.-Validation and controls

	ispensio idation		Control of experimental conditions (A)				Control of the neutralization (B)			idation on nethod (e concen 80%	SELECTION OF THE PERSON OF THE
Vc1	47	X= 46	Vc1	40	X=	Vc1	39	X= 38	Vc1	41	X= 42
Vc2	45		Vc2	39	39.5	Vc2	37		Vc2	43	
30 ≤ X	of N _{v0} Yes	≤ 160?	Xof	A is ≥ 0 Nvo? Yes).5 <i>X</i> of	X of	$B \text{ is } \ge 0$ N_{V_0} Yes		f $X \text{ of } C \text{ is } \ge 0.5$ Nv_0 ? Yes		5 <i>X</i> of
Suspension of validation (NvB)		Vcı	: 45 J	ć2: 41	11.00 000 11.00	X=4 of Nv. 160? Y	8/1000 ≤				

Table 20.-Suspension of the assay

	N	Vc1	Vc2	$Xwm = 1.72 \times 10^8$, $\lg N = 8.24$
Suspension of assay (N and No)	10-6	168	175	$N_0 = N/10$; $\log N_0 = 7.24$
	10-7	19	17	7.17 ≤ lg No ≤ 7.70? Yes

Table 21.-Results of the activity assays with the sample

Concentrations of the sample (%)	Dilutions steps	Vc ₁	Vc2	Lg Na = 1g (X x 10 o Xwm x 10)	Lg R (Lg N ₀ =7.24)	Time of contact (sec)
000/	Na ⁰	<14	<14	-0.15	> 5.00	60
80%	Na-1	<14	<14	<2.15	>5.09	00
500/	Na ⁰	<14	<14	-0.15	> 5.00	
50%	Na ⁻¹	<14	<14	<2.15	>5.09	60
0.10/	Na ⁰	>330	>330	5 4 50	co 70	
0.1%	Na -1	>330	>330	>4.52	<2.72	60

Explanations:

Vc = number per mL (one or two plates); Xwm = weighted mean of X.

 $X = \text{mean of } Vc_1 \text{ and } Vc_2 \text{ (duplicate of } 1 + 2);$

Logarithmic reduction R: ($\lg R = \lg N_0 - \lg N_a$).

Laboratory: Bucharest 041914, 8 Berceni Street.

The results relate to the analyzed samples only. The enclosore cannot be reproduced partially without a prior written consent of J.S. Hamilton Romania S.R.L. Responsibility of J.S. Hamilton Romania is restricted exclusively to the results and statements presented in original copy of the enclosore.

JS. HAMILTON ROMANIA S.R.L.

8 Berceni Street, 041902 Bucharest, Romania +40 21 634 10 81 bucharest@hamilton.com.pl. www.hamilton.com.pl.

Tel.+40 21 634 10 81 bucharest@hamilton.com.pl, www.hamilton.com.pl

Enclosore no. 1 subcontracted tests

^{*}Test method accredited # Test performed by subcontractor. Ø Non accredited methods.



Results of the assay (Bactericidal suspension) with Escherichia coli K12 (CECT 433 = NCTC 10538), following the modified method (97%).

Seeding: Pour plates. No. of plates: 1 /mL.

Table 22.-Validation and controls

Suspension of validation (Nvo)		Control of experimental conditions (A)			Control of the neutralization (B)			Validation of the method (C) Sample concentration: 97%			
Vc1	42	X=43	Vcı	36	X=	Vc1	33	X=	Vcı	37	X= 36
Vc2	44		Vc2	39	37.5	Vc2	36	34.5	Vc2	35	
$30 \le X \text{ of } Nv_0 \le 160$? $X \text{ of } A \text{ is } \ge 0.5 X \text{ of } Nv_0$? Yes Yes			$X \text{ of } B \text{ is } \ge 0.5 X \text{ of}$ N_{10} ? Yes			X of C is ≥ 0.5 X of Nv ₀ ? Yes					
Suspension of validation (NvB)		Va: 40 Va: 39			X = 39.5 $30 \le x \text{ of } Nv_B/1000 \le 160? \text{ Yes}$						

Table 23.-Suspension of the assay

	N	Vc_1	Vc2	$Xwm = 1.74 \times 10^9$, $\lg N = 9.24$
Suspension of assay (N and No)	10-7	180	165	$N_0 = N/100$; $\lg N_0 = 7.24$
	10-8	19	18	7.17 ≤ lg N₀ ≤ 7.70? Yes

Table 24.-Results of the activity assays with the sample

Concentrations of the sample (%)	Dilutions steps	Vc ₁	Vc2	$Lg Na = lg$ $(X \times 10 \text{ o}$ $Xwm \times 10)$	Lg R (Lg N ₀ =7.24)	Time of contact (sec)	
070/	Na ⁰	<14	<14	215	>5.00	60	
97%	Na ⁻¹	<14	<14	<2.15	>5.09	60	

Explanations:

Vc = number per mL (one or two plates); Xwm = weighted mean of X.

 $X = \text{mean of } Vc_1 \text{ and } Vc_2 \text{ (duplicate of } 1 + 2);$

Logarithmic reduction R: ($\lg R = \lg N_0 - \lg Na$).

Laboratory: Bucharest 041914, 8 Berceni Street.

The results relate to the analyzed samples only. The enclosore cannot be reproduced partially without a prior written consent of J.S. Hamilton Romania S.R.L. Responsibility of J.S. Hamilton Romania is restricted exclusively to the results and statements presented in original copy of the enclosore.

JS. HAMILTON ROMANIA S.R.L.

8 Berceni Street, 041902 Bucharest, Romania 21 634 10 81 bucharest@hamilton.com.pl. www.hamilton.com.pl

Tel.+40 21 634 10 81 bucharest@hamilton.com.pl, www.hamilton.com.pl

Enclosore no. 1 subcontracted tests

^{*}Test method accredited # Test performed by subcontractor. Ø Non accredited methods.

Instituto Valenciano de Microbiología



Masía El Romeral Ctra. Bétera – San Antonio de Benagéber, Km 0,3 46117 Bétera (Valencia) Tel. 96 169 17 02

e-mail: <u>ivami@ivami.com</u>

www.ivami.com CIF B-96337217



Test with the certificate of GLPs (Good Laboratory Practices) No. 2/23-C.VAL. General Directorate of Pharmacy and Medical Devices of the Health Department of the Valencian Region. Spain

Quantitative evaluation assay of the bactericidal activity in the medical area (phase 2, step 1), with the product "Dezinfectant Universal "Bio-Dez"" with deviations from the standard. (EN 13727: 2012 + A2: 2015 Standard)

R	Δ	n	Λ	rt	
N	c	IJ	v	Ιl	

Registration No.: D/23/B0840.

1. Laboratory identification Instituto Valenciano de Microbiología.

Romania.

3. Sample identification (information provided by the client)

• Product name Dezinfectant Universal "Bio-Dez".

• Store conditions Not indicated.

• Conditions of use Instrument disinfection, surface disinfection,

Hygienic handrub, surgical handrub.

• Active(s) Substance(s) and its

concentration (s) Ethyl alcool 72-76%, CAS 64-17-5 and CE

200-578-6, Benzalkonium chloride 0.024-0.029%, CAS: 68424-85-1 and CE 270-325-2 Methylthonibium chloride 0.00024%, CAS

61-73-4 and 200-515-2.

• Concentrations ordered for the assay Ready to use.

IVAMI is not responsible for client-supplied information. This information **is not covered by** the ENAC accreditation.

DESIN-1031-b //EN 13727: 2012 + A2: 2015 Version 8 (2019-10-02)

DESIN-1031.5-b//EN 13727:2012+A2:2015- Additional bacteria Version 3 (2023-03-02)

Page 1 of 6

4. Information about sample reception

• Date of reception of the sample 2023/05/18.

• Date of reception of order with test

conditions 2023/11/24.

Blue transparent liquid received in plastic • Aspect of the received sample.....

container.

5. Method of assay and its validation (EN 13727: 2012 + A2: 2015 Standard)

• Method used Dilution-neutralization.

10 g/L, sodium thioglycolate 1 g/L, sodium thiosulfate 1 g/L, sodium bisulphite 2.5 g/L, soya lecithin 7 g/L, polysorbate-80 5 g/L, glycine 1 g/L, 1-histidine 1 g/L and saponin 30 g/L.

6. Experimental conditions

• Assay period (including prior preparation 2023/12/13 to 2023/12/17. of the strains).....

Solvent of the product used in the assay ... Sterile distilled water. Product concentrations for the assay Pure (80%), 50% and 0.1%.

Pure (80%), and 50% bluish transparent liquid; Aspect of the dilutions of the product

0.1% transparent liquid.

Contact time 60 seconds.

 $20^{\circ}\text{C} \pm 1^{\circ}\text{C}$. Assay temperature

Bovine serum albumin 3 g/L + erythrocytes Interfering substance

3mL/L.

Stable.

Stability of the mixture (interfering substance and product diluted in sterile

distilled water)

Incubation temperature $+36^{\circ}\text{C} \pm 1^{\circ}\text{C}$.

Identification of the strains used:

- *Staphylococcus aureus* MRSA (ATCC 33592).
- Enterococcus faecium (ATCC 6057 = CECT 8108).

7. Results of the assay

Assay of validation See tables 1, 2, 4 and 5. Evaluation of bactericidal activity See tables 3 and 6.

Number of replicates per assay organism. 1.

DESIN-1031-b //EN 13727: 2012 + A2: 2015 Version 8 (2019-10-02)

DESIN-1031.5-b//EN 13727:2012+A2:2015- Additional bacteria Version 3 (2023-03-02)

Page 2 of 6

Instituto Valenciano de Microbiología Registration No.: D/23/B0840

8. Special remarks

- All controls and validation were between the basic limits.
- For a valid test, at least one concentration must show a log reduction lower than 5 log, and at least one concentration must show a log reduction equal or higher than 5 log.
- No precipitation was observed during the assay procedure (the mixtures were homogenous).
- The highest concentration that can be assayed in the test (80%) is due to the mixtures to perform the assay.

9. Conclusion

The product **Dezinfectant Universal "Bio-Dez"**, batch 34692/23/ROBCH, when it is pure (80%), concentration requested by the client, **shows bactericidal activity** after 60 seconds at $20^{\circ}\text{C} \pm 1^{\circ}\text{C}$, under dirty conditions (bovine serum albumin 3 g/L and erythrocytes 3mL/L), for the reference strains *Staphylococcus aureus* MRSA (ATCC 33592) and *Enterococcus faecium* (ATCC 6057 = CECT 8108), when tested according to **EN 13727: 2012** + **A2: 2015 Standard, with deviations from the standard due to not testing all mandatory microorganisms.**

With the results obtained with the product **Dezinfectant Universal "Bio-Dez"**, batch 34692/23/ROBCH, **it cannot be concluded** that the product has general bactericidal activity, but only that it has activity against *Staphylococcus aureus* MRSA and *Enterococcus faecium*.

Note: The results obtained correspond to the sample received in the laboratory.

Use of the ENAC mark: The ENAC "mark" can only be used by the holder of the accreditation. Its use in packaging, installations, shop windows, advertising or other documentation format other than that issued by the accredited entity (IVAMI) is not allowed.

Bétera (Valencia), January 4, 2024.

GARCIA DE LOMAS LATIN, JAIME (FIRMA)

Signed. Jaime García de Lomas. Responsible Technician (Investigator)

DESIN-1031-b //EN 13727: 2012 + A2: 2015 Version 8 (2019-10-02)
DESIN-1031.5-b//EN 13727:2012+A2:2015- Additional bacteria Version 3 (2023-03-02)

Page 3 of 6

Quality Assurance Review:

The assay development and the results obtained have been supervised by the Director of the study.

The Quality Assurance Director has inspected the development of the assay, proving that has been realized following the proper procedure and using the adequate media, materials, and reagents, following the Good Laboratory Practices (GLPs) as well and the final report contains the primary data obtained.

MONTOYA VIECO, ELENA (FIRMA)

Signed. Elena Montoya. Responsible for the Laboratory Area (Study Director)

TEMPRANO LOPEZ ANA - 47374856P

Signed. Encarnación Esteban. Technical Director (Quality Assurance Director) Signed by delegation by Ana Temprano

Reference

• EN 13727: 2012 + A2: 2015. Chemical disinfectants and antiseptics. Quantitative suspension test for the evaluation of bactericidal activity of chemical disinfectants for instruments used in Medicine. Test method and requirements (phase 2, step 1).

DESIN-1031-b //EN 13727: 2012 + A2: 2015 Version 8 (2019-10-02)
DESIN-1031.5-b//EN 13727:2012+A2:2015- Additional bacteria Version 3 (2023-03-02)

Page 4 of 6

Results of the assay (Bacterial suspension) with *Staphylococcus aureus* MRSA (ATCC 33592).

Method: Dilution-neutralization; Seeding: Pour plate; No. of plates: 1/mL.

Table 1.-Validation and controls

Suspension of validation (Nv ₀)		Control of experimental conditions (A)			Control of the neutralization (B)			Validation of the method (C) Sample concentration: Pure (80%)			
<i>Vc</i> ₁ 8	3 2	X = 87	Vc ₁	71	X = 77	Vc ₁	89	X =	Vc ₁	77	X =
V_{C2} 9	1		Vc_2	83		Vc_2	100	94.5	Vc_2	80	78.5
$30 \le X \text{ of } N$	$30 \le X \text{ of } Nv_0 \le 160?$		$X \text{ of } A \text{ is } \ge 0.5 X \text{ of }$		$X \text{ of } B \text{ is } \ge 0.5 X \text{ of }$		$X \text{ of } C \text{ is } \ge 0.5 X \text{ of }$		X of		
			Nv_0 ?		Nv_0 or $0.0005 Nv_B$?		Nv_0 ?				
Y	Yes			Yes		Yes		Yes			
Suspension of				X = 106		6					
validation (Nv_B)		<i>Vc</i> ₁ : 1	Vc ₁ : 100 Vc ₂ : 112		$30 \le X \text{ of } Nv_B/1000 \le$						
						1	60? Y	es			

Table 2.-Suspension of the assay

	N	Vc_1	Vc_2	$Xwm = 2.70 \times 10^8,$
Suspension of assay (N and N_0)	10 ⁻⁶	>330	>330	$\lg N = 8.43$
	10 -	/330	/330	$N_0 = N/10;$
				$lg N_0 = 7.43$
	10^{-7}	24	30	$7.17 \le \lg N_0 \le 7.70$?
				Yes

Table 3.-Results of the activity assays with the sample

Concentrations of the sample (%)	Dilutions steps	Vc ₁	Vc2	$Lg Na = lg$ $(X \times 10 \text{ o}$ $Xwm \times 10)$	$Lg \mathbf{R}$ (Lg N_0 =7.43)	Time of contact (sec)
Pure (80%)	Na ⁰	<14	<14	<2.15	>5.28	60
1 410 (6070)	Na -1	<14	<14	<2.13	> 5.20	
50%	Na ⁰	<14	<14	<2 15	>5.20	60
3070	Na -1	<14	<14	~2.13	/3.20	00
0.1 %	Na ⁰	>330	>330	>4.52	<2.01	60
0.1 %	Na -1	>330	>330	- <2.15		60

Explanations:

Vc = number per mL (one or two plates); Xwm = weighted mean of X.

 $X = \text{mean of } Vc_1 \text{ and } Vc_2 \text{ (duplicate of } 1 + 2);$

Logarithmic reduction R: ($\lg R = \lg N_0 - \lg Na$).

DESIN-1031-b //EN 13727: 2012 + A2: 2015 Version 8 (2019-10-02)
DESIN-1031.5-b//EN 13727:2012+A2:2015- Additional bacteria Version 3 (2023-03-02)

Page 5 of 6

Results of the assay (Bacterial suspension) with Enterococcus faecium (ATCC 6057 = CECT 8108).

Method: Dilution-neutralization; Seeding: Pour plate; No. of plates: 1/mL.

Table 4.-Validation and controls

Suspension of validation (Nv ₀)		Control of experimental conditions (A)			Control of the neutralization (B)			Validation of the method (C) Sample concentration: Pure (80%)			
Vc_1	58	X = 60	Vc ₁	57	<i>X</i> =	Vc_1	54	<i>X</i> = 58	Vc ₁	50	X =
V_{C2}	62		Vc_2	56	56.5	Vc_2	62		Vc_2	57	53.5
$30 \le X$	$30 \le X \text{ of } Nv_0 \le 160?$		$X \text{ of } A \text{ is } \ge 0.5 X \text{ of}$			$X \text{ of } B \text{ is } \ge 0.5 X \text{ of }$		$X \text{ of } C \text{ is } \ge 0.5 X \text{ of }$		SX of	
			Nv_0 ?			Nv_0 or $0.0005 Nv_B$?		Nv_0 ?			
	Yes Yes				Yes		Yes				
Su	Suspension of						X = 66				
vali	validation (Nv_B)		Vc1: 68 Vc2: 64		$30 \le X \text{ of } Nv_B/1000 \le$						
						1	160? Yes				

Table 5.-Suspension of the assay

	N	Vc ₁	Vc_2	$Xwm = 2.45 \times 10^8,$
Suspension of assay (N and N_0)	10-6	>330	>330	$\lg N = 8.39$
	10 '	/330	/330	$N_0 = N/10;$
				$\log N_0 = 7.39$
	10^{-7}	26	23	$7.17 \le \lg N_0 \le 7.70$?
				Yes

Table 6.-Results of the activity assays with the sample

Concentrations	Dilutions			Lg Na = lg	Lg R	Time of	
of the sample	steps	Vc_1	Vc_2	(X x 10 o	$(\text{Lg }N_0=7.39)$	contact	
(%)				Xwm x 10)		(sec)	
Duma (900/)	Na ⁰	<14	<14	<2.15 >5.24		60	
Pure (80%)	Na -1	<14	<14	<2.13	/3.24	60	
50%	Na ⁰	<14	<14	<2.15	>5.24	60	
3076	Na -1	<14	<14	~2.13	/3.24	00	
0.1 %	Na ⁰	>330	>330	>4.52	<2.87	60	
0.1 70	Na -1	>330	>330	<i>></i> 4.32	<2.87	60	

Explanations:

Vc = number per mL (one or two plates); Xwm = weighted mean of X.

 $X = \text{mean of } Vc_1 \text{ and } Vc_2 \text{ (duplicate of } 1 + 2);$

Logarithmic reduction R: ($\lg R = \lg N_0 - \lg Na$

DESIN-1031-b //EN 13727: 2012 + A2: 2015 Version 8 (2019-10-02)

DESIN-1031.5-b//EN 13727:2012+A2:2015- Additional bacteria Version 3 (2023-03-02)

Page 6 of 6



REPORT OF ANALYSIS No. 60362/23/ROBCH

Client		Sample number:
ECOCHIM-GRUP SRL		60362/23/ROBCH
OR. UNGHENI, STR. NAȚIONA	ALĂ 119	Sample description (according to declaration of Client)
- REPUBLICA MOLDOVA		Dezinfectant Universal "Bio-Dez"
		Lot: -
		Data fabricatiei: 05.08.2023
		Data expirare: 05.08.2026
		Data receptiei probei: 23.08.2023
		Cantitate prelevata:500 ml
		Responsabil prelevare: Cristinov Alexandr
		Ora receptiei probei: 12:30
		Temperatura receptie proba: 17°C
Sample received:	24.08.2023	Sample condition with no objections
Tests performed:	30.08.2023	
Tests completed:	30.10.2023	Order of 24.08.2023
Report dated:	30.10.2023	Sampling and delivery were carried out by client.

Test	Method	Unit	Result
# * Chemical disinfectants and antiseptics. Quantitative suspension test for the evaluation of virucidal activity in the medical area	UNE-EN 14476:2014 + A2:2019	ı	Test method performed by the subcontractor; the results are taken in full from the test report No D/23/ V0259, issued by the subcontractor. The results of the analysis are listed starting with enclosure No1 to report of analysis.

Test responsible: Mariana Ilinca, Manager of Microbiological Laboratory Validated by: Mariana Ilinca, Manager of Microbiological Laboratory

Authorized by: Alina-Roxana Mihai, General Manager (Approved with qualified electronic signature)

Laboratory: Bucuresti 041914, sos. Berceni nr.8

Responsabilitatea esantionarii/ prelevarii probelor apartine solicitantului. Rezultatele se refera numai la obiectul supus incercarii. Daca nu se specifica altfel, incertitudinea de masurare a fost estimata pentru coeficientul K= 2 si nivel de incredere 95%. Fara aprobarea scrisa a laboratorului acest raport de incercare nu poate fi reprodus decat integral. Responsabilitatea S.C. J.S. HAMILTON ROMANIA S.R.L. se refera exclusiv la rezultatele si declaratiile prezentate in raportul original. Opiniile si interpretarile continute in prezentul raport de incercare nu sunt acoperite de acreditarea RENAR, Pentru detalii suplimentare va rugam sa solicitati Certificatul de Acreditare la adresa de email bucharest@hamilton.com.pl

st Test method accredited # Test performed by external provider

ø Non accredited methods PgL 09 F 01 Ed. 1 Rev. 3





A) IDENTYFICATION OF THE SAMPLE	ALL ORI OF MARLING WOOLED/RODON
Name of the product/Details about the product	DEZINFECTANT UNIVERSAL "BIO-DEZ"
Traine of the product Details about the product	
	Manufacturer(supplier): Ecochim-Grup Condition of use: Instrument disinfection, surface
Asking(a) Collector and (a) and the control (b)	disinfection, hygienic handrub.
Active(s) Substance(s) and its concentration(s)	Ethyl alcool 72-76%, CAS 64-17-5 and CE 200-578-6,
	Benzalkonium chloride 0.024-0.029%, CAS 68424-85-1 and
	CE 270-325-2, Methylthionibium chloride 0.00024%, CAS
	61-73-4 and 200-515-2.
Concentration ordered for the assay	80
B) TEST METHOD	EN 1447(2012 A2 2010 Ct 1 1 Cl : 1
Performed in accredited subcontracted partner laboratory: Scope	EN 14476: 2013 + A2: 2019 Standard. Chemical
of Accreditation Nr. 648/LE1286	disinfectants and antiseptics. Quantitative suspension test for
Report D/23/V0259. Quantitative suspension test for the	the evaluation of virucidal activity in the medical area. Test
evaluation of virucidal activity in the medical area (phase 2, step	method and requirements (phase 2/step1).
1), against Poliovirus type 1, Adenovirus type 5 and Murine	
Norovirus with the product "Dezinfectant Universal "Bio-Dez"	
(EN 14476: 2013 + A2: 2019 Standard)	D 1 DECRI 1050 (EN 1445) 2010 - 12 2010
Testing method	Procedure DESIN-1078 (EN 14476: 2013 + A2: 2019
C) INFORMATION ABOUT CAMPLE RECEPTION	Standard).
C) INFORMATION ABOUT SAMPLE RECEPTION	1 2022/00/20
Date of reception of the sample	2023/08/30
Date of reception of order with test conditions	2023/09/04.
Aspect of the received product	Blue transparent liquid in plastic container with identification
D) EMBERTALINA (COMPANION)	label.
D) EXPERIMENTAL CONDITIONS	2022/00/07 - 2022/00/21
Assay period	2023/09/06 to 2023/09/21.
Assay temperature	37°C ± 1°C
Titration method	TCID50
	(Tissue Culture Infective Dose 50%).
Product concentrations for the assay	80%, 50% and 0.1%
Contact time	60 seconds
Contact temperature	$20^{\circ}\text{C} \pm 1^{\circ}\text{C}$
Procedure to stop product cytotoxicity	Molecular sieving (< 4 columns).
Procedure to stop product activity	Cooling with ice
Solvent of the product used in the assay	Sterile distilled water
Aspect of the dilutions of the product	Transparent
Stability of the mixture (interfering substance and product	
diluted in sterile hard water/distilled water)	Stable
Interfering substance	Dirty conditions in the presence of bovine serum albumin 3
	g/L and erythrocytes 3 mL/L.
Identification of the origin of viral stains and number of passes	Poliovirus type 1 (ATCC VR-192)
	aliquot: 2023/03/23 passage 2.
	Adenovirus type 5 (ATCC VR-5)
	aliquot: 2022/06/10 passage 2.
	Murine Norovirus (strain S99 Berlin)
	aliquot: 2022/06/22 passage 2.
Cell lines (name, origin, number of passes)	Vero, ref: FTVE, working aliquot 4, passages 18 21, 22 and
	25.
	Raw 264.7, Public Health England, working aliquot 4,
	passages 18, 21 and 25

Laboratory: Bucharest 041914, 8 Berceni Street.

The results relate to the analyzed samples only. The enclosore cannot be reproduced partially without a prior written consent of J.S. Hamilton Romania S.R.L. Responsibility of J.S. Hamilton Romania is restricted exclusively to the results and statements presented in original copy of the enclosore.

JS. HAMILTON ROMANIA S.R.L.

8 Berceni Street, 041902 Bucharest, Romania Tel.+40 21 634 10 81 bucharest@hamilton.com.pl, www.hamilton.com.pl

Enclosore no. 1 subcontracted tests

PGL 09 F 04 Ed. 1 Rev. 0

Page 1 of 13

^{*}Test method accredited # Test performed by subcontractor. Ø Non accredited methods.



Validation of assay results

Poliovirus type 1 (ATCC VR-192)

Titre of the viral suspension for the virus control (at the requested test time) - Dirty conditions Cytotoxicity level (80%)	log 10 ^{-7.50} log 10 ^{-0.50}
Maximum level of virus inactivation detectable (difference between the titre suspension and the cytotoxicity level): - Dirty conditions	
Adenovirus type 5 (ATCC VR-5)	
Titre of the viral suspension for the virus control (at the requested test time) - Dirty conditions	log 10 ^{-6.82} log 10 ^{-0.50}
Maximum level of virus inactivation detectable (difference between the titre suspension and the cytotoxicity level): - Dirty conditions	
Murine Norovirus (strain S99 Berlin)	
Titre of the viral suspension for the virus control (at the requested test time) - Dirty conditions Cytotoxicity level (80%) Maximum level of virus inactivation detectable (difference between the titre suspension and the cytotoxicity level): - Dirty conditions	log 10 ^{-0.50} e of the viral
Reference test (formaldehyde 1.4%)	
Cytotoxicity level of formaldehyde 0.7%	log 10 ^{-0.50}
Viral quantification in the reference test (formaldehyde) after 60 minutes and we Poliovirus type 1 Viral quantification in the reference test (formaldehyde) after 60 minutes and we Adenovirus type 5 Viral quantification in the reference test (formaldehyde) after 60 minutes and we Murine Norovirus.	log 10 ^{-3.08} rith log 10 ^{-2.75} rith

Laboratory: Bucharest 041914, 8 Berceni Street.

The results relate to the analyzed samples only. The enclosore cannot be reproduced partially without a prior written consent of J.S. Hamilton Romania S.R.L. Responsibility of J.S. Hamilton Romania is restricted exclusively to the results and statements presented in original copy of the enclosore. *Test method accredited # Test performed by subcontractor. Ø Non accredited methods.

JS. HAMILTON ROMANIA S.R.L.

8 Berceni Street, 041902 Bucharest, Romania Tel.+40 21 634 10 81 bucharest@hamilton.com.pl, www.hamilton.com.pl

Enclosore no. 1 subcontracted tests



ENCLOSORE NO. 1 SUBCONTRACTED TESTS TO REPORT OF ANALYSIS NO 60362/23/ROBCH Confidence interval

test t	
į.	- Dirty conditions 1og 10 ^{-7.50 ± 0.37}
	of virus with 95% confidence interval with Adenovirus type 5 (at the
reque	ested test time) - Dirty conditions
	of virus with 95% confidence interval with Murine Norovirus (at the
reque	ested test time) Dirty conditions log 10 ^{-832 ± 0.42}
	action with the confidence interval of 95%
Se	nsitivity of cells to virus
=	Viral quantification of Poliovirus type 1 with cells not treated by the test solution with the test sample
=	Viral quantification of Poliovirus type 1 with cells treated by the test solution with the test sample
=	Viral quantification of Adenovirus type 5 with cells not treated by the test solution with the test sample
-	Viral quantification of Adenovirus type 5 with cells treated by the test solution with the test sample
=	Viral quantification of Murine Norovirus with cells not treated by the test solution with
	the test sample
	Note: only can be used to determine the infectivity of cells, those dilutions which: a show a low degree of cellular destruction ($< 25\%$ of cell monolayer) and b) produce reduction of the title of the virus $< 1 \log_{10}$.
Co	ontrol of the effectivity of the disinfectant suppression activity
÷	Viral quantification of Poliovirus type 1 after 30 minutes on bath ice without exposing the virus to the test sample
-	Viral quantification of Poliovirus type 1 exposing the virus to the test sample and incubated 30 minutes on ice bath log 10 ^{-6.90}
-	Viral quantification of Adenovirus type 5 after 30 minutes on bath ice without exposing

Laboratory: Bucharest 041914, 8 Berceni Street.

The results relate to the analyzed samples only. The enclosore cannot be reproduced partially without a prior written consent of J.S. Hamilton Romania S.R.L. Responsibility of J.S. Hamilton Romania is restricted exclusively to the results and statements presented in original copy of the enclosore.

*Test method accredited # Test performed by subcontractor. Ø Non accredited methods.

JS. HAMILTON ROMANIA S.R.L.

8 Berceni Street, 041902 Bucharest, Romania Tel.+40 21 634 10 81 bucharest@hamilton.com.pl, www.hamilton.com.pl

Enclosore no. 1 subcontracted tests



Note: The difference between decimal logarithm of titre without exposing the virus to the sample and of the test suspension should be ≤ 0.5 .

Special remarks

- All controls and validation were between the basic limits.
- To be accepted the assay, at least one concentration of the product must show a log reduction equal or higher than 4 log, and at least one concentration must show a log reduction lower than 4 log.

9. Assay results

9.1 Description of the results under the requested test conditions

Virus of assay	Test concentrations, reduction obtained with the confidence interval of 95 % and virucidal activity							
	80%	50%	0.1%					
Poliovirus	≥ 7.00 ± 0.37 TCID ₅₀	2.84 ± 0.56 TCID ₅₀	0.01 ± 0.49 TCID ₅₀					
type 1	Shows	Does not show	Does not show					
Adenovirus type 5	≥ 6.32 ± 0.41 TCID ₅₀	5.07 ± 0.48 TCID ₅₀	0.07 ± 0.48 TCID ₅₀					
	Shows	Shows	Does not show					
Murine Norovirus	≥ 7.82 ± 0.42 TCID ₅₀	5.58 ± 0.56 TCID ₅₀	0.08 ± 0.54 TCID ₅₀					
	Shows	Shows	Does not show					

Virucidal activity exists when the titre of virus shows a reduction \geq 4 log. TCID₅₀: Tissue Culture Infectious Dose 50%.

9.2 Tables of results and graphics

See tables 1 to 6 and figures 1 to 3.

Laboratory: Bucharest 041914, 8 Berceni Street.

The results relate to the analyzed samples only. The enclosore cannot be reproduced partially without a prior written consent of J.S. Hamilton Romania S.R.L. Responsibility of J.S. Hamilton Romania is restricted exclusively to the results and statements presented in original copy of the enclosore.

*Test method accredited # Test performed by subcontractor. \varnothing Non accredited methods.

JS. HAMILTON ROMANIA S.R.L.

8 Berceni Street, 041902 Bucharest, Romania Tel.+40 21 634 10 81 bucharest@hamilton.com.pl, www.hamilton.com.pl

Enclosore no. 1 subcontracted tests



Conclusion

The product "Dezinfectant Universal "Bio-Dez", batch 60362/23/ROBCH, at 80% concentration, under dirty conditions (bovine serum albumin 3 g/L and erythrocytes 3 mL/L), requested by the client and during 60 seconds of contact time and 20°C of temperature, shows activity against Poliovirus type 1, Adenovirus type 5 and Murine Norovirus, when the activity is assayed according with the EN 14476: 2013 + A2: 2019 Standard.

Therefore, the disinfectant tested shows general virucidal activity at 80% concentration, when the activity is assayed according with the EN 14476: 2013 + A2: 2019 Standard.

Note 1: The results obtained correspond to the sample received in this laboratory.

Note 2: The information that depend on the information received from the client and are not facilitated by the same one, shown as "not indicated".

Laboratory: Bucharest 041914, 8 Berceni Street.

The results relate to the analyzed samples only. The enclosore cannot be reproduced partially without a prior written consent of J.S. Hamilton Romania S.R.L. Responsibility of J.S. Hamilton Romania is restricted exclusively to the results and statements presented in original copy of the enclosore.

*Test method accredited # Test performed by subcontractor. Ø Non accredited methods.

JS. HAMILTON ROMANIA S.R.L.

8 Berceni Street, 041902 Bucharest, Romania Tel.+40 21 634 10 81 bucharest@hamilton.com.pl, www.hamilton.com.pl

Enclosore no. 1 subcontracted tests

PGL 09 F 04 Ed. 1 Rev. 0

Page 5 of 13



Table 1. Results of activity of the test sample with Poliovirus type 1 (ATCC VR-192) under test conditions requested by the client.

Assay	Assay Concentration		Cytoto- xicity		log ₁₀	Reduction with the confidence interval of		
			level -	0 min	60 sec	30 min	60 min	95 %
	80%	- 3 g/L BSA +	0.50		0.50	1.71	170	\geq 7.00 \pm 0.37
Test sample 50%	50%	3 mL/L erythrocytes	0.50	20	4.66	-	120	2.84 ± 0.56
	0.1%	- eryumocytes	0.50		7.49			0.01 ± 0.49
Virus control	NA	3 g/L BSA + 3 mL/L erythrocytes	NA	7.58	7.50	-	141	NA
Formaldehyde	0.7% (w:v)	NA	0.50	NR	NR	4.99	3.08	NA
Virus control formaldehyde	0.7% (w:v)	NA	NA	7.58	NR	NR	7.32	NA

NA: not applicable; NR: not realized.

Times recommended by Standard for surfaces: maximum 5 or 60 minutes. Times recommended by Standard for instruments: maximum 60 minutes.

Times recommended by Standard for Hygienic treatment of hands by friction and hygienic

handwashing: between 30 or 120 seconds.

PBS: phosphate buffered saline; BSA: bovine serum albumin.

Virucidal activity exists when the titre of virus shows a reduction ≥ 4 log.

Laboratory: Bucharest 041914, 8 Berceni Street.

The results relate to the analyzed samples only. The enclosore cannot be reproduced partially without a prior written consent of J.S. Hamilton Romania S.R.L. Responsibility of J.S. Hamilton Romania is restricted exclusively to the results and statements presented in original copy of the enclosore.

*Test method accredited # Test performed by subcontractor. \varnothing Non accredited methods.

JS. HAMILTON ROMANIA S.R.L.

8 Berceni Street, 041902 Bucharest, Romania Tel.+40 21 634 10 81 bucharest@hamilton.com.pl, www.hamilton.com.pl

Enclosore no. 1 subcontracted tests

Page 6 of 13



Table 2. Results of the activity of the test sample, with Poliovirus type 1 (ATCC VR-192) (Assay of titration with 12 wells), under test conditions requested by the client.

Assav	Concen-	Interfering	Time of				Dilu	tions (logl0) ^{a,l}	>			
	tration	substance	(sec/min)	1	2	3	4	5	6	7	8	9	10
	80%	·	60 sec	0000 0000 0000	0000 0000	0000 0000	0000 0000	0000 0000	0000 0000 0000	0000 0000	NR	NR	NR
Test sample	50%	3 g/L BSA + 3 mL/L erythrocytes	60 sec	4444 4444 4444	4444 4444 4444	4444 4444 4444	3240 0403 4432	0002 3010 0020	0200 0000 0000	0000	NR	NR	NR
	0.1%	-,,	60 sec	4444 4444 4444	4444 4444 4444	4444 4444 4444	4444 4444 4444	4444 4444 4444	4444 4444 4444	3241 0344 3032	0000 0200 0001	0000	NR
Cytotoxicity	80%	3 g/L BSA + 3 mL/L erythrocytes	NA	0000 0000 0000	0000 0000	0000 0000 0000	0000 0000 0000	0000 0000	0000 0000 0000	0000 0000 0000	NR	NR	NR
Vinus control	Virus control NA + 3 mL/L		0	4444 4444 4444	4444 4444 4444	4444 4444 4444	4444 4444 4444	4444 4444 4444	4444 4444 4444	3244 3021 3044	0000 0220 0003	0000 0000	NR
v nus condoi		erythrocytes	60 sec	4444 4444 4444	4444 4444 4444	4444 4444 4444	4444 4444 4444	4444 4444 4444	4444 4444 4444	3204 4310 0233	0010 0000 2020	0000 0000	NR
Formal-	0.7%	NA	30 min	4444 4444 4444	4444 4444 4444	4444 4444 4444	4444 4444 4444	0030 2004 4030	0000 0020 0000	0000 0000	NR	NR	NR
dehyde	(w:v)	1111	60 min	4444 4444 4444	4444 4444 4444	0302 2304 0002	0000 0000 0100	0000 0000	0000 0000	0000 0000	NR	NR	NR
Control of formaldehyde cytotoxicity	0.7% (w:v)	3 g/L BSA + 3 mL/L erythrocytes	NA	0000 0000 0000	0000 0000 0000	0000 0000	0000 0000 0000	0000 0000 0000	0000 0000 0000	0000 0000 0000	NR	NR	NR
Virus control	0.7%		0	4444 4444 4444	4444 4444 4444	4444 4444 4444	4444 4444 4444	4444 4444 4444	4444 4444 4444	0321 0044 4342	1000 2000 3020	0000 0000	0000 0000
dehyde	(w:v)	NA	60 min	4444 4444 4444	4444 4444 4444	4444 4444 4444	4444 4444 4444	4444 4444 4444	4444 4444 4444	0321 0404 4303	0000 2000 0020	0000 0000	0000 0000
Sensitivity control of	NA	NA	Cells not treated	0000	CCCC CCCC	0000 0000	cccc	CCCC	0000	CCCC CCCC	0CCC 0CC0 C0CC	0000 0000	NR
cells to virus		Cells treated	0000 0000	CCCC CCCC	0000 0000	0000 0000	CCCC	0000 0000	0000 0000	C0CC 0C00	0000 0000 C000	NR	
Effectiveness control of the disinfectant	NA	3 g/L BSA + 3 mL/L	Without sample	CCCC	CCCC CCCC	0000	CCCC	CCCC CCCC	CCCC	0000 0000	000C 0000	0000 0000	NR
suppression activity		erythrocytes	With sample	cccc	cccc	0000	0000 0000	cccc	CCCC	0CCC 0C0C	0000 0000	0000 0000	NR

 a): 1 to 4, virus present and grade of cytopathic effect in 12 units of cellular culture, or grade of cellular lesions in the cytotoxicity assay.

C = cytopathic effect with presence of virus (in this case and according to Standard does not take into account the degree of cytopathic effect only, the presence or absence of the same).

0 = no virus present or absence of cellular lesions in the cytotoxicity assay; NA: not applicable; NR: not realized; BSA: Bovine serum albumin; PBS: phosphate buffered saline, sec: seconds; min: minutes;

Laboratory: Bucharest 041914, 8 Berceni Street.

The results relate to the analyzed samples only. The enclosore cannot be reproduced partially without a prior written consent of J.S. Hamilton Romania S.R.L. Responsibility of J.S. Hamilton Romania is restricted exclusively to the results and statements presented in original copy of the enclosore.

JS. HAMILTON ROMANIA S.R.L.

8 Berceni Street, 041902 Bucharest, Romania Tel.+40 21 634 10 81 bucharest@hamilton.com.pl, www.hamilton.com.pl

Enclosore no. 1 subcontracted tests

^{*}Test method accredited # Test performed by subcontractor. Ø Non accredited methods.



Table 3. Results of activity of the test sample with Adenovirus type 5 (ATCC VR-5), under test conditions requested by the client.

Assay	Concen- tration	Interfering substance	Cytoto- xicity level	0 min		TCID ₅₀ ter 30 min	60 Min	Reduction with the confidence interval of 95 %
	80%		0.50	-	0.50	-	-	≥ 6.32 ± 0.41
Test sample	50%	3 g/L BSA + 3 mL/L	0.50	-	1.75	-	-	5.07 ± 0.48
	0.1%	erythrocytes	0.50	-	6.75	-	-	0.07 ± 0.48
Virus control	NA	3 g/L BSA + 3 mL/L erythrocytes	NA	6.91	6.82	-	-	NA
Formaldehyde	0.7% (w:v)	NA	0.50	NR	NR	3.49	2.75	NA
Virus control formaldehyde	0.7% (w:v)	NA	NA	7.16	NR	NR	6.98	NA

NA: not applicable; NR: not realized.

Times recommended by Standard for surfaces: maximum 5 or 60 minutes.

Times recommended by Standard for instruments: maximum 60 minutes.

Times recommended by Standard for Hygienic treatment of hands by friction and hygienic

handwashing: between 30 or 120 seconds.

PBS: phosphate buffered saline; BSA: bovine serum albumin.

Virucidal activity exists when the titre of virus shows a reduction ≥ 4 log.

Laboratory: Bucharest 041914, 8 Berceni Street.

The results relate to the analyzed samples only. The enclosore cannot be reproduced partially without a prior written consent of J.S. Hamilton Romania S.R.L. Responsibility of J.S. Hamilton Romania is restricted exclusively to the results and statements presented in original copy of the enclosore.

*Test method accredited # Test performed by subcontractor. Ø Non accredited methods.

JS. HAMILTON ROMANIA S.R.L.

8 Berceni Street, 041902 Bucharest, Romania Tel.+40 21 634 10 81 bucharest@hamilton.com.pl, www.hamilton.com.pl

Enclosore no. 1 subcontracted tests

aa 9 af 12

PGL 09 F 04 Ed. 1 Rev. 0

Date: 27.10.2023

Authorized by: Mariana Ilinca, Manager of Microbiological laboratory

Aprobat de: Mihai Alina-Roxana, General manager (Approved with qualified electronic signature)



Table 4. Results of the activity of the test sample, with Adenovirus type 5 (ATCC VR-5)

(Assay of titration with 12 wells), under test conditions requested by the client.

(Assa	y or utrat	ion with 12 v		uer tes	t conc	iiuons .							
Δ	Concen-	Interfering	Time of				Dilu	itions (log10) ^{a,}				
Assay	tration	substance	(sec/min)	1	2	3	4	5	6	7	8	9	10
		-	(secunn)	0000	0000	0000	0000	0000	0000	0000	0	-	10
	80%		60 sec	0000	0000	0000	0000	0000	0000	0000	NR	NR.	NR
			00000	0000	0000	0000	0000	0000	0000	0000			
_		3 g/L BSA		4433	0010	0000	0000	0000	0000	0000			
Test sample	50%	+ 3 mL/L	60 sec	2113	3002	0000	0000	0000	0000	0000	NR.	NR.	NR.
		erythrocytes		4444	0000 4444	0000 4444	0000 4444	0000 4444	0000 4433	0000	0000		
	0.1%		60 sec	4444	4444	4444	4444	4444	1234	1000	0000	NR.	NR
	0.170		00 300	4444	4444	4444	4444	4444	4433	2000	0000		
		3 g/L BSA		0000	0000	0000	0000	0000	0000	0000			
Cytotoxicity	80%	+ 3 mL/L	NA	0000	0000	0000	0000	0000	0000	0000	NR.	NR.	NR.
		erythrocytes		0000	0000	0000	0000	0000	0000	0000			
				4444	4444	4444	4444	4444	3244	2004	0100		
		3 g/L BSA	0	4444	4444	4444	4444	4444	4302	0423	0000	NR.	NR.
Virus control	NA	+ 3 mL/L		4444 4444	4444	4444 4444	4444 4444	4444 4444	3042	0001	0000		
		erythrocytes	60 sec	4444	4444	4444	4444	4444	3201 4443	0102	0000	NR.	NR
			OU SEC	4444	4444	4444	4444	4444	3440	0200	0001		
				4444	4444	3402	0001	0000	0000	0000			
	Formal- 0.7% NA	30 min	4444	4444	0303	2000	0000	0000	0000	NR.	NR.	NR.	
		NA		4444	4444 3334	2033	1000	0000	0000	0000			
dehyde	(w:v)) 1111	60 min	4444	2444	0202 0010	0000	0000	0000	0000	NR	NR.	NR.
			ООШШ	4444	3442	0000	0000	0000	0000	0000	1410	1420	I NEC
Control of													
formal-	0.7%	3 g/L BSA	NA	0000	0000	0000	0000	0000	0000	0000			١
dehvde	(w:v)	+ 3 mL/L		0000	0000	0000	0000	0000	0000	0000	NR.	NR.	NR.
cytotoxicity	, , ,	erythrocytes		0000	0000	0000	0000	0000	0000	0000			
				4444	4444	4444	4444	4444	4444	0402	0000	0000	0000
Virus control	0.70/		0	4444	4444	4444	4444	4444	4444	3030	0010	0000	0000
formal-	0.7%	374		4444	4444	4444	4444	4444	4444	4040	0020	0000	0000
dehyde	(w:v)	NA	60 min	4444 4444	4444 4444	4444 4444	4444 4444	4444 4444	4344 4340	4020 0200	0000	0000	0000
			OO IIIII	4444	4444	4444	4444	4444	2433	3200	0010	0000	0000
			Cells	cccc	cccc	cccc	cccc	cccc	cccc	0000	0000		
Sensitivity			not	CCCC	CCCC	CCCC	CCCC	CCCC	CCCC	CCC0	0C00	NR.	NR.
control of		treated	cccc	cccc	cccc	cccc	cccc	cccc	CC0C	000C			
cells to virus			Cells	cccc	CCCC	cccc	CCCC	CCCC	CCCC	0000	0000	NR	NR
		treated	CCCC	CCCC	CCCC	CCCC	CCCC	CCCC	0C00	000C	INK	NK	
Effectiveness			Without	CCCC	CCCC	CCCC	CCCC	CCCC	CCCC	C0C0	000C		
control of the		3 g/L BSA	sample	cccc	CCCC	cccc	CCCC	CCCC	C0C0	CCOC	C000	NR.	NR.
disinfectant	NA	+ 3 mL/L	Janapat	CCCC	CCCC	CCCC	CCCC	CCCC	CCCC	0000	0C00		
suppression		erythrocytes	With	CCCC	CCCC	CCCC	CCCC	CCCC	CCCC	00CC 0C00	0000	NR.	NR.
activity			sample	CCCC	CCCC	CCCC	CCCC	CCCC	CCCC	0000	0000	2420	
activity.											_	$\overline{}$	

a): 1 to 4, virus present and grade of cytopathic effect in 12 units of cellular culture, or grade of cellular lesions in the cytotoxicity assay.

Laboratory: Bucharest 041914, 8 Berceni Street.

The results relate to the analyzed samples only. The enclosore cannot be reproduced partially without a prior written consent of J.S. Hamilton Romania S.R.L. Responsibility of J.S. Hamilton Romania is restricted exclusively to the results and statements presented in original copy of the enclosore.

JS. HAMILTON ROMANIA S.R.L. 8 Berceni Street, 041902 Bucharest, Romania

Tel.+40 21 634 10 81 bucharest@hamilton.com.pl, www.hamilton.com.pl

Enclosore no. 1 subcontracted tests

C = cytopathic effect with presence of virus (in this case and according to Standard does not take into account the degree of cytopathic effect only, the presence or absence of the same).

^{0 =} no virus present or absence of cellular lesions in the cytotoxicity assay, NA: not applicable; NR: not realized; BSA: Bovine serum albumin; PBS: phosphate buffered saline.
sec: seconds; min: minutes.

^{*}Test method accredited # Test performed by subcontractor. Ø Non accredited methods.



Table 5. Results of activity of the test sample, with Murine Norovirus, strain S99 Berlin, under test conditions requested by the client.

Assay Concer tration		Interfering substance	Cytoto- xicity		log ₁₀	Reduction with the confidence interval of		
			level -	0 min	60 sec	30 min	60 min	95%
	80%		0.50	. 12	0.50	-	2	\geq 7.82 \pm 0.42
Test sample	50%	3 g/L BSA + 3 mL/L	0.50		2.74			5.58 ± 0.56
1 1 1 1 1 1 1 1	0.1%	erythrocytes	0.50	22	8.24	50	84	0.08 ± 0.54
Virus control	NA	3 g/L BSA + 3 mL/L erythrocytes	NA	8.41	8.32	-	-	NA
Formaldehyde	0.7% (w:v)	NA	0.50	NR	NR	5.74	4.99	NA
Virus control formaldehyde	0.7% (w.v)	NA	NA	8.50	NR	NR	8.32	NA

Control of the effectiveness of the disinfectant suppression activity (difference between decimal logarithm of titre without exposing the virus to the sample and of the test suspension)................................log10^{-0.43}

NA: not applicable; NR: not realized.

Times recommended by Standard for surfaces: maximum 5 or 60 minutes.

Times recommended by Standard for instruments: maximum 60 minutes.

Times recommended by Standard for Hygienic treatment of hands by friction and hygienic

handwashing: between 30 or 120 seconds.

PBS: phosphate buffered saline; BSA: bovine serum albumin.

Virucidal activity exists when the titre of virus shows a reduction $\geq 4 \log$.

Laboratory: Bucharest 041914, 8 Berceni Street.

The results relate to the analyzed samples only. The enclosore cannot be reproduced partially without a prior written consent of J.S. Hamilton Romania S.R.L. Responsibility of J.S. Hamilton Romania is restricted exclusively to the results and statements presented in original copy of the enclosore.

*Test method accredited # Test performed by subcontractor. Ø Non accredited methods.

JS. HAMILTON ROMANIA S.R.L.

8 Berceni Street, 041902 Bucharest, Romania Tel.+40 21 634 10 81 bucharest@hamilton.com.pl, www.hamilton.com.pl

Enclosore no. 1 subcontracted tests

PGL 09 F 04 Ed. 1 Rev. 0

Date: 27.10.2023

Authorized by: Mariana Ilinca, Manager of Microbiological laboratory

Aprobat de: Mihai Alina-Roxana, General manager (Approved with qualified electronic signature)



Table 6. Results of the activity of the test sample, with Murine Norovirus strain S99 Berlin (Assay of titration with 12 wells), under test conditions requested by the client.

Assay	Concen-	Interfering	Time of				Dilu	tions (log10)*.	b			
Assay	tration	tration substance	(sec/min)	1	2	3	4	5	6	7	8	9	10
	80%		60 sec	0000 0000 0000	NR	NR	NR						
Test sample	50%	3 g/L BSA + 3 mL/L erythrocytes	60 sec	4444 4444 4444	3244 3020 2244	0020 0122 0030	0000 0000	0000 0000	0000 0000	0000 0000	NR	NR	NR
	0.1%		60 sec	4444 4444 4444	0302 2010 3212	0000 0000 0002	NR						
Cytotoxicity	80%	3 g/L BSA + 3 mL/L erythrocytes	NA	0000 0000	NR	NR	NR						
Virus control	NA	3 g/L BSA + 3 mL/L	0	4444 4444 4444	0323 0404 3302	0020 0000 0210	NR						
virus control	IVA	erythrocytes	60 sec	4444 4444 4444	4444 4444 4444	4444 4444 4444	4444 4444 4444	4444 4444 4444	4444 4444 4444	3244 3321 2013	3213 0030 2203	0002 0200 0010	NR
Formal-	0.7%	NA	30 min	4444 4444 4444	4444 4444 4444	4444 4444 4444	4444 4444 4444	3344 0334 4444	0200 0202 0100	0000 0000	NR	NR	NR
dehyde	(w:v)	NA	60 min	4444 4444 4444	4444 4444 4444	4444 4444 4444	4444 4444 4444	0030 4020 2200	0000 0100 0000	0000 0000	NR	NR	NR
Control of formal- dehyde cytotoxicity	0.7% (w:v)	3 g/L BSA + 3 mL/L erythrocytes	NA	0000 0000 0000	0000 0000 0000	0000 0000 0000	0000 0000 0000	0000 0000	0000 0000 0000	0000 0000 0000	NR	NR	NR
Virus control	0.7%		0	4444 4444 4444	3042 4040 4433	0000 1000 0102	0000 0000 0000						
dehyde	(w:v)	NA	60 min	4444 4444 4444	4444 4444 4444	4444 4444 4444	4444 4444 4444	4444 4444 4444	4444 4444 4444	4444 4244 3330	2002 0302 2434	0000 0120 0100	0000 0000 0000
Sensitivity control of	NA	NA	Cells not treated	0000 0000	CCCC	CCCC	0000 0000	CCCC	0000 0000	CCCC	0000 0000	0000 0000	NR
cells to virus	114		Cells treated	CCCC	CCCC CCCC	CCCC	CCCC	CCCC	CCCC	CCC0 CCC0	COCC COCC	0000 0C00 0C00	NR
Effectiveness control of the disinfectant	NA	3 g/L BSA + 3 mL/L	Without sample	CCCC	CCCC CCCC	CCCC	CCCC	CCCC CCCC CCCC	CCCC	0000	0000 0000	00C0 C000	NR
suppression activity	NA	erythrocytes	With sample	CCCC	CCCC CCCC	CCCC	CCCC	CCCC CCCC	0000	CCCC CCCC	CC00 CC00	0000 0000	NR

a): 1 to 4, virus present and grade of cytopathic effect in 12 units of cellular culture, or grade of cellular lesions in the cytotoxicity assay.

Sec: seconds; min: minutes.

Laboratory: Bucharest 041914, 8 Berceni Street.

The results relate to the analyzed samples only. The enclosore cannot be reproduced partially without a prior written consent of J.S. Hamilton Romania S.R.L. Responsibility of J.S. Hamilton Romania is restricted exclusively to the results and statements presented in original copy of the enclosore.

JS. HAMILTON ROMANIA S.R.L.

8 Berceni Street, 041902 Bucharest, Romania Tel.+40 21 634 10 81 bucharest@hamilton.com.pl, www.hamilton.com.pl

Enclosore no. 1 subcontracted tests

C = cytopathic effect with presence of virus (in this case and according to Standard does not take into account the degree of cytopathic effect only, the presence or absence of the same).

^{0 =} no virus present or absence of cellular lesions in the cytotoxicity assay; NA: not applicable; NR: not realized; BSA: Bovine serum albumin; PBS: phosphate buffered saline.

^{*}Test method accredited # Test performed by subcontractor. Ø Non accredited methods.



Figure 1. Results of the activity of the test sample under test conditions requested by the client with Poliovirus type 1 (ATCC VR-192).





Figure 2. Results of the activity of the test sample under test conditions requested by the client with Adenovirus type 5 (ATCC VR-5).



Laboratory: Bucharest 041914, 8 Berceni Street.

The results relate to the analyzed samples only. The enclosore cannot be reproduced partially without a prior written consent of J.S. Hamilton Romania S.R.L. Responsibility of J.S. Hamilton Romania is restricted exclusively to the results and statements presented in original copy of the enclosore.

JS. HAMILTON ROMANIA S.R.L.


8 Berceni Street, 041902 Bucharest, Romania Tel.+40 21 634 10 81 bucharest@hamilton.com.pl, www.hamilton.com.pl

Enclosore no. 1 subcontracted tests

^{*}Test method accredited # Test performed by subcontractor. Ø Non accredited methods.



Figure 3. Results of the activity of the test sample under test conditions requested by the client with Murine Norovirus strain S99 Berlin.



Laboratory: Bucharest 041914, 8 Berceni Street.

The results relate to the analyzed samples only. The enclosore cannot be reproduced partially without a prior written consent of J.S. Hamilton Romania S.R.L. Responsibility of J.S. Hamilton Romania is restricted exclusively to the results and statements presented in original copy of the enclosore.

*Test method accredited # Test performed by subcontractor. \varnothing Non accredited methods.

JS. HAMILTON ROMANIA S.R.L.

8 Berceni Street, 041902 Bucharest, Romania Tel.+40 21 634 10 81 bucharest@hamilton.com.pl, www.hamilton.com.pl

Enclosore no. 1 subcontracted tests

PGL 09 F 04 Ed. 1 Rev. 0

Page 13



Client: "ECOCHIM-G str. Nationala, Republica	, or. Ungheni,	Description of the sample (as per Client's declaration) Dezinfectant Universal "Bio-Dez"
Sample reception date:	24.08.2023	Lot/Batch: - Production date: 05.08.2023 Expiration date: 05.08.2026
Test report date:	08.09.2023	Sampling date: 23.08.2023 Sampling quantity: 1x 200ml Sample temperature: 17°C Reception hour: 12:30 Responsible for sampling: Crestinov Alexandr Sample condition with no objections

Dermatological test - Open test (25 subjects with allergological history, 25 subjects, without allergological history)

Prepared by: Natalia Dawidowicz, Technician

Authorized by: Karolina Osiecka (2487308), Dermatologist - venereologist Paulina Maciszka, Project Manager (qualified electronic signature)

Laboratory: ul. Bajana 3D, 80-463 Gdańsk



THE STUDY IS COMPLIANT WITH:

Regulation of the European Parliament and of the Council (EC) No. 1223/2009 of 30 November 2009 on Cosmetic Products

Cosmetics Europe The Personal Care Association (previously COLIPA) Guidelines Product Test Guidelines for the Assessment of Human Skin Compatibility 1997

Cosmetics Europe The Personal Care Association (previously COLIPA) Guidelines for the Evaluation of the Efficacy of Cosmetic Products 2008

Prepared by: Natalia Dawidowicz, Technician

Authorized by: Karolina Osiecka (2487308), Dermatologist - venereologist Paulina Maciszka, Project Manager (qualified electronic signature)

Laboratory: ul. Bajana 3D, 80-463 Gdańsk



LIST OF CONTENTS

- 1. Basis of the study
- 2. Object of the study
- 3. Qualitative composition of the product
- 4. Aim of the study
- 5. Description of volunteers
- 6. Testing methodology
- 7. Date of the study
- 8. Evaluation parameters
- 9. Results
 - 9.1. Characteristics of study subjects
 - 9.2. Table of skin response
- 10. Calculated values
- 11. Interpretation
- 12. Conclusion
- 13. Signatures

Prepared by: Natalia Dawidowicz, Technician

Authorized by: Karolina Osiecka (2487308), Dermatologist - venereologist Paulina Maciszka, Project Manager (qualified electronic signature)

Laboratory: ul. Bajana 3D, 80-463 Gdańsk



1. BASIS OF THE STUDY

- Samples delivered by the Sponsor.
- The qualitative composition of the product delivered by the Sponsor.
- The results of microbiological purity of the product provided by the Sponsor (or declaration from the Sponsor about microbiological purity).

The Sponsor is responsible for conformity with the declared quality composition of the product as well as for the microbiological purity test of the delivered samples.

2. OBJECT OF THE STUDY

Parameter	Description
Appearance	Liquid
Colour	Blue
Fragrance	Characteristic for raw materials (or fragrance composition)
Packaging	Replacement packaging containing the name and sample number for testing

3. QUALITATIVE COMPOSITION OF THE PRODUCT

The qualitative composition was delivered to the Laboratory by the Sponsor before the start of the study.

4. PURPOSE OF THE STUDY

The purpose of the study was to assess irritating properties (skin tolerance) of the product on a healthy adult skin, with applied patch test.

Prepared by: Natalia Dawidowicz, Technician

Authorized by: Karolina Osiecka (2487308), Dermatologist - venereologist

Paulina Maciszka, Project Manager (qualified electronic signature)

Laboratory: ul. Bajana 3D, 80-463 Gdańsk



5. DESCRIPTION OF STUDY SUBJECTS

The study subjects (25 people) were healthy, with negative history of allergy. General inclusion criteria for the selection of study subjects were the following: healthy men and women over 18 years old, phototype: I-IV on Fitzpatrick scale, Caucasians, skin without irritations and changes requiring pharmacological treatment. General exclusion criteria were the following: volunteers who at the time used any treatment on the skin area subject to the study, volunteers exhibiting or having a known history of acute or chronic dermatological, medical and/or physical conditions that could influence the outcome of the study, pregnant or breastfeeding women or women planning a pregnancy during the study. None of the study subjects reported documented oversensitivity or history of adverse reactions to individual ingredients of the product tested. All the study subjects fulfilled the requirements of inclusion for tests and signed the Informed Consent Form (ICF). Additionally, they were informed on the purpose, methodology of the study and possible adverse effects. The skin at the application area (arms or interscapular area) was healthy, without lesions. The study subjects were advised to exercise caution in handling the applied contact tests.

6. TESTING METHODOLOGY

The preparation in the appropriate concentration was applied onto to the skin on the forearm in the area of 3x3 cm. The reading of skin response was performed 15 minutes, 30 minutes, 1 hour, and 24 hours after the test application. Simultaneously, to assure the objectivity of the results of the study and in order to exclude possible reading errors connected with dermal irritations one sample control (control sample with water) was carried out. The results of the study are presented in section 10 of this report. If irritations appeared or persisted 24h after the application, an additional examination took place after 48 hours. Determining the response of the skin, the dermatologist assessed the irritating and sensitising effects of the tested product. The study results might have been influenced by factors such as lifestyle, stress, diet and environmental conditions, etc.

7. DATE OF THE STUDY

05.09.2023 - 08.09.2023

Prepared by: Natalia Dawidowicz, Technician

Authorized by: Karolina Osiecka (2487308), Dermatologist - venereologist Paulina Maciszka, Project Manager (qualified electronic signature)

Laboratory: ul. Bajana 3D, 80-463 Gdańsk



8. EVALUATION PARAMETERS

EVALUATION PARAMETERS OF SKIN REACTION					
Erythema	Classification point				
No erythema	0				
Light erythema	0.5				
Erythema and/or papules	1				
Erythema and/or papules and/or vesicles	2				
Erythema and/or papules and/or vesicles and/or blisters	3				
Erythema Bullous and/or ulcerative reaction and/or papules and/or vesicles and/or blisters	4				
Edema	Classification point				
No edema	0				
Very light edema (hardly visible)	1				
Light edema	2				
Moderate edema (about 1mm raised skin)	3				
Strong edema (extended swelling even beyond the application area)	4				

Prepared by: Natalia Dawidowicz, Technician
Authorized by: Karolina Osiecka (2487308), Dermatologist - venereologist
Paulina Maciszka, Project Manager (qualified electronic signature)

Laboratory: ul. Bajana 3D, 80-463 Gdańsk



9. RESULTS

9.1. CHARACTERISTICS OF VOLUNTEERS

Table 1

No. of subject	Identification of subject	Begining of the study	Age	Sex	Phototype
1	CHY.AG	05.09.2023	26	F	II
2	DAW.NA	05.09.2023	24	F	II
3	BIE.IZ	05.09.2023	34	F	II
4	KOC.KR	05.09.2023	54	М	II
5	KRZ.EW	05.09.2023	37	F	II
6	ZAM.PA	05.09.2023	32	F	II
7	JAG.KR	05.09.2023	32	М	II
8	URB.BA	05.09.2023	65	F	II
9	TRE.MI	05.09.2023	57	F	II
10	BOC.AL	05.09.2023	44	F	II
11	FLI.AN	05.09.2023	35	F	II
12	PAC.NA	05.09.2023	24	F	II
13	KIE.MA	05.09.2023	26	F	II
14	ZAW.AG	05.09.2023	41	F	II
15	FUS.MO	05.09.2023	28	F	II
16	MAM.AG	05.09.2023	24	F	II
17	WEN.MO	05.09.2023	25	F	II
18	WOD.KA	05.09.2023	34	F	II
19	KOS.DO	05.09.2023	23	F	II
20	NOW.AR	05.09.2023	51	М	II
21	SEP.JA	05.09.2023	42	М	II
22	PIS.PI	05.09.2023	46	М	II
23	JER.DA	05.09.2023	56	F	II
24	MUS.NA	05.09.2023	37	F	II
25	BEC.EL	05.09.2023	58	F	II
		Min	23	No. F	phototype I
		Max	65	20	0
		Average	38	No. M	phototype II
				5	25
					phototype III

phototype III

0
phototype IV

0

Table 1. Characteristics of volunteers with a negative history of allergy

Prepared by: Natalia Dawidowicz, Technician

Authorized by: Karolina Osiecka (2487308), Dermatologist - venereologist Paulina Maciszka, Project Manager (qualified electronic signature)

Laboratory: ul. Bajana 3D, 80-463 Gdańsk



Table 2

Table 2					
No. of subject	Identification of subject	Begining of the study	Age	Sex	Phototype
1	CIE.MA	05.09.2023	62	F	II
2	SZY.UR	05.09.2023	37	F	II
3	TRO.MA	05.09.2023	44	F	II
4	SKU.IW	05.09.2023	45	F	II
5	SZY.MA	05.09.2023	51	F	II
6	ARB.YU	05.09.2023	22	F	II
7	KOR.DO	05.09.2023	48	F	II
8	GAN.MA	05.09.2023	59	F	II
9	TAR.AG	05.09.2023	58	F	II
10	RAT.EM	05.09.2023	38	F	II
11	PIO.EL	05.09.2023	53	F	II
12	KWI.BO	05.09.2023	68	F	II
13	WYS.BE	05.09.2023	35	F	II
14	ARB.AL	05.09.2023	22	F	II
15	ARB.LU	05.09.2023	45	F	II
16	ZAL.IZ	05.09.2023	44	F	II
17	SLE.AG	05.09.2023	45	F	II
18	GOR.AG	05.09.2023	22	F	II
19	WAN.SY	05.09.2023	25	F	II
20	SZE.KA	05.09.2023	22	F	II
21	HIR.HA	05.09.2023	47	F	II
22	RAD.MA	05.09.2023	57	F	II
23	MAN.MA	05.09.2023	48	F	II
24	HAN.AN	05.09.2023	23	F	II
25	ROZ.AG	05.09.2023	41	F	II
		Min	22	No. F	phototype I
		Max	68	25	0
		Average	42	No. M	phototype II
				0	25
					phototype III
					0 phototype TV
					phototype IV

Table 2. Characteristics of volunteers with a positive history of allergy

Prepared by: Natalia Dawidowicz, Technician
Authorized by: Karolina Osiecka (2487308), Dermatologist - venereologist
Paulina Maciszka, Project Manager (qualified electronic signature)

Laboratory: ul. Bajana 3D, 80-463 Gdańsk



TABLE OF SKIN RESPONSE

Table 3

No.	Evaluatio 15 minu produ applica	tes of ıct	Evaluatio 30 minu produ applica	tes of ıct	Evaluation hour of p applica	roduct	Evaluation hours of p applica	roduct	Evaluation hours of p applica	roduct
	Erythema	Edema	Erythema	Edema	Erythema	Edema	Erythema	Edema	Erythema	Edema
1	0	0	0	0	0	0	0	0	Examination	skipped
2	0	0	0	0	0	0	0	0	Examination	skipped
3	0	0	0	0	0	0	0	0	Examination	skipped
4	0	0	0	0	0	0	0	0	Examination	skipped
5	0	0	0	0	0	0	0	0	Examination	skipped
6	0	0	0	0	0	0	0	0	Examination	skipped
7	0	0	0	0	0	0	0	0	Examination	skipped
8	0	0	0	0	0	0	0	0	Examination	skipped
9	0	0	0	0	0	0	0	0	Examination	skipped
10	0	0	0	0	0	0	0	0	Examination	skipped
11	0	0	0	0	0	0	0	0	Examination	skipped
12	0	0	0	0	0	0	0	0	Examination	skipped
13	0	0	0	0	0	0	0	0	Examination	skipped
14	0	0	0	0	0	0	0	0	Examination	skipped
15	0	0	0	0	0	0	0	0	Examination	skipped
16	0	0	0	0	0	0	0	0	Examination	skipped
17	0	0	0	0	0	0	0	0	Examination	skipped
18	0	0	0	0	0	0	0	0	Examination	skipped
19	0	0	0	0	0	0	0	0	Examination	skipped
20	0	0	0	0	0	0	0	0	Examination	skipped
21	0	0	0	0	0	0	0	0	Examination	skipped
22	0	0	0	0	0	0	0	0	Examination	skipped
23	0	0	0	0	0	0	0	0	Examination	skipped
24	0	0	0	0	0	0	0	0	Examination	skipped
25	0	0	0	0	0	0	0	0	Examination	skipped

Table 3. Results for volunteers with a negative history of allergy

Prepared by: Natalia Dawidowicz, Technician
Authorized by: Karolina Osiecka (2487308), Dermatologist - venereologist
Paulina Maciszka, Project Manager (qualified electronic signature)

Laboratory: ul. Bajana 3D, 80-463 Gdańsk



Table 4

No.	Evaluatio 15 minu produ applica	tes of ıct	Evaluatio 30 minu produ applica	tes of uct	Evaluation atter 1		hours of product		Evaluation after 48 hours of product application	
	Erythema	Edema	Erythema	Edema	Erythema	Edema	Erythema	Edema	Erythema	Edema
1	0	0	0	0	0	0	0	0	Examination	skipped
2	0	0	0	0	0	0	0	0	Examination	skipped
3	0	0	0	0	0	0	0	0	Examination	skipped
4	0	0	0	0	0	0	0	0	Examination	skipped
5	0	0	0	0	0	0	0	0	Examination	skipped
6	0	0	0	0	0	0	0	0	Examination	skipped
7	0	0	0	0	0	0	0	0	Examination	skipped
8	0	0	0	0	0	0	0	0	Examination	skipped
9	0	0	0	0	0	0	0	0	Examination	skipped
10	0	0	0	0	0	0	0	0	Examination	skipped
11	0	0	0	0	0	0	0	0	Examination	skipped
12	0	0	0	0	0	0	0	0	Examination	skipped
13	0	0	0	0	0	0	0	0	Examination	skipped
14	0	0	0	0	0	0	0	0	Examination	skipped
15	0	0	0	0	0	0	0	0	Examination	skipped
16	0	0	0	0	0	0	0	0	Examination	skipped
17	0	0	0	0	0	0	0	0	Examination	skipped
18	0	0	0	0	0	0	0	0	Examination	skipped
19	0	0	0	0	0	0	0	0	Examination	skipped
20	0	0	0	0	0	0	0	0	Examination	skipped
21	0	0	0	0	0	0	0	0	Examination	skipped
22	0	0	0	0	0	0	0	0	Examination	skipped
23	0	0	0	0	0	0	0	0	Examination	skipped
24	0	0	0	0	0	0	0	0	Examination	skipped
25	0	0	0	0	0	0	0	0	Examination	skipped

Table 4. Results for volunteers with a positive history of allergy

Prepared by: Natalia Dawidowicz, Technician
Authorized by: Karolina Osiecka (2487308), Dermatologist - venereologist
Paulina Maciszka, Project Manager (qualified electronic signature)

Laboratory: ul. Bajana 3D, 80-463 Gdańsk



10. CALCULATED VALUES

The following calculated values present the sum of negative reaction (erythema and edema) defined as Average Irritation Index (X_{av}) .

	Evaluation after 15 minutes of product application	Evaluation after 30 minutes of product application	Evaluation after 1 hour of product application	Evaluation after 24 hours of product application	Evaluation after 48 hours of product application
The sum of negative reaction (the sum of classification points)	0,00	0,00	0,00	0,00	Examination skipped
X _{av}			0,00		

11. INTERPRETATION

The average irritation index (X_{av}) was calculated. The product was then classified according to the following table:

Average irritation index (xav)	Class
X _{av} < 0.50	Not irritating
$0.50 \le X_{av} < 2.00$	Slightly irritating
$2.00 \le X_{av} < 5.00$	Moderately irritating
5.00 ≤ X av	Highly irritating

Prepared by: Natalia Dawidowicz, Technician

Authorized by: Karolina Osiecka (2487308), Dermatologist - venereologist Paulina Maciszka, Project Manager (qualified electronic signature)

Laboratory: ul. Bajana 3D, 80-463 Gdańsk



12. CONCLUSION

The patch test study was performed under dermatological control on a group of 25 volunteers. The study allowed the investigators to conclude that product Dezinfectant Universal "Bio-Dez" used by volunteers that didn't report documented oversensitivity or a history of adverse reactions to individual ingredients of the tested product, was well tolerated by the skin. In the tested group of volunteers there were no irritations or allergic reactions. The product meets the requirements of compatibility test with the skin (Skin Compatibility Test) and can be classified as NOT IRRITATING.

Prepared by: Natalia Dawidowicz, Technician

Authorized by: Karolina Osiecka (2487308), Dermatologist - venereologist Paulina Maciszka, Project Manager (qualified electronic signature)

Laboratory: ul. Bajana 3D, 80-463 Gdańsk



13. SIGNATURES

Technician	Natalia Dawidowicz	
Dermatologist - venereologist	Karolina Osiecka (2487308)	
Project Manager	Paulina Maciszka	

^{*}The Sponsor is responsible for conformity with the declared quality composition as well as microbiological purity of the delivered samples.

Attention: The released opinion of dermatological compatibility does not apply to people who are allergic to any ingredient of the tested product.

Prepared by: Natalia Dawidowicz, Technician
Authorized by: Karolina Osiecka (2487308), Dermatologist - venereologist
Paulina Maciszka, Project Manager (qualified electronic signature)

Laboratory: ul. Bajana 3D, 80-463 Gdańsk