

Specificații tehnice

Numărul procedurii de achiziție MD-1690877229837 din 01.08.2023
Obiectul achiziției: Bunuri TIC (Imprimantă multifuncțională, Switch)

Denumirea bunurilor/ serviciilor	Denumirea modelului bunului/ serviciului	Țara de origine	Producătorul	Specificarea tehnică deplină solicitată de către autoritatea contractantă	Specificarea tehnică deplină propusă de către ofertant	Standarde de referință
1	2	3	4	5	6	7
Bunuri/servicii						
Switch tip 1	Cloud Router Switch 112-8P-4S-IN with POE-out and with RouterOS L5	Letonia	SIA Mikrotīkls	<ul style="list-style-type: none"> • L2 management PoE+ switch; • Desktop-Rackmount carcasa; • Min. 8x 10/100/1000 Ethernet PoE+ porturi; • Support de PoE+ IEEE 802.3at/af; • Min. 4x 1.25Gbps porturi SFP; • Min. 1x RJ45 serial port • 12 port non blocking wire speed Switch Chip; NonBlocking Throughput: min. 12 Gbps; Switching Capacity: min. 24 Gbps; Forwarding Rate: min 17.8 Mpps; • Sistem de operare trebuie sa ofere: Non-blocking Layer 2 switching capacity, 16K host table, IEEE 802.1Q VLAN, suport pina la 4K simultan VLANs, Port isolation, Port security, Broadcast storm control, Port mirroring of ingress/egress traffic, Rapid Spanning Tree Protocol, Access Control List, neighbor discovery, SNMP, Jumbo frames support, IGMP snooping, static link aggregation; <p>Garantie minimum 12 luni</p>	<ul style="list-style-type: none"> • L2 management PoE+ switch; • Desktop-Rackmount carcasa; • 8x 10/100/1000 Ethernet PoE+ porturi; • Support de PoE+ IEEE 802.3at/af; • 4x 1.25Gbps porturi SFP; • 1x RJ45 serial port • 12 port non blocking wire speed Switch Chip; NonBlocking Throughput: 12 Gbps; Switching Capacity: 24 Gbps; Forwarding Rate: 17.8 Mpps; • Sistem de operare ofere: Non-blocking Layer 2 switching capacity, 16K host table, IEEE 802.1Q VLAN, suport pina la 4K simultan VLANs, Port isolation, Port security, Broadcast storm control, Port mirroring of ingress/egress traffic, Rapid Spanning Tree Protocol, Access Control List, neighbor discovery, SNMP, Jumbo frames support, IGMP snooping, static link aggregation; • Garantie 12 luni 	
Switch tip 2	CRS328-24P-4S+RM with RouterOS L5, 1U rackmount enclosure	Letonia	SIA Mikrotīkls	<ul style="list-style-type: none"> • L2 management PoE+ switch; • Rackmount carcasa; • Min. 24x 10/100/1000 Ethernet PoE+ porturi; • Support de PoE+ IEEE 802.3at/af; 	<ul style="list-style-type: none"> • L2 management PoE+ switch; • Rackmount carcasa; • 24x 10/100/1000 Ethernet PoE+ porturi; • Support de PoE+ IEEE 802.3at/af; 	

				<ul style="list-style-type: none"> • Min. 4x 10Gbps SFP+ porturi • 28 port non blocking wire speed Switch Chip; NonBlocking Throughput: min. 64 Gbps; Switching Capacity: min. 128 Gbps; Forwarding Rate: min 95.2 Mpps; • Sistem de operare trebuie sa ofere: Non-blocking Layer 2 switching capacity, 16K host table, IEEE 802.1Q VLAN, suport pina la 4K simultan VLANs, Port isolation, Port security, Broadcast storm control, Port mirroring of ingress/egress traffic, Rapid Spanning Tree Protocol, Access Control List, neighbor discovery, SNMP, Jumbo frames support, IGMP snooping, static link aggregation; <p>Garantie minimum 12 luni</p>	<ul style="list-style-type: none"> • 4x 10Gbps SFP+ porturi • 28 port non blocking wire speed Switch Chip; NonBlocking Throughput: 64 Gbps; Switching Capacity: 128 Gbps; Forwarding Rate: 95.2 Mpps; • Sistem de operare ofere: Non-blocking Layer 2 switching capacity, 16K host table, IEEE 802.1Q VLAN, suport pina la 4K simultan VLANs, Port isolation, Port security, Broadcast storm control, Port mirroring of ingress/egress traffic, Rapid Spanning Tree Protocol, Access Control List, neighbor discovery, SNMP, Jumbo frames support, IGMP snooping, static link aggregation; <p>• Garantie 12 luni</p>	
Switch tip 3	Cloud Router Switch 354-48P-4S+2Q+RM with RouterOS L5 license	Letonia	SIA Mikrotikls	<ul style="list-style-type: none"> • L2 management PoE+ switch; • Rackmpunt carcasa; • Min. 48x 10/100/1000 Ethernet PoE+ porturi; • Support de PoE+ IEEE 802.3at/af; • Min. 4x 10Gbps SFP+ porturi • Min. 2x 40Gbps QSFP+ porturi • 54 port non blocking wire speed Switch Chip; NonBlocking Throughput: min. 168 Gbps; Switching Capacity: min. 336 Gbps; Forwarding Rate: min 200 Mpps; • Sistem de operare trebuie sa ofere: Non-blocking Layer 2 switching capacity, 16K host table, IEEE 802.1Q VLAN, suport pina la 4K simultan VLANs, Port isolation, Port security, Broadcast storm control, Port mirroring of ingress/egress traffic, Rapid Spanning Tree Protocol, Access Control List, neighbor discovery, SNMP, Jumbo frames support, IGMP snooping, static link aggregation; <p>Garantie minimum 12 luni</p>	<ul style="list-style-type: none"> • L2 management PoE+ switch; • Rackmpunt carcasa; • 48x 10/100/1000 Ethernet PoE+ porturi; • Support de PoE+ IEEE 802.3at/af; • 4x 10Gbps SFP+ porturi • 2x 40Gbps QSFP+ porturi • 54 port non blocking wire speed Switch Chip; NonBlocking Throughput: 168 Gbps; Switching Capacity: 336 Gbps; Forwarding Rate: 200 Mpps; • Sistem de operare ofere: Non-blocking Layer 2 switching capacity, 16K host table, IEEE 802.1Q VLAN, suport pina la 4K simultan VLANs, Port isolation, Port security, Broadcast storm control, Port mirroring of ingress/egress traffic, Rapid Spanning Tree Protocol, Access Control List, neighbor discovery, SNMP, Jumbo frames support, IGMP snooping, static link aggregation; <p>• Garantie minimum 12 luni</p>	
TOTAL						

Semnat: _____

Numele, Prenumele: Cioban Alexei

În calitate de: Director

Ofertantul: IT-LAB GRUP SRL

Adresa: mun. Chisinau; str-la Studentilor 2/4 of 217

Specificații de preț

Numărul procedurii de achiziție MD-1690877229837 din 01.08.2023
Obiectul achiziției: Bunuri TIC (Imprimantă multifuncțională, Switch)

Cod CPV	Denumirea bunurilor/serviciilor	Unitatea de măsură	Cantitatea	Preț unitar (fără TVA)	Preț unitar (cu TVA)	Suma fără TVA	Suma cu TVA	Termenul de livrare/prestare	Clasificație bugetară (IBAN)	Discount %
1	2	3	4	5	6	7	8	9	10	11
	Bunuri/servicii									
30232000-4	Switch tip 1 Cloud Router Switch 112-8P-4S-IN with POE-out and with RouterOS L5	buc.	18	3 330,00	3 996,00	59 940,00	71 928,00	În termen de 30 zile, după înregistrarea contractului la Ministerul Finanțelor		
30232000-4	Switch tip 2 CRS328-24P-4S+RM with RouterOS L5, 1U rackmount enclosure	buc.	5	8 475,00	10 170,00	42 375,00	50 850,00			
30232000-4	Switch tip 3 Cloud Router Switch 354-48P-4S+2Q+RM with RouterOS L5 license	buc.	3	15 750,00	18 900,00	47 250,00	56 700,00			
	TOTAL					149 565,00	179 478,00			

Semnat: _____

Numele, Prenumele: Cioban Alexei

În calitate de: Director

Ofertantul: IT-LAB GRUP SRL

Adresa: mun. Chisinau; str-la Studentilor 2/4 of 217