

# CERTIFICATE

Issued to:  
Applicant:  
Schreder S.A.  
Rue de Lusambo 67  
1190 Brussels, Belgium

Licensee:  
Schreder S.A.  
Rue de Lusambo 67  
1190 Brussels, Belgium

Product : LED Flood light (INDU FLOOD GEN2)  
Trade name(s) : Schreder  
Type(s)/model(s) : INFLD2a-b-c-d-2-e series

The product and any acceptable variation thereto is specified in the Annex to this certificate and the documents therein referred to.

DEKRA hereby declares that the above-mentioned product has been certified on the basis of:

- a type test according to the standard EN 60598-1:2015, EN 60598-1:2015/A1:2018 and EN 60598-2-5:2015
- an inspection of the production location according to CENELEC Operational Document CIG 021
- a certification agreement with the number 4348159

DEKRA hereby grants the right to use the ENEC certification mark.

The ENEC certification mark may be applied to the product as specified in this certificate for the duration of the ENEC certification agreement and under the conditions of the ENEC certification agreement.

This certificate is issued on 2 September 2020 and expires upon withdrawal of one of the above mentioned standards.

Certificate number: 31-115515

DEKRA Certification B.V.



B.T.M. Holtus  
Managing Director



C. Lin  
Certification Manager

© Integral publication of this certificate is allowed

ACCREDITED BY THE  
DUTCH ACCREDITATION  
COUNCIL



**SPECIFICATION OF THE CERTIFIED PRODUCT****Product data**

Product	: LED Flood light (INDU FLOOD GEN2)
Trade name(s)	: Schreder
Type(s)/model(s)	: INFLD2a-b-c-d-2-e series
Rated voltage	: 220 - 240 Vac
Rated frequency	: 50/60 Hz
Rated power	: 375 W max
Classification	: Class I
Degree of protection	: IP66

**TESTS****Test requirements**

EN 60598-1:2015

EN 60598-1:2015/A1:2018

EN 60598-2-5:2015

**Test result**

The test results are laid down in DEKRA test file 607580800.

**Additional information**

INFLD2a-b-c-d-2-e series

a=1 or 2 or 3, means the different size;

b=1 to 7, means the different lumen;

c=730, 740, 750, 830 or 840, means the different CCT and CRI;

d=C1 to C3 or A1 to A4, means the different optics shape;

e=N, D, A, S, means the different function, N means normal; D

means DALI dimming; A means 1- 10 V dimming; S means sensor.

The list of components is laid down at test report 6075808.50.

**Conclusion**

The examination proved that all requirements were met.

**Factory location**

Hengdian Group Tospo Lighting Co., Ltd.

Hengdian Electronics Industrial Zone Dongyang City, Jinhua

322118 Zhejiang, China