

Specificații tehnice

[Acest tabel va fi completat de către ofertant în coloanele 2, 3, 4, 6, 7, iar de către autoritatea contractantă
– în coloanele 1, 5,]

Numărul procedurii de achiziție ___ ocds-b3wdp1-MD-1685450238805 _____ din ___30.05.2023
Obiectul achiziției: ___Echipamente și servicii în vederea implementării sistemului de control video la punctele de trecere a frontierei rutiere și suportul pentru supravegherea sustenabilă comună a frontierei comune,,VICOS" în cadrul Proiectului EU 4 Border Security _____

Denumirea bunurilor/serviciilor	Denumirea modelului bunului/serviciului	Țara de origine	Produ-cătorul	Specificarea tehnică deplină solicitată de către autoritatea contractantă	Specificarea tehnică deplină propusă de către ofertant	Standarde de referință
1	2	3	4	5	6	7
HDD storage	DS-A82024D(B)(O-STD) DS-AIoT HDD HK7216SH/16T*1	China	Hikvision	Conform informației expuse în Anunțul de participare	4U, Double controller,256 Ch(2Mbps)Record+playback with IPSAN mode, 448 Ch(2Mbps)Record+playback with Direct steaming mode,24 HDD(SAS), Redundant power supply,Support SAS expansion with MiniSas Interface Storage IOT HDD,Only use with hikvision Network Storage series product, on package with 1 pcs 16TB SAS HDD (Informatia completa conform Datasheet anexate)	
Server for processing and recording video streams	DS-VE11D-D/HW04(O-NEU) + HikCentral-P-VSS-Base/0Ch + HikCentral-P-VSS-1Ch +Rose Replicator Plus Overseas 3 year + HikCentral-P-ANPR-1Ch	China	Hikvision		E-2378 (8核 2.6GHz) ×1/16GB*4 DDR4/2T 7.2K SAS×2 (RAID_1) /SAS_H345/1GbE×2/450W/1U/3 years global platinum service. (Informatia completa conform Datasheet anexate)	

Camera for number plate recognition with bracket	iDS-2CD7A26G0/P-IZHS(2.8-12mm)(C)(O-STD) (licente necesare incluse) DS-1475ZJ-Y	China	Hikvision	Darkfighter Ultra-low light technology, 1/1.8" Progressive Scan CMOS, ICR, Color: 0.001 Lux/F1.2 B/W: 0.0003 Lux /F1.2 1080P up to 50fps/60fps H.265+/H.265/H.264+/H.264/MJPEG 140dB WDR 1*AudioOut,1*AudioIn(-Y support) 1*Wiegand(-Y support) 2*AlarmIn, 2*AlarmOut 5streams+5custom streams (-Y: anti-corrosion) IP67 IK10 ANPR base in deeplearning technology (Informatia completa conform Datasheet anexate)	
Camera for number plate recognition with bracket	iDS-2CD7026G0/EP-IHSY(3.8-16mm)(C)O-STD + HV1140D-8MPIRA(O-STD) (11-40 mm) (licente necesare incluse) DS-1260ZJ	China	Hikvision	Darkfighter Ultra-low light technology, Color:0.001Lux/F1.2 BW:0.0003Lux/F1.2 1/1.8"CMOS 1080P up to 50fps/60fps H.265+/H.265/H.264+/H.264/MJPEG 140dB WDR -AP:ABF&P-IRIS 1*AudioOut,1*AudioIn 2*AlarmIn,2*AlarmOut RS485 DC12Vout PoE:802.3bt 5streams+5custom streams Bracket with build-in wiring Fan & heater Cardan joint or goose neck bracket optional IP66, IK10 Anti-corrosion ANPR base in deeplearning technology CCTV Camera LensAuto-Iris IR 8MP 3.8-16 mm, 11-40mm,F1.4,CS,1/1.8" (Informatia completa conform Datasheet anexate)	
Surveillance camera with bracket	DS-2CD3B26G2T-IZHS(2.8-12mm)(H)(O-STD) (licente necesare incluse) DS-1260ZJ	China	Hikvision	1/1.8" Progressive Scan CMOS H.265+/H.265/H.264+/H.264/MJPEG Darkfighter technology P-Iris,Color: 0.0014 lux @(F1.2, AGC ON), 0 lux with IR 25/30fps (1920 × 1080) VCA functions 3 streams 3D DNR BLC ICR EXIR DC12V&PoE Built-in micro SD/SDHC/SDXC slot	

Semnăt:_____ Numele, Prenumele: _Baciu Victor__ În calitate de: Administrator

					Built-in Audio/Alarm I/O, HIK-Connect cloud service Alarm:3/3, Audio:1/1,DC 12V output,onvif support NEMA 4X (Informatia completa conform Datasheet anexate)	
Network firewall Fortinet FortiGate-60F, or equivalent	Fortinet FG/FWF-60f price	China	Hikvision			
48-port10/100/1000 PoE Managed switch	DS-3E1552P-SI(O-STD)	China	Hikvision		L2, Smart Managed, 48 Gigabit PoE ports, 2 Gigabit RJ45, 2 Gigabit SFP uplink ports, 802.3af/at, PoE power budget 470W, max. 300 meter long distance PoE transmission, PoE watchdog, VLAN, QoS, SNMP, Port Mirroring, Storm Control, Visualized Topology Management, Network Health Monitor, Real-Time Alarm Push and Video Control and Preview (Informatia completa conform Datasheet anexate)	
24-port10/100/1000 PoE Managed switch	DS-3E3730(O-STD)	China	Hikvision		24 Gigabit RJ45 ports, 6 10G SFP+ ports (Informatia completa conform Datasheet anexate)	
FTP/UTP Patch-cord, 0.5m, Cat5e	DS-1LN5EO-UU/E(O-STD)	China	Hikvision		FTP/UTP Patch-cord, 0.5m, Cat5e	
FTP/UTP Patch-cord 1GbE, 1m, Cat6e	DS-1LN6-UU(O-STD)	China	Hikvision		FTP/UTP Patch-cord 1GbE, 1m, Cat6e	
FC Patch-cord, 1.5m, 16Gbs	HK-SFP-1.25G-20-1310(O-STD)	China	Hikvision		FC Patch-cord, 1.5m, 16Gbs	
10GbE DAC cable 3m for ethernet switches	10GbE DAC cable 3m for ethernet switches	China	Hikvision		10GbE DAC cable 3m for ethernet switches	
TOTAL						

Semnăt:_____ Numele, Prenumele: _Baciu Victor__ În calitate de: Administrator

Ofertantul: SC”Rapid Link”SRL Adresa: MD-2028, mun.Chisinau, str.Gh.Asachi,71/7