

**THE NETHERLANDS**
(N E D E R L A N D)**COMMUNICATION**Concerning ⁽¹⁾:

- ~~approval granted~~
- approval extended
- ~~approval refused~~
- ~~approval withdrawn~~
- ~~production definitely discontinued~~

of a type of pneumatic tyre for motor vehicles pursuant to Regulation number 54.

Approval number: E4-54R-0024105**Extension number: 01***Approval mark:***0024105**

1. Manufacturer's name or trade mark(s) on the tyre type : FULLWAY; DAEWOO; HIFLY; MIGEER;
ONYX; CHANGFENG; SUNFULL;
RUIFULAI; FESITE; Green dragon; Agate;
MIRAGE; SINOTYRE; OVATION; TORQUE;
GALLANT; TEMPO; CONVOY; BRIC;
LEXANI; FUJITIRE; UNIX; ZEETEX; OTANI;
CRYSTAL; TUFFSTONE; BRISTOL; NISON;
SATOYA
2. Tyre type designation by the manufacturer : TB901; DWA02; HH301; HM301; HO301;
HF702; MG702; ST011; VI-702; TQ702; GT702;
TM702; CV702; JA-702; LX702; FJ01; X-F01+;
LZ-01+; OL700+; CS716; TT801; BT08; NS501;
HH306; HM306; HO306; HF706; MG706; VI-
706; TQ706; GT706; TM706; CV706; JA-706;
LX706; CS706; HH317; HM317; HO317;
HF707; MG707; VI-707; TQ707; GT707; TM707;



CV707; JA-707; LX707; CS718; HH105;
 HM105; HO105; HF708; MG708; VI-708;
 TQ708; GT708; TM708; CV708; JA-708; LX708;
 CS368; LZ-02+; OL701+; TF802; HF709;
 MG709; VI-709; TQ709; GT709; TM709;
 CV709; JA-709; LX709; HH104; HM104;
 HO104; HF606; MG606; VI-606; TQ606; GT606;
 TM606; CV606; JA-606; LX606; CS720; HT-
 03+; OH900+; FJ02; TF803; NS702; HF719;
 MG719; VI-719; TQ719; GT719; TM719;
 CV719; JA-719; LX719; HH329; HM329;
 HO329; HF729; MG729; VI-729; TQ729;
 GT729; TM729; CV729; JA-729; LX729;
 BT200; HH308A; HM308A; HO308A; HF638;
 MG638; VI-638; TQ638; GT638; TM638;
 CV638; JA-638; LX638; ST032; TZ-06+;
 OR805+; FJ659; X-F06+; HH368; HM368;
 HO368; HF668; MG668; VI-668; TQ668;
 GT668; TM668; CV668; JA-668; LX668;
 CS990; X-F08+; TB755; HH307; HM307;
 HO307; HF307; MG307; VI-307; TQ307;
 GT307; TM307; CV307; JA-307; LX307;
 HH303; HM303; HO303; HF303; MG303; VI-
 303; TQ303; GT303; TM303; CV303; JA-303;
 LX303; HH313; HM313; HO313; HF313;
 MG313; VI-313; TQ313; GT313; TM313;
 CV313; JA-313; LX313; HH599+; HM599+;
 HO599+; HF599; MG599; VI-599; TQ599;
 GT599; TM599; CV599; JA-599; LX599;
 HH311; HM311; HO311; HF701; MG701; VI-
 701; TQ701; GT701; TM701; CV701; JA-701;
 LX701; SU-022; SD-062; HH308@; HM308@;
HO308@

3. Manufacturer's name and address : Shandong Hengfeng Rubber & Plastic Co., Ltd.
 Economic Development Zone, Dawang Town,
 Guangrao County, Dongying City, Shandong
 Province, 257335 P.R. China
4. If applicable, name and address of the : not applicable
 manufacturer's representative
5. Summarized description:
- 5.1. Size of tyre : 10.00R20
- 5.2. Category of use : normal/~~special~~/snow⁽¹⁾
- 5.3. Structure : ~~diagonal (bias ply)~~/radial⁽¹⁾
- 5.4. Speed category symbol:
- 5.4.1. nominal : K
- 5.4.2. additional (if applicable) : ---
- 5.5. Load-capacity indices:
- 5.5.1. Corresponding to nominal speed:



- single : 149
 - twinned (dual) : 146
- 5.5.2. Corresponding to additional speed:
- single : ---
 - twinned (dual) : ---
6. Technical service and, where applicable, test laboratory approved for purposes of approval or of verification of conformity : TÜV Rheinland Kraftfahrt GmbH
Technologiezentrum Verkehrssicherheit
Typprüfstelle Fahrzeuge/Fahrzeugteile
Am Grauen Stein
D-51105 Köln (Poll)
7. Date of report issued by that service : June 20, 2011
November 05, 2013
8. Number of report issued by that service : 86-R54-402/11
86-R54-1383/13
9. Reason(s) for extension (if applicable) : addition of trade mark and tyre type designation
10. Any remarks : ---
11. Approval : ~~granted~~/extended/~~refused~~/~~withdrawn~~ ⁽¹⁾
12. Place : Zoetermeer
13. Date : 09-DEC-2013
14. Signature :



Ing M.J. Balk

15. Annexed to this communication is a list of documents in the approval file deposited at the administrative service having delivered the approval and which can be obtained upon request.
- Application form relating to ECE approval for a pneumatic tyre pursuant to Regulation number 54.
 - The drawing of the tyre's sidewalls, tread and dimensioned cross-section.
 - The test report as mentioned in item 8.

⁽¹⁾ Strike out what does not apply.