

OFERTĂ COMERCIALĂ

Avem onoarea sa va prezentăm următoarea schema de preturi:

Data 14.02.2022

Sistem de conferinta CU fir si votare

<u>No</u>	<u>Denumirea bunurilor</u>	<u>Cant.</u>	<u>Pret f/TVA, MDL</u>	<u>Pret cu TVA, MDL</u>	<u>Suma f/TVA, MDL</u>	<u>Suma cu TVA, MDL</u>
1	<p>Unitate centrala pentru sistem de conferinta DSP Networked Conference controller VIS-DCP2000-D Full Digital Networked DSP Conference Processor One CAT5e cable to transmit up 64 channels audio and other signals The microphone sensitivity of each unit and 16 level equalizer EQ can be adjusted independently The 16-level equalizer EQ to achieve sound or the whole conference field adjustment, limiter to prevent the sound suddenly become loud or low; noise gate of human voice can be identified; support AGC/AFC/ Mix (Auto-mix) technology Interfaces Front panel USB recording interface 3.5mm headphone for monitoring 1x RCA audio input 1x XLR audio input 1x RCA audio output 1x XLR audio output 6x Phoenix interface audio output 2x RJ45 digital audio connection 2x RJ45 for chairman unit, delegate unit, unit translators and other connection 1x DP9 male interface for external control 1x DP9 female interface for camera 1x three-pin phoenix interface for camera control keyboard 1x RJ45 for computer connection or network switcher 1x grounding screw 1x 100 ~ 240V DC Power Interface Technical Parameters Power 220V AC Static power consumption 12W Maximum power consumption 150W Frequency Response 20Hz ~ 20KHz Noise ratio (S / N) > 80dB Total harmonic distortion <0.05% Channel Crosstalk > 80dB Rackmountable Inclus in set toate cablurile și accesoriile de instalare și interconectare Garantie 36 luni</p>	1 buc	21 225.00	25 470.00	21 225.00	25 470.00
2	<p>Microfon presedinte CAT5 connection DSP digital discussion chairman unit. incl. mic VIS-DVC-T + Microfon tip gooseneck VIS-M600 Hot plug and play, Cat5 Wired Desktop Conference Gooseneck Microphone 600mm length</p>	1 buc	6 135.00	7 362.00	6 135.00	7 362.00

	<p>Touchable buttons: MIC ON/OFF, Priority & Apply Answer 5 keys voting, 64 channels 3.5mm stereo earphone jack (*2pcs) 48 kHz audio sampling rate 20Hz~20KHz response frequency Anti RF interference from cell phone or similar devices Automatic Gain Control / Adaptive Feedback Cancellation / Active Noise Control / Auto-Mix Cardioid directional microphone capsule with anti-wind microphone foam, with two-color LED indicator Must realize camera auto tracking (preset) function Garantie 36 luni</p>					
3	<p>Microfon delegat CAT5 connection DSP digital discussion delegate unit. incl. mic VIS-DVD-T + Microfon tip gooseneck VIS-M600 Hot plug and play, Cat5 Wired Desktop Conference Gooseneck Microphone 600mm lenth Touchable buttons: MIC ON/OFF 5 keys voting, 64 channels 3.5mm stereo earphone jack (*2pcs) 48 kHz audio sampling rate 20Hz~20KHz response frequency Anti RF interference from cell phone or similar devices Automatic Gain Control / Adaptive Feedback Cancellation / Active Noise Control / Auto-Mix Cardioid directional microphone capsule with anti-wind microphone foam, with two-color LED indicator Must realize camera auto tracking (preset) function Garantie 36 luni</p>	22 buc	5 955.00	7 146.00	131 010.00	157 212.00
4	<p>Microfon delegat CAT5 connection DSP digital discussion delegate unit. incl. mic VIS-DID-T + Microfon tip gooseneck VIS-M600 Hot plug and play, Cat5 Wired Desktop Conference Gooseneck Microphone600mm lenth Touchable buttons: MIC ON/OFF 3.5mm stereo earphone jack (*2pcs) 48 kHz audio sampling rate 20Hz~20KHz response frequency Anti RF interference from cell phone or similar devices Automatic Gain Control / Adaptive Feedback Cancellation / Active Noise Control / Auto-Mix Cardioid directional microphone capsule with anti-wind microphone foam, with two-color LED indicator Must realize camera auto tracking (preset) function Garantie 36 luni</p>	3 buc	4 980.00	5 976.00	14 940.00	17 928.00
SubTOTAL					173 310.00	207 972.00

Sistem de sonorizare

<u>Nº</u>	<u>Denumirea bunurilor</u>	<u>Cant.</u>	<u>Pret f/TVA, MDL</u>	<u>Pret cu TVA, MDL</u>	<u>Suma f/TVA, MDL</u>	<u>Suma cu TVA, MDL</u>
1	Amplificator AMC MMA240X Putere de iesire – 240 W Posibilitate impartire semnal in maxim 5 zone Intrari: 3 x balanced XLR, 3 x stereo RCA, 6 x 6,3mm jack socket, 1 x 3,5mm TRS Jack. Iesire: 6 x phoenix, 2 x 6.3mm Jack Frequency response – 80 Hz - 15 kHz THD –mai putin 0,5% la 1kHz putere S/N ratio - 75 Db Equalizer - 125 Hz, 250 Hz, 500 Hz, 1 kHz, 2 kHz, 4 kHz, 8 kHz, ± 12 dB Phantom power – 15V max. Cu posibilitate de instalat pe masa sau in rack pentru boxe de tip 4Ohm, 25V, 70V si 100V reglare putere sunet intrari si master Inclus in set toate cablurile și accesoriile de instalare și interconectare GARANTIE: 12 luni	1 buc	10 695.00	12 834.00	10 695.00	12 834.00
2	Speaker AMC COM 440 Rated power 40 W Transformer power taps 40 W - 20 W Sensitivity 91 dB (1 W/1 m) Frequency response 120 Hz – 20 kHz Maximum SPL 110dB (Pmax/1m) la 8414 Hz Dispersie la 1kHz - 1800 orizontala, 1400 verticala Dimensions 655 mm × 150 mm x 125 mm Difuzoare incorporate: 4 buc de frecvente joase de 4", 1 buc de frecvente inalte de 1,5" Greutate –5.9 kg Garantie 12 luni	6 buc	2 550.00	3 060.00	15 300.00	18 360.00
3	Preamplificator-mixer AMC iMix 63 Tip rackmount, Intrari: 6 x universal combi XLR, 3 x stereo RCA Iesiri: 1 x balanced stereo XLR, 1 x stereo RCA, 2 x 6,3 mm TRS jacks Frecventa de raspuns: 20 Hz - 22 kHz THD: 0,03 % @ 1 kHz Alimentare phantom: +18V Inclus in set toate cablurile și accesoriile de instalare și interconectare Garantie 12 luni	1 set	3 435.00	4 122.00	3 435.00	4 122.00
SubTOTAL					29 430.00	35 316.00

Sistem de distribuire semnal video

<u>Nº</u>	<u>Denumirea bunurilor</u>	<u>Cant.</u>	<u>Pret f/TVA, MDL</u>	<u>Pret cu TVA, MDL</u>	<u>Suma f/TVA, MDL</u>	<u>Suma cu TVA, MDL</u>
1	85" LED TV Samsung UE85AU7170UXUA, Black (3840x2160 UHD, SMART TV, PQI 2100Hz, DVB-T/T2/C/S2) (85" Black, 3840x2160 UHD Smart TV (Tizen OS), PQI 2100Hz, HDR10+, HLG, 2 HDMI, 1 USB, Wi-Fi, DVB-T/T2/C/S2, OSD Language: ENG, RO, RU, Speakers 2x10W Dolby Digital Plus, 42.7Kg Garantie 24 luni	2 buc	28 750.00	34 500.00	57 500.00	69 000.00

2	Wall Mount Reflecta PLANO Flat 100-10080" Black	2 buc	630.00	756.00	1 260.00	1 512.00
3	Matrice HDMI - M5 series Seamless Modular Matrix Switcher, incl.: VW-VL0808 - Digital HD combo matrix 8x8 cabinet; MX-HM4I - 4-channel HDMI input card with audio; MX-HM4O - 4-channel HDMI output card.	1 buc	37 080.00	44 496.00	37 080.00	44 496.00
4	Cablu HDMI 30m CCBP-HDMI-AOC-30m OPTICAL	1 buc	1 500.00	1 800.00	1 500.00	1 800.00
5	Cablu HDMI 80m CCBP-HDMI-AOC-30m OPTICAL	1 buc	3 210.00	3 852.00	3 210.00	3 852.00
6	Cablu HDMI 10m	1 buc	180.00	216.00	180.00	216.00
SubTOTAL					100730.00	120876.00

Manopera

<u>Nº</u>	<u>Denumirea bunurilor</u>	<u>Cant.</u>	<u>Pret f/TVA, MDL</u>	<u>Pret cu TVA, MDL</u>	<u>Suma f/TVA, MDL</u>	<u>Suma cu TVA, MDL</u>
1	Manopera (servicii de instalare, trasare, setare si punere in functiune a echipamentului audio-video, inclusiv materiale, cabluri si accesorii)	serv	17 850.00	21 420.00	17 850.00	21 420.00
SubTOTAL					17 850.00	21 420.00
TOTAL PER OFERTA					321320.00	385584.00

Total per oferta, fara TVA – 321.320,00 MDL

Total per oferta, inclusiv TVA 20% – 385.584,00 MDL

Termenul de garantie a echipamentului oferit – 24 luni din ziua dării in primire.

Livrarea se efectueaza in termen de pana la 60 zile din data comenzii ferme.

Numele: Eugeniu Rudenco

Functia: Director

Semnătura: _____

L.S.

