



EKG

Content / 内容

- | | |
|------------------------|----------|
| ★ EKG trunk cable | EKG主电缆 |
| ★ EKG leadwires | EKG导联线 |
| ★ EKG one piece cable | EKG一体化电缆 |
| ★ EKG accessories | EKG附件 |
| ★ Disposable electrode | 一次性心电电极片 |

EKG Monitoring Cable EKG 电缆

本公司可提供多种品牌机型连接器，可以承接客户订制OEM产品以及以客户要求提供解决方案ODM产品。

产品采用抗弯折的网尾可以最大的避免对电缆的损坏。产品电线采用双屏蔽结构将干扰和噪音降到最小，产品可以适配于以美标(AAMI)和欧标(IEC)颜色代码标识的病人端连接器。每个产品上具有批号(LOT#)便于追溯。产品上可以装配上1K, 4.7K, 10K, 20K欧姆的抗除颤电阻以及放电管。

Caremed can provide different kinds of connector for many brands' equipment models, can produce customized OEM product and provide ODM solution based on customer's requirements.

The product adopt the bending-resistance strain relief, the damage to the cable can be avoided at utmost degree.

The product wire uses the double shield structure, which minimize the interference and noise.

The product can be adapted to the patient end connectors which take American Standard (AAMI) and European Standard (IEC) color code as identifications.

Each product has a Lot Number to facilitate traceability.

The products can be equipped with 1K, 4.7K, 10K, 20K ohms defibrillation resistor and the discharge tube.

产品结构

- 本产品由插头、电缆、分线器、导联线、分线器插头、电极插头等插接件组成。
- 所用电缆为高强度双合金特种医用电缆；
- 所用材料为医用TPU，符合生物相容性标准。

Product construction

- The product is consist of plug, cable, yoke, lead wire, yoke plug, electrode plug, etc.
- The cable use high-strength double-alloyed special medical cable;
- The material is medical grade TPU, corresponding to the bio-compatibility standards.

产品性能

- 当患者导联线与主电缆相连,且主电缆插入指定的插座或等效装置,此组件应该能承受有效电压(rms) $1500 \times (1 \pm 10\%)V$ 、频率50正弦电压,在 $1 \times (1 \pm 20\%)min$ 内不发生击穿。电压应该加载于任意两条芯线(包括屏蔽)组合之间。此电缆组件还应能够承受 $5000 \times (1 \pm 10\%)V$ 的直流电压,在 $1 \times (1 \pm 10\%)s$ 内不发生击穿。电压应该加载于所有连接在一起的芯线和屏蔽与任意裸露的导体部分之间。
- 击穿的定义是指在给定的激励电压和频率下,在信号产生电路的输出端测得的电流值超过理论值 $0.25mA$ 。
- 除颤防护(适用于两类产品)
- 电缆/患者导联线组件应该能够承受三次间隔为 $(60 \pm 5)s$ 的模拟除颤,模拟除颤产生的阻尼正弦波应符合YY1079-2008规定的限值。

Product performance

- When the lead wires connected to the patient trunk cable and trunk cable plug into nominated socket or equivalent device, this cable assemble should be able to withstand an effective voltage (rms) $1500 \times (1 \pm 10\%) V$, 50Hz frequency sinusoidal voltage within $1 \times (1 \pm 20\%)min$, and the breakdown does not occur within $1 \times (1 \pm 20\%)min$. The voltage should be loaded between any two-core cables (including shield).

- The cable assembly should also withstand DC voltage of $5000 \times (1 \pm 10\%)V$, and not breakdown within $1 \times (1 \pm 10\%)s$. The voltage should be loaded between all connect-together wires and the shield conductor also any exposed parts.
- The definition of breakdown is that, in a given excitation voltage and frequency, at the signal generation circuit outputs, the measured current value exceeds the theoretical value 0.25mA.
- Defibrillation protection is applicable to two types of products.
- The cable and patient cable lead wires assembly should be able to withstand three times of simulated defibrillation which interval is $(60 \pm 5) s$. The damped sine wave from simulated defibrillation should conform to the limit values in YY1079-2008.

产品特性

- 采用特殊导体，具有出众的数据传输性能。
- 高屏蔽性、抗静电、低噪声。
- 弯折强度高，使用持久。
- 优越的抗老化性能。
- 不含乳胶。
- 外被可以做成医用级PVC, TPR, TPE, TPU, PTFE。

Product features


- Using a special conductor, has outstanding data transfer performance.
- High shielding property, anti-static and low noise.
- High bending strength, durable.
- Excellent anti-aging properties.
- Latex Free
- Jacket outside is made of medical grade material of PVC, TPR, TPE, TPU, PTF

一体式EKG导联线

- 产品型号单一便于管理
- 没有中间分线器操作更简单
- 前期产品成本较低
- 产品失效需整条更换，维修成本较高
- 产品固定灵活性差

One Piece EKG Fixed Cable

- Product part no. is single, easy to management.
- No junction box, easy to operation
- Early stage products have low cost.
- If product failure need to replace in its entirety, high maintenance cost
- Poor flexibility of Product fixed.




EKG主电缆+EKG导联线

- 产品需心电主电缆+心电导联线配套使用
- 产品前期成本较高，维修成本较低
- 产品灵活性好，通过批配不同心电主电缆可以批配同一款或是多款心电导联线；同时通过批配不同心电主电缆可以批配一次性使用心电导联线，可以更灵活的适用于多科室。

EKG Trunk Cable + EKG Lead wire

- Products required EKG trunk cable + EKG lead wires matching use
- Early stage products have higher cost, lower maintenance costs.
- Good product flexibility. By matched with different ECG trunk cable, it can work together with the same or a variety of ECG lead wires; by matched with different ECG trunk cables, can be matched with disposable ECG lead wires. It is more flexible to apply to multiple departments in hospital.

导联位置和颜色标志



12 导:I
欧洲标准

12 导:A
美国标准 (AAMI)

病人端电极连接器

S: 标准扣式 (Snap)



P: 钳式 (Grabber)



N: 针式 (3mm Needle)



B: 香蕉插 (4mm Banana)





EKG Trunk Cable

EKG主电缆

Features

特性

Compatible with major brand monitor


可与市面上主流品牌设备兼容

Use TPU wire and long-life connector

使用TPU电缆和耐用接插件

Original Product Information				Caredem Product Information					
Original Brand 品牌	Original P/N 原厂型号	Lead No. 导联数	Product Illustration 图示	Cable length 线长	Resistor 电阻	AHA Code 美标	IEC Code 欧标	Description 说明	
Burdick	Ek10-E350	10		2.5M	不带电阻 No resistor	EK10U-BK1-A	EK10U-BK1-I	10-lead, chest/0.9m; Limb/1.2m EKMQ10-LBA/I, EKMQ-LNA/I, EKMQ-LPA/I, EKMQ-LSA/I or EKMQB10-LBA/I ... (See the next page of 10-lead wire sets for detail, 如需了解详情, 请参照下页的10导联线)	
		Price			带电阻 With resistor	EK10R-BK1-A	EK10R-BK1-I		
	10		2.5M	不带电阻 No resistor	EK10U-BK2-A	EK10U-BK2-I			
	Price			带电阻 With resistor	EK10R-BK2-A	EK10R-BK2-I			
Fukuda Denshi	Fx101, FX102F, FX328U, FCP2201	10		2.5M	不带电阻 No resistor	EK10U-FD1-A	EK10U-FD1-I		
		Price			带电阻 With resistor	EK10R-FD1-A	EK10R-FD1-I		
Fukuda ME	KP-500, KP-500D	10		2.5M	不带电阻 No resistor	EK10U-FD2-A	EK10U-FD2-I		
		Price			带电阻 With resistor	EK10R-FD2-A	EK10R-FD2-I		
GE-Marquette GE 马奎	MAC 500, MAC 1100, MAC 1200	10		2.5M	不带电阻 No resistor	EK10U-MQ-A	EK10U-MQ-I		
		Price			带电阻 With resistor	EK10R-MQ-A	EK10R-MQ-I		
Morata	ELI-200, ELI-50	10		2.5M	不带电阻 No resistor	EK10U-MT-A	EK10U-MT-I		
		Price			带电阻 With resistor	EK10R-MT-A	EK10R-MT-I		
GE Healthcare -Resting sys	CAM14 coiled patient Cable, Used with GE MAC 5000 resting system with CAM14 Acquisition Module	10		1.4M+0.3M	N/A	EKCAM-GE14-S	(20166560-001)	Used with CAM 14 patient lead wires on next page. 请参照下页的导联线	
				4.5M+0.65M			EKCAM-GE14		(2016560-003)
				1.3M+0.25M			EKCAM-GE4-S		(700044-203)
				4.6M+0.25M			EKCAM-GE4		(700044-202)
		Price							

Original Product Information				Caredmed Product Information				
Original Brand 品牌	Original P/N 原厂型号	Lead No. 导联数	Product Illustration 图示	Cable length 线长	Resistor 电阻	AHA Code 美标	IEC Code 欧标	Description 说明
Hellige / Siemens Hormann / Bosch		10		2.5M	不带电阻 No resistor	EK10U-HL-A	EK10U-HL-I	10-lead, chest/0.9m; Limb/1.2m EKMQ10-LBA/I, EKMQ-LNA/I, EKMQ-LPA/I, EKMQ-LSA/I or EKMQB10-LBA/I (See the next page of 10-lead wire sets for detail, 如需了解详情, 请参照下页的10导联线)
		Price			带电阻 With resistor	EK10R-HL-A	EK10R-HL-I	
Kenz	103,106 CARDIOLINE (Italy)	10		2.5M	不带电阻 No resistor	EK10U-KZ1-A	EK10U-KZ1-I	
		Price			带电阻 With resistor	EK10R-KZ1-A	EK10R-KZ1-I	
	ECG 108/110 Cardico 302/601/1210/1211	10		2.5M	不带电阻 No resistor	EK10U-KZ2-A	EK10U-KZ2-I	
		Price			带电阻 With resistor	EK10R-KZ2-A	EK10R-KZ2-I	
Mindray 迈瑞		10		2.5M	不带电阻 No resistor	EK10U-MR-A	EK10U-MR-I	
		Price			带电阻 With resistor	EK10R-MR-A	EK10R-MR-I	
Nihon Kohden 光电	CaduoFax 6151, 6851, 6353 CadioFax 8110	10		2.5M	不带电阻 No resistor	EK10U-NK1-A	EK10U-NK1-I	
		Price			带电阻 With resistor	EK10R-NK1-A	EK10R-NK1-I	
	CaduoFax Q ECG-9110K ECG-9130K Doing Juang Cardioline (New)	10		2.5M	不带电阻 No resistor	EK10U-NK2-A	EK10U-NK2-I	
		Price			带电阻 With resistor	EK10R-NK2-A	EK10R-NK2-I	
PHILIPS 飞利浦	M1770A, M1771A, M1772A Pagewrite 100/200/200i	10		2.5M	不带电阻 No resistor	EK10U-HP-A	EK10U-HP-I	
		Price			带电阻 With resistor	EK10R-HP-A	EK10R-HP-I	
Schiller 席勒	AT1, AT2, AT2 Plus, AT4 Resistor 10K Long Screw	10		2.5M	不带电阻 No resistor	EK10U-SH1-A	EK10U-SH1-I	
		Price			带电阻 With resistor	EK10R-SH1-A	EK10R-SH1-I	

Original Product Information				Caredmed Product Information				
Original Brand 品牌	Original P/N 原厂型号	Lead No. 导联数	Product Illustration 图示	Cable length 线长	Resistor 电阻	AHA Code 美标	IEC Code 欧标	Description 说明
Schiller 席勒	AT3, AT6, CS6, AT5, AT10, AT60 Short Screw	10		2.5M	不带电阻 No resistor	EK10U-SH2-A	EK10U-SH2-I	10-lead, chest/0.9m; Limb/1.2m EKMQ10-LBA/I, EKMQ-LNA/I, EKMQ-LPA/I, EKMQ-LSA/I or EKMQB10-LBA/I (See the next page of 10-lead wire sets for detail, 如需了解详情, 请参照下页的10导联线)
		Price			带电阻 With resistor	EK10R-SH2-A	EK10R-SH2-I	
					D3	D3		



EKG Leadwires

EKG导联线

Features





特性





Compatible with major brand monitor

可与市面上主流品牌设备兼容

Use TPU wire and long-life connector

使用TPU电缆和耐用接插件

Electrode types and color code 电极类型与制式说明			
Electrode type 电极类型	AHA (A) 美标	IEC (I) 欧标	Alternate IEC (IH) 替代欧标
Color Code 色标	RA, RL, V1, V2, V3, V4, V5, V6, LA, LL	N, R, C1, C2, C3, C4, C5, C6, L, F	L, R, C1, C2, C3, C4, C5, C6, F, RF
4.0mm banana End 4.0香蕉插			
3.0mm needle End 3.0插针			
Grabber End 钳式			
Snap End 扣式			

Original Product Information				Caredmed Product Information			
Original Brand	Original P/N	Lead No.	Product Illustration	Electrode	AHA Code	IEC Code	Price code
GE CAM 14 patient lead wire	Banana End 900112-001(AHA) 900112-002(IEC)	10		4mm banana 4.0香蕉插	EKMQB10-LBA	EKMQB10-LBI	D1
				3mm needle 3.0插针	EKMQB10-LNA	EKMQB10-LNI	D1
				Grabber 钳式	EKMQB10-LPA	EKMQB10-LPI	D1
				Snap 扣式	EKMQB10-LSA	EKMQB10-LSI	D1
GE Am4/AM5 patient lead wires		10		4mm banana 4.0香蕉插	EKMQD10-LBA	EKMQD10-LBI	D1
				3mm needle 3.0插针	EKMQD10-LNA	EKMQD10-LNI	D1
				Grabber 钳式	EKMQD10-LPA	EKMQD10-LPI	D1
				Snap 扣式	EKMQD10-LSA	EKMQD10-LSI	D1
Philips Lead wire	PageWriter Touch: 860284, PageWriter Trim Cardiographs, 860286, 860287, 860288, 860290, 860297	10		4mm banana 4.0香蕉插	EKPW10-LBA (989803129161)	EKPW10-LBI (989803129161)	D1
				3mm needle 3.0插针	EKPW10-LNA	EKPW10-LNI	D1
				Grabber 钳式	EKPW10-LPA	EKPW10-LPI	D1
				Snap 扣式	EKPW10-LSA	EKPW10-LSI	D1
Norav (AA style) Lead wire		10		4mm banana 4.0香蕉插	EKAA10-LBA	EKAA10-LBI	D1
				3mm needle 3.0插针	EKAA10-LNA	EKAA10-LNI	D1
				Grabber 钳式	EKAA10-LPA	EKAA10-LPI	D1
				Snap 扣式	EKAA10-LSA	EKAA10-LSI	D1



EKG one Piece Cable EKG一体化电缆

Features

特性

Compatible with major brand monitor

可与市面上主流品牌设备兼容

Use TPU wire and long-life connector

使用TPU电缆和耐用接插件






Provide 4.0 mm banana(-B), 3.0 mm neddle (-N), Snap (-S) or Grabber (-P)





可提供4.0香蕉插(-B), 3.0插针(-N), 扣式(-S)或者钳式电极(-P)




Electrode types and color code 电极类型与制式说明

Electrode type 电极类型	AHA (A) 美标	IEC (I) 欧标	Alternate IEC (IH) 替代欧标
Color Code 色标	RA, RL, V1, V2, V3, V4, V5, V6, LA, LL	N, R, C1, C2, C3, C4, C5, C6, L, F	L, R, C1, C2, C3, C4, C5, C6, F, RF
4.0mm banana End 4.0香蕉插			
3.0mm neddle End 3.0插针			
Grabber End 钳式			
Snap End 扣式			

Original Product Information 原厂产品信息				Caredem Product Information 凯曼产品信息		
Original Brand 品牌	Original P/N 原厂型号	Lead No. 导联数	Product Illustration 图示	One piece 4.0 mm Banana 4.0香蕉插	Description 说明	Price code 价格代码
Burdick /Cardiac Science	EK-10 and Elite, E350, E350i, E550, E560, Eclipse LE/LE	10		EK10U-BK1-BA	长2.5m+0.9m,无电阻, 4.0香蕉插美标 2.5m+0.9m, no resistor, 4.0mm banana, AHA	D3
				EK10R-BK1-BA	长2.5m+0.9m,带电阻, 4.0香蕉插美标 2.5m+0.9m, with resistor, 4.0mm banana,AHA	D3
				EK10U-BK1-BI	长2.5m+0.9m,无电阻, 4.0香蕉插欧标 2.5m+0.9m, no resistor, 4.0mm banana,IEC	D3
				EK10R-BK1-BI	长2.5m+0.9m,带电阻, 4.0香蕉插欧标 2.5m+0.9m, with resistor, 4.0mm banana,IEC	D3
	Burdick Quinton Eclipse 4,8,400,800, 850,850i, plus, Eclipse LE II and ATRIA PLUS Quinton	10		EK10U-BK2-BA	长2.5m+0.9m,无电阻, 4.0香蕉插美标 2.5m+0.9m, no resistor, 4.0mm banana, AHA	D3
				EK10R-BK2-BA	长2.5m+0.9m,带电阻, 4.0香蕉插美标 2.5m+0.9m, with resistor, 4.0mm banana,AHA	D3
				EK10U-BK2-BI	长2.5m+0.9m,无电阻, 4.0香蕉插欧标 2.5m+0.9m, no resistor, 4.0mm banana,IEC	D3
				EK10R-BK2-BI	长2.5m+0.9m,带电阻, 4.0香蕉插欧标 2.5m+0.9m, with resistor, 4.0mm banana,IEC	D3
Edan			EK10U-ED-BA	长2.5m+0.9m,无电阻, 4.0香蕉插美标 2.5m+0.9m, no resistor, 4.0mm banana, AHA	D3	
			EK10R-ED-BA	长2.5m+0.9m,带电阻, 4.0香蕉插美标 2.5m+0.9m, with resistor, 4.0mm banana,AHA	D3	
			EK10U-ED-BI	长2.5m+0.9m,无电阻, 4.0香蕉插欧标 2.5m+0.9m, no resistor, 4.0mm banana,IEC	D3	
			EK10R-ED-BI	长2.5m+0.9m,带电阻, 4.0香蕉插欧标 2.5m+0.9m, with resistor, 4.0mm banana,IEC	D3	
Fukuda Denshi	Fx101, FX102F, FX328U, FCP2201	10		EK10U-FD1-BA	长2.5m+0.9m,无电阻, 4.0香蕉插美标 2.5m+0.9m, no resistor, 4.0mm banana, AHA	D3
				EK10R-FD1-BA	长2.5m+0.9m,带电阻, 4.0香蕉插美标 2.5m+0.9m, with resistor, 4.0mm banana,AHA	D3
				EK10U-FD1-BI	长2.5m+0.9m,无电阻, 4.0香蕉插欧标 2.5m+0.9m, no resistor, 4.0mm banana,IEC	D3
				EK10R-FD1-BI	长2.5m+0.9m,带电阻, 4.0香蕉插欧标 2.5m+0.9m, with resistor, 4.0mm banana,IEC	D3
Fukuda ME	KP-500、 KP-500D	10		EK10U-FD2-BA	长2.5m+0.9m,无电阻, 4.0香蕉插美标 2.5m+0.9m, no resistor, 4.0mm banana, AHA	D3
				EK10R-FD2-BA	长2.5m+0.9m,带电阻, 4.0香蕉插美标 2.5m+0.9m, with resistor, 4.0mm banana,AHA	D3

Original Product Information 原厂产品信息				Caredem Product Information 凯曼产品信息		
Original Brand 品牌	Original P/N 原厂型号	Lead No. 导联数	Product Illustration 图示	One piece 4.0 mm Banana 4.0香蕉插	Description 说明	Price code 价格代码
Fukuda ME	KP-500、 KP-500D	10		EK10U-FD2-BI	长2.5m+0.9m,无电阻, 4.0香蕉插欧标 2.5m+0.9m, no resistor, 4.0mm banana,IEC	D3
GE- Marquette	MAC 500, MAC 1100, MAC 1200	10		EK10R-FD2-BI	长2.5m+0.9m,带电阻, 4.0香蕉插欧标 2.5m+0.9m, with resistor, 4.0mm banana,IEC	D3
				EK10U-MQ-BA	长2.5m+0.9m,无电阻, 4.0香蕉插美标 2.5m+0.9m, no resistor, 4.0mm banana, AHA	D3
				EK10R-MQ-BA	长2.5m+0.9m,带电阻, 4.0香蕉插美标 2.5m+0.9m, with resistor, 4.0mm banana,AHA	D3
				EK10U-MQ-BI	长2.5m+0.9m,无电阻, 4.0香蕉插欧标 2.5m+0.9m, no resistor, 4.0mm banana,IEC	D3
				EK10R-MQ-BI	长2.5m+0.9m,带电阻, 4.0香蕉插欧标 2.5m+0.9m, with resistor, 4.0mm banana,IEC	D3
				Hellige / Siemens Hormann / Bosch		10
EK10R-HL-BA	长2.5m+0.9m,带电阻, 4.0香蕉插美标 2.5m+0.9m, with resistor, 4.0mm banana,AHA	D3				
EK10U-HL-BI	长2.5m+0.9m,无电阻, 4.0香蕉插欧标 2.5m+0.9m, no resistor, 4.0mm banana,IEC	D3				
EK10R-HL-BI	长2.5m+0.9m,带电阻, 4.0香蕉插欧标 2.5m+0.9m, with resistor, 4.0mm banana,IEC	D3				
Kenz	103,106 CARDIOLINE	10		EK10U-KZ1-BA	长2.5m+0.9m,无电阻, 4.0香蕉插美标 2.5m+0.9m, no resistor, 4.0mm banana, AHA	D3
				EK10R-KZ1-BA	长2.5m+0.9m,带电阻, 4.0香蕉插美标 2.5m+0.9m, with resistor, 4.0mm banana,AHA	D3
				EK10U-KZ1-BI	长2.5m+0.9m,无电阻, 4.0香蕉插欧标 2.5m+0.9m, no resistor, 4.0mm banana,IEC	D3
	ECG 108/ 110 Cardico 302/601/ 1210/1211	10		EK10R-KZ1-BI	长2.5m+0.9m,带电阻, 4.0香蕉插欧标 2.5m+0.9m, with resistor, 4.0mm banana,IEC	D3
				EK10U-KZ2-BA	长2.5m+0.9m,无电阻, 4.0香蕉插美标 2.5m+0.9m, no resistor, 4.0mm banana, AHA	D3
				EK10R-KZ2-BA	长2.5m+0.9m,带电阻, 4.0香蕉插美标 2.5m+0.9m, with resistor, 4.0mm banana,AHA	D3
ECG 108/ 110 Cardico 302/601/ 1210/1211	10		EK10U-KZ2-BI	长2.5m+0.9m,无电阻, 4.0香蕉插欧标 2.5m+0.9m, no resistor, 4.0mm banana,IEC	D3	
			EK10R-KZ2-BI	长2.5m+0.9m,带电阻, 4.0香蕉插欧标 2.5m+0.9m, with resistor, 4.0mm banana,IEC	D3	

Original Product Information 原厂产品信息				Caredem Product Information 凯曼产品信息						
Original Brand 品牌	Original P/N 原厂型号	Lead No. 导联数	Product Illustration 图示	One piece 4.0 mm Banana 4.0香蕉插	Description 说明	Price code 价格代码				
Mindray 迈瑞		10		EK10U-MR-BA	长2.5m+0.9m,无电阻, 4.0香蕉插美标 2.5m+0.9m, no resistor, 4.0mm banana, AHA	D3				
				EK10R-MR-BA	长2.5m+0.9m,带电阻, 4.0香蕉插美标 2.5m+0.9m, with resistor, 4.0mm banana,AHA	D3				
				EK10U-MR-BI	长2.5m+0.9m,无电阻, 4.0香蕉插欧标 2.5m+0.9m, no resistor, 4.0mm banana,IEC	D3				
				EK10R-MR-BI	长2.5m+0.9m,带电阻, 4.0香蕉插欧标 2.5m+0.9m, with resistor, 4.0mm banana,IEC	D3				
Mortara	ELI-200、 ELI-50	10		EK10U-MT-BA	长2.5m+0.9m,无电阻, 4.0香蕉插美标 2.5m+0.9m, no resistor, 4.0mm banana, AHA	D3				
				EK10R-MT-BA	长2.5m+0.9m,带电阻, 4.0香蕉插美标 2.5m+0.9m, with resistor, 4.0mm banana,AHA	D3				
				EK10U-MT-BI	长2.5m+0.9m,无电阻, 4.0香蕉插欧标 2.5m+0.9m, no resistor, 4.0mm banana,IEC	D3				
				EK10R-MT-BI	长2.5m+0.9m,带电阻, 4.0香蕉插欧标 2.5m+0.9m, with resistor, 4.0mm banana,IEC	D3				
Nihon Kohden 光电	CaduoFax 6151, 6851, 6353, CadioFax 8110	10		EK10U-NK1-BA	长2.5m+0.9m,无电阻, 4.0香蕉插美标 2.5m+0.9m, no resistor, 4.0mm banana, AHA	D3				
				EK10R-NK1-BA	长2.5m+0.9m,带电阻, 4.0香蕉插美标 2.5m+0.9m, with resistor, 4.0mm banana,AHA	D3				
				EK10U-NK1-BI	长2.5m+0.9m,无电阻, 4.0香蕉插欧标 2.5m+0.9m, no resistor, 4.0mm banana,IEC	D3				
	CaduoFaxQ ECG- 9110K ECG- 9130K Doing Juang Cardioline (New)			EK10R-NK1-BI	长2.5m+0.9m,带电阻, 4.0香蕉插欧标 2.5m+0.9m, with resistor, 4.0mm banana,IEC	D3				
				EK10U-NK2-BA	长2.5m+0.9m,无电阻, 4.0香蕉插美标 2.5m+0.9m, no resistor, 4.0mm banana, AHA	D3				
				EK10R-NK2-BA	长2.5m+0.9m,带电阻, 4.0香蕉插美标 2.5m+0.9m, with resistor, 4.0mm banana,AHA	D3				
				EK10U-NK2-BI	长2.5m+0.9m,无电阻, 4.0香蕉插欧标 2.5m+0.9m, no resistor, 4.0mm banana,IEC	D3				
				EK10R-NK2-BI (BJ-902D)	长2.5m+0.9m,带电阻, 4.0香蕉插欧标 2.5m+0.9m, with resistor, 4.0mm banana,IEC	D3				
				Philips/ HP	M1770A, M1771A, M1772A Pagewrite 100/200/ 200i	10		EK10U-HP-BA	长2.5m+0.9m,无电阻, 4.0香蕉插美标 2.5m+0.9m, no resistor, 4.0mm banana, AHA	D3
								EK10R-HP-BA (M3702C)	长2.5m+0.9m,带电阻, 4.0香蕉插美标 2.5m+0.9m, with resistor, 4.0mm banana,AHA	D3

Original Product Information 原厂产品信息				Caredem Product Information 凯曼产品信息		
Original Brand 品牌	Original P/N 原厂型号	Lead No. 导联数	Product Illustration 图示	One piece 4.0 mm Banana 4.0香蕉插	Description 说明	Price code 价格代码
Philips/ HP	M1770A, M1771A, M1772A Pagewrite 100/200/ 200i	10		EK10U-HP-BI	长2.5m+0.9m,无电阻, 4.0香蕉插欧标 2.5m+0.9m, no resistor, 4.0mm banana,IEC	D3
				EK10R-HP-BI (M3703A/M3703C)	长2.5m+0.9m,带电阻, 4.0香蕉插欧标 2.5m+0.9m, with resistor, 4.0mm banana,IEC	D3
Schiller 席勒	AT1, AT2, AT2 Plus, AT4 Resistor 10K Long Screw	10		EK10U-SH1-BA	长2.5m+0.9m,无电阻, 4.0香蕉插美标 2.5m+0.9m, no resistor, 4.0mm banana, AHA	D3
				EK10R-SH1-BA	长2.5m+0.9m,带电阻, 4.0香蕉插美标 2.5m+0.9m, with resistor, 4.0mm banana,AHA	D3
				EK10U-SH1-BI	长2.5m+0.9m,无电阻, 4.0香蕉插欧标 2.5m+0.9m, no resistor, 4.0mm banana,IEC	D3
	AT3,AT6, CS6,AT5, AT10,AT60 Short Screw	10		EK10R-SH1-BI	长2.5m+0.9m,带电阻, 4.0香蕉插欧标 2.5m+0.9m, with resistor, 4.0mm banana,IEC	D3
				EK10U-SH2-BA	长2.5m+0.9m,无电阻, 4.0香蕉插美标 2.5m+0.9m, no resistor, 4.0mm banana, AHA	D3
				EK10R-SH2-BA	长2.5m+0.9m,带电阻, 4.0香蕉插美标 2.5m+0.9m, with resistor, 4.0mm banana,AHA	D3
				EK10U-SH2-BI	长2.5m+0.9m,无电阻, 4.0香蕉插欧标 2.5m+0.9m, no resistor, 4.0mm banana,IEC	D3
				EK10R-SH2-BI	长2.5m+0.9m,带电阻, 4.0香蕉插欧标 2.5m+0.9m, with resistor, 4.0mm banana,IEC	D3



EKG Accessories

EKG 配件

Features

特性

Compatible with major brands monitor

可兼容主要品牌监护仪

Meet the ISO 10993-5/10

符合生物相容性

Customize product available

可提供定制化产品

TPU Jacket wire, gold plated terminal

使用TPU电缆, 镀金端子

CaremedP/N 凯曼型号	Description 说明	Package 包装	Price code 价格代码
EKA-LGI	Adult limb clamps,IEC, Multi-purpose 成人肢体夹, 欧标, 多功能	4 pcs/carton	B6
EKA-LGA	Adult limb clamps,AHA, Multi-purpose 成人肢体夹, 美标, 多功能	4 pcs/carton	B6
EKA-LNI	Adult limb clamps,IEC, General,4.0 needle 成人肢体夹, 欧标, 通用, 4.0插针	4 pcs/carton	B5
EKA-LNA	Adult limb clamps,AHA, General,4.0 needle 成人肢体夹, 美标, 通用, 4.0插针	4 pcs/carton	B5
EKA-LDI	Adult limb clamps,IEC, General,3.0 and 4.0 needle 成人肢体夹, 欧标, 3.0和4.0插针	4 pcs/carton	B5
EKA-LDA	Adult limb clamps,AHA, General,3.0 and 4.0 needle 成人肢体夹, 美标, 通用, 3.0和4.0插针	4 pcs/carton	B5
EKC-LGI	Pediatric limb clamps,IEC, Multi-purpose 儿童肢体夹, 欧标, 多功能	4 pcs/carton	B6
EKC-LGA	Pediatric limb clamps,AHA,Multi-purpose 儿童肢体夹, 美标, 多功能	4 pcs/carton	B6
EKA-SG	Adult suction electrode, Multi-purpose 成人胸吸球, 多功能	6 pcs/carton	B8
EKA-SN	Adult suction electrode,4.0 needle 成人胸吸球, 4.0插针	6 pcs/carton	B7
EKA-SD	Adult suction electrode,3.0 and 4.0 needle 成人胸吸球, 3.0和4.0插针	6 pcs/carton	B7
EKC-SG	Pediatric suction electrode, General,Multi-purpose 儿童胸吸球, 多功能	6 pcs/carton	B8
EKC-SN	Pediatric suction electrode,4.0 needle 儿童胸吸球, 4.0插针	6 pcs/carton	B7
EKC-SD	Pediatric suction electrode,3.0 and 4.0 needle 儿童胸吸球, 3.0和4.0插针	6 pcs/carton	B7



Disposable Electrode 一次性心电电极片

Features

特性

Non-woven or PE foam backing

无纺布或PE基材

Nicked metal or Ag/Cl snap

镀镍或氯化银电极扣

Solid or wet gel

固态或液态凝胶

Disposable for single patient use

一次性单病人适用

Caremed P/N 凯曼型号	Description 说明	Electrode 图示	Package 包装
EKDA-TS11	Adult, Non-woven, single, solid gel, round, OD is 55mm 成人, 无纺布, 单片, 固态凝胶, 圆形, OD:55mm		50/bag, 2000 pcs/carton
EKDA-TL11	Adult, Non-woven, single, wet gel, round, OD is 55mm 成人, 无纺布, 单个, 液态凝胶, 圆形, OD:55mm		50/bag, 2000 pcs/carton
EKDA-TS12	Adult, Non-woven, single, solid gel, droplike, size is 50*56mm 成人, 无纺布, 单个, 固态凝胶, 水滴形, 尺寸50*56mm		50/bag, 2000 pcs/carton
EKDA-TS13	Adult, Non-woven, single, solid gel, oval, size is 35*50mm 成人, 无纺布, 单个, 固态凝胶, 椭圆形, 尺寸35*50mm		50/bag, 2000 pcs/carton
EKDG-TS14	Adult/Perdiatric, Non-woven, single, wet gel, droplike, size is 43*39mm 成人/儿童, 无纺布, 单片, 固态凝胶, 水滴形, 尺寸是43*39mm		50/bag, 2000 pcs/carton
EKDG-TL11	Adult/Perdiatric, Non-woven, single, wet gel, droplike, size is 43*39mm 成人/儿童, 无纺布, 单片, 液态凝胶, 水滴形, 尺寸是43*39mm		50/bag, 2000 pcs/carton
EKDC-TS11	Perdiatric, Non-woven, single, solid gel, droplike, size is 36*42mm 儿童, 无纺布, 单片, 固态凝胶, 水滴形, 尺寸36*42mm		50/bag, 2500 pcs/carton
EKDI-TS11	Infant, Non-woven, single, solid gel, droplike, size is 30*36mm 婴儿, 无纺布, 单个, 固态凝胶, 水滴形, 尺寸30*36mm		50/bag, 4000 pcs/carton
EKDA-FS11	Adult, PE foam, single, solid gel, round, OD is 55mm 成人, PE泡棉, 单片, 固态凝胶, 圆形, OD: 55mm		50/bag, 2000 pcs/carton
EKDA-FS12	Adult, PE foam, single, solid gel, round, OD is 50mm 成人, PE泡棉, 单片, 固态凝胶, 圆形, OD:50mm		50/bag, 2000 pcs/carton
EKDA-FL12	Adult, PE foam, single, wet gel, droplike, OD is 50mm 成人, PE泡棉, 单片, 液态凝胶, 水滴形, OD:50mm		50/bag, 2000 pcs/carton
EKDA-FS13	Adult, PE foam, single, solid gel, oval, size is 35*50mm 成人, PE泡棉, 单片, 固态凝胶, 椭圆形, 尺寸35*50mm		50/bag, 2000 pcs/carton
EKDA-FS14	Adult, PE foam, single, solid gel, Double Round, size is 40*45mm 成人, PE泡棉, 单片, 固态凝胶, 双圆形, 尺寸40*45mm		4/bag, 600 pcs/carton
EKDA-FS15	Adult, PE foam, single, solid gel, Rectangle, size is 46*88mm 成人, PE泡棉, 单片, 固态凝胶, 方形, 尺寸46*88mm		4/bag, 600 pcs/carton
EKDG-FS11	Adult/Perdiatric, PE foam, single, solid gel, droplike, size is 43*39mm 成人/儿童, PE泡棉, 单片, 固态凝胶, 水滴形, 尺寸43*39mm		50/bag, 2000 pcs/carton
EKDG-FL11	Adult/Perdiatric, PE foam, single, wet gel, droplike, size is 43*39mm 成人/儿童, PE泡棉, 单片, 液态凝胶, 水滴形, 尺寸43*39mm		50/bag, 2000 pcs/carton
EKDG-FS12	Adult/Perdiatric, PE foam, single, solid gel, oval, size is 43*45mm 成人/儿童, PE泡棉, 单片, 固态凝胶, 椭圆形, 尺寸43*45mm		50/bag, 2000 pcs/carton
EKDP-FS13	Perdiatric, PE foam, single, solid gel, oval, size is 36*42mm 成人/儿童, PE泡棉, 单片, 固态凝胶, 椭圆形, 尺寸36*42mm		50/bag, 2000 pcs/carton
EKDG-FS14	Adult/Perdiatric, PE foam, single, solid gel Crescent, size is 24*39mm 成人/儿童, PE泡棉, 单片, 固态凝胶, 月牙形, 尺寸24*39		50/bag, 4000 pcs/carton

Caremed P/N 凯曼型号	Description 描述	Electrode 图示	Package 包装
EKDC-FS11	Periatric, PE foam, single, solid gel, droplike, size is 36*42mm 儿童, PE泡棉, 单片, 固态凝胶, 水滴形, 尺寸36*42mm		50/bag, 2500 pcs/carton
EKDI-FS11	Infant, PE foam, single, solid gel, droplike, size is 30*36mm 婴儿, PE泡棉, 单片, 固态凝胶, 水滴形, 尺寸30*36mm		50/bag, 4000 pcs/carton
EKDN-FS31	Neonate, PE foam, 3 leads, wet gel, round, OD is 22mm 新生儿, PE泡棉, 3导, 液态凝胶, 圆形, OD:22mm		1/bag, 200/600 pcs/carton



体温探头

CONTENT / 内容

- ★ Reusable Temperature Probe 重复性体温探头
- ★ Reusable Temp. probe adapter cable 重复性体温探头转接线
- ★ Disposable temperature probe 一次性体温探头
- ★ Disposable Temp. probe adapter cable 一次性体温探头转接线