



GUVERNUL
REPUBLICII MOLDOVA



SERVICIUL FISCAL DE STAT



Portalul
Guvernamental
pentru afaceri

CERTIFICAT

privind lipsa sau existența restanțelor față de bugetul public național

Din
От

1

DATE DESPRE CONTRIBUABIL/ИНФОРМАЦИЯ О НАЛОГОПЛАТЕЛЬЩИКЕ

Codul fiscal/Numărul de identificare

Фискальный код/Идентификационный номер

Denumirea

Наименование

2

ATESTAREA LIPSEI SAU EXISTENȚEI RESTANȚELOR CONFORM DATELOR SISTEMULUI INFORMAȚIONAL AUTOMATIZAT/ПОДТВЕРЖДЕНИЕ ОТСУТСТВИЯ ИЛИ НАЛИЧИЯ НЕДОИМКИ СОГЛАСНО ДАННЫХ ИНФОРМАЦИОННОЙ АВТОМАТИЗИРОВАННОЙ СИСТЕМЫ

La data emiterii prezentului certificat restanța față de bugetul public național constituie/На дату выдачи данной справки, недоимка перед национальным публичным бюджетом составляет

lei/лей

3

VALABIL PÂNĂ LA/ДЕЙСТВИТЕЛЕН ДО



Prezentul certificat este eliberat în temeiul Art. 131, alin. (5³) din Codul fiscal nr. 1163/1997, în baza datelor furnizate de Serviciul Fiscal de Stat în Portalul Guvernamental al Antreprenorului/Сертификат выдан в соответствии со ст. 131, п. (5³) Налогового кодекса №1163/1997, на основании данных, предоставленных Государственной налоговой службой на Портале Правительства Предпринимателя

Generat și semnat de Portalul Guvernamental al Antreprenorului (<https://mcabinet.gov.md>) la

Prezentul certificat este semnat electronic în conformitate cu Legea nr. 124 din 19.05.2022 /
Сертификат подписан электронной подписью в соответствии с Законом № 124 от 19.05.2022

Certificatul este descărcat de pe Portalul Guvernamental al Antreprenorului (<https://mcabinet.gov.md>) și este semnat electronic de către posesorul acestui portal și are aceeași valoare juridică ca și documentele eliberate pe suport de hârtie de către organele cu atribuții de administrare fiscală.
Verificarea autenticității semnăturii electronice poate fi realizată la adresa: <https://msign.gov.md>.

Сертификат выгружен с Правительственного Портала Предпринимателя (<https://mcabinet.gov.md>) и подписан электронной подписью владельца портала и имеет такую же юридическую силу, как и документы, выдаваемые на бумаге органами налоговой администрации.
Проверку подлинности электронной подписи можно осуществить по адресу: <https://msign.gov.md>.



BC "MOLDINDCONBANK" S.A.

Filiala "Invest"

Republica Moldova, MD-2068
mun. Chișinău, bd. Moscovei, 14/1
Tel. : (373-22) 43-44-81, 43-46-24
Fax : (373-22) 43-44-22
cod: MOLDMD2X329

Data 14. IAN. 2016
Nr. 03/2 - 19/23

Республика Молдова, MD-2068
мун. Кишинэу, бул. Московской, 14/1
Тел. : (373-22) 43-44-81, 43-46-24
Факс : (373-22) 43-44-22
код: MOLDMD2X329

Filiala „Invest” BC „Moldindconbank” SA confirmă existența contului curent în moneda națională al **“BIOSISTEM MLD” S.R.L. (c/f 1010600028048)**, cu **IBAN MD95ML000000002251429243**.

Codul băncii MOLDMD2X329.

Director

Nina Turcan

Director financiar



Nina Balmuş

Ex. Diana Brinza
Tel. 43-45-96

REPUBLICA



MOLDOVA

CERTIFICAT DE ÎNREGISTRARE

Societatea cu Răspundere Limitată "BIOSISTEM MLD"
— ESTE ÎNREGISTRATĂ LA CAMERA ÎNREGISTRĂRII DE STAT —

Numărul de identificare de stat - codul fiscal
1010600028048

Data înregistrării

12.08.2010

Data eliberării

12.08.2010

Svirepova Ludmila, registrator

*Funcția, numele, prenumele persoanei
care a eliberat certificatul*

L. Svirepova
semnătura

MD 0101250





I.P. "AGENȚIA SERVICII PUBLICE"

Departamentul înregistrare și licențiere a unităților de drept

EXTRAS

din Registrul de stat al persoanelor juridice

nr. 8506 din 28.04.2021

Denumirea completă: **Societatea cu Răspundere Limitată «BIOSISTEM MLD».**

Denumirea prescurtată: **«BIOSISTEM MLD» S.R.L.**

Forma juridică de organizare: **Societate cu Răspundere Limitată.**

Numărul de identificare de stat și codul fiscal: **1010600028048.**

Data înregistrării de stat: **12.08.2010.**

Sediul: **MD-2001, str. Albișoara, 16/1, ap.(of.) 7, mun. Chișinău, Republica Moldova.**

Obiectul principal de activitate:

- 1 Activitatea farmaceutică;**
- 2 Importul, fabricarea, comercializarea, asistența tehnică și (sau) reparația dispozitivelor medicale și (sau) a opticii;**
- 3 Acordarea asistenței medicale de către instituțiile medico-sanitare private;**
- 4 Comerțul cu ridicata al calculatoarelor, echipamentelor periferice și software-ului;**
- 5 Întreținerea și repararea mașinilor de birou și a tehnicii de calcul;**
- 6 Consultații în domeniul sistemelor de calcul.**

Capitalul social: **5400 lei.**

Administrator: POIATA VITALIE,

Asociați:

- 1. POIATA VITALIE 33,40 %**
- 2. NASEDCHIN ALEXANDR 33,30 %**
- 3. KOJEVNIKOV DMITRII 33,30 %.**

Prezentul extras este eliberat în temeiul art. 34 al Legii nr. 220-XVI din 19 octombrie 2007 privind înregistrarea de stat a persoanelor juridice și a întreprinzătorilor individuali și confirmă datele din Registrul de stat la data de: 28.04.2021.

Specialist coordonator
tel. 022-207-840



Lazari Aliona



EB 0358735

Lista fondatorilor Biosistem-mld SRL

Nr.	Nume, Prenume	IDNP
1.	Vitalie Poiata	0983103892591
2.	Alexandr Nasedchin	2002001070747
3.	Dmitrii Kojevnikov	0972305012362

Declaration of Conformity



Manufacturer: Shenzhen Mindray Bio-Medical Electronics Co., Ltd.
Mindray Building, Keji 12th Road South, Hi-tech Industrial
Park, Nanshan, Shenzhen, 518057, P. R. China

EC-Representative: Shanghai International Holding Corp. GmbH (Europe)
Eiffestraße 80
20537 Hamburg, Germany

Product: Auto Hematology Analyzer

Model: BC-5000

Including reagents as following:

M-52D DILUENT

M-52DIFF LYSE

M-52LH LYSE

PROBE CLEANSER

Classification: The device not in IVDD annex II and not for self
testing/performance evaluation

Conformity Assessment Route: IVDD Annex III(excluding Section 6)

We herewith declare that the above mentioned products meet the provisions of the Directive 98/79/EC on In Vitro Diagnostic Medical Devices. All supporting documentations are retained under the premises of the manufacturer.

Standards Applied:

List of (harmonized) standards for which documented evidence for compliance can be provided as attachment.

Start of CE-Marking: 2013-9-26

Place, Date of Issue: Shenzhen, 2013-9-26

Signature:

Name of Authorized Signatory: Mr.tan ChuanBin

Position Held in Company: Manager ,Technical Regulation

Declaration of Conformity



Manufacturer: Shenzhen Mindray Bio-Medical Electronics Co., Ltd.
Mindray Building, Keji 12th Road South, Hi-tech Industrial
Park, Nanshan, Shenzhen, 518057, P. R. China

EC-Representative: Shanghai International Holding Corp. GmbH (Europe)
Eiffestraße 80
20537 Hamburg, Germany

Product: Auto Hematology Analyzer

Model: BC-5150

Including reagents as following:

M-52D DILUENT

M-52DIFF LYSE

M-52LH LYSE

PROBE CLEANSER

Classification: The device not in IVDD annex II and not for self
testing/performance evaluation

Conformity Assessment Route: IVDD Annex III(excluding Section 6)

We herewith declare that the above mentioned products meet the provisions of the Directive 98/79/EC on In Vitro Diagnostic Medical Devices. All supporting documentations are retained under the premises of the manufacturer.

Standards Applied:

List of (harmonized) standards for which documented evidence for compliance can be provided as attachment.

Start of CE-Marking: 2013-9-26

Place, Date of Issue: Shenzhen, 2013-9-26

Signature: _____

Name of Authorized Signatory: Mr.tan ChuanBin

Position Held in Company: Manager ,Technical Regulation

Applied Standards List

Product: **Auto Hematology Analyzer**

BC-5150、BC-5000

Including reagents as following:

M-52D DILUENT

M-52DIFF LYSE

M-52LH LYSE

PROBE CLEANSER

Applied Standards:

EN ISO 18113-1:2009	In vitro diagnostic medical devices —Information supplied by the manufacturer(labelling) Part 1: Terms, definitions and general requirements
ENISO 18113-2:2009	I In vitro diagnostic medical devices - Information supplied by the manufacturer (labelling) - Part 2: In vitro diagnostic reagents for professional use
EN ISO 18113-3:2009	In vitro diagnostic medical devices — Information supplied by the manufacturer(labeling) Part 3: In vitro diagnostic instruments for professional use
EN ISO 15223-1:2012	Medical devices — Symbols to be used with medical device labels, labelling and information to be supplied —Part 1: General requirements
EN 13612: 2002	Performance evaluation of in vitro diagnostic medical devices
ISO 14971:2012	Medical devices – Application of risk management to medical devices
EN 61010-1:2001	Safety requirements for electrical equipment for measurement, control, and laboratory use Part 1: General requirement
EN 61010-2-081:2002+A1: 2003+A1: 2003	Safety requirements for electrical equipment for measurement, control and laboratory use - Part 2-081: Particular requirements for automatic and semi-automatic laboratory equipment for analysis and other purposes
EN 61010-2-101: 2002	Safety requirements for electrical equipment for measurement, control, and laboratory use - Part 2-101: Particular requirements for in vitro diagnostic (IVD) medical equipment

Declaration of Conformity V 1.0

IEC 61010-2-010: 2005	Safety requirements for electrical equipment for measurement, control and laboratory use - Part 2-010: Particular requirements for laboratory equipment for the heating of materials
EN 61326-1:2006	Electrical equipment for measurement, control and laboratory use - EMC requirements - Part 1: General requirements
EN 61326-2-6:2006	Electrical equipment for measurement, control and laboratory use - EMC requirements - Part 2-6: Particular requirements - In vitro diagnostic (IVD) medical equipment
EN 62304:2008	Medical device software- Software life cycle processes
EN 62366:2008	Medical devices — Application of usability engineering to medical devices
EN 13640: 2002	Stability testing of in vitro diagnostic medical devices

AWAYDOR



America

CERTIFICATE

No. QS5 044751 0140 Rev. 02

Certificate Holder:

**Shenzhen Mindray Bio-Medical
Electronics Co., Ltd.**
Mindray Building
Keji 12th Road South
High-Tech Industrial Park
Nanshan
518057 Shenzhen
PEOPLE'S REPUBLIC OF CHINA

Certification Mark:



Scope of Certificate:

See Page 2 for Overall Scope Statement.

Standard(s):

ISO 9001:2015

The Certification Body of TÜV SÜD America Inc. certifies that the company mentioned above has established and is maintaining a quality management system that meets the requirements of the listed standards.

Report No.:

SH2005501

Effective Date:

2020-08-12

Expiry Date:

2023-06-30

Page 1 of 4

Date of Issue: 2020-08-20

Tina Israel
Manager, US Certification Body,
Medical and Health Services



America

CERTIFICATE

No. QS5 044751 0140 Rev. 02

Overall Scope Statement

Design and Development, Production and Distribution of Medical Electronic Equipment (including Patient Monitor and Accessories, Vital Signs Monitor, Center Monitoring System, Telemetry Monitoring System, Pulse Oximeter, Temperature Probe, Flow Sensor, Ambulatory Blood Pressure Monitor, Defibrillator / Monitor and Accessories, Electrocardiograph, Anesthesia Machine and Accessories, Ventilator, Air Compressor, Endoscope Camera System, Ultrasonic Diagnostic Equipment and Accessories, Digital Radiography System, Radiography System, Hematology Analyzer, Clinical Chemistry Analyzer, Urine Analyzer, Microplate Reader, Microplate Washer for In-Vitro Diagnostic Use, Chemiluminescence Immunoassay Analyzer, Flow Cytometer, (Auto) Sample Processing System, Auto Slide Maker and Stainer, Glycohemoglobin Analyzer, Specific Protein Analyzer), Reagents for Hematology Analyzer, Reagents for Clinical Chemistry Analyzer, Chemiluminescence Immunoassay Reagents, Chemiluminescence Immunoassay Calibrators and Controls, Reagents for Flow Cytometer, Reagents for Glycohemoglobin Analyzer, Calibrators and Controls for Glycohemoglobin Analyzer, Disposable Anesthesia Mask, Reusable Anesthesia Mask, Respiratory Mask, Disposable Breathing Circuit, Reusable Breathing Circuit, Heat and Moisture Exchanger, Filter, Breathing Bag

Page 2 of 4

Date of Issue: 2020-08-20

Tina Israel
Manager, US Certification Body,
Medical and Health Services



America

CERTIFICATE

No. QS 044751 0140 Rev. 02

Facility(ies):

Shenzhen Mindray Bio-Medical Electronics Co., Ltd.
Mindray Building, Keji 12th Road South, High-Tech
Industrial Park, Nanshan, 518057, Shenzhen,
PEOPLE'S REPUBLIC OF CHINA

Facility Scopes:

Design and Development, Production and Distribution of Medical Electronic Equipment (including Patient Monitor and Accessories, Vital Signs Monitor, Center Monitoring System, Telemetry Monitoring System, Pulse Oximeter, Temperature Probe, Flow Sensor, Ambulatory Blood Pressure Monitor, Defibrillator / Monitor and Accessories, Electrocardiograph, Anesthesia Machine and Accessories, Ventilator, Air Compressor, Endoscope Camera System, Ultrasonic Diagnostic Equipment and Accessories, Digital Radiography System, Radiography System, Hematology Analyzer, Clinical Chemistry Analyzer, Urine Analyzer, Microplate Reader, Microplate Washer for In-Vitro Diagnostic Use, Chemiluminescence Immunoassay Analyzer, Flow Cytometer, (Auto) Sample Processing System, Auto Slide Maker and Stainer, Glycohemoglobin Analyzer, Specific Protein Analyzer), Reagents for Hematology Analyzer, Reagents for Clinical Chemistry Analyzer, Chemiluminescence Immunoassay Reagents, Chemiluminescence Immunoassay Calibrators and Controls, Reagents for Flow Cytometer, Reagents for Glycohemoglobin Analyzer, Calibrators and Controls for Glycohemoglobin Analyzer, Disposable Anesthesia Mask, Reusable Anesthesia Mask, Respiratory Mask, Disposable Breathing Circuit, Reusable Breathing Circuit, Heat and Moisture Exchanger, Filter, Breathing Bag

Page 3 of 4

Date of Issue: 2020-08-20

Tina Israel
Manager, US Certification Body,
Medical and Health Services



America

CERTIFICATE

No. QS5 044751 0140 Rev. 02

Facility(ies)

Shenzhen Mindray Bio-Medical Electronics Co., Ltd.
1203 Nanhuan Avenue, Guangming District, 518106
Shenzhen, PEOPLE'S REPUBLIC OF CHINA

Facility Scopes:

Design and Development, Production and Distribution of Medical Electronic Equipment (including Patient Monitor and Accessories, Vital Signs Monitor, Center Monitoring System, Telemetry Monitoring System, Pulse Oximeter, Temperature Probe, Flow Sensor, Ambulatory Blood Pressure Monitor, Defibrillator / Monitor and Accessories, Electrocardiograph, Anesthesia Machine and Accessories, Ventilator, Air Compressor, Endoscope Camera System, Ultrasonic Diagnostic Equipment and Accessories, Digital Radiography System, Radiography System, Hematology Analyzer, Clinical Chemistry Analyzer, Urine Analyzer, Microplate Reader, Microplate Washer for In-Vitro Diagnostic Use, Chemiluminescence Immunoassay Analyzer, Flow Cytometer, (Auto) Sample Processing System, Auto Slide Maker and Stainer, Glycohemoglobin Analyzer, Specific Protein Analyzer), Reagents for Hematology Analyzer, Reagents for Clinical Chemistry Analyzer, Chemiluminescence Immunoassay Reagents, Chemiluminescence Immunoassay Calibrators and Controls, Reagents for Flow Cytometer, Reagents for Glycohemoglobin Analyzer, Calibrators and Controls for Glycohemoglobin Analyzer, Disposable Anesthesia Mask, Reusable Anesthesia Mask, Respiratory Mask, Disposable Breathing Circuit, Reusable Breathing Circuit, Heat and Moisture Exchanger, Filter, Breathing Bag

Page 4 of 4

Date of Issue: 2020-08-20

Tina Israel
Manager, US Certification Body,
Medical and Health Services



Product Service

Certificate

No. Q5 044751 0164 Rev. 02

Holder of Certificate: **Shenzhen Mindray Bio-Medical Electronics Co., Ltd.**

Mindray Building
Keji 12th Road South
High-Tech Industrial Park
Nanshan
518057 Shenzhen
PEOPLE'S REPUBLIC OF CHINA

Certification Mark:



Scope of Certificate: **Design and development, production and distribution of Active medical devices (intended) for monitoring, diagnosis, anesthesia, breathing and intensive care; In-vitro diagnostic instruments; Non-active accessories for breathing therapy and anesthesia; In-vitro diagnostic reagents and kits (intended) for hematology, clinical chemistry, immunology and cell analysis (For detail information see following pages)**

The Certification Body of TÜV SÜD Product Service GmbH certifies that the company mentioned above has established and is maintaining a quality management system, which meets the requirements of the listed standard(s). See also notes overleaf.

Report No.: SH2005501

Valid from: 2020-09-01
Valid until: 2023-08-31

Date, 2020-07-24

Christoph Dicks
Head of Certification/Notified Body

Certificate

No. Q5 044751 0164 Rev. 02

Applied Standard(s): EN ISO 13485:2016
Medical devices - Quality management systems -
Requirements for regulatory purposes
(ISO 13485:2016)
DIN EN ISO 13485:2016

Facility(ies): Shenzhen Mindray Bio-Medical Electronics Co., Ltd.
Mindray Building, Keji 12th Road South, High-Tech Industrial Park,
Nanshan, 518057 Shenzhen, PEOPLE'S REPUBLIC OF CHINA

Shenzhen Mindray Bio-Medical Electronics Co., Ltd.
1203 Nanhuan Avenue, Guangming District, 518106 Shenzhen,
PEOPLE'S REPUBLIC OF CHINA

Certificate

No. Q5 044751 0164 Rev. 02

For the product(s)/product category (ies):

Patient Monitor and Accessories, Vital Signs Monitor,
Center Monitoring System, Telemetry Monitoring System,
Pulse Oximeter, Temperature Probe, Flow Sensor,
Ambulatory Blood pressure Monitor,
Defibrillator/Monitor and Accessories, Electrocardiograph,
Anesthesia Machine and accessories, Ventilator,
Air compressor, Endoscope Camera System,
Ultrasonic Diagnostic Equipment and Accessories,
Digital Radiography System, Radiography System,
Hematology Analyzer, Clinical Chemistry Analyzer,
Urine Analyzer, Microplate Reader,
Microplate Washer for invitro diagnostic use,
Chemiluminescence Immunoassay Analyzer,
Flow Cytometer, (Auto) Sample Processing System,
Auto Slide Maker&Stainer, Glycohemoglobin Analyzer,
Specific Protein Analyzer, Reagents for Hematology Analyzer,
Reagents for Clinical Chemistry Analyzer,
Chemiluminescence Immunoassay Reagents,
Chemiluminescence Immunoassay Calibrators and Controls,
Reagents for Flow Cytometer,
Reagents for Glycohemoglobin Analyzer,
Calibrators and Controls for Glycohemoglobin Analyzer,
Disposable Anesthesia Mask, Reusable Anesthesia Mask,
Respiratory Mask, Disposable Breathing Circuit,
Reusable Breathing Circuit, Heat and Moisture Exchanger,
Filter, Breathing Bag.



DECLARATION OF CONFORMITY

Manufacturer: Shanghai Long Island Biotec. Co., Ltd
288, Hangnanzhi Road, Zhuanghang Industrial Zone, Fengxian District,
201415 Shanghai, PEOPLE'S REPUBLIC OF CHINA

EC Representative: Wellkang Ltd t/a Wellkang Tech Consulting
Suite B, 29 Harley Street, LONDON W1G 9QR, England, United Kingdom

Product:

1. Prothrombin Time Reagent (PT)
2. Activated Partial Thromboplastin Time (APTT) Reagent (Ellagic Acid)
3. Activated Partial Thromboplastin Time (APTT) Reagent (Kaolin)
4. Thrombin Time Reagent (TT)
5. Fibrinogen Assay Kit (FIB)
6. Fibrinogen Reference Plasma
7. Imidazole Buffered Saline
8. Calcium Chloride Solution
9. Coagulation Control Plasma
10. Cleaning solution I
11. Cleaning solution II
12. D-Dimer Assay Kit
13. D-Dimer Control
14. Fibrin degradation product
15. FDP Control

Classification: The device not in IVDD Annex II and not for self testing/performance evaluation.

Conformity Assessment Route: IVDD Annex III (excluding Section 6)



We herewith declare that the above mentioned products meet the provisions of the Directive 98/79/EC on In Vitro Diagnostic Medical Devices. All supporting documentations are retained under the premises of the manufacture.

Standards Applied: List of (harmonized) standards for which documented evidence for compliance can be provide as attachment.

Start of CE-Marking: 2009-06-01

Products renewed since: 2016-02-20

Place of Issue: Shanghai

Signature: 


Name of Authorized Signatory: Ms. Xi Qimin

Position Held in Company: Management Representative

Applied Standards List

Applied Standards:

EN ISO 18113-1:2009	In vitro diagnostic medical devices — Information supplied by the manufacturer (labeling) Part 1: Terms, definitions and general requirements (ISO 18113-1:2009)
EN ISO 18113-2:2009	In vitro diagnostic medical devices — Information supplied by the manufacturer (labeling) Part 2: In vitro diagnostic reagents for professional use (ISO 18113-2:2009)
EN 980:2008	Graphical symbols for use in the labeling of medical devices
EN 13612:2002	Performance evaluation of in vitro diagnostic medical devices
EN 13640:2002	Stability testing of in vitro diagnostic medical devices
EN 13641:2002	Elimination or reduction of risk of infection related to in vitro diagnostic reagents
ISO 14971:2009	Medical devices — Application of risk management to medical devices
EN 62366:2008	Application of usability engineering to medical devices
EN ISO 13485:2003/AC:2009	Medical devices — Quality management systems — Requirements for regulatory purposes



Declaration of Conformity

Manufacturer: Beijing Mindray Medical Instrument Co., Ltd.
1F,2F,4F&5F, Building 3, No. 18 Science Park Road,
Life Science Park, Changping District, Beijing 102206,
China

Manufacturer SRN: CN-MF-000022542

Authorized Representative: Shanghai International Holding Corp. GmbH (Europe)
Eiffestraße 80 20537 Hamburg, Germany

Product: **Auto Coagulation Analyzer**

Model: **C3100**

Basic UDI-DI: **697080106A0320F05ETH**

Classification: Class A (According to Rule 5 of IVDR annex VIII)

Conformity Assessment Route: Annex II and III of IVDR

GMDN code: 56689

We declare that the above mentioned products meet the provisions of the REGULATION (EU) 2017/746 OF THE EUROPEAN PARLIAMENT and OF THE COUNCIL. All supporting documentations are retained under the premises of the manufacturer. This declaration of conformity is issued under the sole responsibility of the manufacturer.

References to CS: /

Notified Body: /

Notified Body No. : /

Identification of the Certificate: /

Start of CE-Marking: 2022-02-15

I hereby am appointed as the authorized person to deal with all the registration and quality management affairs in my capacity as Management Representative of Beijing Mindray Medical Instrument Co., Ltd., Effective immediately.

Place, Date of Issue: Beijing,

Signature:

Name of Authorized Signatory: Mr. Ge Pengfei

Position Held in Company: Management Representative

Applied Standards List

Product: Auto Coagulation Analyzer

Catalogue Number: C3100

Standards Applied:

EN ISO 18113-1:2011	In vitro diagnostic medical devices - Information supplied by the manufacturer (labelling) - Part 1: Terms, definitions and general requirements (ISO 18113-1:2009)
EN ISO 18113-3:2011	In vitro diagnostic medical devices - Information supplied by the manufacturer (labelling) - Part 3: In vitro diagnostic instruments for professional use (ISO 18113-3:2009)
EN ISO 15223-1:2016	Medical devices - Symbols to be used with medical device labels, labelling and information to be supplied - Part 1: General requirements
EN ISO 14971:2019	Medical devices - Application of risk management to medical devices (ISO 14971:2019)
EN 13612:2002/AC:2002	Performance evaluation of in vitro diagnostic medical devices
EN 62304:2006/A1:2015	Medical device software - Software life-cycle processes
EN 61010-1:2010/A1:2019	Safety requirements for electrical equipment for measurement, control, and laboratory use Part 1: General requirement
EN IEC 61010-2-081:2020	Safety requirements for electrical equipment for measurement, control and laboratory use - Part 2-081: Particular requirements for automatic and semi-automatic laboratory equipment for analysis and other purposes
IEC 61010-2-101:2018	Safety requirements for electrical equipment for measurement, control and laboratory use - Part 2-101: Particular requirements for in vitro diagnostic (IVD) medical equipment
EN 61010-2-010:2020	Safety requirements for electrical equipment for measurement, control and laboratory use - Part 2-010: Particular requirements for laboratory equipment for the heating of materials

Declaration of Conformity V 1.0

EN 62366-1:2015	Medical devices - Part 1: Application of usability engineering to medical devices
EN 61326-1:2013	Electrical equipment for measurement, control and laboratory use - EMC requirements - Part 1: General requirements
EN 61326-2-6:2013	Electrical equipment for measurement, control and laboratory use - EMC requirements - Part 2-6: Particular requirements - In vitro diagnostic (IVD) medical equipment

Declaration of Conformity



Manufacturer: Beijing Mindray Medical Instrument Co., Ltd.
1F,2F,4F&5F, Building 3, No. 18 Science Park Road, Life
Science Park, Changping District, Beijing 102206, China

EC-Representative: Shanghai International Holding Corp. GmbH (Europe)
Eiffestraße 80 20537 Hamburg, Germany

Product: Auto Coagulation Analyzer

Model: C3100

We herewith declare under our sole responsibility that the above mentioned products meet the provisions of the Council Directive 2011/65/EU, amended by Directive 2015/863/EU. All supporting documentations are retained under the premises of the manufacturer.


Standards Applied:

EN IEC 63000: 2018 Technical documentation for the assessment of electrical and electronic products with respect to the restriction of hazardous substances

Start of CE-Marking: 2022-02-15

Place, Date of Issue: Beijing.

Signature:

 2022.06.02

Name of Authorized Signatory: Mr. Ge Pengfei

Position Held in Company: Management Representative