

Specificații tehnice (F4.1)

Numărul licitației:	ocds-b3wdp1-MD-1571401936005	Data 29/10/2019	Alternativa nr.: n/a
Denumirea licitației:	Lot (2 - 1000BaseLX SFP)	Lot: (2)	Pagina: 1 din 3

Cod CPV	Denumirea bunurilor	Modelul articolului	Țara de origine	Producătorul	Specificarea tehnică deplină solicitată de către autoritatea contractantă	Specificarea tehnică deplină propusă de către ofertant	Standarde de referință																
1	2	3	4	5	6	7	8																
Lot (2 - 1000BaseLX SFP)																							
432420000-3	1000BaseLX SFP	FS P/N: SFP1G-LX-31	USA	FS	Form factor: SFP - Distance: Up to 10km - Wavelength: 1310 - Speed: 1Gbps - Connector: LC - Fiber type: Single mode - Compatibility: Cisco - Hotswappable - Not refurbished (Certificat/document care ar confirma că echipamentul nu este refurbished)	Cisco SFP-GE-L Compatible 1000BASE-LX/LH SFP Transceiver Module (MMF/SMF, 1310nm, 550m/10km, LC, DOM) <table border="1"> <tr> <td>Cisco Compatible</td> <td>SFP-GE-L</td> <td>Vendor Name</td> <td>FS</td> </tr> <tr> <td>Form Type</td> <td>SFP</td> <td>Max Data Rate</td> <td>1000Mbps</td> </tr> <tr> <td>Wavelength</td> <td>1310nm</td> <td>Max Cable Distance</td> <td>10km</td> </tr> <tr> <td>Interface</td> <td>LC duplex</td> <td>Optical Components</td> <td>FP 1310nm</td> </tr> </table>	Cisco Compatible	SFP-GE-L	Vendor Name	FS	Form Type	SFP	Max Data Rate	1000Mbps	Wavelength	1310nm	Max Cable Distance	10km	Interface	LC duplex	Optical Components	FP 1310nm	Declarație de conformitate
Cisco Compatible	SFP-GE-L	Vendor Name	FS																				
Form Type	SFP	Max Data Rate	1000Mbps																				
Wavelength	1310nm	Max Cable Distance	10km																				
Interface	LC duplex	Optical Components	FP 1310nm																				

						<table border="1"> <tr> <td>Cable Type</td> <td>MMF*/SMF**</td> <td>DOM Support</td> <td>Yes</td> </tr> <tr> <td>TX Power</td> <td>-9.5 ~ -3dBm</td> <td>Receiver Sensitivity</td> <td>< -23dBm</td> </tr> <tr> <td>Industrial Temperature Range</td> <td>-40 to 85°C (-40 to 185°F)</td> <td>Protocols</td> <td>SFF-8472 MSA Compliant, IEEE 802.3ah- 2004</td> </tr> </table>	Cable Type	MMF*/SMF**	DOM Support	Yes	TX Power	-9.5 ~ -3dBm	Receiver Sensitivity	< -23dBm	Industrial Temperature Range	-40 to 85°C (-40 to 185°F)	Protocols	SFF-8472 MSA Compliant, IEEE 802.3ah- 2004					
Cable Type	MMF*/SMF**	DOM Support	Yes																				
TX Power	-9.5 ~ -3dBm	Receiver Sensitivity	< -23dBm																				
Industrial Temperature Range	-40 to 85°C (-40 to 185°F)	Protocols	SFF-8472 MSA Compliant, IEEE 802.3ah- 2004																				
32420000-3 Switch	10/100/1000BaseTX SFP	P/N: SFP-GB- GE-T	USA	Cisco	<p>Form factor: SFP - Speed: 10/100/1000Mbps - Connector: RJ45 - Compatibility: Cisco - Hotswappable - Not refurbished (Certificat/document care ar confirma că echipamentul nu este refurbished)</p>	<p>Cisco GLC-T Compatible 1000BASE-T SFP Transceiver Module (Copper, 100m, RJ-45)</p> <table border="1"> <tr> <td>Cisco Compatible</td> <td>GLC-T</td> <td>Vendor Name</td> <td>FS</td> </tr> <tr> <td>Form Type</td> <td>SFP</td> <td>Max Data Rate</td> <td>1000Mbps</td> </tr> <tr> <td>Cable Type</td> <td>Cat 6/Cat 6a</td> <td>Max Cable Distance</td> <td>100m</td> </tr> <tr> <td>Interface</td> <td>RJ-45</td> <td>DOM Support</td> <td>No</td> </tr> </table>	Cisco Compatible	GLC-T	Vendor Name	FS	Form Type	SFP	Max Data Rate	1000Mbps	Cable Type	Cat 6/Cat 6a	Max Cable Distance	100m	Interface	RJ-45	DOM Support	No	
Cisco Compatible	GLC-T	Vendor Name	FS																				
Form Type	SFP	Max Data Rate	1000Mbps																				
Cable Type	Cat 6/Cat 6a	Max Cable Distance	100m																				
Interface	RJ-45	DOM Support	No																				

