

**Relentless Innovation**  
for your diagnostic confidence

**SAMSUNG**



Scan code or visit  
[samsunghealthcare.com](http://samsunghealthcare.com)  
to learn more

# V8

## Step up confidence



# Unifying performance and intelligence

The V8 ultrasound system combines exquisite imaging quality powered by Crystal Architecture™ with efficient, streamlined examination enabled by Intelligent Assist tools, and re-engineered workflow to fulfill the needs of today's busy clinical environment. The sophisticated, ergonomic design showcases Samsung's careful craftsmanship and that comfort-in-use is a high priority for your product experience. We constantly seek new ways to help professionals obtain reliable answers with greater image clarity, enhanced accuracy, and improved work efficiency.



Scan here to watch the V8 product video


Exquisite imaging quality for reliability and confidence

Intelligent Assist tools for efficient examination

Re-engineered workflow for simplified process


## Redefined imaging technologies powered by Crystal Architecture™

Crystal Architecture™, an imaging architecture that combines CrystalBeam™ and CrystalLive™, based upon S-Vue Transducer™, provides a crystal clear image. CrystalBeam™ is a new beamforming technology beneficial in delivering high-quality image resolution and increased uniformity of images. CrystalLive™ is Samsung's up-to-date ultrasound imaging engine with enhanced 2D image processing, 3D rendering, and color signal processing, to offer outstanding image performance and efficient workflow during complex cases.




# Exquisite imaging quality for reliability and confidence

Gain insight into the problem based on exceptional image performance powered by Samsung's core imaging engine, Crystal Architecture™. The premium imaging engine combines the benefits of enhanced 2D image processing and detailed expression of color signal processing.



## Enhance hidden structures in shadowed regions

**ShadowHDR™** selectively applies high-frequency and low-frequency of the ultrasound to identify shadow areas such as the fetal head or spine where attenuation occurs.




Intercostal view

Intercostal view with ShadowHDR™



## Examine peripheral vessels with directional Power Doppler

**S-Flow™**, a directional Power Doppler imaging technology, can help to detect even the peripheral blood vessels. It enables accurate diagnosis when the blood flow examination is especially difficult.




Finger flexor tendons with S-Flow™



## Clean up blurry areas in the image

**HQ-Vision™<sup>1</sup>** provides clearer images by mitigating the characteristics of ultrasound images that are slightly blurred than the actual vision.



Quadriceps tendon

Quadriceps tendon with HQ-Vision™



Kidney with MV-Flow™




## Visualize slow flow in microvascular structures

**MV-Flow™<sup>1</sup>** visualizes microcirculatory and slow blood flow to display the intensity of blood flow in color. It is suitable for observation of microcirculatory blood flow and volume of slow blood flow.



## Reduce noise to improve 2D image quality

The noise reduction filter enhances the edge contrast and creates sharp 2D images for optimal diagnostic performance. In addition, **ClearVision** provides application-specific optimization and advanced temporal resolution in live scan mode.




Biceps tendon

Biceps tendon with ClearVision



## Show blood flow in vessels in a 3D like display

**LumiFlow™<sup>1</sup>** is a function that visualizes blood flow in three dimensional-like to help understand the structure of blood flow and small vessels intuitively.




Thyroid nodule (S-Flow™ with LumiFlow™)

# Intelligent Assist tools for efficient examination

Simplify operation and enhance diagnostic confidence with built-in Intelligent Assist features. V8 supports healthcare professionals with semi-automated features they need to help make decisions. The system is equipped with a range of tools that help accurately diagnose issues and achieve greater throughput.

## Display and quantify tissue stiffness in a non-invasive method

**S-Shearwave Imaging™**<sup>1</sup> allows for the non-invasive assessment of stiff tissues in various applications. The color-coded elastogram, quantitative measurements, display options, and user-selectable ROI functions are especially useful for accurate diagnosis of breast and liver diseases.



Liver with S-Shearwave Imaging™

## Perform multi-modality fusion biopsies with high precision


**S-Fusion™**<sup>1</sup> enables simultaneous localization of a lesion using real-time ultrasound with other volumetric imaging modalities, enabling accurate targeting during interventional and other advanced clinical procedures. Samsung's new Auto Registration helps quickly and precisely fuse the images for increased efficiency.

## Contrast Enhanced Ultrasound

**CEUS+<sup>1</sup>** is a contrast enhancement imaging technology that utilizes the characteristics of ultrasound contrast agents. The microbubble contrast agent injected into the body through the vein or alike is subjected to perform nonlinear resonance due to stimulation of ultrasound energy. In addition to the nonlinear signal generated by this method, the ultrasound contrast image is implemented by using the harmonic signal and thus utilized for the diagnosis based on the contrast characteristics over time.

## Quantify wall motion of the left ventricle

**Strain+<sup>1</sup>** is a quantitative tool for measuring global and segmental wall motion of the left ventricle (LV). In Strain+, three standard LV views and a Bull's Eye are displayed in a quad screen for easy and quick assessment of the LV function.




Strain+

## Score and report wall motion to determine heart and blood vessel function

**StressEcho<sup>1</sup>** package includes wall motion scoring and reporting. It includes exercise StressEcho, pharmacologic StressEcho, diastolic StressEcho, and programmable StressEcho.

## Detect functional changes of cardiovascular vessels

**ArterialAnalysis™**<sup>1</sup> detects functional changes of vessels, providing measurement values such as the stiffness, intima-media thickness, and pulse wave velocity of the common carotid artery. Since the functional changes occur before morphological changes, this technology supports the early detection of cardiovascular disease.




ArterialAnalysis™

## Measure IMT in one click

**AutoIMT+<sup>1</sup>** is a screening tool to analyze a patient's potential risk of cardiovascular disease. It allows easy intima-media thickness measurement of both the anterior and posterior wall of the common carotid by the click of a button.

## Detect and track nerves from wrist to upper extremity with AI technology

**NerveTrack™**<sup>1,5</sup> is a function that detects and provides information of the location of the nerve area in real-time during ultrasound scanning.



NerveTrack™


## Display needle tip clearly

With pinpoint precision, **NeedleMate+™**<sup>1</sup> delineates needle location when performing interventions such as nerve blocks. Improved accuracy and efficiency in the procedure are possible with beam steering added to NeedleMate+™.

## Analyze selected breast lesions and report breast assessment

**S-Detect™ for Breast<sup>1,4</sup>**, which analyzes selected lesions in the breast ultrasound study and shows the analysis data, applies BI-RADS ATLAS\* (Breast Imaging-Reporting and Data System, Atlas) to provide standardized reporting; and helps diagnosis with the streamlined workflow.

\* It is a registered trademark of ACR and all rights reserved by ACR.




S-Detect™ for Breast

## Analyze selected thyroid lesions and report thyroid assessment

**S-Detect™ for Thyroid<sup>1,4</sup>**, which analyzes selected lesions in the thyroid ultrasound study and shows the analysis data, provides standardized reporting based on the ATA, BTA, EU-TIRADS, and K-TIRADS\* guidelines; and helps diagnosis with the streamlined workflow.

\* ATA: American Thyroid Association  
BTA: British Thyroid Association  
EU-TIRADS: European Thyroid Imaging Reporting and Data System  
K-TIRADS: Korean Thyroid Imaging Reporting and Data System




S-Detect™ for Thyroid

# Feature-rich capabilities for diverse clinical cases

V8 includes a range of tools for diverse clinical cases and patient types. The highly adaptable system with high-precision features helps healthcare professionals effectively perform targeted examinations.




Scan here to watch the V8 image gallery



Common carotid artery Doppler



Neohead on CA4-10M




S-Shearwave imaging™ for liver




Pediatric echo on PA3-8B




Thyroid with trapezoidal imaging




Calcification in breast tissue




AutoEF



Tissue Doppler



Mitral regurgitation with LumiFlow™ in ME LAX view on MMPT3-7



Elbow with HQ-Vision™


# Re-engineered workflow and design for a simplified process

Ease your day by streamlining workflow with V8's convenient features that reduce multiple tasks into just a few steps and keystrokes. How we display the scan data more easily and precisely is an important focus for the user experience. The ergonomic design makes effective use of the user's working environment to assure utility.

## Real-time image streaming solution

SonoSync™<sup>1</sup> is available on PC and smartphone, etc. as a real-time image share solution that allows communication for care guide and training between doctors and sonographers. In addition, voice chatting and real-time marking functions are provided for better communication, and the MultiVue function is included that allows monitoring multiple ultrasound images on a single screen.

\* SonoSync™ is an image sharing solution.





## Access to RIS from the browser of the ultrasound system

RIS Browser is a function that improves the workflow in the hospital by allowing access to RIS through the browser embedded in the system for the post process without any need to move to the PC after scanning.




## See images in expanded view

The ultrasound examination can be performed while viewing the images and cines that are expanded at various ratios according to the user preference.




## Compare previous and current exam in a side-by-side display

EzCompare™ automatically matches the image settings, annotations, and bodymarkers from the prior study.



## Select transducer and preset combinations in one click

QuickPreset allows the user to select the most common transducer and preset combinations in one click.




## Customize frequently used functions on the touchscreen

TouchEdit, a customizable touchscreen, allows the user to move frequently used functions to the first page.



## 1 14 inch tilting touch screen

Samsung's tilting touch screen can be adjusted to accommodate user's viewing preferences in any scanning environment.



## 2 Assign functions to the buttons near the trackball

Depending on the ultrasound inspection items, the functions assigned to the buttons around the trackball can be utilized to reduce the hassle of menu selection.




## 3 Save image data directly to USB memory

QuickSave function allows image data to be saved directly on USB memory during the exam.




## 4 Use the system when AC power is temporarily unavailable

BatteryAssist™<sup>1</sup> provides battery power to the system, enabling users to perform scans when AC power is temporarily unavailable. It also allows to transport the ultrasound system to another location and start to scan right away.



## 5 Effective cooling system

An effective airflow system cools down the ultrasound system by constantly letting heat out and reducing fan noise.



# Comprehensive selection of transducers

## Curved array transducers



**CA1-7S**  
Abdomen, Obstetrics,  
Gynecology, Pediatric,  
Musculoskeletal, Vascular,  
Urology, Thoracic



**CA3-10A**  
Abdomen, Obstetrics,  
Gynecology, Pediatric,  
Musculoskeletal, Vascular,  
Urology, Thoracic



**CA4-10M**  
Abdomen, Pediatric,  
Vascular



**PA1-5A**  
Cardiac, Vascular,  
Abdomen, Pediatric, TCD,  
Thoracic



**PA3-8B**  
Abdomen, Cardiac,  
Pediatric, Vascular, TCD

## Linear array transducers



**LA2-14A**  
Small parts, Vascular,  
Musculoskeletal,  
Abdomen, Pediatric,  
Thoracic



**LA4-18A**  
Small parts, Vascular,  
Musculoskeletal,  
Abdomen, Pediatric



**LA2-9A**  
Small parts, Vascular,  
Musculoskeletal,  
Abdomen, Pediatric



**LA3-22AI**  
Musculoskeletal,  
Intraoperative




**EA2-11AR**  
Obstetrics, Gynecology,  
Urology



**EA2-11AV**  
Obstetrics, Gynecology,  
Urology

## Volume transducers



**CV1-8A**  
Abdomen, Obstetrics,  
Gynecology, Urology



**EV2-10A**  
Obstetrics, Gynecology,  
Urology



**DP2B**  
Cardiac, Vascular, TCD



**CW6.0**  
Cardiac, Vascular



**MMPT3-7**  
Cardiac



Scan here to find info on  
cleaning and disinfection

\* This product, features, options, and transducers may not be commercially available in all/some countries.

\* Sales and Shipments are effective only after the approval by the regulatory affairs.  
Please contact your local sales representative for further details.

\* This product is a medical device, please read the user manual carefully before use.

1. Optional feature which may require additional purchase.
2. S-Vue Transducer™ is the name of Samsung's advanced transducer technology.
3. Strain value for ElastoScan+™ is not applicable in the United States and Canada.
4. Recommendations about whether results are benign or malignant in S-Detect™ are not applicable in the United States and Canada.
5. The applicable body parts of NerveTrack™ may vary in the United States and Canada.

## SAMSUNG MEDISON CO., LTD.

© 2022 Samsung Medison All Rights Reserved.

Samsung Medison reserves the right to modify the design, packaging,  
specifications, and features shown herein, without prior notice or obligation.

CE 0123

## Samsung Healthcare Cybersecurity

To address the emerging need for cybersecurity, Samsung provides a solution to support our customers by offering the tools to protect against cyberthreats that may compromise invaluable patient data and ultimately degrade the quality of care.

