according to Regulation (EC) No. 1907/2006



**Metherm 61** No Change Service!

Version Revision Date: Date of last issue: 25.01.2021 02.02 22.03.2021 Date of first issue: 05.12.2018

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Metherm 61

Unique Formula Identifier : YH50-K000-A00H-5E47

(UFI)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Additive

stance/Mixture

Recommended restrictions

on use

Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Supplier : MELAG Medizintechnik GmbH & Co. KG

Geneststraße 6-10

10829 Berlin Germany

Telephone: +4930-7579110 Telefax: +4930-757901199 MEtherm-OEM@melag.de

www.melag.com

Producer : Schülke & Mayr GmbH

Robert-Koch-Str. 2

22851 Norderstedt

Germany

Telephone: +49 (0)40/ 52100-0 Telefax: +49 (0)40/ 52100318

mail@schuelke.com www.schuelke.com

E-mail address of person : Safety Coordinator: responsible for the +49(0)30 /335 055 33

SDS/Contact person

1.4 Emergency telephone number

Emergency telephone num: UK Poisons Emergency number: 0870 600 6266

ber

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

## Classification (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2 H319: Causes serious eye irritation.

according to Regulation (EC) No. 1907/2006



## **Metherm 61** No Change Service!

Version Revision Date: Date of last issue: 25.01.2021 02.02 22.03.2021 Date of first issue: 05.12.2018

#### 2.2 Label elements

## Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms

Signal word : Warning

Hazard Statements : H319 Causes serious eye irritation.

Precautionary Statements : Prevention:

P280 Wear eye protection/ face protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/

attention.

## **Additional Labelling**

The product is classified in accordance with Annex I (2.6.4.5) to Regulation (EC) 1272/2008.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

No hazards to be specially mentioned.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical nature : Solution of the following substances with harmless additives.

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Alcohols, C13-15-branched and linear, butoxylated ethoxylated	111905-53-4   	Acute Tox. 4; H302 Eye Irrit. 2; H319 Aquatic Chronic 3; H412	>= 10 - < 20
propan-2-ol	67-63-0 200-661-7 603-117-00-0 01-2119457558-25-	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336	>= 10 - < 20

according to Regulation (EC) No. 1907/2006



## **Metherm 61** No Change Service!

Version Revision Date: Date of last issue: 25.01.2021 02.02 22.03.2021 Date of first issue: 05.12.2018

XXXX		
78330-20-8 	Acute Tox. 4; H302 Eye Dam. 1; H318	>= 1 - < 3
۰		78330-20-8 Acute Tox. 4; H302

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

General advice : If symptoms persist, call a physician.

If inhaled : If symptoms persist, call a physician.

In case of skin contact : Wash with water and soap as a precaution.

If symptoms persist, call a physician.

In case of eye contact : In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

If swallowed : Rinse mouth with water.

Give small amounts of water to drink. Consult a physician if necessary.

## 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Treat symptomatically.

## 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : For specialist advice physicians should contact the Poisons

Information Service.

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

Suitable extinguishing media : Dry powder

Foam

Water spray jet Carbon dioxide (CO2)

Unsuitable extinguishing

media

Do NOT use water jet.

## 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire- : No information available.

fighting

according to Regulation (EC) No. 1907/2006



Metherm 61 No Change Service!

Version Revision Date: Date of last issue: 25.01.2021 02.02 22.03.2021 Date of first issue: 05.12.2018

ucts

Hazardous combustion prod- : No hazardous combustion products are known

5.3 Advice for firefighters

for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

**SECTION 6: Accidental release measures** 

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : No special precautions required.

6.2 Environmental precautions

**Environmental precautions** Avoid subsoil penetration.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up Wipe up with absorbent material (e.g. cloth, fleece).

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

6.4 Reference to other sections

see Section 8 + 13

**SECTION 7: Handling and storage** 

7.1 Precautions for safe handling

Advice on safe handling Prepare the working solution as given on the label(s) and/or

the user instructions.

Advice on protection against

fire and explosion

No special protective measures against fire required.

Keep away from food and drink. Hygiene measures

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage

areas and containers

Store at room temperature in the original container.

Further information on stor-

age conditions

Keep away from heat. Keep container tightly closed. Recom-

mended storage temperature: 5 - 25°C

No materials to be especially mentioned. Advice on common storage

7.3 Specific end use(s)

Specific use(s) none



## **Metherm 61** No Change Service!

Version Revision Date: Date of last issue: 25.01.2021 02.02 22.03.2021 Date of first issue: 05.12.2018

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

## **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
propan-2-ol	67-63-0	TWA	400 ppm 999 mg/m3	GB EH40
		STEL	500 ppm 1,250 mg/m3	GB EH40

## Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health ef-	Value
			fects	
propan-2-ol	Workers	Skin contact	Long-term systemic effects	888 mg/kg
	Workers	Inhalation	Long-term systemic effects	500 mg/m3

## Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment Value		
propan-2-ol	Fresh water	140.9 mg/l	
	Marine water	140.9 mg/l	
	Fresh water sediment	552 mg/kg	
	Marine sediment	552 mg/kg	
	Soil	28 mg/kg	
	Intermittent use/release	140.9 mg/l	
	Effects on waste water treatment plants	2251 mg/l	
	Oral	160 mg/kg food	

## 8.2 Exposure controls

## Personal protective equipment

Eye protection : Safety glasses with side-shields conforming to EN166

Hand protection

Directive : The selected protective gloves have to satisfy the specifica-

tions of Regulation (EU) 2016/425 and the standard EN 374

derived from it.

Remarks : Splash protection: disposable nitrile rubber gloves e.g.

Dermatril (layer thickness: 0.11 mm) made by KCL or gloves from other manufacturers offering the same protection. Prolonged contact: Nitrile rubber gloves e.g. Camatril (>480 Min., layer thickness: 0,40 mm) or butyl rubber gloves e.g. Butoject (>480 Min., layer thickness: 0,70 mm) made by KCL or gloves from other manufacturers offering the same protec-

tion.

Skin and body protection : Work uniform or laboratory coat.

Respiratory protection : No personal respiratory protective equipment normally re-

quired.

according to Regulation (EC) No. 1907/2006



**Metherm 61** No Change Service!

Version Revision Date: Date of last issue: 25.01.2021 02.02 22.03.2021 Date of first issue: 05.12.2018

Protective measures : Avoid contact with eyes.

## **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : colourless

Odour : alcohol-like

Odour Threshold : not determined

pH : 7 (20 °C)

Concentration: 100 %

Melting point/freezing point : < -5 °C

Decomposition temperature No data available

Boiling point/boiling range : ca. 80 °C

Flash point : 37 °C

Method: DIN 51755 Part 1

Evaporation rate : No data available

Flammability (solid, gas)
Upper explosion limit / Upper

flammability limit

Not applicable
 No data available

Lower explosion limit / Lower :

flammability limit

No data available

Vapour pressure : ca. 35 hPa (20 °C)

Vapour density : No data available

Relative density : ca. 0.99 g/cm3 (20 °C)

Solubility(ies)

Water solubility : completely soluble (20 °C)

Partition coefficient: n-

octanol/water

: Not applicable

Auto-ignition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Flow time :  $< 15 \text{ s at } 20 \,^{\circ}\text{C}$ 

Method: DIN 53211

according to Regulation (EC) No. 1907/2006



## **Metherm 61** No Change Service!

Version Revision Date: Date of last issue: 25.01.2021 02.02 22.03.2021 Date of first issue: 05.12.2018

Explosive properties : No data available

Oxidizing properties : No data available

9.2 Other information

Flammability (liquids) : Does not sustain combustion.

## **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

## 10.2 Chemical stability

The product is chemically stable.

## 10.3 Possibility of hazardous reactions

Hazardous reactions : None reasonably foreseeable.

10.4 Conditions to avoid

Conditions to avoid : Protect from frost, heat and sunlight.

10.5 Incompatible materials

Materials to avoid : Never mix concentrates directly.

## 10.6 Hazardous decomposition products

None reasonably foreseeable.

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

#### **Acute toxicity**

**Product:** 

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

## **Components:**

## Alcohols, C13-15-branched and linear, butoxylated ethoxylated:

Acute oral toxicity : LD50 (Rat): > 300 - 2,000 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

propan-2-ol:

Acute oral toxicity : LD50 (Rat): 5,840 mg/kg

according to Regulation (EC) No. 1907/2006



**Metherm 61** No Change Service!

Version Revision Date: Date of last issue: 25.01.2021 02.02 22.03.2021 Date of first issue: 05.12.2018

Acute inhalation toxicity : LC50 (Rat): 39 mg/l

Exposure time: 4 h

Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): 13,900 mg/kg

Method: OECD Test Guideline 402

Alcohols, C9-11-iso-, C10-rich, ethoxylated:

Acute oral toxicity : LD50 (Rat): 500 - 2,000 mg/kg

Method: literature value Remarks: Harmful if swallowed.

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Skin corrosion/irritation

**Components:** 

Alcohols, C13-15-branched and linear, butoxylated ethoxylated:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Mild skin irritation

propan-2-ol:

Result : No skin irritation

Alcohols, C9-11-iso-, C10-rich, ethoxylated:

Species : Rabbit

Method : literature value Result : No skin irritation

Serious eye damage/eye irritation

**Product:** 

Remarks : Causes serious eye irritation.

**Components:** 

Alcohols, C13-15-branched and linear, butoxylated ethoxylated:

Species : Rabbit

Method : OECD Test Guideline 405

Result : Eye irritation

propan-2-ol:

Result : Eye irritation

Alcohols, C9-11-iso-, C10-rich, ethoxylated:

according to Regulation (EC) No. 1907/2006



**Metherm 61** No Change Service!

Version Revision Date: Date of last issue: 25.01.2021 02.02 22.03.2021 Date of first issue: 05.12.2018

Species : Rabbit

Method : OECD Test Guideline 405
Result : Irreversible effects on the eye

## Respiratory or skin sensitisation

**Components:** 

propan-2-ol:

Test Type : Buehler Test Species : Guinea pig

Result : Did not cause sensitisation on laboratory animals.

Alcohols, C9-11-iso-, C10-rich, ethoxylated:

Remarks : No data available

Germ cell mutagenicity

**Components:** 

Alcohols, C13-15-branched and linear, butoxylated ethoxylated:

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)

Result: negative

Germ cell mutagenicity- As-

sessment

Not mutagenic in Ames Test

propan-2-ol:

Genotoxicity in vitro : Test Type: Ames test

Method: Mutagenicity (Escherichia coli - reverse mutation

assay)

Result: Non mutagenic

Genotoxicity in vivo : Species: Mouse

Method: Mutagenicity (micronucleus test)

Result: Non mutagenic

Germ cell mutagenicity- As-

sessment

: Not mutagenic in Ames Test

Alcohols, C9-11-iso-, C10-rich, ethoxylated:

Genotoxicity in vitro : Remarks: No data available

Carcinogenicity

**Components:** 

Alcohols, C13-15-branched and linear, butoxylated ethoxylated:

Carcinogenicity - Assess-

: No data available

ment

according to Regulation (EC) No. 1907/2006



**Metherm 61** No Change Service!

Version Revision Date: Date of last issue: 25.01.2021 02.02 22.03.2021 Date of first issue: 05.12.2018

propan-2-ol:

Remarks : Based on available data, the classification criteria are not met.

Carcinogenicity - Assess-

ment

Based on available data, the classification criteria are not met.

Alcohols, C9-11-iso-, C10-rich, ethoxylated:

Remarks : This information is not available.

Reproductive toxicity

**Components:** 

Alcohols, C13-15-branched and linear, butoxylated ethoxylated:

Reproductive toxicity - As-

sessment

No data available No data available

propan-2-ol:

Effects on foetal develop-

ment

Species: Rat

**Application Route: Oral** 

General Toxicity Maternal: NOAEL: 400 mg/kg body weight

Reproductive toxicity - As-

sessment

Based on available data, the classification criteria are not met.

Ingestion of excessive amounts by pregnant animals resulted

in maternal and foetal toxicity.

Alcohols, C9-11-iso-, C10-rich, ethoxylated:

Effects on fertility : Remarks: No data available

Effects on foetal develop-

ment

Remarks: No data available

STOT - single exposure

**Components:** 

Alcohols, C13-15-branched and linear, butoxylated ethoxylated:

Remarks : No data available

propan-2-ol:

Assessment : May cause drowsiness or dizziness.

Alcohols, C9-11-iso-, C10-rich, ethoxylated:

Remarks : No data available

according to Regulation (EC) No. 1907/2006



#### Metherm 61 No Change Service!

Version Revision Date: Date of last issue: 25.01.2021 02.02 22.03.2021 Date of first issue: 05.12.2018

#### STOT - repeated exposure

## **Components:**

## Alcohols, C13-15-branched and linear, butoxylated ethoxylated:

Remarks Not classified due to data which are conclusive although insuf-

ficient for classification.

propan-2-ol:

Remarks Based on available data, the classification criteria are not met.

Alcohols, C9-11-iso-, C10-rich, ethoxylated:

Remarks : No data available

Repeated dose toxicity

**Components:** 

propan-2-ol:

Remarks No data available

**Aspiration toxicity** 

No data available

**Further information** 

**Product:** 

Remarks No data is available on the product itself.

## **SECTION 12: Ecological information**

## 12.1 Toxicity

#### Components:

## Alcohols, C13-15-branched and linear, butoxylated ethoxylated:

Toxicity to fish LC50 (Leuciscus idus): > 1 - 10 mg/l

> Exposure time: 96 h Test Type: static test

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l

Exposure time: 48 h Test Type: semi-static test

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

NOEC: > 0.1 - 1 mg/lExposure time: 21 d

ic toxicity)

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 202

propan-2-ol:

Toxicity to fish LC50 (Pimephales promelas (fathead minnow)): 9,640 mg/l

according to Regulation (EC) No. 1907/2006



**Metherm 61** No Change Service!

Version Revision Date: Date of last issue: 25.01.2021 02.02 22.03.2021 Date of first issue: 05.12.2018

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 10,000 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 72 h Test Type: static test

*,*1

EC50 (green algae): 1,800 mg/l

Exposure time: 7 d

Alcohols, C9-11-iso-, C10-rich, ethoxylated:

Toxicity to fish : (Leuciscus idus (Golden orfe)): > 100 mg/l

Exposure time: 96 h Method: DIN 38412

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia (water flea)): > 100 mg/l

Exposure time: 48 h

Method: DIN 38412

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 96 h Method: DIN 38412

12.2 Persistence and degradability

**Components:** 

Alcohols, C13-15-branched and linear, butoxylated ethoxylated:

Biodegradability : Result: Readily biodegradable.

Biodegradation: > 60 % Exposure time: 28 d

Method: OECD Test Guideline 301F

propan-2-ol:

Biodegradability : Result: Readily biodegradable.

Alcohols, C9-11-iso-, C10-rich, ethoxylated:

Biodegradability : Result: Readily biodegradable.

Biodegradation: > 60 % Exposure time: 28 d

Method: OECD Test Guideline 301B

12.3 Bioaccumulative potential

Components:

propan-2-ol:

Bioaccumulation : Remarks: No bioaccumulation is to be expected (log Pow <=

4).

according to Regulation (EC) No. 1907/2006



## **Metherm 61** No Change Service!

Version Revision Date: Date of last issue: 25.01.2021 02.02 22.03.2021 Date of first issue: 05.12.2018

Partition coefficient: n- : log Pow: 0.05 (20 °C)

octanol/water Method: OECD Test Guideline 107

Alcohols, C9-11-iso-, C10-rich, ethoxylated:

Bioaccumulation : Remarks: None reasonably foreseeable.

Partition coefficient: n-

octanol/water

Remarks: Not applicable

## 12.4 Mobility in soil

#### **Components:**

propan-2-ol:

Mobility : Remarks: Mobile in soils

Alcohols, C9-11-iso-, C10-rich, ethoxylated:

Mobility : Remarks: Adsorbs on soil.

#### 12.5 Results of PBT and vPvB assessment

**Product:** 

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher...

## 12.6 Other adverse effects

**Product:** 

Additional ecological infor-

mation

: No data is available on the product itself.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : Dispose of the product according to the defined EWC (Euro-

pean Waste Code) No.

Contaminated packaging : Take empty packaging to the recycling plant.

according to Regulation (EC) No. 1907/2006



**Metherm 61** No Change Service!

Version Revision Date: Date of last issue: 25.01.2021 02.02 22.03.2021 Date of first issue: 05.12.2018

Waste key for the unused

product

Waste key for the unused

product(Group)

: European waste catalog (EWC) 070601\*

: Waste material of HZVA from fats, lubricants, soaps, deter-

gents, disinfectants and personal protection products.

## **SECTION 14: Transport information**

## 14.1 UN number

Not regulated as a dangerous good

## 14.2 UN proper shipping name

Not regulated as a dangerous good

## 14.3 Transport hazard class(es)

Not regulated as a dangerous good

## 14.4 Packing group

Not regulated as a dangerous good

#### 14.5 Environmental hazards

Not regulated as a dangerous good

#### 14.6 Special precautions for user

Remarks : Not classified as supporting combustion according to the

transport regulations.

For personal protection see section 8.

## 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

## **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

preparations and articles (Annex XVII)

Conditions of restriction for the following entries should be considered:

Number on list 3

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

Not applicable

REACH - List of substances subject to authorisation

(Annex XIV)

: Not applicable

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

Not applicable

according to Regulation (EC) No. 1907/2006



**Metherm 61** No Change Service!

Version Revision Date: Date of last issue: 25.01.2021 02.02 22.03.2021 Date of first issue: 05.12.2018

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial

emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 24.55 %

## Other regulations:

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values.

#### 15.2 Chemical safety assessment

Exempt

## **SECTION 16: Other information**

#### **Full text of H-Statements**

H225 : Highly flammable liquid and vapour.

H302 : Harmful if swallowed.

H318 : Causes serious eye damage.
H319 : Causes serious eye irritation.
H336 : May cause drowsiness or dizziness.

H412 : Harmful to aquatic life with long lasting effects.

## Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Dam. : Serious eye damage

Eye Irrit. : Eye irritation
Flam. Liq. : Flammable liquids

STOT SE : Specific target organ toxicity - single exposure GB EH40 : UK. EH40 WEL - Workplace Exposure Limits

GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL : Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentra-

according to Regulation (EC) No. 1907/2006



**Metherm 61** No Change Service!

Version Revision Date: Date of last issue: 25.01.2021 02.02 22.03.2021 Date of first issue: 05.12.2018

tion; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

**Further information** 

Classification of the mixture:

Classification procedure:

Eye Irrit. 2

H319

Calculation method

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.