



KBT nv
Hemelrijken 8 - 2890 Sint-Amands
Belgium



T: +32 (0)52 39 99 20
F: +32 (0)52 39 99 29

info@kbtplay.com
www.kbtplay.com
BTW BE 0439 512 641, RPR Mechelen

EC DECLARATION OF CONFORMITY

The manufacturer certifies that the following designated product

Article code	055.301.002.001
Description	HDPE play panel - 3 in a row



KBT POLSKA Sp. z o.o.
ul. Marii Konopnickiej 6
00-491 Warszawa
NIP: 526-26-35-731, Regon: 140041080

is in conformity with the standards

EN 1176-1	General safety requirements and test methods
-----------	--

under European community legislation

- Directive 2009/48/EC on safety of toys
- Regulation No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

This declaration of conformity is issued under the sole responsibility of the manufacturer

KBT nv, Hemelrijken 8, B-2890 Sint-Amands, Belgium

Sint-Amands, 19 september 2018

Filip Wauters, General Manager

KBT nv, Hemelrijken 8, B-2890 Sint-Amands, Belgium
tel +32 (0)52 39 99 20 • fax +32 (0)52 39 99 29 • info@kbtplay.com • www.kbtplay.com



KBT nv
Hemelrijken 8 - 2890 Sint-Amands
Belgium


info@kbtplay.com
www.kbtplay.com
BTW BE 0439 512 641, RPR Mechelen

T: +32 (0)52 39 99 20
F: +32 (0)52 39 99 29

EC DECLARATION OF CONFORMITY

The manufacturer certifies that the following designated product

Article code	055.101.004.001
Description	HDPE play panel - Find me



KBT POLSKA Sp. z o.o.
ul. Marii Konopnickiej 6
00-491 Warszawa
NIP: 526-28-35-731, Regon: 140041080

is in conformity with the standards

EN 1176-1	General safety requirements and test methods
-----------	--

under European community legislation

- Directive 2009/48/EC on safety of toys
- Regulation No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

This declaration of conformity is issued under the sole responsibility of the manufacturer

KBT nv, Hemelrijken 8, B-2890 Sint-Amands, Belgium

Sint-Amands, 19 september 2018

Filip Wauters, General Manager

KBT nv, Hemelrijken 8, B-2890 Sint-Amands, Belgium
tel +32 (0)52 39 99 20 • fax +32 (0)52 39 99 29 • info@kbtplay.com • www.kbtplay.com



KBT nv
Hemelrijken 8 - 2890 Sint-Amands
Belgium


T: +32 (0)52 39 99 20
F: +32 (0)52 39 99 29

info@kbtplay.com
www.kbtplay.com
BTW BE 0439 512 641, RPR Mechelen

EC DECLARATION OF CONFORMITY

The manufacturer certifies that the following designated product

Article code	055.303.003.001
Description	HDPE play panel - Matching pairs



KBT POLSKA Sp. z o.o.
ul. Marii Konopnickiej 6
00-491 Warszawa
NIP: 526-26-35-731, Regon: 140041080

is in conformity with the standards

EN 1176-1	General safety requirements and test methods
-----------	--

under European community legislation

- Directive 2009/48/EC on safety of toys
- Regulation No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

This declaration of conformity is issued under the sole responsibility of the manufacturer

KBT nv, Hemelrijken 8, B-2890 Sint-Amands, Belgium



Sint-Amands, 19 september 2018

Filip Wauters, General Manager


KBT nv, Hemelrijken 8, B-2890 Sint-Amands, Belgium
tel +32 (0)52 39 99 20 • fax +32 (0)52 39 99 29 • info@kbtplay.com • www.kbtplay.com

PDS_172

SPRING TOYS IN HDPE WITH SPRING TYPE 'SMALL' - 'ESSENCIALS'



A concrete anchor
B flat anchor



MANUAL : M172
SALESSTATUS : STD
PRODUCT DIMENSIONS : 760 x 830 x 220 mm

MATERIAL :



EN KBT spring toys

- unique KBT design
- solid HDPE material (thickness 19 mm)
- vandalism resistant
- panels and spring supplied unassembled
- fortified plastic handgrips and foot supports with anti-slip profile

NL KBT veerspeeltuigen

- uniek KBT ontwerp
- massieve HDPE kunststof (materiaaldikte 19 mm)
- vandalismebestendig
- platen en veer niet geassembleerd geleverd
- versterkte kunststof handgrepen en voetsteunen met anti-slip profiel

FR jeux à ressort de KBT

- dessin unique de KBT
- plastique massif PEHD (épaisseur 19 mm)
- anti-vandalisme
- panneaux et ressort fourni non monté
- poignées et supports pour les pieds en plastique avec profil antidérapant

DE KBT Spiele auf Feder

- einzigartiges KBT Design
- massiven HDPE Kunststoff (Materialdicke 19 mm)
- vandalismussicher
- Platten und Feder nicht montiert geliefert
- verstärkte Kunststoffhandgriffe und Fußstützen mit anti-rutsch Profil

ES KBT figuras a resorte muelle

- diseño KBT exclusivo
- plástico PEAD mazizo (espesor 19 mm)
- antivandálico
- paneles y resorte suministrado no montado
- manijas y apoyos para los pies en plástico reforzado con perfil antideslizante

PL KBT bujaki sprężynowe

- unikatowy wzór KBT
- płyta HDPE (grubość 19 mm)
- odporne na zniszczenia
- zestaw do samodzielnego montażu
- zbrojone uchwyty i podnóżki z HDPE z profilem antypoślizgowym

PACKAGING




A 172.00x.	± 26 kg	1	± 54 x 40 x 10 cm	± 26 kg
B 172.00x.	± 23 kg	1	± 54 x 40 x 10 cm	± 22 kg



A 172.00x.	1 x 48 = 48	120 x 80 x 185 cm	± 1248 kg
B 172.00x.	1 x 48 = 48	120 x 80 x 187 cm	± 1104 kg

SPRING TOYS IN HDPE WITH SPRING TYPE 'SMALL' 'ESSENCIALS'

DRAWINGS:





VARIATIONS :



172.001.001.003	spring toy in HDPE 'essentials' (toy, spring & concrete anchor) - pony
172.001.004.003	spring toy in HDPE 'essentials' (toy, spring & flat anchor) - pony
172.002.001.003	spring toy in HDPE 'essentials' (toy, spring & concrete anchor) - scooter
172.002.004.003	spring toy in HDPE 'essentials' (toy, spring & flat anchor) - scooter
172.003.001.003	spring toy in HDPE 'essentials' (toy, spring & concrete anchor) - plane
172.003.004.003	spring toy in HDPE 'essentials' (toy, spring & flat anchor) - plane

PDS_174

SPRING TOYS IN HDPE WITH SPRING TYPE 'LARGE' - ROYAL



A concrete anchor
B flat anchor



MANUAL : M174.001.X
SALESSTATUS : STD
PRODUCT DIMENSIONS : 174.001. = 720 x 870 x 270 mm
174.002. = 740 x 900 x 280 mm

MATERIAL :

**EN KBT spring toys - royal**

- unique KBT design
- solid HDPE material (thickness 19 mm)
- vandalism resistant
- panels and spring supplied unassembled

NL KBT veerspeeltuigen - royal

- uniek KBT ontwerp
- massieve HDPE kunststof (materiaaldikte 19 mm)
- vandalismebestendig
- platen en veer niet geassembleerd geleverd

FR jeux à ressort de KBT - royal

- dessin unique de KBT
- plastique massif PEHD (épaisseur 19 mm)
- anti-vandalisme
- panneaux et ressort fourni non monté

DE KBT Spiele auf Feder - royal

- einzigartiges KBT Design
- massiven HDPE Kunststoff (Materialdicke 19 mm)
- vandalismussicher
- Platten und Feder nicht montiert geliefert

ES KBT figuras a resorte muelle - royal

- diseño KBT exclusivo
- plástico PEAD mazizo (espesor 19 mm)
- antivandálico
- paneles y resorte suministrado no montado

PL KBT bujaki sprężynowe - royal

- unikatowy wzór KBT
- płyta HDPE (o grubości 19 mm)
- odporne na zniszczenia
- zestaw do samodzielnego montażu

PACKAGING

A 174.001.001.	± 40 kg	1	± 76 x 64 x 10 cm	± 40 kg
A 174.001.004.	± 37 kg	1	± 76 x 64 x 10 cm	± 37 kg
B 174.002.001	± 40 kg	1	± 76 x 64 x 10 cm	± 40 kg
B 174.002.004	± 37 kg	1	± 76 x 64 x 10 cm	± 37 kg





A 174.001.001.	1 x 14 = 14	130 x 90 x 190 cm	± 560 kg
A 174.001.004.	1 x 14 = 14	130 x 90 x 190 cm	± 518 kg
B 174.002.001	1 x 14 = 14	130 x 90 x 190 cm	± 560 kg
B 174.002.004	1 x 14 = 14	130 x 90 x 150 cm	± 518 kg

ROCKING

SPRING TOYS IN HDPE WITH SPRING TYPE 'LARGE'

DRAWINGS:




VARIATIONS :


	174.001.001.003	spring toy in HDPE 'royal' (toy, spring & concrete anchor) - duck
	174.001.004.003	spring toy in HDPE 'royal' (toy, spring & flat anchor) - duck
	174.002.001.003	spring toy in HDPE 'royal' (toy, spring & concrete anchor) - tow truck
	174.002.004.003	spring toy in HDPE 'royal' (toy, spring & flat anchor) - tow truck
	174.080.002.001	backrest for spring toy 'royal' - tow truck

PDS_177.00X.

SPRING TOYS IN HDPE WITH SPRING TYPE 'SMALL' - 'FAIRYTALE'



A concrete anchor
B flat anchor



MANUAL : M177.00x
SALESSTATUS : STD
PRODUCT DIMENSIONS : 810 x 980 x 270 mm

MATERIAL :



EN KBT spring toys

- unique KBT design
- solid HDPE material (thickness 19 mm)
- vandalism resistant
- panels and spring supplied unassembled

NL KBT veerspeeltuigen

- uniek KBT ontwerp
- massieve HDPE kunststof (materiaaldikte 19 mm)
- vandalismebestendig
- platen en veer niet geassembleerd geleverd

FR jeux à ressort de KBT

- dessin unique de KBT
- plastique massif PEHD (épaisseur 19 mm)
- anti-vandalisme
- panneaux et ressort fourni non monté

DE KBT Spiele auf Feder

- einzigartiges KBT Design
- massiven HDPE Kunststoff (Materialdicke 19 mm)
- vandalismussicher
- Platten und Feder nicht montiert geliefert

ES KBT figuras a resorte muelle

- diseño KBT exclusivo
- plástico PEAD mazizo (espesor 19 mm)
- antivandálico
- paneles y resorte suministrado no montado

PL KBT bujaki sprężynowe

- unikatowy wzór KBT
- płyta HDPE (grubość 19 mm)
- odporne na zniszczenia
- zestaw do samodzielnego montażu

PACKAGING




A 177.00x.	± 25 kg	1	± 56 x 42 x 11 cm	± 25 kg
B 177.00x.	± 22 kg	1	± 56 x 42 x 11 cm	± 22 kg



A 177.00x.	1 x 30 = 30	120 x 80 x 180 cm	± 750 kg
B 177.00x.	1 x 30 = 30	120 x 80 x 165 cm	± 660 kg

SPRING TOYS IN HDPE WITH SPRING TYPE 'SMALL' 'FAIRYTALE'

DRAWINGS:



VARIATIONS :

■	177.001.001.001	spring toy in HDPE 'fairytale' (toy, spring & concrete anchor) - deer
■	177.001.004.001	spring toy in HDPE 'fairytale' (toy, spring & flat anchor) - deer
■	177.002.001.001	spring toy in HDPE 'fairytale' (toy, spring & concrete anchor) - fox
■	177.002.004.001	spring toy in HDPE 'fairytale' (toy, spring & flat anchor) - fox
■	177.003.001.001	spring toy in HDPE 'fairytale' (toy, spring & concrete anchor) - dog
■	177.003.004.001	spring toy in HDPE 'fairytale' (toy, spring & flat anchor) - dog
■	177.004.001.001	spring toy in HDPE 'fairytale' (toy, spring & concrete anchor) - panda
■	177.004.004.001	spring toy in HDPE 'fairytale' (toy, spring & flat anchor) - panda
■	177.005.001.001	spring toy in HDPE 'fairytale' (toy, spring & concrete anchor) - trex
■	177.005.004.001	spring toy in HDPE 'fairytale' (toy, spring & flat anchor) - trex
■	177.006.001.001	spring toy in HDPE 'fairytale' (toy, spring & concrete anchor) - trice
■	177.006.004.001	spring toy in HDPE 'fairytale' (toy, spring & flat anchor) - trice