
LIAOCHENG RAY FINE TECHNOLOGY CO.,LTD



MACHINE CONFIGURATION

| PICTURE | NAME | DESCRIPTION |
|---|------------------|---|
| | | Brand:Raycus Stable, low failure rate and short pulse setup time |
| | | High quality XY motor with fast response and small deviation With dual red dots to assist you find the focal length |
| M 1 | F-theta lens | 300x300mm lens (optional) |
| | Control card | BJJCZ card |
| * <en-e th="" v<=""><th>Power supply</th><th>Switching power supply, stable performance</th></en-e> | Power supply | Switching power supply, stable performance |
| 5 * 60 = 5:** - = c.**e.* | Control software | EZCAD 2 control software Support install on Windows7/8/10 |

MACHINE PARAMETER

| Product name | Laser marking machine | |
|----------------------------|---|--|
| Laser source | Raycus | |
| Laser power | 30w | |
| Laser wavelength | 1064nm | |
| Marking area | 70x70mm 300x300mm | |
| Marking depth | <1.5mm (depending on engraving time) | |
| Marking speed | 7000mm/s | |
| Minimum marking character | 0.1mm visible | |
| Control card | BJJCZ | |
| Control software | EZCAD 2 | |
| Control software support | Vector graphics, Bitmap, DXF and other file formats | |
| Control software operation | Windows 7 / 8 / 10 | |
| Machine work voltage | AC1 10V 60HZ , AC220V 50HZ, ±10% | |
| Machine Power consumption | <700W | |
| Machine cooling way | Air cooling | |
| Machine dimension | 100*54*107cm | |
| Machine weight | About 1250KG | |


MACHINE DETAIL PICTURES














Large Working Area

----- 300 x 300 mm-----



Compared to the conventional closed one-piece with a larger working area, more different work can be carried out.

CLOSED


Control Panel

The panels are clear and easy to operate



Each major component has an independent control button, galvanometer, lifting and lowering speed can be independently controlled, further improving the working experience of the staff.

APPLICATION



PACKING METHOD AND DETAILS

Packing wooden box: 100*54*107 cm / Gross weight: 125 KG *Cleaning the laser marking machine

- *Winding waterproof membrane to the laser marking machine *Filled with pearl cotton
- *Finally use the fixing strap to reinforce the wooden box

OUR SERVICE

- *We provide free YouTube operation videos and PDF English manuals.
- *We have professional after-sales technicians who can assist through WeChat, Email, WhatsApp,Video, Teamviewer.
- *Before the machine is packaged in our Chinese factory, we will do a 24hour Continuity test, and all the engrave parameters will be saved in the U disk. When you receive the machine, connect to the computer and you can use the laser directly.