

SPECIFICATIONS	DESCRIPTION	ADVANTAGES	LEAFLET																		
<table border="1"> <thead> <tr> <th>Model</th> <th>CTR 3000</th> </tr> </thead> <tbody> <tr> <td>Required Power</td> <td>90 Hp</td> </tr> <tr> <td>Turning Capacity</td> <td>1000 m<sup>3</sup>/h</td> </tr> <tr> <td>Drum Diameter / Width</td> <td>820-1000 mm / 3200 mm</td> </tr> <tr> <td>Working Width / Height</td> <td>3000 mm / 1000 mm</td> </tr> <tr> <td>Tank Capacity</td> <td>600 lt</td> </tr> <tr> <td>Stabilizer Concrete</td> <td>1,5 m<sup>3</sup> / 3600 kg</td> </tr> <tr> <td>Tyre Size</td> <td>400x60x15,5</td> </tr> <tr> <td>Weight</td> <td>7000 kg</td> </tr> </tbody> </table>	Model	CTR 3000	Required Power	90 Hp	Turning Capacity	1000 m <sup>3</sup> /h	Drum Diameter / Width	820-1000 mm / 3200 mm	Working Width / Height	3000 mm / 1000 mm	Tank Capacity	600 lt	Stabilizer Concrete	1,5 m <sup>3</sup> / 3600 kg	Tyre Size	400x60x15,5	Weight	7000 kg			
Model	CTR 3000																				
Required Power	90 Hp																				
Turning Capacity	1000 m <sup>3</sup> /h																				
Drum Diameter / Width	820-1000 mm / 3200 mm																				
Working Width / Height	3000 mm / 1000 mm																				
Tank Capacity	600 lt																				
Stabilizer Concrete	1,5 m <sup>3</sup> / 3600 kg																				
Tyre Size	400x60x15,5																				
Weight	7000 kg																				

Mașina de turnat compost este proiectată pentru a accelera procesul de compostare a îngrășămintelor agricole și a tuturor tipurilor de deșeuri organice. Mașina este capabilă să fermenteze deșeurile organice în butoi și apoi aerul prin stabilizarea raportului C/N (carbon/azot).

### AVANTAJE

- Oferă compostarea deșeurilor organice cu investiții minime.
- Obțineți gunoi organic de înaltă calitate.
- Minimizați gunoiul de grajd la nivelul optim.
- Lucru ușor pe poziția drumului prin sistem hidraulic.
- Toate funcțiile sunt controlate în timp ce stați.




#### Height Adjustable Axle

Height-adjustable special axle to work on all kinds of ground.




#### Strengthened Blades

Strengthened blades designed and positioned for optimum mixing.



#### Sprayer Nozzle

Sprayer nozzles and compact pump made to balance compost moisture rate.



#### Turner Drum

Turner drum for composting process of farm fertilizers and kinds of organic waste.



#### Hydraulic Stabilizer Leg

Hydraulic adjustable leg to stabilize the machine



#### Foldable Mixer Unit

Foldable mixer unit designed for ease of transport



#### Sprayer Tank

600 lt capacity, polyethylene sprayer tank



#### Spare Tyre

Optional spare tyre.



