ThinkVision T24i-10 61CEMAR2EU

Product

ThinkVision T24i-10

Region EMEA

Color Black

Panel In-Plane Switching

Display Size 23.8"

View Area 527.04x296.5 mm

Resolution 1920 X 1080

Aspect Ratio 16:9

Pixel Pitch 0.2745x0.2745 mm

Dot / Pixel Per Inch 92 dpi

Briahtness 250 nits

Contrast Ratio 1000:1

Pixel Response Time 6 ms

Color Gamut 72%

View Angle (H / V) 178 / 178

Stand Tilt, Swivel, Pivot, Height Adjust Stand

Side Bezel Width 2 mm

Dimensions with Stand (HxWxD) 373.4x540.2x261.75 mm

Power Comsuption (Typical / Maximum) 16.5W / 59W

Power Adapter Integrated

Weight (Including Stand) 11.33lb / 5.15kg

Warranty 3-year

ENERGY STAR **ENERGY STAR 7.1**

тсо TCO 7.0

EPEAT Silver

Presets / User Settings 24/20

On Screen Display OSD, 8 Languages

USB Port USB 3.0x4

Speaker None

Camera None

Multiple Input HDMI, DP, VGA

Monitor Cable DP. VGA

CPU / Platform None / None

Display Ram / Storage / Card Slot None / None / None

Wireless / Ethernet / Bluetooth None / None / None

Touch Screen / Digitizer Pen / Battery None / None / None

Operating System Support Windows 7, Windows 10

Ann Date (mm/yy) 12/18

WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors.

Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.

https://psref.lenovo.com

PSREF

Visit psref website for the latest version of Product Specifcations Reference. © Lenovo, 2019. All rights reserved.





Think Vision T241-10 MONITOR



SPECIFICATIONS

DISPLAY

Panel Size Panel Type Backlight Resolution (H x V) Aspect Ratio Anti-Glare Near Edgeless Screen Screen Dimensions (W x H) (mm)(inches) Maximum Brightness (Typical) Viewing Angle (H/V at CR 10:1) Contrast Ratio (Typical) Dynamic Contrast Ratio Pixel Pitch (mm) Color Gamut (CIE 1931) Color Support (Typical) Response Time (gray to gray) OSD Controls Buttons Languages

CONNECTIVITY

Video Input Signals

Video Cables Supplied (Length) USB Hub

Audio Out

MECHANICAL

Tilt Angle (Front / Back) Swivel Angle (Left / Right) Lift Range (mm) Pivot Cable Management Kensington® Lock VESA® Mount (mm x mm) Bezel Color Bezel Width Top (mm / inches) Sides (mm / inches)

VGA + HDMI[™] 1.4 + DisplayPort™ 1.2 1.8 m 1 x USB 3.0¹ (Upstream) 4 x USB 3.01 (Downstream, Incl. 1 BC) Yes (3.5 mm)

-5°/ 30° +/-45° 110 +/-90° Yes Yes Yes (100 X 100) Raven Black 2 / 0.08"

23.8" Wide

1920 x 1080

WIFD

16:9

Yes

Yes

In-Plane Switchng

527.04 x 296.46

0.2745 x 0.2745

4 ms (Extreme mode)

English, French, German,

Spanish, Italian, Japanese,

Simplified Chinese, Russian

6 ms (Normal mode)

20 75" x 11 67

250 cd/m²

72% NTSC

16.7 Million

178°/178°

1000:1

3M:1

5

2 / 0.08"

¹ Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connectors on this device will vary and is typically slower than the data rates as defined by the respective USB specifications: - 5 Gbit/s for USB 3.1 Gen 1; 10 Gbit/s for USB 3.1 Gen 2 & 20 Gbit/s for USB 3.2.



DIMENSIONS (W x D x H)

Size Packed (mm) (inches) Size Unpacked with Stand Lowest Position (mm) (inches) **Highest Position** (mm)(inches) Size Unpacked without Stand (Monitor Head Only) (mm) (inches) Stand Base Footprint Area (mm) (inches) Weight Packed Unpacked Monitor Head Only Full Container Load (40' STD / 20' STD)

POWER CONSUMPTION

Typical Maximum Sleep-Mode Switch Off-Mode Power Supply Power Voltage

WHAT'S IN THE BOX

Monitor with Stand 1 x Power Cable 1 x VGA Cable 1 x DisplayPort[™] - DisplayPort[™] Cable 1 x HDMI[™] Cable (NA Only) Quick Setup Guide

CERTIFICATIONS

EPEAT™ ENERGY STAR® Rating TCO[®] TCO Edge RoHS (EU 2002/95/EC) China Energy Efficiency Standard Windows Certification TüV Eye Comfort Certification

7.1 7.0 2.0 Yes Tier 2 Windows 7 / Windows 10 Yes

<u>enovo</u>

422 x 622 x 190 16 61" x 24 48" x 7 48"

540.2 x 261.75 x 373.4 21.26" x 10.3" x 14.7"

540.2 x 261.75 x 483.4 21.26" x 10.3" x 19"

540 2 x 46 45 x 325 98 21.26" x 1.82" x 12.83"

250 x 250 9.84" x 9.84"

16.5 W

<0.3 W

Internal

Silver

90 VAC - 264 VAC

55 W/ <0.5 W

Starting at 16.39 lbs (7.45 kg) Starting at 11.33 lbs (5.15 kg) Starting at 7.26 lbs (3.3 kg) 1140 / 540 Units



Lenovo reserves the right to alter product offerings and specifications at any time, without notice. Lenovo makes every effort to ensure accuracy of all information but is not liable or responsible for any editorial, photographic or typographic errors. All images are for Lenovo reserves the right to alter product ofterings and specifications at any time, without notice. Lenovo makes every effort to ensure accuracy of all information but is not liable or responsible tor any editorics. Trademarks: The following are trademarks or registered tademarks or ensure accuracy of all information but is not liable or responsible tor any editorics. Trademarks: The following are trademarks or registered tademarks or ensure accuracy of all information but is not liable or responsible tor any editorics. Trademarks: The following are trademarks or ensure trademarks or ensure accuracy of all information but is not liable or responsible tor any editorics. Trademarks: The following are trademarks or registered tademarks or ensure trademarks or ensure trademarks

ThinkVision T24i-10







