




**MGB 240 CL**  
**DIN VERSION**



**TECHNICAL DATA**

|                               |                                                                                                               |
|-------------------------------|---------------------------------------------------------------------------------------------------------------|
| Volume (L):                   | 240.00                                                                                                        |
| Curb weight approx. (kg):     | 11.00                                                                                                         |
| Perm. total weight max. (kg): | 110.00                                                                                                        |
| Material:                     | HDPE, UV-stabilized                                                                                           |
| Wheels:                       | 2 rubber wheels Ø 200 mm<br>corrosion free steel axle                                                         |
| Lid / Container:              | 2 hinge pins<br>continuous handle approx. Ø 27 mm<br>Lid with continous lip handle and additional bow handles |
| Certification:                | EN 840, RAL GZ 951/1                                                                                          |

**OPTIONS**

- Locking versions
- Lid apertures
- Hood apertures
- Security insert / CD insert
- Markings / Identification
- Clip-Variants
- Noise reduction
- Bio features
- Special features / Accessories

The products do not contain any substances on the SVHC list of the European Chemicals Agency (ECHA).

## Options

### Locking versions



Gravity Lock 2/4W



Preparation for  
Padlock



Triangular Lock 2/4W

### Lid apertures



Packaging 155x255  
rubber ring 2W CL SL



Small LiL rectangular  
2W



Glass 152 rubber ring  
2W CL SL



Glass 152 rubber 2W  
CL SL



Glass 220 rubber 2W  
CL SL



Small LiL Glass 2W

### Hood apertures



Paper Hood 2W

## Security insert / CD insert



CD insert 2W



Security Insert 2W

## Markings / Identification



Individual  
Identification 2/4W



RFID Transponder  
2/4R




Notches

## Clip-Variants




CL Clip


## Noise reduction



Noise reduction  
closing lid 2/4W



Noise reduction open  
lid



Noise reduction  
wheels 2W


## Bio features



BIO SELECT - Lateral  
hole pattern



BIO SELECT - lateral  
sieves



BIO SELECT - Biogrid

## Special features / Accessories



Highway post 2W/3W