

# VITASEPT<sup>®</sup>P / VITASEPT<sup>®</sup>P GEL

## HAND ANTISEPTIC

Vitasept<sup>®</sup>P is an effective broad spectrum hand antiseptic that is used both in medicine for hygienic and surgical antiseptic treatment for hands as well as in the private sector for public health protection purposes. Suitable for sensitive and normal skin.

### PRODUCT PROPERTIES

- ethanol-based
- Vitasept<sup>®</sup>P GEL is a gel-like hand antiseptic
- fast exposure time (30 sec)
- contains skin care agents
- doesn't irritate the skin
- normal skin microflora recovers once the exposure time has elapsed
- odorant- and colourant-free

### USAGE

#### Hygienic handrub:

Apply sufficient amount of product to cupped hand so that all areas of the hands can be wetted thoroughly. Carefully rub in hand antiseptic for 30 seconds - covering all areas of skin.

#### Surgical handrub:

Thoroughly rub the product into hands and forearms up to the elbows. Pay special attention to fingertips, palms and thumbs. Hands and forearms are to be kept wet during the entire application time of 90 seconds.

### EXPOSURE TIME

Hygienic handrub – 30 seconds

Surgical handrub – 90 seconds

### MICROBIOLOGICAL SPECTRUM

MICROORGANISM	CONCENTRATION	CONTACT TIME
<i>Acinetobacter baumannii</i>	undiluted	30 seconds
<i>Bacillus cereus</i>	undiluted	30 seconds
<i>Campylobacter spp.</i>	undiluted	30 seconds
<i>Clostridium spp.</i>	undiluted	30 seconds
<i>Enterobacter aerogenes</i>	undiluted	30 seconds
<i>Enterococcus faecalis</i>	undiluted	30 seconds
<i>Enterococcus hirae</i>	undiluted	30 seconds
<i>Escherichia coli</i>	undiluted	30 seconds
<i>Klebsiella pneumoniae</i>	undiluted	30 seconds
<i>Listeria spp.</i>	undiluted	30 seconds

<i>Mycoplasma hyopneumoniae</i>	undiluted	30 seconds
<i>Pseudomonas aeruginosa</i>	undiluted	30 seconds
<i>Salmonella spp.</i>	undiluted	30 seconds
<i>Shigella dysenteriae</i>	undiluted	30 seconds
<i>Staphylococcus spp.</i> (incl. MRSA)	undiluted	30 seconds
<i>Streptococcus spp.</i>	undiluted	30 seconds
<i>Vibrio cholerae</i>	undiluted	30 seconds
<i>Mycobacterium terrae</i>	undiluted	30 seconds
<i>Candida albicans</i>	undiluted	30 seconds
HBV/HCV, HIV	undiluted	30 seconds
Herpes simplex	undiluted	30 seconds
Influenza viruses	undiluted	30 seconds
Vaccinia virus	undiluted	30 seconds
Coronaviruses	undiluted	30 seconds
Adenovirus	undiluted	30 seconds
Rotavirus	undiluted	30 seconds
Norovirus	undiluted	60 seconds
Poliovirus	undiluted	60 seconds

---

#### CONFORMITY TO STANDARDS

EN 1500, EN 12791, EN 13624, EN 13727, EN 14348, EN 14476

---

#### STORAGE

See the best before date on the package. Store at temperatures 5-25°C, keep away from direct sunlight.

---

#### UTILIZATION

The working solution is ecologically safe, all active ingredients are biodegradable in flush water. For recycling, rinse package with water.

---

#### DANGER!

Highly flammable liquid and vapour. Causes serious eye irritation. Keep out of reach of children. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.




---

#### COMPOSITION

100g of the product contains following active ingredients: ethanol 80g

---


## PACKAGES (VITASEPT®P)



500ml bottle



1L bottle



1L dispenser bottle



5L canister

## PACKAGES (VITASEPT®P GEL)




100ml  
flip-cap bottle




400ml  
pump/flip-cap bottle




500ml bottle



1L bottle



1L dispenser bottle



5L canister



Goodpoint Chemicals OÜ  
Urda tee 3, Jälgimäe 76404  
Saku vald, Harjumaa, Estonia  
[www.goodpointchemicals.com](http://www.goodpointchemicals.com)  
[info@goodpointchemicals.com](mailto:info@goodpointchemicals.com)



*Use disinfectants safely. Always read the label and product information before use.*