


Jeashia® 质上®

Medical Product Catalogue 2019

Our aim is to provide
innovative & humanized products and services



Zhejiang Honsun Medical Technology Co.,Ltd.

Sanjiang Street, Building 8 of Art & Crafts Park, Beiao Industrial Estate,
325100 Wenzhou, Zhejiang, PEOPLE'S REPUBLIC OF CHINA
<http://hongshun2000.en.alibaba.com>
Exmail: jeashia@jeashia.com
Tel: 86-0577-88832888 18006882596
Fax: 86-0577-88870611
P.C. 325100

浙江鸿顺医疗科技有限公司

地址: 浙江省温州市永嘉县三江街道北岙工业区工艺美术园
电话: 86-0577-88832888 18006882596
传真: 86-0577-88870611
网址: <http://hongshun2000.en.alibaba.com>
邮箱: Jeashia@Jeashia.com
邮编: 325100



<http://hongshun2000.en.alibaba.com>

Aim for health



KNOW HONSUN ALL

>Manufacturing Center

HONSUN is a medical instrument enterprise group, which specializes in research, exploitation, production, and distribution of healthcare product. JEASHIA is an brand by HONSUN.

Our Products include Otoscope, Fiber optic Otoscope, Ophthalmoscope, Tongue depressor, Integrated diagnostic system and so on.

We have a professional and nice team to serve over 100 countries.

浙江鸿顺医疗科技有限公司是一家集制造、研发、贸易为一体的医疗器械企业，“Jeashia®质上®”是我们的商标。

本公司专业生产ENT五官科系列诊断产品，包括光纤、非光纤检耳镜、检眼镜、口腔镜、鼻腔镜、压舌板器、台式、墙式ENT等诊断系统。

我们拥有一支专业、优秀的团队，产品销售到了100多个国家。



QUALITY CONTROL

In 2009, when we started our business, we decided that we would provide the best quality product to all of our clients. The story of HONSUN shows that we have done a great job in quality control, earning us a fantastic reputation.

We take quality control measures during every step of production. Therefore, we have obtained the CE certificate.

从2009年开始，我们就努力为我们的客户提供优质的产品，在质量控制方面已做了大量工作。

并且在生产的每一个环节都严格控制产品质量。荣获了CE认证。



CONTENTS

01	Classic ENT Diagnostic series 经典五官科诊断系列	Pages 01-10
	Otoscope.....	01
	Ophthalmoscope.....	06
	ENT.....	10
02	ENT Diagnostic Kits 五官科诊断套装	Pages 11-15
	Small Gift Box Set.....	11
	Big Gift Box Set.....	14
03	Chargeable Diagnostic Series 可充电诊断系列	Pages 16-19
	Single Hole Charging.....	16
	Double Hole Charging.....	18
04	Integrated Diagnostic Series 综合诊断系统	Pages 20-25
	W100.....	20
	V100M.....	21
	S100.....	23
	W500.....	24
	W500M.....	25
05	Other Diagnostic Series 其他诊断系列	Pages 26-38
	Tourniquet.....	26
	Diagnostic Pen Light.....	29
	Medical Gift Series.....	32
	Neurological Hammer.....	34
	Medical Gift Series.....	43
06	Accessories 配件	Pages 44-46



多项专利技术

Numbers of
patented technologies

专利号: ZL 2017 2 1193865.X 专利号: ZL 2016 3 0555403.2



领先的LED光源技术

Advanced LED light
source technology



先进的IC亮度控制系统

Advanced IC brightness
control system




低电量时灯泡亮度 稳定输出系统

Advanced IC brightness
control system



光源的显色指数 $CRI \geq 90$, 以确保真实的色彩还原

The light source $CRI \geq 90$,
ensure to insure real color rendition






HS-OT10J

Specification

- Direct illumination
- 3X magnification for the viewing window
- 2.4mm/3mm/4mm/5mm ear tips of two groups
- The clip with integrated on/off switch
- 3200k and 6000k color temperature LED bulb and XHL Xenon Halogen bulb to optional
- Colors to choose
- 直接照明
- 3倍放大观察窗
- 2.4mm/3mm/4mm/5mm耳套2组
- 固定夹扣式on/off 开关
- 3200k和6000k色温LED灯和XHL卤素灯可选
- 五种颜色可选择



Direct illumination

Package content

Box size(mm)	Carton size(mm)	Pcs/Ctn	Kgs/Ctn
193x102x32	400x215x195	20	4.9/4.5

Gross and net weight(Kgs/Ctn)Battery containing

Specification

- Direct illumination
- 3X magnification for the viewing window
- 2.4mm/3mm/4mm/5mm ear tips of two groups
- 3200k and 6000k color temperature LED bulb and XHL Xenon Halogen bulb to optional
- Standard handle,handy and convenient
- The clip with integrated on/off switch
- 直接照明
- 3倍放大观察窗
- 2.4mm/3mm/4mm/5mm耳套2组
- 3200k和6000k色温LED灯和XHL卤素灯可选
- 标准型手柄，轻巧方便
- 固定夹扣式on/off 开关



Direct illumination



HS-OT10G

Package content

Box size(mm)	Carton size(mm)	Pcs/Ctn	Kgs/Ctn
190x110x40	400x240x230	20	6.8/6.3


Gross and net weight(Kgs/Ctn)Battery not included



HS-OT10N

Specification

- Fiber optic illumination
- 3X magnification for the viewing window
- 2.4mm/3mm/4mm/5mm ear tips of two groups
- 3200k and 6000k color temperature LED bulb and XHL Xenon Halogen bulb to optional
- Supplied by 2xAA alkaline batteries
- 光纤照明
- 3倍放大观察窗
- 2.4mm/3mm/4mm/5mm耳套2组
- 3200k和6000k色温LED灯和XHL卤素灯可选
- 2×AA碱性电池



Fiber optic illumination


Package content

Box size(mm)	Carton size(mm)	Pcs/Ctn	Kgs/Ctn
193x102x32	400x215x195	20	4.9/4.5

Gross and net weight(Kgs/Ctn)Battery containing

Specification

- Fiber optic illumination
- 3X magnification for the large size viewing window
- 2.4mm/3mm/4mm/5mm ear tips of two groups
- 3200k and 6000k color temperature LED bulb and XHL Xenon Halogen bulb to optional
- The socket of ear insufflation bulb
- 光纤照明
- 3倍放大的大观察窗
- 2.4mm/3mm/4mm/5mm耳套2组
- 3200k与6000k色温LED灯和XHL卤素灯可选
- 气囊球插口



Fiber optic illumination



HS-OT10S

Package content

Box size(mm)	Carton size(mm)	Pcs/Ctn	Kgs/Ctn
193x102x32	400x215x195	20	4.5/4.1


Gross and net weight(Kgs/Ctn)Battery not included



HS-OT10

Specification

- Fiber optic illumination
- 3X magnification for the viewing window
- 2.4mm/3mm/4mm/5mm ear tips of two groups
- 3200k and 6000k color temperature LED bulb and XHL Xenon Halogen bulb to optional
- 光纤照明
- 3倍放大观察视窗
- 2.4mm/3mm/4mm/5mm 耳套2组
- 3200k和6000k色温的LED灯和XHL 卤素灯可选



Fiber optic illumination

Package content

Box size(mm)	Carton size(mm)	Pcs/Ctn	Kgs/Ctn
190x110x40	400x240x230	20	6.8/6.3



Color optional (HS-OT10/OT10D)

Specification

- Fiber optic illumination
- 3X magnification for the large size viewing window
- 2.4mm/3mm/4mm/5mm ear tips of two groups
- The socket of ear insufflation bulb
- 3200k and 6000k color temperature of LED bulb and XHL xenon halogen bulb to optional
- 光纤照明
- 3X放大的大观察视窗
- 2.4mm/3mm/4mm/5mm耳套2组
- 气囊球插口
- 3200k和6000k色温的LED灯和XHL 卤素灯可选



Color optional (HS-OT10/OT10D)



HS-OT10D

Package content

Box size(mm)	Carton size(mm)	Pcs/Ctn	Kgs/Ctn
190x110x40	400x240x230	20	7.0/6.5

Gross and net weight(Kgs/Ctn)Battery not included


NEW + LED



HS-OT10L

Specification

- 3X magnification for the large size viewing window
- Fiber optic illumination
- The socket of ear insufflation bulb
- The deluxe LCD screen handle can be adjust the brightness of the light source
- Optical SMT LED technology, low power consumption and long life
- CRI≥90%, It's more color reducibility
- Built-instant current IC circuit, The light effect is more stable
- 3X大观察视窗
- 光纤照明系统
- 气囊球插口
- 豪华液晶屏手柄，可以调节光源亮度
- Optical SMT LED技术，低功耗、长寿命
- 显指≥90%色彩还原性强
- 手柄内置恒流稳压芯片，光效稳定



Fiber optic illumination

Package content

Box size(mm)	Carton size(mm)	Pcs/Ctn	Kgs/Ctn
190x110x40	400x240x230	20	7.0/6.5

NEW + LED

Specification

- Anti-scratch glass large viewing window of 3x magnification
- Fiber optic illumination
- The socket of ear insufflation bulb
- Supplied by 2xAA alkaline batteries (not included)
- The deluxe LCD screen handle can be adjust the brightness of the light source
- 防刮玻璃3倍放大的大观察窗
- 光纤照明系统
- 气囊球插口
- 2×AA碱性电池（不包含）
- 豪华液晶屏手柄，可以调节光源亮度



Gift box of insufflation bulb



Package content

Box size(mm)	Carton size(mm)	Pcs/Ctn	Kgs/Ctn
200x140x57	420x300x320	20	7.5/7.0

Gross and net weight(Kgs/Ctn)Battery not included



HS-OT10R

LED



Package content

Box size(mm)	Carton size(mm)	Pcs/Ctn	Kgs/Ctn
200x140x57	420x300x320	20	11.1/10.6

Gross and net weight(Kgs/Ctn)Battery containing



HS-OT10F


Specification

- Fiber optic illumination
- Anti-scratch glass large viewing window of 3x magnification
- 3200k or 6000k color temperature LED bulb as light source
- For pneumatic testing
- Li-ion rechargeable battery, long life
- Micro USB charger interface is very convenient for charging
- Metal handle for the refined texture

- 光纤照明
- 防刮玻璃3倍放大的大观察窗
- 3200k或6000k色温LED灯光源
- 可鼓膜气动检查
- 锂电池供电，长寿命
- MicroUSB充电接口，充电方便
- 精致手感的金属手板



Two charging methods



Fiber optic illumination

Specification

- Simple handle
- 5 different apertures
- 19 kinds of adjustable corrective lenses , Range of lenses : -20d~+20d
- 4000k color temperature LED bulb and XHL Xenon Halogen bulb to optional
- The clip with integrated on/off switch
- 简易型手柄
- 5种光阑
- 19种屈光透镜，屈光范围：-20D~+20D
- 4000k色温LED灯和XHL卤素灯可选
- 固定夹扣式on/off开关



Package content


Mode	Box size(mm)	Carton size(mm)	Pcs/Ctn	Kgs/Ctn
HS-OP10S	193x102x32	400x215x195	20	4.0/3.6

Gross and net weight(Kgs/Ctn)Battery not included

HS-OP10S



+	1	2	3	4	6	8	10	15	20
-	1	2	3	4	6	8	10	15	20



Specification

- Coaxial parallel light principle
- 5 different apertures
- 19 kinds of adjustable corrective lenses , Range of lenses : -20d~+20d
- 4000k color temperature LED bulb and XHL Xenon Halogen bulb to optional
- The clip with integrated on/off switch
- Standard handle, handy and convenient
- 同轴平行光原理
- 5种光阑
- 19种屈光透镜，屈光范围：-20D~+20D
- 4000k色温LED灯和XHL卤素灯可选
- 固定夹扣式on/off开关
- 标准型手柄，轻巧方便



Package content

Mode	Box size(mm)	Carton size(mm)	Pcs/Ctn	Kgs/Ctn
HS-OP10	190x110x40	400x240x230	20	6.5/6.0

Gross and net weight(Kgs/Ctn)Battery not included



HS-OP10

NEW + LED



Package content

Box size(mm)	Carton size(mm)	Pcs/Ctn	Kgs/Ctn
190x110x40	400x240x230	20	6.5/6.0

Gross and net weight(Kgs/Ctn)Battery not included

NEW + LED



Package content


Box size(mm)	Carton size(mm)	Pcs/Ctn	Kgs/Ctn
190x100x40	400x240x230	20	6.2/5.7

Gross and net weight(kgs/Ctn) Battery not included

HS-OP10L

Specification

- Optical glass lens and 5 different apertures
- 19 kinds of adjustable corrective lenses, Range of lenses : -20d~+20d
- Supplied by 2xAA alkaline batteries (not included)
- The deluxe LCD screen handle can be adjust the brightness of the light source
- Optical SMT LED technology, low power consumption and long life
- Built-instant current IC circuit, The light effect is more stable
- 3200k color temperature of warm white light
- CRI≥90%, ensure to insure real color rengition.





- 光学玻璃透镜，五种不同光阑
- 19种屈光透镜，屈光范围：-20D~+20D
- 2xAA碱性电池（不包含）
- 豪华液晶屏手柄，可以调节光源亮度
- Optical SMT LED技术，低功耗、长寿命
- 手柄内置恒流稳压芯片，光效稳定
- 3200K色温的暖白光照明
- 显指≥90%以确认真实的彩色还原。

+	1	2	3	4	6	8	10	15	20
-	1	2	3	4	6	8	10	15	20

HS-OP10R

Specification

- Coaxial parallel light principle
- 6 different apertures with red-free filter & blue filter they can be switched
- 29 kinds of adjustable corrective lenses ,Range of lenses : -35D~+40D
- Supplied by 2XAA alkaline batteries (not included)
- Deluxe LCD screen handle can be adjustable the brightness of light source
- CRI≥90%, ensure to insure real color rengition.
- Constant current IC circuit, maintain the optimal lighting effect
- Low power consumption led bulb, long life of 20000 h



- 同轴平行光原理
- 6种光阑和无赤滤光、钴蓝滤光分别与每个光阑切换
- 29种屈光透镜，屈光范围：-35D~+40D
- 2×A碱性电池（不包含）
- 豪华液晶屏手柄，可以调节光源亮度
- 显指≥90%以确认真实的彩色还原。
- 内置恒流稳压芯片，光效稳定
- 低功耗LED灯，寿命长达2万小时

+	1	2	3	4	5	6	7	8	9	10	12	15	20	40	0
-	1	2	3	4	5	6	7	8	9	10	15	20	25	30	35

LED



Package content

Box size(mm)	Carton size(mm)	Pcs/Ctn	Kgs/Ctn
200x140x57	420x300x320	20	10.0/9.5



Gross and net weight(Kgs/Ctn)Battery containing

HS-OP10F

Specification

- Coxial parallel light principle
- 6 different apertures with red-free filter & blue filter they can be switched
- 29 kinds of adjustable corrective lenses, Range of lenses : -35D-+40D
- 4000k color temperature LED bulb as light souce
- Li-ion rechargeable battery so long life
- Micro USB charger interface so convenient charging
- Deluxe metal handle, strong and durable

- 同轴平行光原理
- 6种光阑和无赤滤光、钴蓝滤光可分别与每个光阑切换
- 29种屈光透镜，屈光范围：-35D~+40D
- 4000k色温LED灯光源
- 锂电池供电，长寿命
- Micro use充电接口，充电方便
- 精致的金属手柄，坚固耐用



+	1	2	3	4	5	6	7	8	9	10	12	15	20	40	0
-	1	2	3	4	5	6	7	8	9	10	15	20	25	30	35

NEW + LED



The disposable
laryngeal mirror head
(optional)
可选一次性口腔镜头



HS-OT10K



HS-OT10Y



HS-OT10H



HS-OT10E

LCD screen handle
The brightness of bulb can
be adjusted

液晶屏手柄
灯泡亮度可调节

Package content

Mode	Box size(mm)	Carton size(mm)	Pcs/Ctn	Kgs/Ctn
HS-OT10Y	190x110x40	400x240x230	20	7.5/7.0
HS-OT10E	190x110x40	400x240x230	20	7.8/7.3
HS-OT10H	190x110x40	400x240x230	20	7.0/6.5
HS-OT10K	190x110x40	400x240x230	20	7.2/6.7

Gross and net weight(Kgs/Ctn)Battery not included



HS-OT10K3



HS-OT10Y3



HS-OT10H3



HS-OT10E3

XHL + LED

Package content

Mode	Box size(mm)	Carton size(mm)	Pcs/Ctn	Kgs/Ctn
HS-OT10Y3	190x110x40	400x240x230	20	7.3/6.8
HS-OT10E3	190x110x40	400x240x230	20	7.6/7.1
HS-OT10H3	190x110x40	400x240x230	20	6.8/6.3
HS-OT10K3	190x110x40	400x240x230	20	7.0/6.5

NEW + LED



HS-OTP10L-KEY

Package content

Box size(mm)	Carton size(mm)	Pcs/Ctn	Kgs/Ctn
275x160x56	340x295x310	10	9.8/9.1

Gross and net weight(Kgs/Ctn)Battery not containing



- The handle can be selected as a standard type of handle
- 手柄可选配为标准型手柄



- Fiber optic illumination
- 3X magnification for the viewing window
- The socket of ear insufflation bulb
- 光纤照明
- 3倍放大的大观察视窗
- 气囊球插口



- 2x optical glass observation window lens
- It can been upgrade to the HS-OT10H operating otoscope
- Smooth metal design of dilator, strong and durable. It doesn't damage the mucosa
- 2.4mm/3mm/4mm/5mm ear tips for operating otoscope
- 2x光学玻璃观察窗镜片
- 可升级为HS-OT10H手术耳镜
- 圆润外形金属扩张器，坚固耐用，不伤黏膜
- 手术耳镜用2.4mm/3mm/4mm/5mm耳套



- Coaxial parallel light principle
- Optical glass lens, 5 different apertures
- 19 kinds of dioptric lenses, Range of lenses : -20D~+20D
- 同轴平行光原理
- 光学玻璃透镜，五种光阑
- 19种屈光透镜，范围：-20D~+20D



- Patented tongue-depressor ejectable device
- Suitable for disposable wooden tongue depressors
- 拥有专利的压舌板弹出装置
- 适用一次性木质压舌板
- 专利号：ZL 2016 2 1097562.3



- Clear observation with antifogging lens
- Search bar and lens are removable
- Straight rod or Curved rod are optinal
- 防雾镜片，观察清晰
- 可拆卸的探索杆和镜头
- 弯杆直杆可选择



- The deluxe LCD screen handle can be adjust the brightness of the light source
- Optical SMT LED technology, low power consumption and long life
- Built-instant current IC circuit, The light effect is more stable
- 豪华液晶屏手柄，可以调节光源亮度
- Optical SMT LED技术，低功耗、长寿命
- 手柄内置恒流稳压芯片，光效稳定

HS-OTP10S-A



- Simple handle
- 2.4mm/3mm/4mm/5mm ear tips of one groups
- A head of fiber optic otoscope (OT10S)
- A head of direct ophthalmoscope (OP10S)

- 简易型手柄
- 两组2.2mm/3mm/4mm/5mm 耳套
- 一个光纤检耳镜 (OT10S) 头部
- 一个直接检眼镜 (OP10S) 头部

HS-OTP10A



- A standard handle
- 2.4mm/3mm/4mm/5mm ear tips
- A head of fiber optic otoscope (OT10)
- A head of direct ophthalmoscope (OP10)

- 一个标准型手柄
- 一组2.2mm/3mm/4mm/5mm 耳套
- 一个光纤检耳镜 (OT10) 头部
- 一个直接检眼镜 (OP10) 头部

HS-OTP10B-1



- A fiber optic otoscope (OT10)
- A direct ophthalmoscope (OP10)
- 2.4mm/3mm/4mm/5mm ear tips two groups

- 一个光纤检耳镜 (OT10)
- 一个直接检眼镜 (OP10)
- 两组2.2mm/3mm/4mm/5mm 耳套

HS-OTP10B



- A fiber optic otoscope(OT10)
- A direct ophthalmoscope(OP10)
- 2.4mm/3mm/4mm/5mm tips tow groups
- Soft nylon bag

- 一个光纤检耳镜 (OT10)
- 一个直接检眼镜 (OP10)
- 两组2.2mm/3mm/4mm/5mm 耳套
- 尼龙布袋

Package content

Mode	Box size(mm)	Carton size(mm)	Pcs/Ctn	Kgs/Ctn
HS-OTP10S-A	193x102x32	400x215x195	20	5.2/4.8
HS-OTP10A	190x110x40	400x240x230	20	7.5/7.0
HS-OTP10B	190x110x48	400x215x265	20	6.5/6.0
HS-OTP10B-1	190x110x40	400x240x230	20	8.4/7.9

Gross and net weight(Kgs/Ctn)Battery not included

XHL + LED

NEW + LED



HS-OT10L-K

- A deluxe LCD screen handle
- 2.4mm/3mm/4mm/5mm tips of tow groups
- A head of fiber optic otoscope
- A head of laryngeal mirror
- 一个豪华液晶屏手柄
- 两组2.4mm/3mm/4mm/5mm 耳套
- 一个光纤检耳镜头部
- 一个口腔镜头部



HS-OP10L-K

- A deluxe LCD screen handle
- A head of direct ophthalmoscope
- A head of laryngeal mirror
- 一个豪华液晶屏手柄
- 一个直接检眼镜头部
- 一个口腔镜头部



HS-OTP10L

- A deluxe LCD screen handle
- 2.4mm/3mm/4mm/5mm tips of tow groups
- A head of fiber optic otoscope
- A head of direct ophthalmoscope
- 一个豪华液晶屏手柄
- 两组2.4mm/3mm/4mm/5mm 耳套
- 一个光纤检耳镜头部
- 一个直接检眼镜头部



HS-OTP10L-K

- A deluxe LCD screen handle
- 2.4mm/3mm/4mm/5mm tips of tow groups
- A head of fiber optic otoscope
- A head of direct ophthalmoscope
- A head of laryngeal mirror
- 一个豪华液晶屏手柄
- 两组2.4mm/3mm/4mm/5mm 耳套
- 一光纤检耳镜头部
- 一个直接检眼镜头部
- 一个口腔镜头部



- The handle of the above series of products can be selected as a standard type of handle
- 上面套装系列产品的手柄可选配为标准型手柄

Package content

Mode	Box size(mm)	Carton size(mm)	Pcs/Ctn	Kgs/Ctn
HS-OT10L-K	190x110x40	400x240x230	20	7.6/7.1
HS-OP10L-K	190x110x40	400x240x230	20	8.1/7.6
HS-OTP10L	190x110x40	400x240x230	20	7.7/7.2
HS-OTP10L-K	190x110x40	400x240x230	20	8.9/8.4

Gross and net weight(Kgs/Ctn)Battery not included

NEW + LED



HS-OT10L-KY

- A deluxe LCD screen handle
- 2.4mm/3mm/4mm/5mm tips of tow groups
- A head of fiber optic otoscope
- A head of laryngeal mirror and reflector lens
- A head of tongue depressor holde
- 5 pcs tongue depressor
- 一个豪华液晶屏手柄
- 两组2.4mm/3mm/4mm/5mm 耳套
- 一个光纤检耳镜头部
- 一个口腔镜头部和反光镜头
- 一个压舌板器头部
- 5片压舌板



HS-OP10L-KE

- A deluxe LCD screen handle
- 2.2mm/3mm/4mm/5mm/9mm tips is a groups
- A head of direct ophthalmoscope
- A head of fiber optic otoscope
- A head of nasal speculum
- 一个豪华液晶屏手柄
- 一组2.2mm/3mm/4mm/5mm /9mm耳套
- 一个直接检眼镜头部
- 一个口腔镜头部和反光镜头
- 一个鼻腔镜头部



HS-OT10Y-KE

- A deluxe LCD screen handle
- 2.2mm/3mm/4mm/5mm/9mm tips is a groups
- A head of laryngeal mirror and reflector lens
- A head of nasal speculum
- A head of tongue depressor holder
- 5 pcs tongue depressor
- 一个豪华液晶屏手柄
- 一组2.2mm/3mm/4mm/5mm /9mm耳套
- 一个口腔镜头部和反光镜头
- 一个鼻腔镜头部
- 一个压舌板器头部
- 5片压舌板



HS-OP10L-KEY

- A deluxe LCD screen handle
- 2.2mm/3mm/4mm/5mm/9mm tips is a groups
- A head of direct ophthalmoscope
- A head of laryngeal mirror and reflector lens
- A head of nasal speculum
- A head of tongue depressor holder
- 5 pcs tongue depressor
- 一个豪华液晶屏手柄
- 一组2.2mm/3mm/4mm/5mm /9mm耳套
- 一个直接检眼镜头部
- 一个口腔镜头部和反光镜头
- 一个鼻腔镜头部
- 一个压舌板器头部
- 5片压舌板



- The handle of the above series of products can be selected as a standard type of handle
- 上面套装系列产品的手柄可选配为标准型手柄

Package content

Mode	Box size(mm)	Carton size(mm)	Pcs/Ctn	Kgs/Ctn
HS-OT10L-KY	275x160x56	340x295x310	10	8.4/7.7
HS-OP10L-KE	275x160x56	340x295x310	10	8.4/7.7
HS-OT10Y-KE	275x160x56	340x295x310	10	9.0/8.3
HS-OP10L-KEY	275x160x56	340x295x310	10	9.0/8.3

Gross and net weight(Kgs/Ctn)Battery not included



HS-OTP10L-EY

- A deluxe LCD screen handle
- 2.2mm/3mm/4mm/5mm/9mm tips is a groups
- 2.4mm/3mm/4mm/5mm ear tips of two groups
- A head of fiber optic otoscope
- A head of direct ophthalmoscope
- A head of nasal speculum
- A head of tongue depressor holder
- 5 pcs tongue depressor

NEW + LED

- 一个豪华液晶屏手柄
- 一组2.2mm/3mm/4mm/5mm/9mm耳套
- 两组2.4mm/3mm/4mm/5mm耳套
- 一个光纤检耳镜头部
- 一个直接检眼镜头部
- 一个鼻腔镜头部
- 一个压舌板器头部
- 5片压舌板



HS-OTP10L-KE

- A deluxe LCD screen handle
- 2.2mm/3mm/4mm/5mm/9mm tips is a groups
- 2.4mm/3mm/4mm/5mm ear tips of two groups
- A head of fiber optic otoscope
- A head of direct ophthalmoscope
- A head of nasal speculum
- A head of laryngeal mirror and reflector lens

- 一个豪华液晶屏手柄
- 一组2.2mm/3mm/4mm/5mm/9mm耳套
- 两组2.4mm/3mm/4mm/5mm耳套
- 一个光纤检耳镜头部
- 一个直接检眼镜头部
- 一个鼻腔镜头部
- 一个口腔镜头部和反光镜头



HS-OTP10L-KY

- A deluxe LCD screen handle
- 2.4mm/3mm/4mm/5mm ear tips of two groups
- A head of fiber optic otoscope
- A head of direct ophthalmoscope
- A head of tongue depressor holder
- A head of laryngeal mirror and reflector lens
- 5 pcs tongue depressor

- 一个豪华液晶屏手柄
- 两组2.4mm/3mm/4mm/5mm耳套
- 一个光纤检耳镜头部
- 一个直接检眼镜头部
- 一个压舌板器头部
- 一个口腔镜头部和反光镜头
- 5片压舌板



HS-OT10L-KEY

- A deluxe LCD screen handle
- 2.2mm/3mm/4mm/5mm/9mm tips is a groups
- 2.4mm/3mm/4mm/5mm ear tips of two groups
- A head of fiber optic otoscope
- A head of nasal speculum
- A head of tongue depressor holder
- A head of laryngeal mirror and reflector lens
- 5 pcs tongue depressor

- 一个豪华液晶屏手柄
- 一组2.2mm/3mm/4mm/5mm/9mm耳套
- 两组2.4mm/3mm/4mm/5mm耳套
- 一个光纤检耳镜头部
- 一个鼻腔镜头部
- 一个压舌板器头部
- 一个口腔镜头部和反光镜头
- 5片压舌板

Package content

Mode	Box size(mm)	Carton size(mm)	Pcs/Ctn	Kgs/Ctn
HS-OTP10L-EY	275x160x56	340x295x310	10	9.2/8.5
HS-OTP10L-KE	275x160x56	340x295x310	10	8.8/8.1
HS-OTP10L-KY	275x160x56	340x295x310	10	8.2/7.5
HS-OT10L-KEY	275x160x56	340x295x310	10	9.5/8.7

Gross and net weight(Kgs/Ctn)Battery not included



- The handle of the above series of products can be selected as a standard type of handle
- 上面套装系列产品的手柄可选配为标准型手柄



HS-OT10C

- A rechargeable fiber optic otoscope
一个可充电光纤检耳镜
- 2.2mm/3mm/4mm/5mm/9mm tips is a groups
一组2.2mm/3mm/4mm/5mm/9mm耳套
- AA Ni-Mh2.4V rechargeable battery
2.4V AA镍氢充电电池
- Single-charger
单孔充电座

XHL + LED



HS-OT10K3-C

- Search bar and lens are removable
可拆卸的探索杆和镜头
- Straight rod or Curved rod are optional
弯杆直杆可选择



HS-OP10

- 5 different apertures
五种光阑
- 19 kinds of adjustable corrective lenses,
Range of lenses : -20d~+20d
19种屈光镜片，范围：-20D~+20D



HS-OT10Y3-C

- 2x optical glass observation window lens
2x光学玻璃观察窗镜片
- It can be upgrade to the HS-OT10H
可升级为HS-OT10H手术耳镜
- 5 pcs 9mm nose tips
5个9mm窥鼻器



HS-OT10E3-C

- Patented tongue-depressor ejectable device
拥有专利的压舌板弹出装置

Package content

Mode	Box size(mm)	Carton size(mm)	Pcs/Ctn	Kgs/Ctn
HS-OT10K3-C	206x173x88	460x390x330	12	11.6/10.6
HS-OT10C	206x173x88	460x390x330	12	11.5/10.5
HS-OP10C	206x173x88	460x390x330	12	11.0/10.0
HS-OT10Y3-C	206x173x88	460x390x330	12	11.8/10.8
HS-OT10E3-C	206x173x88	460x390x330	12	11.9/10.9

Gross and net weight(Kgs/Ctn)Battery containing

- 3200k and 6000k color temperature LED bulb and XHL Xenon Halogen bulb to optional
3200k和6000k色温LED灯和XHL卤素灯可选



HS-OT10L-C

- A rechargeable fiber optic otoscope
一个可充电光纤检耳镜
- 2.2mm/3mm/4mm/5mm/9mm tips is a groups
一组2.2mm/3mm/4mm/5mm/9mm耳套
- AA Ni-Mh2.4V rechargeable battery
2.4V Aa镍氢充电电池
- Single-charger
单孔充电座



HS-OP10L-C

- Search bar and lens are removable
可拆卸的探索杆和镜头
- Straight rod or Curved rod are optinal
弯杆直杆可选择
- 5 different aperturus
五种光阑
- 19 kinds of adjustable corrective lenses,
Range of lenses : -20d~+20d
19种屈光镜片, 范围:-20D~+20D



HS-OT10Y-C

- Patented tongue-depressor ejectable device
拥有专利的压舌板弹出装置



Start charging



Finish charging

Package content

Mode	Box size(mm)	Carton size(mm)	Pcs/Ctn	Kgs/Ctn
HS-OT10K-C	206x173x88	460x390x330	12	11.6/10.6
HS-OT10L-C	206x173x88	460x390x330	12	11.5/10.5
HS-OP10L-C	206x173x88	460x390x330	12	11.0/10.0
HS-OT10Y-C	206x173x88	460x390x330	12	11.8/10.8
HS-OT10E-C	206x173x88	460x390x330	12	11.9/10.9

Gross and net weight(Kgs/Ctn)Battery containing

NEW + LED



HS-OT10K-C



HS-OT10E-C



HS-OTP10-C2

- A rechargeable fiber optic otoscope
一个可充电光纤检耳镜
- A rechargeable ophthalmoscope
一个可充电的检眼镜
- 2.4mm/3mm/4mm/5mm tips of two groups
两组2.4mm/3mm/4mm/5mm耳套
- One insufflation bulb
一个鼓气球
- Double charger
双孔充电座
- Gift box of set package
礼盒套装



HS-OT10H3-C2

- A rechargeable fiber optic otoscope
一个可充电光纤检耳镜
- A operating otoscope of chargeable
一个可充电手术耳镜
- 2.2mm/3mm/4mm/5mm/9mm tips is a groups
一组2.2mm/3mm/4mm/5mm/9mm耳套



HS-OT10Y3-C2

- A rechargeable fiber optic otoscope
一个可充电光纤检耳镜
- A tongue depressor of chargeable
一个可充电压舌板

Package content

Mode	Box size(mm)	Carton size(mm)	Pcs/Ctn	Kgs/Ctn
HS-OT10K3-C2	206x173x88	460x390x330	12	14.6/13.6
HS-OTP10-C2	206x173x88	460x390x330	12	14.3/13.3
HS-OT10Y3-C2	206x173x88	460x390x330	12	14.7/13.7
HS-OT10E3-C2	206x173x88	460x390x330	12	15.0/14.0
HS-OT10H3-C2	206x173x88	460x390x330	12	14.5/13.5

Gross and net weight(Kgs/Ctn)Battery included

XHL + LED



HS-OT10K3-C2



HS-OT10E3-C2

- A rechargeable fiber optic otoscope
一个可充电光纤检耳镜
- A laryngeal mirror of chargeable
一个可充电口腔镜

- A rechargeable fiber optic otoscope
一个可充电光纤检耳镜
- A nasal speculum of chargeable
一个可充电鼻腔镜
- 5 pcs 9mm nose tips
5个9mm窥鼻器

Chargeable Diagnostic Series 可充电诊断系列



- A rechargeable fiber optic otoscope
一个可充电光纤检耳镜
- A rechargeable ophthalmoscope
一个可充电的检眼镜
- 2.4mm/3mm/4mm/5mm tips of two groups
两组2.4mm/3mm/4mm/5mm耳套
- One insufflation bulb
一个鼓气球
- Double charger
双孔充电座
- Gift box of set package
礼盒套装

NEW + LED



HS-OT10K-C2

- A rechargeable fiber optic otoscope
一个可充电光纤检耳镜
- A laryngeal mirror of chargeable
一个可充电口腔镜



HS-OT10H-C2

- A rechargeable fiber optic otoscope
一个可充电光纤检耳镜
- A operating otoscope of chargeable
一个可充电手术耳镜
- 2.2mm/3mm/4mm/5mm/9mm tips is a groups
一组2.2mm/3mm/4mm/5mm/9mm耳套



HS-OT10Y-C2

- A rechargeable fiber optic otoscope
一个可充电光纤检耳镜
- A nasal speculum of chargeable
一个可充电鼻腔镜
- 5 pcs 9mm nose tips
5个9mm窥鼻器
- A rechargeable fiber optic otoscope
一个可充电光纤检耳镜
- A tongue depressor of chargeable
一个可充电舌板

Start charging Finish charging



Patent protection
专利号: ZL 2016 3 0230884.X

Package content

Mode	Box size(mm)	Carton size(mm)	Pcs/Ctn	Kgs/Ctn
HS-OT10K-C2	206x173x88	460x390x330	12	14.6/13.6
HS-OTP10L-C2	206x173x88	460x390x330	12	14.3/13.3
HS-OT10Y-C2	206x173x88	460x390x330	12	14.7/13.7
HS-OT10E-C2	206x173x88	460x390x330	12	15.0/14.0
HS-OT10H-C2	206x173x88	460x390x330	12	14.5/13.5

Gross and net weight(Kgs/Ctn)Battery included


Integrated Diagnostic Series 综合诊断系统



CODE ORDER INFORMATION

HS-W100	• W1+W1.1+W2+W3+W4+W5
HS-W200	• W1+W1.1+W3+W4+W5
HS-W300	• W1+W1.1+W2+W5
HS-W400	• W1+W1.1+W2
HS-OT10W	• W1+W1.1
HS-OP10W	• W2

• Can be upgraded to desktop
rechargeable series
可升级为台式充电系列



[W1] Fiber Optic Otoscope

- 3X magnification for the large size viewing window
- Fiber optic illumination
- The socket of ear insufflation bulb
- Supplied by 2xAA alkaline batteries (not included)
- The LCD screen handle can adjust the brightness of the light source
- Optical SMT LED technology, CRI≥90%
- Constant current IC circuit, maintain the optimal lighting effect
- Modular stainless steel bracket is convenient and durable



- 3倍放大的观察视窗
- 光纤照明
- 气囊球插口
- 2XAA碱性电池(不包含)
- 液晶屏手柄, 可以调节光源亮度
- Optical SMT LED 技术, 显指≥90%
- 内置恒流稳压芯片, 光效稳定
- 模块化不锈钢支架, 方便耐用

[W1.1] Tip Dispenser

- Tip size: 2.4mm/3mm/4mm/5mm dia
- Each model: 12 pieces
- Single tube arrangement easy to extract
- module bracket save space



- 耳套尺寸2.4mm/3mm/4mm/5mm
- 每个型号12个
- 模块支架, 节省空间
- 单管排列, 抽取方便

[W4] Nasal Speculum

- 2x optical glass observation window lens
- It can upgrade to the HS-OT10H operating otoscope
- Nasal speculum tip use 9mm dia
- Operating otoscope tips use 2.2mm/3mm/4mm/5mm dia
- Dilator and speculum tip can be sterilized using high temperature at 134°C



- 2X光学玻璃观察窗镜片
- 可升级为HS-OT10H手术检耳镜和耳套
- 鼻腔镜用9mm耳套(窥鼻器尖端)
- 手术耳镜用2.2mm/3mm/4mm/5mm耳套
- 扩张器和耳套可134度高温蒸汽消毒

[W2] Direct Ophthalmoscope

- 5 different apertures
- 19 kinds of adjustable corrective lenses, Range of lenses: -20D~+20D
- The LCD screen handle can adjust the brightness of the light source
- CRI≥90%, it is more color reducibility
- Optical SMT LED technology, low power consumption and long life



- 五种光阑
- 19种屈光透镜, 屈光度范围: -20D~+20D
- 液晶屏手柄, 可以调节光源亮度
- 显指≥90% 色彩还原性强
- Optical SMT LED技术, 低功耗、长寿命

[W3] Laryngeal Mirror

- Search rod and lens are removable to convenient detoxification
- Anti-fog lens the clear observation
- Straight rod or Curved rod are optional
- Optional disposable laryngeal mirror head for easy installation and disassembly



- 可拆卸的探索杆及镜头, 方便消毒
- 防雾镜片, 观察清晰
- 直杆, 弯杆可选
- 可选配一次性镜头, 便于安装和拆卸

[W5] Tongue Depressor Holder

- It is more convenient to use with tongue depressor ejectable device
- Plastic and standard wooden spatula can be employed universally



- 压舌板弹出装置, 使用更安全
- 塑料压舌板和一次木质压舌板可通用

[M1.1] [W5] [M1] [M2]



XHL + LED

CODE ORDER INFORMATION

HS-V100M	• M1+M1.1+M2+W5+M6
HS-V100	• M1+M1.1+M2+M3+M4
HS-V200M	• M1+M1.1+M2+W4+M6
HS-V200	• M1+M1.1+M2+M4
HS-V300M	• M1+M1.1+M2+W3+M6
HS-V300	• M1+M1.1+M2+M3
HS-V400M	• M1+M1.1+M2+M6
HS-V400	• M1+M1.1+M2
HS-V500M	• M1+M1.1 +M6
HS-V600M	• M2+M6
HS-V700M	• M6
HS-OT10V	• M1+M1.1
HS-OP10V	• M2

New

[M6]

[M1] FIBER OPTIC OTOSCOPE

- 3X magnification for the large size viewing window
- Illumination system for fiber optic
- Sealed system for pneumatic
- Can be adjust the brightness of the light source
- The ear-tip box is in compact size with large capacity, more than 20 ear-tips can be placed in one tube



[M2] DIRECT OPHTHALMOSCOPE

- Optical glass lenses system
- 6 different apertures with red-free filter & blue filter they can be switched
- 29 kinds of corrective lenses, range of lenses: -35d~+40d
- Lightweight design with easy to operation



[W3] LARYNGEAL MIRROR

- Clear observation with antifogging lens
- Search bar and lens are removable
- Straight rod or Curved rod are optinal



[W4] NASAL SPECULUM

- 2x optical glass observation window lens
- It can been upgrade to the HS-OT10H operating otoscope
- Smooth metal design of dilator, strong and durable. It doesn't damage the mucosa
- 2.4mm/3mm/4mm/5mm ear tips for operating otoscope



[W5] TONGUE-DEPRESSOR HOLDER

- Patented tongue depressor ejectable device
- Suitable for disposable wooden tongue depressors
- Lightweight design with easy to operation



[M6] VITAL SIGNS MONITOR

- 6 Parameters: ECG; HR/PR; NIBP; SPO2; TEMP; RESP
- 10.1 inches TFT LCD display screen
- Audio/visual alarm prompt
- Patient info input management function
- Build-in rechargeable lithium battery
- With ultra-thin embedded design, it is convenient to be used separately out of the bracket.



[M1] 光纤检耳镜

- 3倍放大玻璃观察窗
- 光纤照明系统
- 充气密封系统
- 可调节光源亮度
- 紧凑且大容量的耳套箱，单管可放20个耳套

[M2] 直接检眼镜

- 光学玻璃透镜系统
- 6种光阑和无赤滤光、钴蓝滤光，可分别与每个光阑切换
- 29种屈光补偿镜片，范围-35D~+40D
- 轻巧设计，操作简单

[W3] 口腔镜

- 防雾镜片，观察清晰
- 可拆卸的探索杆和镜头
- 弯杆直杆可选择

[W4] 鼻腔镜

- 2x光学玻璃观察窗镜片
- 可升级为HS-OT10H手术耳镜
- 圆润外形金属扩张器，坚固耐用，不伤黏膜
- 手术耳镜用2.4mm/3mm /4mm/5mm耳套

[W5] 压舌器

- 拥有专利的压舌板弹出装置
- 适用标准一次性木制压舌板
- 轻巧设计，操作简单

[M6] 生命体征监护仪

- 6参数：心电、心率/脉率、无创血压、血氧饱和度、体温、呼吸频率
- 10.1英寸TFT液晶显示屏
- 声音和发光报警提示
- 病人信息输入管理功能
- 内置可充电锂电池
- 超薄嵌入式设计，方便脱离支架单独使用



W1



W2

- M1、M2、手柄可选配W1-W2头部
- The handle has two optional heads : W1 or W2



M3



M4



M1.1

HS-S100 Integrated Diagnostic System



ORDER INFORMATION	CODE
• M1+M1.1+M2+M3+M4	HS-S100
• M1+M1.1+M2+M4	HS-S200
• M1+M1.1+M2+M3	HS-S300
• M1+M1.1+M2	HS-S400
• M1+M1.1	HS-OT10B
• M2	HS-OP10B

(without wood plate)

[M1] FIBER OPTIC OTOSCOPE

- Lightweight design with high performance
- Tunable Light Source
- 3X Magnification
- Fiber optic illumination
- Xenon Halogen bulb/LED bulb (optional)
- Remark:with insufflation bulb

[M1] 光纤耳镜

- 轻量化设计，高性能
- 光源柔和
- 3X大视窗
- 光纤照明
- 卤素/LED灯（可选）
- 气囊球

[M3] INFRARED THERMOMETER

- Forehead thermometer, 1 second measurement
- Multiple use (Wide Range Measurement)
- °C<-->°F Switchable
- 30 Data memory
- Last read memory
- Fever alarm

[M3] 额温枪

- 1秒测量
- 多样使用（测试范围广）
- °C-°F可切换
- 30天内存
- 记忆最后读数
- 发热报警装置

Insufflation Bulb 气囊球

- M1&M2 handle can be equipped with other models: W1、W2、W3、W4、W5 heads
- M1和M2手柄可配其他型号：W1、W2、W3、W4、W5的头部



[M2] DIRECT OPHTHALMOSCOPE

- Lightweight design and easy to operation
- Tunable Light Source
- 6 apertures with red-free and blue filter
- 29 kinds of adjustable corrective Range of lenses :-35D~+40D
- Xenon Halogen bulb/LED bulb (optional)

[M2] 直接检眼镜

- 轻量化设计，简易操作
- 光源柔和
- 6种光阑和无赤滤光、钴蓝滤光
- 29种屈光透镜，屈光范围：-35D~+40D
- 卤素/LED灯（可选）

[M4] SPHYGMOMANOMETER

- Ergonomics design
- The Square shaped dial 145X145mm
- Back box is easy to hold the cuff
- High quality Sphygmomanometer

[M4] 血压表

- 人体工学设计
- 145mm*145mm的正方形设计
- 后背盒子可方便的放置产品袖口绑带
- 高质量血压表

[M1.1] TIP DISPENSER (WITH DISPOSABLE TIPS)

- Tip Size:2.75mm dia.(2 Sets)
- 4.25mm dia. (2 Sets)
- Each Set:15 pieces

[M1.1] 耳套（一次性耳套）

- 耳套尺寸：2.75mm（2组）
- 4.25mm（2组）
- 每种15个


NEW + LED



HS-W500 (W1+W1.1+W2+W3+W4+W5+W7+W8+W9+W10)

This set production of type can been collocation by client.

Can be upgraded to desktop rechargeable series
可升级为台式充电系列



[W8] Sphygmomanometer

- Blood pressure classification indication
- Irregular heart-beat detector
- 3 sets of alarms
- Ambient temperature display during sleep mode
- Date & Time display

- 血压分级指示
- 心率不全检测
- 3组报警提示
- 休眠模式下显示环境温度
- 日期和时间显示

[W7] Infrared Thermometer

- Fahrenheit/centigrade switchable
- 2 seconds fast reading
- Accuracy degree:±0.1°C
- Heat alarm function
- 2x1.5 AAA by alkaline battery

- 华氏/摄氏度可切换
- 2秒快速读取
- 精确度：±0.1°C
- 发热报警
- 使用2*1.5V AAA碱性电池

[W10] Blood Glucose Monitoring System

- 5-sec display testing result
- 0.5ul blood required tiny quantity
- Storable 900 test results

- 5秒获取测试结果
- 0.5ul微量血液
- 存储900条测试结果

[W9] Stethoscope

- Silver dual-membrane chestpiece
- Excellent dual-membrane chestpiece, little acoustic attenuation
- Standard dual PVC tube, good resistance to ambient interference

- 银质双膜片头
- 良好的导声性能和小的声音衰减
- 标准的PVC双管，抗环境干扰强

ENT Diagnostic Series

W3



- Laryngeal mirror
- 口腔镜头部

W4




- Nasal speculum
- 鼻腔镜头部

W5



- Tongue-depressor holder
- 压舌板器头部




NEW + LED



HS-W500M (W1+W1.1+W2+W3+W4+W5+M8)

This set production of type can be collocation by client.

Can be upgraded to desktop rechargeable series
可升级为台式充电系列



[M8] VITAL SIGNS MONITOR

- 6 Parameters: ECG; HR/PR; NIBP; SPO2; TEMP; RESP
- 8 inches TFT LCD display screen
- Audio/visual alarm prompt
- Patient info input management function
- Build-in rechargeable lithium battery
- 6参数：心电、心率/脉率、无创血压、血氧饱和度、体温、呼吸频率
- 8英寸TFT液晶显示屏
- 声音和发光报警提示
- 病人信息输入管理功能
- 内置可充电锂电池



[W1] FIBER OPTIC OTOSCOPE

- 3X magnification for the large size viewing window
- Fiber Optic illumination
- Sealed system for pneumatic
- Can be adjust the brightness of the light source
- Constant current IC circuit, maintain the optimal lighting effect
- 3倍放大观察窗
- 光纤照明系统
- 充气密封系统
- 可调节光源亮度
- 内置恒流稳压芯片，光效稳定



[W2] DIRECT OPHTHALMOSCOPE

- Optical glass lenses system
- 5 different apertures
- 19 kinds of corrective lenses, range of lenses: -20d~+20d
- CRI≥90%, It's more color reducibility to ensure that the real image reproduction
- Supplied by 2xAA alkaline batteries (not included)
- 光学玻璃透镜系统
- 5种光阑
- 19种屈光补偿镜片，范围-20D~+20D
- 色彩还原性强，显指≥90%保证图像真实
- 2xAA碱性电池（不包含）



2.2mm/3mm/4mm/5mm/9mm



2.4mm/3mm/4mm/5mm



W3



- Laryngeal mirror
- 口腔镜头部



W4

- Nasal speculum
- 鼻腔镜头部



W5

- Tongue-depressor holder
- 压舌板器头部



Clinical instrument series

Gold-plated Stainless Steel Lancet Pen 不锈钢镀金采血笔				
Model No. 型号:		Weight and Size of Mainbody 重量和尺寸		
		Weight 重量	Length 长度	Width 宽度
HS-806		28.5 (g)	130 (mm)	12 (mm)
	Packing Bill 包装	Box size 中盒尺寸	Carton size 外箱尺寸	Pcs/Ctn 数量
	Plastic Box 塑料礼盒	175x160x210 (mm)	510x370x240 (mm)	300
Annotation 备注:	Stainless steel shell; Gold-filled in yellow part; Operating depth is adjustable. 不锈钢壳；黄色部分镀金；打开深度可调节。			

Tourniquet 止血带				
Model No. 型号:		Weight and Size of Mainbody 重量和尺寸		
		Weight 重量	Length 长度	Width 宽度
New HS-403H		23 (g)	400 (mm)	25 (mm)
	Packing Bill 包装	Box size 中盒尺寸	Carton size 外箱尺寸	Pcs/Ctn 数量
	1 PC / Plastic bag 塑料袋 100 PCS/Box 盒	215x155x260 (mm)	500x400x270 (mm)	500
Annotation 备注:	ABS buckle ABS搭扣 Color Optional: 可选颜色:			

Tourniquet 止血带						
Model No. 型号:			Weight and Size of Mainbody 重量和尺寸			
			Weight 重量	Length 长度	Width 宽度	
	HS-403			23 (g)	400 (mm)	25 (mm)
		Packing Bill 包装	Box size 中盒尺寸	Carton size 外箱尺寸	Pcs/Ctn 数量	Kgs/Ctn 重量
1 PC / Plastic bag 塑料袋 100 PCS/Box 盒		215x155x260 (mm)	500x400x270 (mm)	500	14	
Annotation 备注:	ABS buckle ABS搭扣 Color Optional: 可选颜色 : 					

Model No. 型号:			Weight and Size of Mainbody 重量和尺寸			
			Weight 重量	Length 长度	Width 宽度	
	HS-403A			31.5 (g)	450 (mm)	25 (mm)
		Packing Bill 包装	Box size 中盒尺寸	Carton size 外箱尺寸	Pcs/Ctn 数量	Kgs/Ctn 重量
1 PC / Plastic bag 塑料袋 80 PCS/Box 盒		215x155x260 (mm)	500x400x270 (mm)	400	14	
Annotation 备注:	ABS buckle ABS搭扣 Color Optional: 可选颜色 : 					

Model No. 型号:			Weight and Size of Mainbody 重量和尺寸			
			Weight 重量	Length 长度	Width 宽度	
	HS-403B			28.5 (g)	450 (mm)	25 (mm)
		Packing Bill 包装	Box size 中盒尺寸	Carton size 外箱尺寸	Pcs/Ctn 数量	Kgs/Ctn 重量
1 PC / Plastic bag 塑料袋 100 PCS/Box 盒		215x155x260 (mm)	500x400x270 (mm)	500	16	
Annotation 备注:	ABS buckle ABS搭扣 Color Optional: 可选颜色 : 					

Model No. 型号:			Weight and Size of Mainbody 重量和尺寸			
			Weight 重量	Length 长度	Width 宽度	
	HS-403C			29 (g)	450 (mm)	25 (mm)
		Packing Bill 包装	Box size 中盒尺寸	Carton size 外箱尺寸	Pcs/Ctn 数量	Kgs/Ctn 重量
1 PC / Plastic bag 塑料袋 100 PCS/Box 盒		215x155x260 (mm)	500x400x270 (mm)	500	16	
Annotation 备注:	ABS buckle ABS搭扣 Color Optional: 可选颜色 : 					

Tourniquet 止血带							
Model No. 型号:		Weight and Size of Mainbody 重量和尺寸					
		Weight 重量	Length 长度	Width 宽度			
HS-403F		30 (g)		450 (mm)		25 (mm)	
		Packing Bill 包装	Box size 中盒尺寸	Carton size 外箱尺寸		Pcs/Ctn 数量	Kgs/Ctn 重量
		1 PC / Plastic bag 塑料袋 100 PCS/Box 盒	215x155x260 (mm)	500x400x270 (mm)		500	17
Annotation 备注:	ABS buckle ABS搭扣 Color Optional: 可选颜色: 						

Model No. 型号:		Weight and Size of Mainbody 重量和尺寸					
		Weight 重量	Length 长度	Width 宽度			
HS-403J		32 (g)		450 (mm)		25 (mm)	
		Packing Bill 包装	Box size 中盒尺寸	Carton size 外箱尺寸		Pcs/Ctn 数量	Kgs/Ctn 重量
		1 PC / Plastic bag 塑料袋 80 PCS/Box 盒	215x155x260 (mm)	500x400x270 (mm)		400	14.5
Annotation 备注:	ABS buckle ABS搭扣 Color Optional: 可选颜色: 						

型号:		Weight and Size of Mainbody 重量和尺寸					
		Weight 重量	Length 长度	Width 宽度			
HS-403D		30 (g)		370 (mm)		25 (mm)	
		Packing Bill 包装	Box size 中盒尺寸	Carton size 外箱尺寸		Pcs/Ctn 数量	Kgs/Ctn 重量
		1 PC / Plastic bag 塑料袋 100 PCS/Box 盒	215x155x260 (mm)	500x400x270 (mm)		500	15
Outdoor Tourniquet 户外止血带	TPE material with Velcro TPE材料尼龙搭扣						
Annotation 备注:							

红
Red

桔黄
Orange

黑
Black

白
White

紫
Purple


粉
Pink

蓝
Dark Blue

浅蓝
Azure

绿
Dark Green

浅绿
Light Green


彩色印花 OEM available

Diagnostic Penlight 诊断手电筒						
Model No. 型号:	 HS-401F1		Weight and Size of Mainbody 重量和尺寸			
			Weight 重量	Length 长度	Width 宽度	
	HS-401F			12 (g)	127 (mm)	15 (mm)
		Packing Bill 包装	Box size 中盒尺寸	Carton size 外箱尺寸	Pcs/Ctn 数量	Kgs/Ctn 重量
Blister + Battery 吸塑 电池		295x172x158 (mm)	885x315x340 (mm)	500	20	
Annotation 备注:	2xAAA batteries used, ABS shell Portable with clamp.使用2节7号电池，塑料ABS外壳 Color Optional:  可选颜色：					


Stainless Steel Penlight 不锈钢手电筒					
Model No. 型号:			Weight and Size of Mainbody 重量和尺寸		
			Weight 重量	Length 长度	Width 宽度
14.3 (g)			136 (mm)	12 (mm)	
HS-401F2	Packing Bill 包装	Box size 中盒尺寸	Carton size 外箱尺寸	Pcs/Ctn 数量	Kgs/Ctn 重量
	Gift box + Battery 礼盒 电池	175x160x210 (mm)	510x370x240 (mm)	250	16
	Annotation 备注: 2xAAA batteries used; Stainless steel shell. 使用2节7号电池，不锈钢外壳				

Stainless Steel Penlight 不锈钢手电筒带瞳孔					
Model No. 型号:			Weight and Size of Mainbody 重量和尺寸		
			Weight 重量	Length 长度	Width 宽度
			16 (g)	136 (mm)	12 (mm)
			HS-401F12		
	Packing Bill 包装	Box size 中盒尺寸	Carton size 外箱尺寸	Pcs/Ctn 数量	Kgs/Ctn 重量
	Blister + Battery 吸塑 电池	295x172x158 (mm)	885x315x340 (mm)	500	22.5
	Gift box + Battery 礼盒 + 电池	175x160x210 (mm)	510x370x240 (mm)	250	16.5
Annotation 备注:	2xAAA batteries used; Stainless steel shell. 使用2节7号电池，不锈钢外壳。				

Aluminium Alloy Penlight 铝合金手电筒					
Model No. 型号:			Weight and Size of Mainbody 重量和尺寸		
			Weight 重量	Length 长度	Width 宽度
	HS-401F3		10.3 (g)	137 (mm)	12 (mm)
			Packing Bill 包装	Box size 中盒尺寸	Carton size 外箱尺寸
Blister + Battery 吸塑 电池		295x172x158 (mm)	885x315x340 (mm)	500	20
Annotation 备注:	2xAAA batteries used; Aluminium alloy shell with painting coating; Color is optional. 使用2节7号电池，铝合金外壳喷漆，颜色可选 				

Flat-mouth Penlight平口铝电筒					
Model No. 型号: <					

Bell-mouthed Head Penlight 喇叭口手电筒					
Model No. 型号:			Weight and Size of Mainbody 重量和尺寸		
			Weight 重量	Length 长度	Width 宽度
HS-401F5					
Patent protection	Packing Bill 包装	Box size 中盒尺寸	Carton size 外箱尺寸	Pcs/Ctn 数量	Kgs/Ctn 重量
	Blister + Battery 吸塑 电池	295x172x158 (mm)	885x315x340 (mm)	500	21
Annotation 备注:	2xAAA batteries used; Aluminum alloy shell with painting coating; Color is optional. 使用2节7号电池，铝合金外壳喷漆，颜色可选 				


“Bugle” shaped stainless Steel Penlight 喇叭口不锈钢手电筒					
Model No. 型号:			Weight and Size of Mainbody 重量和尺寸		
			Weight 重量	Length 长度	Width 宽度
			15 (g)	150 (mm)	12 (mm)
	HS-401F14	Packing Bill 包装	Box size 中盒尺寸	Carton size 外箱尺寸	Pcs/Ctn 数量
Blister + Battery 吸塑 电池		295x172x158 (mm)	885x315x340 (mm)	500	23
Annotation 备注: 2xAAA batteries used; Stainless steel shell. 使用2节7号电池，不锈钢外壳					

LED Penlight		LED手电筒			
Model No. 型号:		Weight and Size of Mainbody 重量和尺寸			
		Weight 重量	Length 长度	Width 宽度	
HS-401F8					
	Packing Bill 包装	Box size 中盒尺寸	Carton size 外箱尺寸	Pcs/Ctn 数量	Kgs/Ctn 重量
	Plastic Box + Battery 塑料盒 电池	175x160x210 (mm)	510x370x240 (mm)	250	16
Annotation 备注:	2xAAA batteries used; Aluminium alloy shell; 使用2节7号电池，铝合金外壳，表面氧化 LED bulb is used, Super operation time: 10,000 hours! 使用LED灯；持续工作时间10000小时。				

Big Size Penlight 大号手电筒						
Model No. 型号:			Weight and Size of Mainbody 重量和尺寸			
			Weight 重量	Length 长度	Width 宽度	
			28.5 (g)	155 (mm)	17 (mm)	
	HS-401F6		Packing Bill 包装	Box size 中盒尺寸	Carton size 外箱尺寸	Pcs/Ctn 数量
		Blister + Battery 吸塑 电池	400x195x200 (mm)	610x415x415 (mm)	300	24
Annotation 备注:		2XAA batteries make durable use; 使用2节5号电池持久耐用 Big size Aluminium Alloy shell with multiple painting enables good handle;Color is optional. 大尺寸铝合金外壳，多种颜色喷漆，手感好，颜色可选				

Stainless Steel Penlight With Big 不锈钢大号手电筒						
Model No. 型号:			Weight and Size of Mainbody 重量和尺寸			
			Weight 重量	Length 长度	Width 宽度	
			28 (g)	153 (mm)	17 (mm)	
	HS-401F13		Packing Bill 包装	Box size 中盒尺寸	Carton size 外箱尺寸	Pcs/Ctn 数量
		Blister + Battery 吸塑 电池	400x195x200 (mm)	640x415x415 (mm)	300	23.5
Annotation 备注:		2×AA batteries used; Stainless steel shell. LED bulb is used; Super operation time: 10,000 hours. 使用2节5号电池，不锈钢外壳。 LED灯泡； 持续工作10000小时。				

General Optic Otoscope 简易检耳镜					
Model No. 型号: <					

Depressor Folder Tngue 压舌板夹	
Model No. 型号:	① ② ③ 
HS-404E	
Annotation 备注:	Available models: ①401F ②401F2 ③401F12 401F3 401F8 401F9 可配型号：①401F、②401F2、③401F12、401F3、401F8、401F9

Medical Gift Series 医疗礼品系列					
HS-402F1			Annotation 注释		
			Diagnostic kit HS-401F1 + Otoscope head + Tips + Spatula + 2xAAA batteries 套装包含 HS-401F1 + 检耳镜头 + 5个耳套 +压舌板 + 2节7号电池		
	Packing Bill 包装	Box size 中盒尺寸	Carton size 外箱尺寸	Pcs/Ctn 数量	Kgs/Ctn 重量
	Plastic box纸盒	210x110x30 (mm)	570x440x310 (mm)	100	15.6

HS-402F3			Annotation 注释		
	Diagnostic kit HS-401F3 + Otoscope head + Tips + 2xAAA batteries. 套装包含 HS-401F3 + 检耳镜头 + 5个耳套 + 2节7号电池				
Packing Bill 包装		Box size 中盒尺寸	Carton size 外箱尺寸	Pcs/Ctn 数量	Kgs/Ctn 重量
Plastic box纸盒		200x85x30 (mm)	440x400x310 (mm)	100	11.5

Medical Gift Series 医疗礼品系列					
Model No. 型号: 					

HS-402F3-B			Annotation 注释		
			Diagnostic kit HS-401F3 + Otoscope head + Spatula clip + Spatula + Blue filter + Ear pick + 2xAAA batteries 套装包含 HS-401F3 + 检耳镜头 + 压舌板夹 + 压舌板 + 蓝色过滤器 + 耳勺 + 2节7号电池		
	Packing Bill 包装	Box size 中盒尺寸	Carton size 外箱尺寸	Pcs/Ctn 数量	Kgs/Ctn 重量
	Plastic box 塑料盒	188x100x25 (mm)	515x390x265 (mm)	100	14

Medical Gift Series 医疗礼品系列					
HS-402F3-A			Annotation 注释		
			Diagnostic kit HS-401F3 + Otoscope head + Tips + Blue filter + Spatula clip + Spatula + 2xAAA batteries		
			套装包含 HS-401F3 + 检耳镜头 + 3个耳套 + 蓝色过滤器 + 压舌板夹 + 压舌板 + 2节7号电池		
	Packing Bill 包装	Box size 中盒尺寸	Carton size 外箱尺寸	Pcs/Ctn 数量	Kgs/Ctn 重量
Plastic box塑料盒		188x100x25 (mm)	515x390x265 (mm)	100	14

HS-402F2			Annotation 注释		
			Diagnostic kit HS-401F2 + Otoscope head + Tips + 2xAAA batteries.		
			套装包含 HS-401F2 + 检耳镜头 + 5个耳套 + 2节7号电池		
	Packing Bill 包装	Box size 中盒尺寸	Carton size 外箱尺寸	Pcs/Ctn 数量	Kgs/Ctn 重量
Plastic box塑料盒		190x70x30 (mm)	400x350x320 (mm)	100	12.8


Medical Gift Series 医疗礼品系列					
Model No. 型号: 					

HS-402F13-B			Annotation 注释		
			Diagnostic kit HS-401F13 + Otoscope head + Tips + 2xAA batteries.		
			套装包含 HS-401F13 + 检耳镜头 + 3个耳套 + 2节5号电池		
	Packing Bill 包装	Box size 中盒尺寸	Carton size 外箱尺寸	Pcs/Ctn 数量	Kgs/Ctn 重量
Plastic box塑料盒		190x70x30 (mm)	400x350x320 (mm)	100	16.5

Neurological Hammer 神经科叩诊锤				
HS-401G1 Multifunctional reflex Hammer 带刻度尺叩诊锤		Weight and Size of Mainbody 重量和尺寸		
		Weight 重量	Length 长度	Width 宽度
			65 (g)	150 (mm)
			45 (mm)	
	Packing Bill 包装	Box size 中盒尺寸	Carton size 外箱尺寸	Pcs/Ctn 数量
	White Box 白盒	218x155x107 (mm)	330x230x230 (mm)	100
Annotation 备注:		Stainless steel handle; PVC head; Color is optional. 不锈钢手柄；PVC头；颜色可选。		

HS-401G2 Taylor Hammer 三角叩诊锤		Weight and Size of Mainbody 重量和尺寸		
		Weight 重量	Length 长度	Width 宽度
			56 (g)	188 (mm)
			21 (mm)	
	Packing Bill 包装	Box size 中盒尺寸	Carton size 外箱尺寸	Pcs/Ctn 数量
	Blister 吸塑	260x170x155 (mm)	555x340x170 (mm)	100
Annotation 备注:		Zinc alloy handle; PVC head; Color is optional. 锌合金手柄；PVC头；颜色可选。		

HS-401G3 Buck Hammer 多功能叩诊锤		Weight and Size of Mainbody 重量和尺寸		
		Weight 重量	Length 长度	Width 宽度
			90 (g)	186 (mm)
			56 (mm)	
	Packing Bill 包装	Box size 中盒尺寸	Carton size 外箱尺寸	Pcs/Ctn 数量
	Blister 吸塑	260x170x155 (mm)	555x340x170 (mm)	100
Annotation 备注:		Zinc alloy handle; PVC head; Diagnostic Pin can be screwed off conveniently in the head, while diagnostic brush can be taken out in the end. 锌合金手柄；PVC头；		

HS-401G4 Gristle Hammer 多功能叩诊锤		Weight and Size of Mainbody 重量和尺寸		
		Weight 重量	Length 长度	Width 宽度
			60 (g)	190 (mm)
			55 (mm)	
	Packing Bill 包装	Box size 中盒尺寸	Carton size 外箱尺寸	Pcs/Ctn 数量
	White Box 白盒	190x55x20 (mm)	405x305x260 (mm)	100
Annotation 备注:		ABS handle with rubber painting.PVC head; Color is optional. ABS手柄；PVC头；颜色可选。		

Neurological Hammer 神经科叩诊锤					
Model No. 型号:			Weight and Size of Mainbody 重量和尺寸		
			Weight 重量	Length 长度	Width 宽度
HS-401G5 Babinski Hammer 圆形叩诊锤			97 (g)	230 (mm)	44 (mm)
	Packing Bill 包装	Box size 中盒尺寸	Carton size 外箱尺寸	Pcs/Ctn 数量	Kgs/Ctn 重量
	Blister 吸塑	260x170x155 (mm)	555x340x170 (mm)	100	12
Annotation 备注:	Zinc alloy handle; PVC head; Color is optional. 锌合金手柄；PVC头；颜色可选。				

Model No. 型号:		Weight and Size of Mainbody 重量和尺寸			
		Weight 重量	Length 长度	Width 宽度	
81 (g)		Max:385 (mm) Min:180 (mm)	44 (mm)		
Packing Bill 包装		Box size 中盒尺寸	Carton size 外箱尺寸	Pcs/Ctn 数量	Kgs/Ctn 重量
White Box 白盒	230x230x150 (mm)	495x480x170 (mm)	100	11.6	
Annotation 备注:	Copper handle with rubber painting; PVC head; Color is optional. 不锈钢手柄；PVC头；颜色可选。				

Model No. 型号:		Weight and Size of Mainbody 重量和尺寸			
		Weight 重量	Length 长度	Width 宽度	
HS-401G8 Queen's square Hammer 塑料柄圆形叩诊锤		62 (g)	320 (mm)	44 (mm)	
	Packing Bill 包装	Box size 中盒尺寸	Carton size 外箱尺寸	Pcs/Ctn 数量	Kgs/Ctn 重量
	Blister 吸塑	400x195x200 (mm)	420x410x210 (mm)	50	5

Model No. 型号:			Weight and Size of Mainbody 重量和尺寸		
			Weight 重量	Length 长度	Width 宽度
			42 (g)	200 (mm)	55 (mm)
HS-401G9 Francy Hammer 木纹多功能三角形	Packing Bill 包装	Box size 中盒尺寸	Carton size 外箱尺寸	Pcs/Ctn 数量	Kgs/Ctn 重量
	Blister+ Brush+ Needle 吸塑 + 刷 + 针	260x170x155 (mm)	555x340x170 (mm)	100	7.3
	Annotation 备注:				
ABS handle; PVC head; Color is optional. ABS手柄；PVC头；颜色可选。					

Neurological Hammer 神经科叩诊锤					
Model No. 型号:			Weight and Size of Mainbody 重量和尺寸		
			Weight 重量	Length 长度	Width 宽度
HS-401G10A wartenberg pinwheel Hammer 滚轮叩诊锤			60 (g)	185 (mm)	30 (mm)
	Packing Bill 包装	Box size 中盒尺寸	Carton size 外箱尺寸	Pcs/Ctn 数量	Kgs/Ctn 重量
	Blister 吸塑	260x170x155 (mm)	555x340x170 (mm)	100	8
Annotation 备注:	Zinc alloy handle; Copper head. 锌合金手柄；铜头。				

Model No. 型号:			Weight and Size of Mainbody 重量和尺寸		
			Weight 重量	Length 长度	Width 宽度
			140 (g)	220 (g)	85 (mm)
HS-401G11 Hammer 豪华型叩诊锤	Packing Bill 包装	Box size 中盒尺寸	Carton size 外箱尺寸	Pcs/Ctn 数量	Kgs/Ctn 重量
	尼龙袋装	400x195x200 (mm)	420x410x210 (mm)	50	9
Annotation 备注:	Nylon handle; Zinc alloy+silicone head; Color is optional. 尼龙手柄；锌合金+硅胶头；颜色可选。				

Model No. 型号:		Weight and Size of Mainbody 重量和尺寸			
		Weight 重量	Length 长度	Width 宽度	
HS-401G11-B Hammer 豪华型叩诊锤		230 (g)	225 (g)	85 (mm)	
	Packing Bill 包装	Box size 中盒尺寸	Carton size 外箱尺寸	Pcs/Ctn 数量	Kgs/Ctn 重量
	尼龙袋装	400x195x200 (mm)	420x410x210 (mm)	50	13.5
Annotation 备注:	Zinc alloy handle; silicone head; Nylon bag; Color is optional. 锌合金手柄；硅胶头；尼龙袋装；颜色可选。				

Model No. 型号:	 HS-401G12B		Weight and Size of Mainbody 重量和尺寸				
			Weight 重量	Length 长度	Width 宽度		
New HS-401G12	 LED		90 (g)	186 (mm)	60 (mm)		
			Packing Bill 包装	Box size 中盒尺寸	Carton size 外箱尺寸	Pcs/Ctn 数量	Kgs/Ctn 重量
			Blister 吸塑	260x170x155 (mm)	555x340x170 (mm)	100	11
“Bowling”-Shaped Hammer 保龄球型叩诊锤							
Annotation 备注:	Zinc alloy handle; Zinc alloy+silicone head; Color is optional. 锌合金手柄；锌合金+硅胶头；颜色可选。						

Neurological Hammer 神经科叩诊锤					
Model No. 型号:		Weight and Size of Mainbody 重量和尺寸			
		Weight 重量	Length 长度	Width 宽度	
		90 (g)	340 (mm)	head:50 (mm) handle:10 (mm)	
HS-401G13 Hammer 豪华圆型叩诊锤	Packing Bill 包装	Box size 中盒尺寸	Carton size 外箱尺寸	Pcs/Ctn 数量	Kgs/Ctn 重量
	尼龙袋装	400x195x200 (mm)	420x410x210 (mm)	50	6.5
Annotation 备注:	Nylon handle; Zinc alloy+silicone head; Color is optional. 尼龙手柄 ; 锌合金+硅胶头 ; 颜色可选。				

Model No. 型号:		Weight and Size of Mainbody 重量和尺寸			
		Weight 重量	Length 长度	Width 宽度	
		60 (g)	205 (mm)	72 (mm)	
HS-401G17 Wooden handle percussion hammer 木柄叩诊锤	Packing Bill 包装	Box size 中盒尺寸	Carton size 外箱尺寸	Pcs/Ctn 数量	Kgs/Ctn 重量
	Blister 吸塑	400x195x200 (mm)	420x410x210 (mm)	50	5.5
Annotation 备注:	Woden handle; Silicone head 木手柄 ; 硅胶头				

Model No. 型号:		Weight and Size of Mainbody 重量和尺寸			
		Weight 重量	Length 长度	Width 宽度	
		60 (g)	190 (mm)	58 (mm)	
HS-401G19 Bottle-shaped Hammer 药瓶型叩诊锤	Packing Bill 包装	Box size 中盒尺寸	Carton size 外箱尺寸	Pcs/Ctn 数量	Kgs/Ctn 重量
	Blister 吸塑	295x172x158 (mm)	370x310x340 (mm)	100	10
Annotation 备注:	ABS handle; Silicone head; Color is optional. ABS手柄 ; 硅胶头 ; 颜色可选。				

Model No. 型号:		Weight and Size of Mainbody 重量和尺寸			
		Weight 重量	Length 长度	Width 宽度	
		90 (g)	200 (mm)	51 (mm)	
HS-401G20 “Chopper”-shaped Hammer 斧头型叩诊锤	Packing Bill 包装	Box size 中盒尺寸	Carton size 外箱尺寸	Pcs/Ctn 数量	Kgs/Ctn 重量
	白盒装	400x195x200 (mm)	420x410x210 (mm)	50	7
Annotation 备注:	Zinc alloy handle; Silicone head ; Color is optional. 锌合金手柄 ; 硅胶头 ; 颜色可选。				

Neurological Hammer 神经科叩诊锤					
Model No. 型号:		Weight and Size of Mainbody 重量和尺寸			
		Weight 重量	Length 长度	Width 宽度	
		120 (g)	200 (mm)	85 (mm)	
HS-401G21 “bowling”-shaped Hammer 保龄球型锤	Packing Bill 包装	Box size 中盒尺寸	Carton size 外箱尺寸	Pcs/Ctn 数量	Kgs/Ctn 重量
	Blister 吸塑	400x195x200 (mm)	420x410x210 (mm)	50	8.5
Annotation 备注:	ABS handle; Zinc alloy + silicone head ; Color is optional. ABS手柄 ; 锌合金+硅胶头 ; 颜色可选。				

Model No. 型号:		Weight and Size of Mainbody 重量和尺寸			
		Weight 重量	Length 长度	Width 宽度	
		210 (g)	225 (mm)	73 (mm)	
HS-401G21-B Hammer 豪华型叩诊锤	Packing Bill 包装	Box size 中盒尺寸	Carton size 外箱尺寸	Pcs/Ctn 数量	Kgs/Ctn 重量
	Blister 吸塑	400x195x200 (mm)	420x410x210 (mm)	50	13
Annotation 备注:	Zinc alloy handle; Zinc alloy + silicone head ; Color is optional. 锌合金手柄 ; 锌合金+硅胶头 ; 颜色可选。				

Model No. 型号:		Weight and Size of Mainbody 重量和尺寸			
		Weight 重量	Length 长度	Width 宽度	
		106 (g)	220 (mm)	73 (mm)	
HS-401G22 Hammer 豪华型叩诊锤	Packing Bill 包装	Box size 中盒尺寸	Carton size 外箱尺寸	Pcs/Ctn 数量	Kgs/Ctn 重量
	Blister 吸塑	400x195x200 (mm)	420x410x210 (mm)	50	7.8
Annotation 备注:	ABS handle; Zinc alloy + silicone head ; Color is optional. ABS手柄 ; 锌合金+硅胶头 ; 颜色可选。				

Model No. 型号:		Weight and Size of Mainbody 重量和尺寸			
		Weight 重量	Length 长度	Width 宽度	
		195 (g)	225 (mm)	73 (mm)	
HS-401G22-B Hammer 豪华型叩诊锤	Packing Bill 包装	Box size 中盒尺寸	Carton size 外箱尺寸	Pcs/Ctn 数量	Kgs/Ctn 重量
	Blister 吸塑	400x195x200 (mm)	420x410x210 (mm)	50	12.5
Annotation 备注:	Zinc alloy handle; Zinc alloy + silicone head ; Color is optional. 锌合金手柄 ; 锌合金+硅胶头 ; 颜色可选。				

Medical Gift Series 医疗礼品系列					
Model No. 型号:			Annotation 注释		
HS-401G10			Diagnostic kit HS-401G2 + G3 + G5 + G8 + G10A		
	Packing Bill 包装	Box size 中盒尺寸	Carton size 外箱尺寸	Pcs/Ctn 数量	Kgs/Ctn 重量
	Painted Inner Box	345x130x30 (mm)	570x365x300 (mm)	40	23

Medical Gift Series 医疗礼品系列					
Model No. 型号:			Annotation 注释		
HS-401G14			Diagnostic kit HS-401F1 + G10A + G7 + Spatula + 2xAAA batteries		
	Packing Bill 包装	Box size 中盒尺寸	Carton size 外箱尺寸	Pcs/Ctn 数量	Kgs/Ctn 重量
	Painted Inner Box	345x130x30 (mm)	570x365x300 (mm)	40	16

Medical Gift Series 医疗礼品系列					
Model No. 型号:			Annotation 注释		
HS-401G15			Diagnostic kit HS-401F5 + G9 + 2xAAA batteries		
	Packing Bill 包装	Box size 中盒尺寸	Carton size 外箱尺寸	Pcs/Ctn 数量	Kgs/Ctn 重量
	Painted Inner Box	210x110x30 (mm)	570x440x310 (mm)	100	19

Medical Gift Series 医疗礼品系列					
Model No. 型号:			Annotation 注释		
HS-401G16			Diagnostic kit HS401G4 + G10A		
	Packing Bill 包装	Box size 中盒尺寸	Carton size 外箱尺寸	Pcs/Ctn 数量	Kgs/Ctn 重量
	Painted Inner Box	210x110x30 (mm)	570x440x310 (mm)	100	23

Medical Gift Series 医疗礼品系列					
Model No. 型号:			Annotation 注释		
HS-401G23			Diagnostic kit HS-401G2 + F2 + G10A		
	Packing Bill 包装	Box size 中盒尺寸	Carton size 外箱尺寸	Pcs/Ctn 数量	Kgs/Ctn 重量
	Plastic box 塑料盒	215x120x30 (mm)	460x260x305 (mm)	40	11.5



Medical Gift Series 医疗礼品系列					
Model No. 型号:			Annotation 注释		
HS-401G24			Diagnostic kit HS-401F13 + Otoscope head + G20 + 2xAAA batteries		
	Packing Bill 包装	Box size 中盒尺寸	Carton size 外箱尺寸	Pcs/Ctn 数量	Kgs/Ctn 重量
	Plastic box 塑料盒	215x120x30 (mm)	460x260x305 (mm)	40	13

Medical Gift Series 医疗礼品系列					
Model No. 型号:			Annotation 注释		
HS-401G28			Diagnostic kit HS-401G2 + G3 + G10A		
	Packing Bill 包装	Box size 中盒尺寸	Carton size 外箱尺寸	Pcs/Ctn 数量	Kgs/Ctn 重量
	Plastic box 塑料盒	215x120x30 (mm)	460x260x305 (mm)	40	14.5

Medical Gift Series 医疗礼品系列					
Model No. 型号:			Annotation 注释		
HS-401G30			Diagnostic kit HS-401G2 + F5 + G18		
	Packing Bill 包装	Box size 中盒尺寸	Carton size 外箱尺寸	Pcs/Ctn 数量	Kgs/Ctn 重量
	Plastic box 塑料盒	215x120x30 (mm)	460x260x305 (mm)	40	9.5

Monofilament Tester 神经触针					
Model No. 型号:		Weight and Size of Mainbody 重量和尺寸			
		Weight 重量	Length 长度	Width 宽度	
HS-401H2		13.5 (g)	144 (mm)	13 (mm)	
		Packing Bill 包装	Box size 中盒尺寸	Carton size 外箱尺寸	Pcs/Ctn 数量
		Transparent Bag 透明袋	218x155x107 (mm)	800x240x230 (mm)	500

Monofilament Tester 神经触针					
Model No. 型号:		Weight and Size of Mainbody 重量和尺寸			
		Weight 重量	Length 长度	Width 宽度	
HS-401G18		15 (g)	130 (mm)	26 (mm)	
		Packing Bill 包装	Box size 中盒尺寸	Carton size 外箱尺寸	Pcs/Ctn 数量
		Nylon bay 尼龙袋	218x155x107 (mm)	800x240x230 (mm)	500
Annotation 备注:	Five probes; ABS shell; Color is optional. 五个探针；ABS壳体；颜色可选。				

Bar-shape Medicine Box 星期药盒					
Model No. 型号:		Weight and Size of Mainbody 重量和尺寸			
		Weight 重量	Length 长度	Width 宽度	
HS-404A		15.5 (g)	115 (mm)	32 (mm)	
		Packing Bill 包装	Box size 中盒尺寸	Carton size 外箱尺寸	Pcs/Ctn 数量
		Transparent Bag 透明袋	215x155x215 (mm)	500x400x230 (mm)	500
Annotation 备注:	PP material. PP 材质。				

Ball-shape Medicine Box 球形药盒					
Model No. 型号:		Weight and Size of Mainbody 重量和尺寸			
		Weight 重量	Length 长度	Width 宽度	
HS-404B		17.2 (g)	62 (mm)	33 (mm)	
		Packing Bill 包装	Box size 中盒尺寸	Carton size 外箱尺寸	Pcs/Ctn 数量
		Blister 吸塑	400x195x200 (mm)	610x415x415 (mm)	300

Plastic Spatula 塑料压舌板					
Model No. 型号:		Weight and Size of Mainbody 重量和尺寸			
		Weight 重量	Length 长度	Width 宽度	
HS-404C		4 (g)	150 (mm)	18 (mm)	
		Packing Bill 包装	Box size 中盒尺寸	Carton size 外箱尺寸	Pcs/Ctn 数量
		Transparent Bag 透明袋	218x155x260 (mm)	500x400x270 (mm)	5000
Annotation 备注:	PP material. PP 材质。				

Medicamentousus bottle opener 开瓶器					
Model No. 型号:		Weight and Size of Mainbody 重量和尺寸			
		Weight 重量	Length 长度	Width 宽度	
HS-404D		8 (g)	70 (mm)	15 (mm)	
		Packing Bill 包装	Box size 中盒尺寸	Carton size 外箱尺寸	Pcs/Ctn 数量
		Transparent Bag 透明袋	215x155x260 (mm)	500x400x270 (mm)	2000
Annotation 备注:	ABS material. ABS 材质。				

Stethoscope Base 听诊器挂					
Model No. 型号:		Weight and Size of Mainbody 重量和尺寸			
		Weight 重量	Length 长度	Width 宽度	
HS-400		10 (g)	90 (mm)	65(mm)	
		Packing Bill 包装	Box size 中盒尺寸	Carton size 外箱尺寸	Pcs/Ctn 数量
		Transparent Bag 透明袋	175x160x210 (mm)	510x370x240 (mm)	500
Annotation 备注:	Shockproof design.				

Training Pad for injection 注射练习垫					
Model No. 型号:		Weight and Size of Mainbody 重量和尺寸			
		Weight 重量	Length 长度	Width 宽度	
HS-403E		65 (g)	55 (mm)	(mm)	
		Packing Bill 包装	Box size 中盒尺寸	Carton size 外箱尺寸	Pcs/Ctn 数量
		White box	90x80x90 (mm)	420x400x410 (mm)	100

Accessories
配件

Picture				
product name	2AA alkaline battery	Ni-Mh rechargeable battery		

Picture				
product name	Ear speculum	operating otoscope speculum	animal ear speculum	cartoon earmuffs

Picture				
product name	wood spatula			

Picture				
product name	handle desktop seat	tips dispenser		

Picture				
product name	Ensufflation bulb			

Bulbs Specs 灯泡规格

Picture 图片	Bulb Model 灯泡型号	Use the XHL Xenon Halogen bulb 使用卤素灯
	&107/&107L	HS-OT10/OT10C/OT10D/OT10Q Fiber optic otoscope光纤检耳镜
	&107B	HS-S100/S200/S300/S400/OT10B Integrated diagnostic system 综合诊断系统
	&107N	HS-OT10N/OT10S Fiber optic otoscope光纤检耳镜
	&107F	HS-OT10F Fiber optic otoscope光纤检耳镜
	&107Y	HS-OT10Y3 Tongue depressor压舌板器
	&108	HS-OT10J Otoscope检耳镜
	&108G	HS-OT10G/OT10E3/OT10H3 Otoscope/Nasal speculum/Operating otoscope 检耳镜/鼻腔镜/手术耳镜
	&106	HS-OP10/OP10C/OP10Q/OP10S Direct ophthalmoscope直接检眼镜
	&106B	HS-S100/S200/S300/S400/OP10B Integrated diagnostic system 综合诊断系统
	&106F	HS-OP10F Direct ophthalmoscope直接检眼镜
	&106K	HS-OT10K3 Laryngeal mirror口腔镜
	&106L	HS-OP10/OP10C/OP10Q Direct ophthalmoscope直接检眼镜
Use the high performance LED bulb 使用LED 灯泡		
	&109	HS-OT10/OT10C/OT10D/OT10Q Fiber optic otoscope光纤检耳镜
	&109B	HS-S100/S200/S300/S400/OT10B Integrated diagnostic system 综合诊断系统
	&109L1	HS-OT10/OT10C/OT10D/OT10Q/OT10L Fiber optic otoscope光纤检耳镜
	&109J	HS-OT10J Otoscope检耳镜
	&109G	HS-OT10G/OT10E/OT10E3/OT10H/OT10H3 Otoscope/Nasal speculum/Operating- otoscope 检耳镜/鼻腔镜/手术耳镜
	&109K1	HS-OT10K/OT10K3 Laryngeal mirror口腔镜
	&109Y1	HS-OT10Y/OT10Y3 Tongue depressor压舌板器
	&109N	HS-OT10N/OT10S Fiber optic otoscope光纤检耳镜
	&109F	HS-OT10F Fiber optic otoscope光纤检耳镜

Bulbs Specs 灯泡规格		
Picture 图片	Bulb Model 灯泡型号	Use the high performance LED bulb 使用LED 灯泡
	&206	HS-OP10/OP10C/OP10Q/OP10S Direct ophthalmoscope直接检眼镜
	&206B	HS-S100/S200/S300/S400/OP10B Integrated diagnostic system 综合诊断系统
	&206L1	HS-OP10/OP10C/OP10Q/OP10L Direct ophthalmoscope直接检眼镜
	&206F	HS-OP10F Direct ophthalmoscope直接检眼镜
	&109L	HS-OT10L Fiber optic otoscope光纤检耳镜
	&109Y	HS-OT10Y Tongue depressor压舌板器
	&109E	HS-OT10E/OT10H Nasal speculum/Operating otoscope鼻腔镜/手术耳镜
	&109K	HS-OT10K Laryngeal mirror口腔镜
	&206L	HS-OP10L Direct ophthalmoscope直接检眼镜
	&109C	HS-OT10/OT10C/OT10D/OT10Q Fiber optic otoscope光纤检耳镜
	&206C	HS-OP10/OP10C/OP10Q/OP10S Direct ophthalmoscope直接检眼镜