

CERTIFICATE

Full Quality Assurance System

Medical Devices Directive 93/42/EEC Annex II (Excluding Section 4)

M.2018.106.10375-1 Design Examination Certificate Was Prepared for Class III Products Defined in This Certificate.

Company Name : Katsan Katgüt San. ve Tic. A.Ş.

Company Address : AOSB 10041 Sokak No:22 Çiğli, İZMİR / TURKEY

Related Directives and Annex : 93/42/EEC Medical Devices Directive - Annex II

(Excluding Section 4)

Product : ALCASORB® (Sterile absorbable PGA suture) With/Without needle - Class III

ALCASORB®RAPID (Sterile absorbable PGA RAPID suture)

With/Without needle - Class III

ALCALACTINE® (Sterile absorbable PGLA suture) With/Without needle - Class III

ALCALACTINE® RAPID (Sterile absorbable PGLA RAPID suture)

With/Without needle - Class III

ALCALACTONE® (Sterile absorbable PGCL suture) With/Without needle - Class III
ALCADINONE® (Sterile absorbable PDO suture) With/Without needle - Class III

ALCALENE® (Sterile non-absorbable Polypropylene (PP) suture)

With/Without needle - Class IIb

 $\label{eq:alcasilk} $$ ALCASILK^{\otimes}(Sterile\ non-absorbable\ Silk\ suture)\ With/Without\ needle\ -\ Class\ IIb \\ ALCAMIDE^{\otimes}(Sterile\ non-absorbable\ PA\ suture)\ With/Without\ needle\ -\ Class\ IIb \\$

GMDN : 13908, 17471, 45814, 13909, 13910, 16584, 38000

Product Types are attached.

Certificate Number : M.2018.106.10375

Report Number : MD.3589.IB
Initial Assessment Date : 04.05.2018
Pagistration Data : 10.09.2018

Registration Date : 10.09.2018
Revision Date /No : 12.07.2019/03
Expiry Date : 09.09.2023

: 04.05.2018

: 10.09.2018

: 12.07.2019/03

: 09.09.2023

IL excluding section 4 of the 93/42/EEC Directive have been met

UDEM hereby declares that the requirements of Annex II, excluding section 4 of the 93/42/EEC Directive have been met for the listed products. The above named manufacturer has established and applied a quality assurance system, which is subject to periodic surveillance audits, defined by Annex II, section 5 of the forementioned directive. According to Annex II, section 4 an EC design-examination certificate is required for placing the Class III devices on the market. UDEM's responsibility for class I devices covered by the EC certificate is limited to manufacturing issues related to safeguarding and maintaining sterile conditions, if the device is sterile; and manufacturing issues related to product's conformity with metrological requirements. If it has measurement function. This certificate remains as the property of UDEM International Certification Auditing Training Centre Industry and Trade Inc. Co., to whom it must be returned upon request. The above named company and UDEM must keep a copy of this certificate for 5 years from the registration of the certificate. Usage of the CE mark is under the responsibility of the manufacturer with the completion of EC Declaration of Conformity. The above mentioned company must notify all changes related with the approved product to UDEM. If UDEM will not renew the validity of this certificate in question, the mentioned company should stop placing the product on the market. The validity of the certificate can be checked through www.udem.com.tr.

Address: Mutlukent Mahallesi 2073 Sokak (Eski 93 Sokak) No:10 Çankaya – Ankara – TURKEY

Phone: +90 0312 443 03 90 Fax: +90 0312 443 03 76 E-mail: info@udemltd.com.tr www.udem.com.tr





This document containing 3 (three) pages is the Annex of the Certificate with the revision number 03, with the number M.2018.106.10375 and with the registration date of 10.09.2018 with the revision date of 12.07.2019 issued for "Katsan Katgüt San. ve Tic. A.Ş." by UDEM Uluslararası Belgelendirme Denetim Eğitim Merkezi San. ve Tic. A.Ş. that is giving service as Notified Body with the ID No: 2292 according to 93/42/EEC Medical Devices Directive

ALCASORB Polyglycolic acid (PGA)

GMDN NO:13908

Synthetic, sterile (EtO), absorbable, multifilament, braided, coated, violet-colored surgical sutures are loop, single or with double needle or without needle, and in the following USP, EP, suture length, needle length, needle shape and needle properties:

USP: 6/0, 5/0, 4/0, 3/0, 2/0, 0, 1, 2, 3

EP: 0,7 1 1,5 2 3 3,5 4 5 6

Suture Lengths: Variety of lengths, from 10 cm to 150 cm

Needle Lengths: Variety of lengths, from 3 mm to 150 mm

Needle Shapes: 1/2, 3/8, 1/4, 5/8, Straight, J

Needle Properties: Round Body, Round Body Heavy, Taper Point, Taper Point Heavy, Blunt Point, Blunt Point Heavy, Cutting, Cutting Premium, Reverse Cutting, Rev

ALCASORB RAPID Polyglycolic acid degraded (PGA)

GMDN NO:13908

Synthetic, sterile (R), absorbable, multifilament, braided, coated, beige-colored (undyed) surgical sutures are loop, single or with double needle or without needle, and in the following USP, EP, suture length, needle length, needle shape and needle properties:

USP: 6/0, 5/0, 4/0, 3/0, 2/0, 0, 1, 2

EP: 0,7 1 1,5 2 3 3,5 4 5

Suture Lengths: Variety of lengths, from 10 cm to 150 cm

Needle Lengths: Variety of lengths, from 3 mm to 150 mm

Needle Shapes: 1/2, 3/8, 1/4, 5/8, Straight, J

Needle Properties: Round Body, Round Body Heavy, Taper Point, Taper Point Heavy, Blunt Point, Blunt Point Heavy, Cutting, Cutting Premium, Reverse Cutting, Rev

ALCALACTINE Poly[glycolic acid (90%)-co-lactic acid (10%)] (PGLA)

GMDN NO:17471

Synthetic, sterile (EtO), absorbable, multifilament, braided, coated, violet-colored surgical sutures are loop, single or with double needle or without needle, and in the following USP, EP, suture length, needle length, needle shape and needle properties:

USP: 6/0, 5/0, 4/0, 3/0, 2/0, 0, 1, 2

EP: 0,7 1 1,5 2 3 3,5 4 5

Suture Lengths: Variety of lengths, from 10 cm to 150 cm

Needle Lengths: Variety of lengths, from 3 mm to 150 mm

Needle Shapes: 1/2, 3/8, 1/4, 5/8, Straight, J

Needle Properties: Round Body, Round Body Heavy, Taper Point, Taper Point Heavy, Blunt Point, Blunt Point Heavy, Cutting, Cutting Premium, Reverse Cutting, Rev

ALCALACTINE RAPID Poly[glycolic acid (90%)-co-lactic acid (10%)] degraded (PGLA)

GMDN NO:17471

Synthetic, sterile (R), absorbable, multifilament, braided, coated, beige-colored (undyed) surgical sutures are loop, single or with double needle or without needle, and in the following USP, EP, suture length, needle length, needle shape and needle properties:

USP: 6/0, 5/0, 4/0, 3/0, 2/0, 0, 1, 2

EP: 0,7 1 1,5 2 3 3,5 4 5

Suture Lengths: Variety of lengths, from 10 cm to 150 cm





This document containing 3 (three) pages is the Annex of the Certificate with the revision number 03, with the number M.2018.106.10375 and with the registration date of 10.09.2018 with the revision date of 12.07.2019 issued for "Katsan Katgüt San. ve Tic. A.Ş." by UDEM Uluslararası Belgelendirme Denetim Eğitim Merkezi San. ve Tic. A.Ş. that is giving service as Notified Body with the ID No: 2292 according to 93/42/EEC Medical Devices Directive

Needle Lengths: Variety of lengths, from 3 mm to 150 mm

Needle Shapes: 1/2, 3/8, 1/4, 5/8, Straight, J

Needle Properties: Round Body, Round Body Heavy, Taper Point, Taper Point Heavy, Blunt Point, Blunt Point Heavy, Cutting, Cutting Premium, Reverse Cutting, Rev

ALCALACTONE Poly[glycolic acid (75%)-co-caprolactone (25%)] (PGCL)

GMDN NO:45814

Synthetic, sterile (EtO), absorbable, monofilament, violet-colored surgical sutures are loop, single or with double needle or without needle, and in the following USP, EP, suture length, needle length, needle shape and needle properties:

USP: 6/0, 5/0, 4/0, 3/0, 2/0, 0, 1, 2

EP: 0,7 1 1,5 2 3 3,5 4 5

Suture Lengths: Variety of lengths, from 10 cm to 150 cm

Needle Lengths: Variety of lengths, from 3 mm to 150 mm

Needle Shapes: 1/2, 3/8, 1/4, 5/8, Straight, J

Needle Properties: Round Body, Round Body Heavy, Taper Point, Taper Point Heavy, Blunt Point, Blunt Point Heavy, Cutting, Cutting Premium, Reverse Cutting, Rev

ALCADINONE Polydioxanone

GMDN NO:16584

Synthetic, sterile (EtO), absorbable, monofilament, violet-colored surgical sutures are loop, single or with double needle or without needle, and in the following USP, EP, suture length, needle length, needle shape and needle properties:

USP: 6/0, 5/0, 4/0, 3/0, 2/0, 0, 1, 2

EP: 0,7 1 1,5 2 3 3,5 4 5

Suture Lengths: Variety of lengths, from 10 cm to 150 cm

Needle Lengths: Variety of lengths, from 3 mm to 150 mm

Needle Shapes: 1/2, 3/8, 1/4, 5/8, Straight, J

Needle Properties: Round Body, Round Body Heavy, Taper Point, Taper Point Heavy, Blunt Point, Blunt Point Heavy, Cutting, Cutting Premium, Reverse Cutting, Rev

ALCALENE Polypropylene (PP)

GMDN NO:13909

Synthetic, sterile (EtO), non-absorbable, monofilament, blue-colored surgical sutures are loop, single or with double needle or without needle, and in the following USP, EP, suture length, needle length, needle shape and needle properties:

USP: 6/0, 5/0, 4/0, 3/0, 2/0, 0, 1, 2

EP: 0,7 1 1,5 2 3 3,5 4 5

Suture Lengths: Variety of lengths, from 10 cm to 150 cm

Needle Lengths: Variety of lengths, from 3 mm to 150 mm

Needle Shapes: 1/2, 3/8, 1/4, 5/8, Straight, J

Needle Properties: Round Body, Round Body Heavy, Taper Point, Taper Point Heavy, Blunt Point, Blunt Point Heavy, Cutting, Cutting Premium, Reverse Cutting, Rev





This document containing 3 (three) pages is the Annex of the Certificate with the revision number 03, with the number M.2018.106.10375 and with the registration date of 10.09.2018 with the revision date of 12.07.2019 issued for "Katsan Katgüt San. ve Tic. A.Ş." by UDEM Uluslararası Belgelendirme Denetim Eğitim Merkezi San. ve Tic. A.Ş. that is giving service as Notified Body with the ID No: 2292 according to 93/42/EEC Medical Devices Directive

ALCASILK SIIK

GMDN NO:13910

Natural, sterile (EtO), non-absorbable, multifilament, braided, coated, black-colored surgical sutures are loop, single or with double needle or without needle, and in the following USP, EP, suture length, needle length, needle shape and needle properties:

USP: 6/0, 5/0, 4/0, 3/0, 2/0, 0, 1, 2

EP: 0,7 1 1,5 2 3 3,5 4 5

Suture Lengths: Variety of lengths, from 10 cm to 150 cm

Needle Lengths: Variety of lengths, from 3 mm to 150 mm

Needle Shapes: 1/2, 3/8, 1/4, 5/8, Straight, J

Needle Properties: Round Body, Round Body Heavy, Taper Point, Taper Point Heavy, Blunt Point, Blunt Point Heavy, Cutting, Cutting Premium, Reverse Cutting, Rev

ALCAMIDE Polyamide

GMDN NO:38000

Synthetic, sterile (EtO), non-absorbable, monofilament, blue-colored surgical sutures are loop, single or with double needle or without needle, and in the following USP, EP, suture length, needle length, needle shape and needle properties:

USP: 6/0, 5/0, 4/0, 3/0, 2/0, 0, 1, 2

EP: 0,7 1 1,5 2 3 3,5 4 5

Suture Lengths: Variety of lengths, from 10 cm to 150 cm

Needle Lengths: Variety of lengths, from 3 mm to 150 mm

Needle Shapes: 1/2, 3/8, 1/4, 5/8, Straight, J

Needle Properties: Round Body, Round Body Heavy, Taper Point, Taper Point Heavy, Blunt Point, Blunt Point Heavy, Cutting, Cutting Premium, Reverse Cutting, Rev