

## **Mercedes-Benz Sprinter Panel van**



Model : Mercedes-Benz Sprinter Long 4x4 Vehicle type : Panel van PRO EU 4.1T, 190 HP

Drivetrain : RWD Baumuster : 90764713

Engine power : 140 kW (190 HP)

Wheelbase : 4325 mm
Gross vehicle weight : 4100 kg
Steering type : right

MB 9147 arctic white

IG5 Basic

Z3K PRO Standard XM4 Acoustic control

RD8 Hubcaps RM7 Summer tires

RY2 Tire pressure monitor

#### Chassis

AR2 Axle ratio i = 3,923 BA3 Active Brake Assist

CN2 Radiater frame with body color RD9 Tyres without name of make

RG8 Tires 225/75 R16



RM7 Summer tyres

RS3 Steel wheels 6.5 J x 16

R65 Spare wheel bracket below frame end

R87 Spare wheel RD8 Hubcaps RM7 Summer tires

RY2 Tire pressure monitor XL2 Higher weight 4.100 kg

### **Engines and transmissions**

MU6 Engine OM 654 DE 20 LA 140 kW (190 HP) @3800 rpm

G43 9G-Tronic automatic transmission

A4M 4x4 all-wheel drive with torque on demand

BH1 Hold function

CT1 Vibration protection

Z1U ECE-R 66 Rollover test approvalM94 Cancellation of speed limiter

K60 Egzhaust exit, rear

KL5 Fuel filter with water separationKP7 4th grade SCR emission control

MP6 Engine version Euro VI

MRO Emission level E (light commercial vehicles)

K87 Main tank 93 litres

#### **Bodies and attachments**

D03 High roof

F64 Electrically foldable exterior mirrors

F68 Exterior mirror heated and electr. Adjustable

Q11 Longitudinal member reinforcement L13 Fog lamps with cornering light function

L22 Partial LED tail lights

L44 Front side signalling lights
 L94 Omission parking lamp
 LB1 Side marker lights
 LB5 3rd brake light
 LE1 Adaptive brake light

MS1 Tempomat

T12 Stopper for sliding door

T16 Sliding door right

W54 Rear doors, double-wing, 270 degree opening

T75 Grab handles right and left

T77 Grab handle, at load comp. sliding door on partition

W61 Window in tailgate / Rear hinged doors

H21 Heat-insulating glass w.band filter on windscreen



| Q67 | Towing eye rear<br>Rear door step |  |
|-----|-----------------------------------|--|
| W73 |                                   |  |
| P47 | Front mud flaps                   |  |
| P48 | Rear mud flaps                    |  |

# Interior equipment, heating and air-conditioning

| S04 | Co-driver's seat                         |
|-----|--|
| S22 | Armrest for driver seat                  |
| S87 | Driver seat frame                        |
| SB3 | Driver seat                              |
| SA5 | Airbag, front driver's seat              |
| SA6 | Airbag, co-driver                        |
| J55 | Seat belt reminder for co-driver seat    |
| J58 | Seat belt warning for driver's seat      |
| FF5 | Shelf above windscreen                   |
| FJ4 | Stowage compartment underneath cockpit   |
| VA7 | Stow. comp. w. net in rear doors         |
| Y44 | Warning triangle                         |
| HH9 | TEMPMATIC semi automatic climate control |
| V3L | Floor mat all season                     |

## Radio, instruments and electrics

Hill start assist

E07

| E1D | Digital radio (DAB)                       |
|-----|---|
| E4S | Smart phone integration                   |
| E7B | Pre-installation for navigation           |
| E7M | MBUX multimedia                           |
| ED4 | AGM battery, 12 V 92 Ah                   |
| ES0 | Starting aid contact                      |
| M60 | Alternator 14 V/250 A                     |
| ED5 | Parameterizable special module            |
| FR8 | Rearview camera                           |
| JV6 | Pre-installation set, tachograph          |
| C6L | Multifunction steering wheel              |
| CL1 | Height and rake adjustable steering wheel |
| J10 | Speedometer, km/h                         |
| J52 | Engine oil gauge, first start             |
| J65 | Temperature indicator                     |
| JA7 | Blind point assist                        |
| JA8 | Crosswind Assist                          |
| JF1 | Rain sensor                               |
| JK5 | Colored dashboard                         |
| JS2 | Intelligent speed assist (ISA)            |
| JW0 | Reversing warning device                  |



| JW8 | Attention assist    |
|-----|---------------------|
| LA2 | Headlight assistant |
| M72 | Vehicle with HVO    |
| MJ8 | ECO start/stop      |


## Other equipment

| Z4V | Production in Düsseldorf         |
|-----|----------------------------------|
| Z74 | Bodyshell, additional measures 2 |
| Z75 | Bodyshell, additional measures   |
| XC8 | VIN visible from outside         |
| XO5 | User manual digital              |
| XQ1 | VIN control code                 |
| XV1 | At least 2381 kg reference mass  |
| XW9 | Factory control code, WLTP       |
| Z2F | Control code, outside EU-EFTA    |
| Z2N | Qualification N2                 |
| Y43 | Hydraulic Jack                   |
| XZ1 | Model generation 1               |

# Upholstery

VF7 Fabric Maturin black

Note: Some of the features above may not be available and/or different at the time of vehicle production at the factory. All available and possible features required will be provided.





| LONG, HIGH ROC   | F, REAR WHEEL DRIVE - PA  | NEL VAN |
|------------------|---|---------|
| Wheelbase        | Wheelbase length  | 4,325mm |
|                  | Turning circle  | 15.3m   |
|                  | Front track width   | 1,726mm |
|                  | Rear track width  | 1,732mm |
| Vehicle          | Length  | 6,967mm |
|                  | Height (unladen)  | 2,646mm |
|                  | Width (inc. wing mirrors)   | 2,345mm |
|                  | Ground clearance  | 188mm   |
| Load compartment | Load floor length   | 4,410mm |
|                  | Max. width  | 1,787mm |
|                  | Width between wheel arches  | 1,350mm |
|                  | Height  | 2,009mm |
|                  | Rear loading height<br>(step height from ground<br>to load floor) | 651mm   |