

082 2.5/3.5mm HERBERT SCREWS, CANNULATED, TITANIUM
Lot 5.2

LENGTH (mm)	CODE TITANIUM
12	082.012.Ti
14	082.014.Ti
16	082.016.Ti
18	082.018.Ti
20	082.020.Ti

LENGTH (mm)	CODE TITANIUM
22	082.022.Ti
24	082.024.Ti
26	082.026.Ti
28	082.028.Ti
30	082.030.Ti



Code No: 082

083 3.0/4.0mm HERBERT SCREWS, CANNULATED, TITANIUM
Lot 5.1

LENGTH (mm)	CODE TITANIUM
12	083.012.Ti
14	083.014.Ti
16	083.016.Ti
18	083.018.Ti
20	083.020.Ti

LENGTH (mm)	CODE TITANIUM
22	083.022.Ti
24	083.024.Ti
26	083.026.Ti
28	083.028.Ti
30	083.030.Ti



Code No: 083

084 3.5/4.5mm HERBERT SCREWS, CANNULATED, TITANIUM
Lot 5.3

LENGTH (mm)	CODE TITANIUM
12	084.012.Ti
14	084.014.Ti
16	084.016.Ti
18	084.018.Ti
20	084.020.Ti

LENGTH (mm)	CODE TITANIUM
22	084.022.Ti
24	084.024.Ti
26	084.026.Ti
28	084.028.Ti
30	084.030.Ti



Code No: 084


IS-09-07 INSTRUMENT SET FOR HERBERT SCREW CANNULATED

Lot 5.4

Set consists of:

CODE	PRODUCTS	QUANTITY
082.001	Herbert JIG	1 Pc
082.003	Cannulated drill bit for Herbert screw	1 Pc
082.005	Herbert Cannulated Tap	1 Pc
091.07.010C	Cannulated Screw Driver Hexagonal 4.0mm - 2.5mm	1 Pc
Supplied in a Sterilize Box		

HERBERT JIG



Code No: 082.001

CANNULATED DRILL BIT FOR HERBERT SCREW



Code No: 082.003

HERBERT CANNULATED TAP



Code No: 082.005

CANNULATED SCREW DRIVER HEXAGONAL 4.0mm - 2.5mm



Code No: 091.07.010C



Members

IS-07-02

Instrument Set for Small Fragments

Lot 5.4

Code	Description	Quantity
Box	Empty Container	1
661.002	Small Plate Bender (pair)	1 pair
741.060	Farabeuf retractor (small & large)	2
705.012	Periosteal elevator, Straight, 12mm Wide	1
706.012	Periosteal elevator, Curved, 12mm Wide	1
602.125.30	Drill Bit dia. 3.0mm	1
602.125.25	Drill Bit dia. 2.5mm	1
602.250.28	Drill Bit dia. 2.8mm, L-250mm	1
626.200.25	Drill Bit dia. 2.5mm, cannulated	1
606.035A	Cannulated Bone Tap for 3.5mm screws, with T-Handle	1
739.192	Self Centering Bone Holding Forceps, 190mm	1
739.131	Hollow Reamer for Screws 3.5mm	1
619.001	Extraction Screw for Screws 3.5mm, Conical	1
905.019	Reduction Forceps, Pointed, 140mm	1
614.025	Hexagonal Screw Driver with 2.5mm Tip	1
385.01.011C	Bending Template for Straight Reconstruction Plates 3.5mm	1
385.01.012C	Bending Template for DCP 3.5 & LC-DCP 3.5	1
653.002	Screw Holding Forceps	1
606.040	Bone Tap for 4.0mm Cancellous Screws, with T-Handle	1
605.035	Bone Tap for 3.5mm Cortex Screws, with T-Handle	1
656.002	Depth Gauge Small	1
648.025	Small Neutral & Loaded Drill Guide (for DCP 2.5mm)	1
385.01.025C	Double Drill Sleeve 2.5/3.0mm (non-standard)	1
647.001	Double Drill Sleeve 2.5/3.5mm	1
801.035	Drill Sleeve 2.8mm for Safety Lock Plates	1

HEMC House:

D-313, Sector-63, Noida, U. P. 201 301 (INDIA)
 Customer care : +91-120-4088 888, Fax : +91-120-4088 777
 Email : info@hemcmedical.com
 Web Site : www.hemcmedical.com




Exhibitor's at:




Members



Box (empty container)



Small Plate Bender (pair)




Code: 661.002

Farabeuf retractor




Code: 741.060

Periosteal elevator, straight, wide
12mm



Code: 705.012

Periosteal elevator, curved, wide
12mm



Code: 706.012

HEMC House:
D-313, Sector-63, Noida, U. P. 201 301 (INDIA)
Customer care : +91-120-4088 888, Fax : +91-120-4088 777
Email : info@hemcmedical.com
Web Site : www.hemcmedical.com

Exhibitor's at:





Members

602

DRILL BITS, PLAIN SHANK S.S.

CODE	Ø (mm)	Length (mm)
602.100.20	2.0	100
602.125.25	2.5	125
602.200.25	2.5	200
602.250.25	2.5	250
602.300.25	2.5	300
602.125.27	2.7	125
602.200.27	2.7	200
602.250.27	2.7	250
602.300.27	2.7	300
602.125.28	2.8	125
602.200.28	2.8	200
602.250.28	2.8	250
602.300.28	2.8	300
602.125.30	3.0	125
602.200.30	3.0	200
602.125.32	3.2	125
602.200.32	3.2	200
602.125.35	3.5	125
602.200.35	3.5	200
602.250.35	3.5	250
602.125.40	4.0	125
602.200.40	4.0	200
602.250.40	4.0	250
602.125.45	4.5	125
602.200.45	4.5	200
602.250.45	4.5	250
602.300.45	4.5	300
602.200.50	5.0	200
602.250.50	5.0	250
602.200.60	6.0	200
602.250.60	6.0	250

Code No: 602

626

CANNULATED DRILL BITS, PLAIN SHANK S.S.

CODE	Ø (mm)	Length (mm)
626.125.25	2.5	125
626.200.25	2.5	200
626.250.25	2.5	250
626.300.25	2.5	300
626.125.28	2.8	125
626.200.28	2.8	200
626.250.28	2.8	250
626.300.28	2.8	300
626.125.32	3.2	125
626.200.32	3.2	200
626.250.32	3.2	250
626.300.32	3.2	300
626.125.35	3.5	125
626.200.35	3.5	200
626.250.35	3.5	250
626.300.35	3.5	300
626.125.45	4.5	125
626.200.45	4.5	200
626.250.45	4.5	250
626.300.45	4.5	300
626.200.50	5.0	200
626.250.50	5.0	250
626.300.50	5.0	300
626.200.60	6.0	200
626.250.60	6.0	250

Code No: 626

HEMC House:

D-313, Sector-63, Noida, U. P. 201 301 (INDIA)

Customer care : +91-120-4088 888, Fax : +91-120-4088 777

Email : info@hemcmedical.com

Web Site : www.hemcmedical.com

Exhibitor's at:





Members



Cannulated Bone Tap for 3.5mm screws, with T-Handle



Code: 606.035A

Self Centering Bone Holding Forceps, 190mm



Code: 739.192

Hollow Reamer for Screws 3.5mm



Code: 739.131

Extraction Screw for screws 3.5mm, Conical



Code: 619.001

Reduction Forceps, Pointed, 140mm



Code: 905.019

Hexagonal Screw Driver with 2.5mm Tip



Code: 614.025

Bending Template for Straight Reconstruction Plates 3.5mm



Code: 385.01.011C

Bending Template for DCP 3.5 & LC-DCP 3.5



Code: 385.01.012C

EMC House:

313, Sector-63, Noida, U. P. 201 301 (INDIA)
Customer care : +91-120-4088 888, Fax : +91-120-4088 777

Email : info@hemcmedical.com

Web Site : www.hemcmedical.com

Exhibitor's at:



ISO 13485:2016, ISO 9001:2015 Certified Company

**Shape/Color/Design may change at time of supply depending upon stock availability.



Members

Screw Holding Forceps



Code: 653.002

Bone Tap for 4.0mm Cancellous Screws, with T-Handle



Code: 606.040

Bone Tap for 3.5mm Cortex Screws, with T-Handle



Code: 605.035

Depth Gauge Small



Code: 656.002

Small Neutral & Loaded Drill Guide (for DCP 2.5mm)



Code: 648.025

Double Drill Sleeve 2.5/3.0mm



Code: 385.01.025C

Double Drill Sleeve 2.5/3.5mm



Code: 647.001

Drill Sleeve 2.8mm for Safety Lock Plates



Code: 801.035

HEMC House:

D-313, Sector-63, Noida, U. P. 201 301 (INDIA)

Customer care : +91-120-4088 888, Fax : +91-120-4088 777

Email : info@hemcmedical.com

Web Site : www.hemcmedical.com

Exhibitor's at:



ISO 13485:2016, ISO 9001:2015 Certified Company

**Shape/Color/Design may change at time of supply depending upon stock availability.