

	AE001-1	Adult ear clip sensor , DB9 Male, L=1M			
	AE001-3D	Adult ear clip sensor , DB9 Male, L=3M			
	AT001-1	Animal tongue clip sensor , DB9 Male, L=1M			
	AT001-3D	Animal tongue clip sensor , DB9 Male, L=3M			
	NW001-3D- Y	Multi-site Y cable with separate wrap , L=3m ,DB9 , Wrap Detachable			
	NW 001-3D- F	Adult/ Neonate multi-site spo2 sensor ,with FOAM wrap tape, DB9 , L=3m			

Compatibilities: Compatible with BCI 3300, 3301, 3302,3303, 3304, 3401




Biosys (Korea) compatible spo2 sensor

Compatible Brand	OEM P/N	Greatmade P/N	Description(Connector, Length)	1-5 pcs	6-19 pcs	above 20 PCS
Biosys		AF002	Adult finger clip sensor , MD6M , L=3m			
		PF002	Pediatric finger clip sensor , MD6M , L=3m			
		AS002	Adult silicone soft tip sensor , MD6M , L=3m			
		PS002	Pediatric silicone soft tip sensor , MD6M , L=3m			
		NW002	Neonate silicone wrap sensor , MD6M , L=3m , Non-detachable			
		AE002	Adult ear clip sensor , MD6M , L=3m			
		AT002	Animal tongue clip sensor , MD6M , L=3m			
		NW 002 Y	Multi-site Y cable with separate wrap ,MD6M, Wrap Detachable, L=3M			
		NW 002 F	Adult multi-site spo2 sensor ,with FOAM wrap tape,MD6M, L=3m			




compatible with **Biosys** BPM-300

CSI Compatible reusable spo2 sensor (Lemo 5pin)

Compatible Brand	OEM P/N	Greatmade P/N	Description(Connector, Length)	1-5 pcs	6-19 pcs	above 20 PCS
CSI	511-10/934-10L	AF004-3	Adult finger clip sensor, 5PIN LEMO MALE ,FGG.1B ,L=3M			
501,503, 504,507		PF004-3	pediatric finger clip sensor, 5PIN LEMO MALE ,FGG.1B ,L=3M			
508, 581, 1100,		AS004-3	Adult silicone soft clip sensor, 5PIN LEMO MALE ,FGG.1B ,L=3M			
Poe(602-3A),		PS004-3	silicone soft-tip sensor, 5PIN LEMO MALE ,FGG.1B ,L=3M			
8100 Poni,Scholar		NW004-3	neonate silicone wrap sensor, 5PIN LEMO MALE ,FGG.1B ,L=3M , Wrap Non-detachable			
		AE004-3	Adult ear clip sensor, 5PIN LEMO MALE ,FGG.1B ,L=3M			
		AT004-3	Animal tongue clip sensor, 5PIN LEMO MALE ,FGG.1B ,L=3M			
		NW004-3 Y	Multi-site Y cable with separate wrap , L=3m ,lemo 5pin , Wrap Detachable			
	NW 004-3 F	Adult/ Neonate multi-site spo2 sensor ,with FOAM wrap , lemo 5pin ,L=3m				



CSI Compatible reusable spo2 sensor

Compatible Brand	OEM Part No.	Greatmade P/N	Description(Connector, Length)	1-5 pcs	6-19 pcs	above 20 PCS
CSI	511SD	AF005-1	Adult finger clip sensor, DB9 Male ,L=1M			
CSI 503SPOT		PF005-1	pediatric finger clip sensor, DB9 Male ,L=1M			
504 plus, 504dx		AS 005-1	Adult silicone soft clip sensor, DB9 Male ,L=1M			
504DXN,		PS005-1	silicone soft-tip sensor,DB9 Male ,L=1M			
		NW005-1	neonate silicone wrap sensor,DB9 Male ,L=1M , Non-detachable			
		AF005-3	Adult finger clip sensor, DB9 Male ,L=3M			
		PF005-3	pediatric finger clip sensor, DB9 Male ,L=3M			
		AS 005-3	Adult silicone soft clip sensor, DB9 Male ,L=3M			
		PS005-3	silicone soft-tip sensor,DB9 Male ,L=3M			
		NW005-3	neonate silicone wrap sensor,DB9 Male ,L=3M , Non-detachable			
		AE005-1	Adult ear clip sensor, DB9 Male ,L=1M			
	AT005-1	Animal tongue clip sensor, DB9 Male ,L=1M				
	NW005-3 Y	Multi-site Y cable with separate wrap , CSI DB9 , Wrap Detachable				
	NW 005-3 F	Adult/ Neonate multi-site spo2 sensor ,with FOAM wrap , DB9 6pin .				

Compatible Brand	OEM P/N	Greatmade P/N	Description(Connector, Length)	1-5 pcs	6-19 pcs	above 20 PCS
Datex-Ohmeda See below compatibilities	OXY-F-UN	AF051	Adult finger clip sensor , 8pin Male , L=1M			
		PF051	pediatric finger clip sensor , 8pin Male , L=1M.			
		AS051	Adult silicone soft tip sensor , 8pin , Male , L=1M			
		PS051	Pediatric silicone soft tip sensor , 8pin Male , L=1M			
	OXY-W-UN	NW051	neonate silicone wrap sensor , 8pin Male , L=1M , Non-detachable			
	OXY-E-UN	AE051	Adult ear clip sensor , 8pin Male , L=1M			
		AT051	Animal tongue clip sensor , 8 pin Male , L=1M			
		NW051-Y	Multi-site Y cable with separate wrap, 8pin male, Wrap Detachable			
		NW051-F	Adult/ Neonate multi-site spo2 sensor,8pin male,with FOAM wrap			

Compatibilities :


Use with Handheld pulse oximeters (Tuffsat, 3775)

Stand Alone pulse oximeter (37** series, 3800, 3900,3900P),respiratory gas monitors (4700, 5259RGM)

M-OSAT module , N-XOSAT option for Cardiocap.5 ; OEM patterning monitors ;

All S/5 monitors, all AS/3,CS/3 Monitors , Cardiocap , Capnomac Ultima and Satellite

Require Adapter EX043 or EX044 or EX042



Datex-Ohmeda Compatible reusable spo2 sensor

Compatible Brand	OEM P/N	Greatmade P/N	Description(Connector, Length)	1-5 pcs	6-19 pcs	above 20 PCS
Datex-Ohmeda Trusat Pulse Oximeter	OXY-F4-MC	AF063	Adult finger clip sensor , DB9 Male , L=3M			
		PF063	pediatric finger clip sensor , DB9 Male , L=3M			
		AS063	Adult silicone soft tip sensor , DB9 Male , L=3M			
		PS063	Pediatric silicone soft tip sensor , DB9 Male , L=3M			
	OXY-W4-MC	NW063	neonate silicone wrap sensor , DB9 Male , L=3M , Non-detachable			
	OXY-E4-MC	AE063	Adult ear clip sensor DB9 Male L=3M			
		AT063	Animal tongue clip sensor , DB9 Male , L=3M			
		NW063-Y	Multi-site Y cable with separate wrap, DB9 male, Wrap Detachable			
		NW063-F	Adult/ Neonate multi-site spo2 sensor,DB9 male,with FOAM wrap			



GE-Marquette Compatible reusable spo2 sensor

Compatible Brand	OEM P/N	Greatmade P/N	Description(Connector, Length)	1-5 pcs	6-19 pcs	above 20 PCS
GE Dash ,Solar eagle , Tram Cardiolar/Med-lab		AF039	Adult finger clip sensor, 11PIN Male blue flat , L=3m			
		PF039	Pediatric finger clip sensor, 11PIN Male blue flat , L=3m			
		AS039	Adult silicone soft tip sensor, 11PIN Male blue flat , L=3m			
		PS039	Pediatric silicone soft tip sensor, 11PIN Male blue flat , L=3m			
Nellcor Non-Oximax tech		NW039	Neonate silicone wrap sensor, 11PIN Male blue flat , L=3m, Non-detachable			
		AE039	Adult ear clip sensor, 11PIN Male blue flat , L=3m			
		AT039	Animal tongue clip sensor, 11PIN Male blue flat , L=3m			
		NW039-Y	Multi-site Y cable with separate wrap, 11pin flat, Wrap Detachable			
		NW039-F	Adult/ Neonate multi-site spo2 sensor, 11 pin flat, with FOAM wrap			



Compatible Brand	OEM P/N	Greatmade P/N	Description(Connector, Length)	1-5 pcs	6-19 pcs	above 20 PCS
GE Dash ,Solar eagle , Tram Cardiolar/Med-lab		AF011M	Adult finger clip sensor, 11PIN Male blue flat , L=3m			
		PF011M	Pediatric finger clip sensor, 11PIN Male blue flat , L=3m			
		AS11M	Adult silicone soft tip sensor, 11PIN Male blue flat , L=3m			

	NW035	Neonate silicone wrap sensor, Hyperstronic 6pin, L=1m, Non-detachable	
	AE035	Adult ear clip sensor, Hyperstronic 6pin, L=1m	
	AT035	Animal tongue clip sensor, DB9M, L=1m	
8793-00	NW035-Y	Multi-site Y cable with separate wrap, DB9M, Wrap Detachable	
	NW035-F	x Adult/ Neonate multi-site spo2 sensor, DB9M, with FOAM wrap	















OEM Part No, 8776,8791,8793

Nellcor Compatible reusable spo2 sensor (Non-Oximax)

Compatible Brand	OEM P/N	Greatmade P/N	Description(Connector, Length)	1-5 pcs	6-19 pcs	above 20 PCS
Nellcor	DS-100A	AF024-1A	Adult finger clip sensor ,DB9 male-7pin,L=1m, Envitec Shell			
See compatibilities below photoes		AF024-1 B	Adult finger clip sensor ,DB9 male-7pin,L=1m, Nellcor Shell			
		AF024-2	Adult finger clip sensor ,DB9 male -7pin,L=2m			
		AF024-3	Adult finger clip sensor ,DB9 male -7pin,L=3m			
	D-YSPD	PF024-1	Pediatric finger clip sensor , DB9 male-7pin , L=1m			
		PF024-3	Pediatric finger clip sensor , DB9 male-7pin , L=3m			
	HP M1191T	AS024-1	Adult silicone soft tip sensor , DB9 male-7pin , L=1m			
		AS024-3	Adult silicone soft tip sensor , DB9 male-7pin , L=3m			
		PS024-1	Pediatric silicone soft tip sensor , DB9 male-7pin, L=1m			
		PS024-3	Pediatric silicone soft tip sensor , DB9 male-7pin, L=3m			
	D-YS	NW024-1	Neonate silicone wrap sensor ,DB9 male-7pin, L=1M. Non-detachable			
		NW024-3	Neonate Silicone wrap sensor ,DB9 male-7pin, L=3M .			
		AE024-1	Adult ear clip sensor ,DB9 male-7pin,L=1m			
		AE024-3	Adult ear clip sensor ,DB9 male-7pin,L=3m			
		AT024-1	Animal tongue clip sensor ,DB9 male-7pin,L=1m			
		NW024-Y	Multi-site Y cable with separate wrap, DB9M , Wrap Detachable ,L=1M			
		NW024-F	Adult/ Neonate multi-site spo2 sensor,DB9M, with FOAM wrap , L=1M			



						MP800		
Mindray								
Compatible Brand Mindray	OEM Part No.	Part No.	Description				1-5 pcs	Above 20 pcs
		EX015	Spo2 adapter cable , Redel 5PIN to DB9 female				6-19 pcs	Above 20 pcs
	Product image		To Device		To probe		Compatible with Mindray PM9000, Goldway UT4000 Pace Tech , Biolight , Anke , ChoiceMed . ZhongHengsheng ; KD580 ; Jerry-med : PM2000 ShenMai : KP-900 ,	
Compatible Brand Mindray	OEM Part No.	Part No.	Description				1-5 pcs	Above 20 pcs
	0010-20-42594	EX016	Spo2 adapte cable , Redel 6PIN (dual bits , 40 degree) to DB9F				6-19 pcs	Above 20 pcs
	Product image		To Device		To probe		Compatible with PM-7000 , PM-8000 , PM-9000 , MEC-1000 , PM-9000Express , PM-600 , new PM-6000 , VS-800 , Creative PC9000 . (Before Oct ,2005) Use with Nellcor Non-Oximax spo2 sensor	
Compatible Brand Mindray	OEM Part No.	Part No.	Description				1-5 pcs	Above 20 pcs
		EX016-M	DB9F				6-19 pcs	Above 20 pcs
	Product image		To Device		To probe		Compatible with PM-7000 , PM-8000 , PM-9000 , MEC-1000 , PM-9000Express , PM-600 , new PM-6000 VS-800 , Creative PC9000 . (Before Oct, 2005) Use with Masimo LNCS-DCI spo2 sensor	



Limb Electrode

OEM P/N	Greatmade No.	1-5 sets	6-19 sets	Above 20sets
	EC012			
	EC012B			
	EC012C			
	EC012C-S			
	EC012-A			
	EC012B/A			
	EC012C/A			
	EC012C-SA			



EC012A Suitable for all 3.0 Din Plug of EKG Cable

EC012B Suitable for All 4.0 Banana Plug of EKG Cable .

EC012C Suitable for All 4.0 Banana , 3.0DIN, Snap, Grabber electrode

Limb Electrode

OEM P/N	Greatmade No.	1-5pcs	6-19pcs	Above 20pcs
	EC012A-HP			
	EC012B-HP			
	EC012C-HP			
	EC012D-HP			

Description (Cable and connector)
 Limb Electrode (4pcs/set) Perfect for **3.0 DIN** ,IEC,(Red,Green, Yellow,Black)
 Limb Electrode (4pcs/set) Perfect for **4.0 Banana** ,IEC,(Red,Green, Yellow,Black)
 Multi-use Limb Electrode for all types of ECG electrode, **Metal plating AgCl** (Dark), IEC
 Multi-use Limb Electrode for all types of ECG electrode, **Metal plating Nickel**(Shine),IEC

HK GREATMADE TECH LTD

Keep pace with your need

Contact: Shirley Wang
 E-mail : info@greatmade.com , sales@greatmade.com
 Website : <http://www.greatmade.com> , www.greatmade.diytrade.com
 Tel : [86-0755-28144774](tel:86-0755-28144774) , *Fax* : [86-0755-27185453](tel:86-0755-27185453)
 Hotmail : greatmade@hotmail.com
 Skype : Greatmade01

**Reusable/Disposable NIBP Cuff and Air Hose
 (Updated on April ,2012)**

NIBP CUFF

Greatmade P/N	Description (Cable , Connector)	Unit Price
CF001A	Neonate Single tube NIBP cuff , 6-11cm Arm Circumference	
CF002A	Infant single tube NIBP cuff , 10-19cm Arm Circumference	
CF003A	Child single tube NIBP cuff , 18-26cm Arm Circumference	
CF004A	Adult single tube NIBP cuff , 25-35cm Arm Circumference	
CF004LA	Large Adult Single Tube Nibp Cuff , 33-47cm Arm Circumference	
CF004TA	THIGH Single Tube Nibp Cuff , 46-66cm Arm Circumference	



CF001A - CF004TA

NIBP Cuff

Greatmade P/N	Description (Cable , Connector)	Unit Price
CF001B	Neonate Dual tube NIBP cuff , 6-11cm Arm Circumference	
CF002B	Infant dual tube NIBP cuff , 10-19cm Arm Circumference	
CF003B	Child dual tube NIBP cuff ,18-26cm Arm Circumference	
CF004B	Adult dual tube NIBP cuff , 25-35cm Arm Circumference	
CF004LB	Large Adult Dual Tube Nibp Cuff , 33-47cm Arm Circumference	
CF004TB	THIGH Dual tube NIBP Cuff,46-66cm Arm Circumference	



Adult Longer Type

CF004XL-A	Adult Long Single tube Nibp Cuff , 33-47cm Arm circumference ,L 690mm*W 145mm	
CF004XL-B	Adult Long Dual tube Nibp Cuff ,33-47cm Arm Circumference .	



GE Medical System

OEM Part N	Greatmade P/N	Description (Cable , Connector)	Unit Price
	CF007L	GE-Marquette Pressure cuff interconnect hose , Dual tube , L=3m	

to connect monitor end to connect cuff end



Use with GE Medical System , Corometrics 118, Solar, Eagle 4000, Tram 300, Tram 200, Tram 100 .

OEM Part N	Greatmade P/N	Description (Cable , Connector)	Unit Price
	CF007B	GE-Marquette Pressure cuff interconnect hose , Dual tube , L=3m , For Adult .	

to connect monitor end to connect cuff end



Use with GE Medical Solar Series , Dash Series , Eagle Series

OEM Part N	Greatmade P/N	Description (Cable , Connector)	Unit Price
	CF007D	GE-Marquette Pressure cuff interconnect hose , Dual tube , L=3m , 3 holes	

Use with GE Medical with 3 holes



OEM Part N	Greatmade P/N	Description (Cable , Connector)	Unit Price
	CF007N	GE-Marquette Pressure cuff interconnect hose,Dual tube,L=3m, for neonate	

to connect monitor end to connect cuff end



Use with GE Medical Solar Series , Dash Series , Eagle Series For Neonate cuff .



EC Certificate

Full Quality Assurance System
 Directive 93/42/EEC on Medical Devices (MDD), Annex II excluding (4)
 (Devices in Class IIa, IIb or III)
No. G1 17 12 02231 002

Manufacturer: **Shenzhen Greatmade Tech limited**
 3rd Floor, Building B
 Baifuli Industrial Zone, Shanghenglang
 Huahui Road, Dalang Street
 Longhua New District
 518109 Shenzhen, Guangdong Province
 PEOPLE'S REPUBLIC OF CHINA



EC-Representative: **Prolinx GmbH**
 Brehmstr. 56
 40239 Duesseldorf
 GERMANY

Product Category(ies): **Spo2 sensor**

The Certification Body of TÜV SÜD Product Service GmbH declares that the aforementioned manufacturer has implemented a quality assurance system for design, manufacture and final inspection of the respective devices / device categories in accordance with MDD Annex II. This quality assurance system conforms to the requirements of this Directive and is subject to periodical surveillance. For marketing of class III devices an additional Annex II (4) certificate is mandatory. See also notes overleaf.

Report No.: GZ1728501

Valid from: 2018-04-11
Valid until: 2023-04-10



Date, 2018-04-11

 Stefan Preiß

TÜV SÜD Product Service GmbH is Notified Body with identification no. 0123
 Page 1 of 2



A1 / 07 / 09



EC Certificate
Full Quality Assurance System
 Directive 93/42/EEC on Medical Devices (MDD), Annex II excluding (4)
 (Devices in Class IIa, IIb or III)
No. G1 17 12 02231 002

Facility(ies): Shenzhen Greatmade Tech limited
 3rd Floor, Building B, Baifuli Industrial Zone, Shanghenglang,
 Huahui Road, Dalang Street, Longhua New District, 518109
 Shenzhen, Guangdong Province, PEOPLE'S REPUBLIC OF
 CHINA



DAKKS CERT / 18 33



CERTIFICATE

No. Q1N 17 12 02231 001

Holder of Certificate: **Shenzhen Greatmade Tech limited**
 3rd Floor, Building B
 Baifuli Industrial Zone, Shanghenglang
 Huahui Road, Dalang Street
 Longhua New District
 518109 Shenzhen, Guangdong Province
 PEOPLE'S REPUBLIC OF CHINA

Facility(ies): Shenzhen Greatmade Tech limited
 3rd Floor, Building B, Baifuli Industrial Zone,
 Shanghenglang, Huahui Road, Dalang Street,
 Longhua New District, 518109 Shenzhen,
 Guangdong Province, PEOPLE'S REPUBLIC OF
 CHINA



Certification Mark:

Scope of Certificate: Design and Development, Production
 and Distribution of Spo2 sensor,
 Patient cable and leadwire, Blood pressure cuff

Applied Standard(s): EN ISO 13485:2012 + AC:2012
 Medical devices - Quality management systems -
 Requirements for regulatory purposes
 (ISO 13485:2003 + Cor. 1:2009)
 DIN EN ISO 13485:2012
 Upgrade required until 2019-03-31

The Certification Body of TÜV SÜD Product Service GmbH certifies that the company mentioned above has established and is maintaining a quality management system, which meets the requirements of the listed standard(s). See also notes overleaf.

Report No.: GZ1728501

Valid from: 2018-04-11
Valid until: 2021-04-10

Date, 2018-04-11

 Stefan Preiß

