


Romania, 100410 Ploiesti, Str.Mihai Bravu, Nr.235, Jud.Prahova; Reg.Com. J2015001451294; CUI 19737772

LABORATOR LUBRIFIANTII / LUBRICANTS LABORATORY Ploiesti, Str.Mihai Bravu, Nr.235, Jud.Prahova; Tel: +40244 504 358; Fax: +40244 504 679; Laborator.llee@eu.lukoil.com					acreditat pentru ÎNCERCARE  SR EN ISO/IEC 17025:2018 CERTIFICAT DE ACREDITARE LI 1200	
RAPORT DE INCERCARE (TEST REPORT)		Nr.:	LAB-202507-06967	Data:	28.07.2025	
Client (Customer)		Sectia Amestec/Blending Sector		LUKOIL LUBRICANTS EAST EUROPE		
Produs (Product)		LUKOIL DIESEL SAE 30 Heavy Duty Engine oil/Ulei motor vehicule comerciale				
Document normativ (Normative doc)		ST - 7, ed.4/2020				
Numar Comanda (Order Number)		6503				
Cod proba (Cod Sample) / Lot(Batch)		3480 Lot / Batch 6777				
Proba prelevata de (Sampling by)		production				
Data primire proba (Receive date)		28.07.2025				
Nr.crt. No	Caracteristici (Characteristics)	U.M. (U.M.)	Valoare prevazuta (Standart limits)	Valoare determinata (Obtained value)	Metoda de incercare (Test Method)	
1	Density at 15°C/Densitate la 15°C	g/cm³	report	0,8800	ASTM D 7042	
2	Density at 20°C/Densitate la 20°C	g/cm³	max.0,900	0,8770	ASTM D 7042	
3	Kinematic viscosity at 100° C/Viscozitatea cinematica la 100°C	mm²/s	9,4-12,5	11,29	ASTM D 7042	
4	Kinematic viscosity at 40° C/Viscozitatea cinematica la 40°C	mm²/s	80,8-118,6	96,95	ASTM D 7042	
5	Viscosity index/Indice de viscozitate		>90	102	ASTM D 2270 / SR ISO 2909	
6	Total Base Number /Cifra de bazicitate totala, TBN	mgKOH/g	>6,0	6,3	ASTM D 2896	
7	*Pour point/Punct de curgere	°C	<-20	-21	ASTM D 97 / SR 13552	
8	##Flash point /Punct de inflamare, COC	°C	>220	240	SR EN ISO 2592 / ASTM D 92	
9	##Sulfated ash /Cenusa sulfatata	%	<1,1	0,62	SR ISO 3987+C1/ ASTM D874	
10	##Noack volatility /Volatilitate Noack	%	<8	3,5	ASTM D 5800	
11	*Foaming Tendency /Tendință de Spumare , Sec I [@24°C]	mL	<10	10	ASTM D 892 / SR ISO 6247+C1	
12	*Foam stability /Stabilitatea spumei, Sec I [@24°C]	mL	<0	0	ASTM D 892 / SR ISO 6247+C1	
13	Foaming Tendency /Tendință de Spumare , Sec II [@93,5°C]	mL	<50	10	ASTM D 892 / SR ISO 6247+C1	
14	Foam stability /Stabilitatea spumei, Sec II [@93,5°C]	mL	<0	0	ASTM D 892 / SR ISO 6247+C1	
15	*Foaming Tendency /Tendință de Spumare , Sec III [return@24°C]	mL	<10	10	ASTM D 892 / SR ISO 6247+C1	
16	*Foam stability /Stabilitatea spumei, Sec III [return@24°C]	mL	<0	0	ASTM D 892 / SR ISO 6247+C1	
17	*Copper strip corrosion/Actiune coroziva pe lama de cupru [at 100°C, 3h]		<1b	1b	ASTM D 130 / SR EN ISO 2160	
18	# ASTM color /Culoare ASTM	unit ASTM	2,5-4,5	2,5	SR ISO 2049/ASTM D 6045	

Observatii (Remarks) :
* Garantate prin tehnologie (Guarenteed by technology).
** Incertitudiena raportata la solicitarea clientului (Uncertainty related to customer demand).
Incercare neacreditata (Test not accredited).
Garantam calitatea si caracteristicile produsului numai pentru livrarile in ambalaje originale LUKOIL (ambalaje inscriptionate cu logo-ul LUKOIL-butoaie, canistre) sau ambalaje etichetate cu etichete LUKOIL (IBC-uri)/ We guarentee the quality and characteristics of the product only for deliveries in original LUKOIL packaging (packaging inscribed with the LUKOIL logo - drums, canisters) or packaging labeled with LUKOIL labels(IBCs).

Verificat/Aprobat (Approved by): Şef Laborator (Laboratory Chief)		Intocmit: (Performed by): Laborant Sef (Laboratory Technician)
Ada Manea		Daniela Catargiu



Note: 1) Raportul de incercari se refera numai la proba supusa incerearii / *The test report refer only to tested sample.*
2) Reproducerea partiala a raportului de incercari este interzisa / *Any partial reproduction of report is forbidden.*

cod FL-7.8-01,ed1

DECLARATIE DE CONFORMITATE/CONFORMITY STATEMENT

Nr./No: LAB-202507-06967 Data/Date: 28.07.2025

Noi,
Numele furnizorului: LUKOIL LUBRICANTS EAST EUROPE S.R.L.
Adresa furnizorului: Str. Mihai Bravu, nr. 235, Ploiesti, jud. Prahova, Romania
Nr. de inregistrare la Registrul Comertului: J2015001451294

Declaram ca produsul la care se refera aceasta declaratie este in conformitate cu cerintele specificate in documentul normativ specificat mai jos, respecta standardele pentru protectia vietii, a sanataii si a securitaii muncii, nu produce impact negativ asupra mediului, in conditiile in care sunt respectate cerintele privind manipularea, depozitarea, transportul si destinatia/utilizarea specificata in Fisa cu Date de Securitate.
De asemenea, produsul respecta Regulamentul (CE) nr. 765/2008 si Directiva 2001/95/CE, ranspusa in legislatia interna prin Legea nr. 245/2004.

We,
Supplier Name: LUKOIL LUBRICANTS EAST EUROPE S.R.L.
Supplier Address: Ploiesti, 235 Mihai Bravu Street, Prahova Country, Romania
Registration number at the Commerce Registry: J2015001451294

Declare that the product to which this declaration relates is in accordance with the requirements specified in the normative document specified below, complies with the standarts for the protection of life, health and security, does not produce a negative impact on the environment, provided that the requirements for handling, storage, transport and destination / use specified in the Safety Data Sheet are complied with. Also, the product complies with Regulation (EC) no. 765/2008 and Directive 2001/95/EC, transposed into Romanian legislation by Law no. 245/2004:

Denumire Produs Product name	Lot, Rez./Lot, Tank	Titlul si numarul documentului normativ Title end no. of the normative document	
	Ambalaj/Pack		
LUKOIL DIESEL SAE 30	Lot	Heavy Duty Engine oil/Ulei motor vehicule comerciale	ST - 7, ed.4/2020
	6777		
Raport de Incercare / Test Report	LAB-202507-06967	Data / Date	28.07.2025 09:10 PM
Certificat de Valabilitate Certificate of Validity	Perioada de valabilitate a produsului in depozitare este 5 ani de la data fabricatiei, in conditiile respectarii cerintelor de ambalare, depozitare, transport si manipulare. Shelf life of product in storage is 5 years from date of manufacture, in compliance with the requirements for packaging, storage, transport and handling.		
Certificat de Conformitate RAR Certificate of statement RAR	Nr. 718, valabil pana la 22.03.2026 No. 718, valid to 22.03.2026		

LUKOIL LUBRICANTS EAST EUROPE SRL
Onur CANSEVER

