




Cos de ventilare Cv-1
sc. 1:50




1-1
sc. 1:50



2-2
sc. 1:50




3-3
sc. 1:50



Specificatia materialelor Cv-1

Pozitia	Denumirea	buc.	Massa un. kg.	Nota
	Cos de ventilare Cv-1	1		
1	L 50x5 GOST 8509-86, l=350	4	1,32	5,28 kg
2	L 50x5 GOST 8509-86, l=900	4	3,39	13,56 kg
3	L 50x5 GOST 8509-86, l=300	12	1,13	13,56 kg
4	L 50x5 GOST 8509-86, l=400	8	1,51	12,08 kg
5	L 50x5 GOST 8509-86, l=5600	4	21,11	84,44 kg
6	—50x5 GOST 103-76, l=900	2	1,76	3,52 kg
7	Panouri SANDWICH antifoc de culoare alba, δ=50mm	-	-	11,28 m²
8	Tabla zincata de culoare rosie, δ=0,5mm	-	-	0,49 m²
9	Plasa expandata zincata, celula 10x20 mm	-	-	0,40 m²
10	Sort din tabla zincata de culoare alba δ=0,5mm, L=150mm, l=28200mm	-	-	4,23 m²
11	Ancora M6 l=65mm GOST 28778-90	10	0,032	0,32 kg
12	Sort din tabla zincata de culoare rosie δ=0,5mm, L=800mm, l=6000mm	-	-	4,80 m²
13	Banda de etansare	-	-	6,00 m
14	Asteriala 500x30(h), S=2,24m²	-	-	0,07 m³

1. Toate imbinarile prin sudura se vor efectua cu electrozi tip 3-42 ГОСТ 9467-75, imbinarea de sutura cu inaltimea h=4mm, lungimea - pe toata lungimea imbinarii.
2. Dupa executarea lucrarilor de sudura imbinarile trebuie curatite si executata grunduirea.
3. Protectia anticoroziva a constructiilor din metal se va efectua in corespundere cu СНУП 2.03.11-85 "Защита строительных конструкций от коррозии". Constructiile din metal trebuie sa fie grunduite cu 1 strat de grund ГФ-021 (ГОСТ 25125-82), urmata de vopsirea cu vopsea emailata ПФ-133 (ГОСТ 926-82) cu grosimea 100 мкм.
4. Elementele din lemn pentru aestivala (0,07 m³) se vor trata cu substante antiseptice, ignifuge, anticarii, antifungice, insecticide ce confera lemnului rezistenta sporita impotriva incendiilor, mucigaiului, putrezirii si insectelor.
5. Nodul I,...,VII vezi pl. 35.



2020	28.07-D/20-SAC	Reparatia capitala a acoperisului scolii primare nr. 21 "S. Vangheli" din str. Tudor Vladimirescu 16				
A.S.P	Mihaila V.	07.20	Scoala primara Bloc A		faza	plansa
I.S.P	Hihlat Em.	07.20			PE	34
Elaborat	Mihaila V.	07.20	Cos de ventilare Cv-1. Specificatia materialelor. Sectiunea 1-1,...,3-3		"GEO-CAD-PROIECT" mun. Balti	