

Rechizitele Bancare

«TRIUMF-MOTIV» SRL
C/F 1012600021180,
TVA - 0308703
IBAN: MD90EN000000222446621858
в Energbank f. Ботаника, ENEGMD22858
Or. Chisinau, str. Grenoble 193, et. 13, of. 1
тел.: 768841, 768462

Директор Jighili Tatiana



Specificații de preț (F4.2)

Numărul licitației: ocds-b3wdp1-MD-1611585746439				Data: „04” februarie 2021				Alternativa nr.: nu	
Denumirea licitației: Mobilier pentru secția ginecologie				Lot:				Pagina: _1_din _3_	
Cod CPV	N/no	Denumirea bunurilor și/sau a serviciilor	Unitatea de măsură	Cantitate	Preț unitar (fără TVA) lei	Preț unitar (cu TVA), lei	Suma fără TVA, lei	Suma cu TVA, lei	Termenul de livrare/prestare
1	2	3	4	5	6	7	8	9	10
39100000-3	2	Lot 2	buc	1	1599,00	1918,80	1599,00	1918,80	30 zile, la comanda cumpărătorului
39100000-3	2	Lot 2	buc	3	3649,00	4378,80	10947,00	13136,40	30 zile, la comanda cumpărătorului
39100000-3	2	Lot 2	buc	1	1845,00	2214,00	1845,00	2214,00	30 zile, la comanda cumpărătorului
39100000-3	2	Lot 2	buc	1	2009,00	2410,80	2009,00	2410,80	30 zile, la comanda cumpărătorului
39100000-3	2	Lot 2	buc	2	1968,00	2361,60	3936,00	4723,20	30 zile, la comanda cumpărătorului
39100000-3	2	Lot 2	buc	1	1476,00	1771,20	1476,00	1771,20	30 zile, la comanda cumpărătorului
39100000-3	2	Lot 2	buc	3	1476,00	1771,20	4428,00	5313,60	30 zile, la comanda cumpărătorului
39100000-3	2	Lot 2	buc	1	1476,00	1771,20	1476,00	1771,20	30 zile, la comanda cumpărătorului
39100000-3	2	Lot 2	buc	1	1476,00	1771,20	1476,00	1771,20	30 zile, la comanda cumpărătorului
39100000-3	2	Lot 2	buc	1	1476,00	1771,20	1476,00	1771,20	30 zile, la comanda cumpărătorului
39100000-3	2	Lot 2	buc	1	1476,00	1771,20	1476,00	1771,20	30 zile, la comanda cumpărătorului
39100000-3	2	Lot 2	buc	2	1271,00	1525,20	2542,00	3050,40	30 zile, la comanda cumpărătorului
39100000-3	2	Lot 2	buc	1	1426,80	1712,16	1426,80	1712,16	30 zile, la comanda cumpărătorului
39100000-3	2	Lot 2	buc	1	1968,00	2361,60	1968,00	2361,60	30 zile, la comanda cumpărătorului
39100000-3	2	Lot 2	buc	1	1968,00	2361,60	1968,00	2361,60	30 zile, la comanda cumpărătorului
39100000-3	2	Lot 2	buc	6	1312,00	1574,40	7872,00	9446,40	30 zile, la comanda cumpărătorului
39100000-3	2	Lot 2	buc	6	1312,00	1574,40	7872,00	9446,40	30 zile, la comanda cumpărătorului
39100000-3	2	Lot 2	buc	6	1476,00	1771,20	8856,00	10627,20	30 zile, la comanda cumpărătorului
39100000-3	2	Lot 2	buc	1	1537,50	1845,00	1537,50	1845,00	30 zile, la comanda cumpărătorului
39100000-3	2	Lot 2	buc	1	1537,50	1845,00	1537,50	1845,00	30 zile, la comanda cumpărătorului
39100000-3	2	Lot 2	buc	1	1537,50	1845,00	1537,50	1845,00	30 zile, la comanda cumpărătorului
39100000-3	2	Lot 2	buc	6	2091,00	2509,20	12546,00	15055,20	30 zile, la comanda cumpărătorului
39100000-3	2	Lot 2	buc	6	3280,00	3936,00	19680,00	23616,00	30 zile, la comanda cumpărătorului
39100000-3	2	Lot 2	buc	6	2009,00	2410,80	12054,00	14464,80	30 zile, la comanda cumpărătorului
39100000-3	2	Lot 2	buc	1	1332,50	1599,00	1332,50	1599,00	30 zile, la comanda cumpărătorului
39100000-3	2	Lot 2	buc	1	3198,00	3837,60	3198,00	3837,60	30 zile, la comanda cumpărătorului
39100000-3	2	Lot 2	buc	3	2972,50	3567,00	8917,50	10701,00	30 zile, la comanda cumpărătorului
39100000-3	2	Lot 2	buc	1	1845,00	2214,00	1845,00	2214,00	30 zile, la comanda cumpărătorului
39100000-3	2	Lot 2	buc	3	3567,00	4280,40	10701,00	12841,20	30 zile, la comanda cumpărătorului
39100000-3	2	Lot 2	buc	1	2542,00	3050,40	2542,00	3050,40	30 zile, la comanda cumpărătorului

39100000-3	2	Lot 2	buc	1	2189,40	2627,28	2189,40	2627,28	30 zile, la comanda cumpărătorului
39100000-3	2	Lot 2	buc	1	1394,00	1672,80	1394,00	1672,80	30 zile, la comanda cumpărătorului
39100000-3	2	Lot 2	buc	1	1394,00	1672,80	1394,00	1672,80	30 zile, la comanda cumpărătorului
39100000-3	2	Lot 2	buc	1	1394,00	1672,80	1394,00	1672,80	30 zile, la comanda cumpărătorului
39100000-3	2	Lot 2	buc	1	1394,00	1672,80	1394,00	1672,80	30 zile, la comanda cumpărătorului
39100000-3	2	Lot 2	buc	1	1394,00	1672,80	1394,00	1672,80	30 zile, la comanda cumpărătorului
39100000-3	2	Lot 2	buc	1	1394,00	1672,80	1394,00	1672,80	30 zile, la comanda cumpărătorului
39100000-3	2	Lot 2	buc	1	1394,00	1672,80	1394,00	1672,80	30 zile, la comanda cumpărătorului
39100000-3	2	Lot 2	buc	1	1886,00	2263,20	1886,00	2263,20	30 zile, la comanda cumpărătorului
39100000-3	2	Lot 2	buc	1	3075,00	3690,00	3075,00	3690,00	30 zile, la comanda cumpărătorului
39100000-3	2	Lot 2	buc	1	1271,00	1525,20	1271,00	1525,20	30 zile, la comanda cumpărătorului
39100000-3	2	Lot 2	buc	1	1422,70	1707,24	1422,70	1707,24	30 zile, la comanda cumpărătorului
39100000-3	2	Lot 2	buc	1	1517,00	1820,40	1517,00	1820,40	30 zile, la comanda cumpărătorului
39100000-3	2	Lot 2	buc	1	1722,00	2066,40	1722,00	2066,40	30 zile, la comanda cumpărătorului
39100000-3	2	Lot 2	buc	1	1394,00	1672,80	1394,00	1672,80	30 zile, la comanda cumpărătorului
39100000-3	2	Lot 2	buc	1	1968,00	2361,60	1968,00	2361,60	30 zile, la comanda cumpărătorului
39100000-3	2	Lot 2	buc	1	2173,00	2607,60	2173,00	2607,60	30 zile, la comanda cumpărătorului
39100000-3	2	Lot 2	buc	1	2173,00	2607,60	2173,00	2607,60	30 zile, la comanda cumpărătorului
39100000-3	2	Lot 2	buc	1	2132,00	2558,40	2132,00	2558,40	30 zile, la comanda cumpărătorului
39100000-3	2	Lot 2	buc	1	2111,50	2533,80	2111,50	2533,80	30 zile, la comanda cumpărătorului
39100000-3	2	Lot 2	buc	1	1968,00	2361,60	1968,00	2361,60	30 zile, la comanda cumpărătorului
39100000-3	2	Lot 2	buc	1	1968,00	2361,60	1968,00	2361,60	30 zile, la comanda cumpărătorului
39100000-3	2	Lot 2	buc	1	2173,00	2607,60	2173,00	2607,60	30 zile, la comanda cumpărătorului
39100000-3	2	Lot 2	buc	1	2173,00	2607,60	2173,00	2607,60	30 zile, la comanda cumpărătorului
39100000-3	2	Lot 2	buc	1	1927,00	2312,40	1927,00	2312,40	30 zile, la comanda cumpărătorului
							187078,90	224494,68	
39100000-3	3	Lot 3//Fotolii, scaune	buc	12	352,60	423,12	4231,20	5077,44	30 zile, la comanda cumpărătorului
39100000-3	3	Lot 3//Fotolii, scaune	buc	20	471,50	565,80	9430,00	11316,00	30 zile, la comanda cumpărătorului
39100000-3	3	Lot 3//Fotolii, scaune	buc	10	385,40	462,48	3854,00	4624,80	30 zile, la comanda cumpărătorului
39100000-3	3	Lot 3//Fotolii, scaune	buc	3	319,80	383,76	959,40	1151,28	30 zile, la comanda cumpărătorului
39100000-3	3	Lot 3//Fotolii, scaune	buc	3	344,40	413,28	1033,20	1239,84	30 zile, la comanda cumpărătorului
							19507,80	23409,36	
39100000-3	4	Lot 4//Plăcuțe	buc	26	240,00	288,00	6240,00	7488,00	30 zile, la comanda cumpărătorului
39100000-3	4	Lot 4//Plăcuțe	buc	7	350,00	420,00	2450,00	2940,00	30 zile, la comanda cumpărătorului
39100000-3	4	Lot 4//Plăcuțe	buc	1	750,00	900,00	750,00	900,00	30 zile, la comanda cumpărătorului
39100000-3	4	Lot 4//Plăcuțe	buc	2	1250,00	1500,00	2500,00	3000,00	30 zile, la comanda cumpărătorului
39100000-3	4	Lot 4//Plăcuțe	buc	24	80,00	96,00	1920,00	2304,00	30 zile, la comanda cumpărătorului
							13860,00	16632,00	

39100000-3	5	Lot 5//Inox	buc	2	2439,50	2927,40	4879,00	5854,80	30 zile, la comanda cumpărătorului
39100000-3	5	Lot 5//Inox	buc	2	2533,80	3040,56	5067,60	6081,12	30 zile, la comanda cumpărătorului
39100000-3	5	Lot 5//Inox	buc	2	5822,00	6986,40	11644,00	13972,80	30 zile, la comanda cumpărătorului
39100000-3	5	Lot 5//Inox	buc	1	3608,00	4329,60	3608,00	4329,60	30 zile, la comanda cumpărătorului
39100000-3	5	Lot 5//Inox	buc	1	3977,00	4772,40	3977,00	4772,40	30 zile, la comanda cumpărătorului
39100000-3	5	Lot 5//Inox	buc	1	3403,00	4083,60	3403,00	4083,60	30 zile, la comanda cumpărătorului
				9			32578,60	39094,32	
39100000-3	8	Lotul 9//Masă de schimb pentru sugari cu saltea din piele ecologică	buc	3	4141,00	4969,20	12423,00	14907,60	30 zile, la comanda cumpărătorului
Total							265448,30	318537,96	

Jighili
Tatiana



Semnat: _____
Numele, Prenumele
e _____ În
calitate de:
administrator

Ofertantul: _____ SRL Triumf-Motiv _____ Adresa: _____ str. Grenoble 193 of 1301

Certificate

Standard **ISO 9001:2015**

Certificate Registr. No. **01 100 1732352**

Certificate Holder: **Hebei Pukang Medical Instruments Co., Ltd.**
Unified Social Credit Code: 91130609235685243X
Registration Address: Dongshiduan Town, Xushui District,
BaoDing City, HeBei Province 072550, P. R. China
Operation Address: same as above

Scope: Design and Development, Manufacture and Distribution of
Hospital Bed Systems, Operating Tables, Hospital Trolleys,
Hospital Cabinets and Hospital Chairs

Proof has been furnished by means of an audit that the
requirements of ISO 9001:2015 are met.

Validity: The certificate is valid from 2018-01-29 until 2021-01-28.
It remains valid subject to satisfactory surveillance audits.

This certificate information can be searched on CNCA official
website <http://www.cnca.gov.cn>

Digitally signed by Jighili Tatiana
Date: 2020.08.07 13:24:59 EEST
Reason: MoldSign Signature
Location: Moldova



2018-02-06


TÜV Rheinland Cert GmbH
Am Grauen Stein · 51105 Köln

Certificate

The Certification Body of
TÜV Rheinland LGA Products GmbH

hereby certifies that the organization

**Hebei Pukang
Medical Instruments Co., Ltd.
Dongshidian Town Xushui District
Baoding City
072550 Hebei
China**

has established and applies a quality management system for medical devices
for the following scope:

**Design and Development, Manufacture and Distribution of
Hospital Bed Systems, Operating Tables
and Patient Room Furniture**

Proof has been furnished that the requirements specified in

EN ISO 13485:2016

are fulfilled. The quality management system is subject to yearly surveillance.

Effective Date: 2018-04-23
Certificate Registration No.: SX 60127751 0001
An audit was performed. Report No.: 16801733 006
This Certificate is valid until: 2021-02-03

Certification Body



Date 2018-04-23



TÜV Rheinland LGA Products GmbH Pilsenerstraße 2 - 90431 Nürnberg
Tel.: +49 221 120-08-06 13-24052-0154 E-mail: cert-val@tuev.com http://www.tuv.com/safety

Reason: MoldSign Signature
Location: Moldova



Designed only for human care.



100% human



HEBEI PUKANG MEDICAL INSTRUMENTS CO.,LTD

ADD: Dongzhiyuan Town, Kuli County, Hebei Province, China
Tel: +86-310-8022991 8022992 8022993 Fax: +86-310-8022994
E-mail: haking@pukang.com

www.fdpukang.com



Pukang  1996-2020
MEDICAL INSTRUMENTS

Memo

Pukang 

CATALOGUE

- 01 About Pukang
- 08 Integrity Series
- 40 Nursing Care Series
- 50 Classic Series
- 64 Bedside Equipment Series
- 94 Register Certificates

Integrity Series

Nursing Care Series

Classic Series

Bedside Equipment Series





Company Profile

HEBEI PUKANG MEDICAL INSTRUMENTS CO., LTD. approved by The Medical Administration Bureau and registered in Industrial and Commercial Administration Bureau, is a professional company producing a series of medical equipment such as nursing beds, trolleys, cupboards, tables, racks and so on. The company occupies 123,000 square meters in total and the building area covers 82,000 square meters. And we own advanced techniques and producing equipment, more than 600 staff and 180 engineers, and we have 18 standardized workshops and 2 automatic spray coating lines. Therefore, we can completely and independently meet various kinds of needs of different hospitals in different areas.

Presently, our company has more than ten series of products and over 300 kinds of items. In 2006, we got the honor of "famous brand in Hebei Province". The brand "Mile-hi-mat" was awarded the national brand. In the past years, we have been awarded many provincial prizes continuously, including "Quality-and-Service-Satisfying Enterprise", "The Client- Trusted Enterprise", "The Best Contractor".

Facing the new opportunity and challenge, we put forward the slogan of "Quality is Life, Management is Fundamentally" to adapt to the changes of the market. We will try our best to practice the managing idea "To be The Best in Quality and Reputation" and supply you with superior goods and services. We are anticipating the cooperation with you.



Sino-American Joint Investment 420m Double Spraying Line



NCT Punch Press



Laser Processing Center



Laser Processing Center



Automatic Welding Machine



Injection Molding Machine Center



Milling Machining Center

DA-7

Multifunction Electric ICU Bed



Technical features	
Table dimensions (table with cast)	1320*710*800mm (L*W*H)
mattress platform	1360*2020*800mm (L*W*H)
Clear height	1020-1220mm (L*W*H)
Bed position	20°-90° (L*W*H)
Maximum backrest	>30°
Maximum leg rest	>30°
Table tilt	>12°
Bed cast size (mm)	>110
Weight of table with mattress platform	440kg (L*W*H)
Sub-weight (kg)	220kg


Electric parameters	
Power supply	220V/110V, 50Hz/60Hz
Maximum load	1500-2000kg
Protection against electric shock	IP20
Integrated security classification	Class B
Level of protection against fire	Applied cast type B1
Material safety certificate (table)	MSDS, ISO 13485

Certificates	
CE mark	CE mark
CCC mark	CCC mark
ISO 13485	ISO 13485
ISO 9001	ISO 9001
ISO 14001	ISO 14001
ISO 45001	ISO 45001
ISO 27001	ISO 27001
ISO 28000	ISO 28000
ISO 50001	ISO 50001
ISO 50002	ISO 50002
ISO 50003	ISO 50003
ISO 50004	ISO 50004
ISO 50005	ISO 50005
ISO 50006	ISO 50006
ISO 50007	ISO 50007
ISO 50008	ISO 50008
ISO 50009	ISO 50009
ISO 50010	ISO 50010
ISO 50011	ISO 50011
ISO 50012	ISO 50012
ISO 50013	ISO 50013
ISO 50014	ISO 50014
ISO 50015	ISO 50015
ISO 50016	ISO 50016
ISO 50017	ISO 50017
ISO 50018	ISO 50018
ISO 50019	ISO 50019
ISO 50020	ISO 50020
ISO 50021	ISO 50021
ISO 50022	ISO 50022
ISO 50023	ISO 50023
ISO 50024	ISO 50024
ISO 50025	ISO 50025
ISO 50026	ISO 50026
ISO 50027	ISO 50027
ISO 50028	ISO 50028
ISO 50029	ISO 50029
ISO 50030	ISO 50030
ISO 50031	ISO 50031
ISO 50032	ISO 50032
ISO 50033	ISO 50033
ISO 50034	ISO 50034
ISO 50035	ISO 50035
ISO 50036	ISO 50036
ISO 50037	ISO 50037
ISO 50038	ISO 50038
ISO 50039	ISO 50039
ISO 50040	ISO 50040
ISO 50041	ISO 50041
ISO 50042	ISO 50042
ISO 50043	ISO 50043
ISO 50044	ISO 50044
ISO 50045	ISO 50045
ISO 50046	ISO 50046
ISO 50047	ISO 50047
ISO 50048	ISO 50048
ISO 50049	ISO 50049
ISO 50050	ISO 50050
ISO 50051	ISO 50051
ISO 50052	ISO 50052
ISO 50053	ISO 50053
ISO 50054	ISO 50054
ISO 50055	ISO 50055
ISO 50056	ISO 50056
ISO 50057	ISO 50057
ISO 50058	ISO 50058
ISO 50059	ISO 50059
ISO 50060	ISO 50060
ISO 50061	ISO 50061
ISO 50062	ISO 50062
ISO 50063	ISO 50063
ISO 50064	ISO 50064
ISO 50065	ISO 50065
ISO 50066	ISO 50066
ISO 50067	ISO 50067
ISO 50068	ISO 50068
ISO 50069	ISO 50069
ISO 50070	ISO 50070
ISO 50071	ISO 50071
ISO 50072	ISO 50072
ISO 50073	ISO 50073
ISO 50074	ISO 50074
ISO 50075	ISO 50075
ISO 50076	ISO 50076
ISO 50077	ISO 50077
ISO 50078	ISO 50078
ISO 50079	ISO 50079
ISO 50080	ISO 50080
ISO 50081	ISO 50081
ISO 50082	ISO 50082
ISO 50083	ISO 50083
ISO 50084	ISO 50084
ISO 50085	ISO 50085
ISO 50086	ISO 50086
ISO 50087	ISO 50087
ISO 50088	ISO 50088
ISO 50089	ISO 50089
ISO 50090	ISO 50090
ISO 50091	ISO 50091
ISO 50092	ISO 50092
ISO 50093	ISO 50093
ISO 50094	ISO 50094
ISO 50095	ISO 50095
ISO 50096	ISO 50096
ISO 50097	ISO 50097
ISO 50098	ISO 50098
ISO 50099	ISO 50099
ISO 50100	ISO 50100

Standard configuration

- 1.Split Side Rails:** The 60x 40 PP side rails provide the patient with protection against falls and the 2 sets additional side rails near foot board offer more safety service and also provide the support during patient's stand.
- 2.Integrated Stools system:** The in-foot stools control panel located under the feet and is protected against impacts.
- 3.Narrow-Mat Mattress Platform:** The mattress platform is plastic boards which can be easy removable and easy for sterilization. The mattress platform can do it-ray for back board and offer the patient's more comfortable.
- 4.Carroll Nurse Control System:** The nurse or supervisor can adjust all the parameters and be the comfortable and proper position for the patients.
- 5.Caster/Motor System:** The motor system can adjust the mattress platform height adjustment and TRANSIT problems, which can also ensure the bed's stability.
- 6.Controls in The Side Rails:** Controls in the side rails increase the patient's interference so that the patients can operate it according to his self requirement.
- 7.Bed Extension:** The integrated bed extension adjusts the mattress platform length to the individual patient's height.
- 8.Lower Shelf:** The lower shelf at the bottom of bed and also blocks the supervisor panel.
- 9.HIP Boards Lock:** The bed board locks prevent accidental removal of the bed boards when standing or loading the bed.
- 10.X-Ray Cassette Holder:** The holder's special sliding construction allows the cassette to be automatically inserted between the mattress platform and the side of the bed.
- 11.Manual/Electric CPR:** The electric CPR is easy and convenient to operate when necessary. And the manual CPR is equipped with damping device, which can let the back rest fall down slowly to ensure the safety of the patient when the power is off, the whole process can be single hand operation.
- 12.Standing armrest (optional)**
- 13.Night light (optional)**

Dimensions





Technical features:

Order dimensions (Side rails up)	1524x1910mm (L x B mm)
mattress surface	1500x1920mm (L x B mm)
Bed height	650-920mm (L x B mm)
Bed width	800mm (L x B mm)
Maximum pressure	12°
Maximum height	30°
TRUCKS	12°
Weight of bed with (Standard mattress platform)	440kg (L x B mm)
Safe working load	200kg

Electric parameters:


Power supply	100V/110V, 50/60/50/60
Power of motor	7.6A, 400W
Protection against voltage and dust	IP44
Approved security classification	Class B
Level of protection against fire	2 cables with 100 IP
Electric cable operation	1 cable with 100 IP
Certificates	Product is CE marked according to European norms for medical technology used hospital beds: EN60601-1, EN60601-1-2, EN 60130-3, EN60335-1, EN60335-2-10, EN60335-2-11, EN60335-2-12, EN60335-2-13, EN60335-2-14, EN60335-2-15, EN60335-2-16, EN60335-2-17, EN60335-2-18, EN60335-2-19, EN60335-2-20, EN60335-2-21, EN60335-2-22, EN60335-2-23, EN60335-2-24, EN60335-2-25, EN60335-2-26, EN60335-2-27, EN60335-2-28, EN60335-2-29, EN60335-2-30, EN60335-2-31, EN60335-2-32, EN60335-2-33, EN60335-2-34, EN60335-2-35, EN60335-2-36, EN60335-2-37, EN60335-2-38, EN60335-2-39, EN60335-2-40, EN60335-2-41, EN60335-2-42, EN60335-2-43, EN60335-2-44, EN60335-2-45, EN60335-2-46, EN60335-2-47, EN60335-2-48, EN60335-2-49, EN60335-2-50, EN60335-2-51, EN60335-2-52, EN60335-2-53, EN60335-2-54, EN60335-2-55, EN60335-2-56, EN60335-2-57, EN60335-2-58, EN60335-2-59, EN60335-2-60, EN60335-2-61, EN60335-2-62, EN60335-2-63, EN60335-2-64, EN60335-2-65, EN60335-2-66, EN60335-2-67, EN60335-2-68, EN60335-2-69, EN60335-2-70, EN60335-2-71, EN60335-2-72, EN60335-2-73, EN60335-2-74, EN60335-2-75, EN60335-2-76, EN60335-2-77, EN60335-2-78, EN60335-2-79, EN60335-2-80, EN60335-2-81, EN60335-2-82, EN60335-2-83, EN60335-2-84, EN60335-2-85, EN60335-2-86, EN60335-2-87, EN60335-2-88, EN60335-2-89, EN60335-2-90, EN60335-2-91, EN60335-2-92, EN60335-2-93, EN60335-2-94, EN60335-2-95, EN60335-2-96, EN60335-2-97, EN60335-2-98, EN60335-2-99, EN60335-3-00

DA-7

Multifunction Electric ICU Bed

Standard configuration

- Constant Height Head Ends:** Fixed height head and foot ends make and easy access to the patient's head, neck and torso.
- Split Side Rails:** The four PP side rails provide the patient with protection against falls and the 2 pcs additional side rails near foot board offer more safety services and also provide the support during patient's sliding.
- Integrated Scales system:** The in bed scales control panel located under the foot end is protected against impacts.
- Removable Mattress Platform:** The mattress platform is PP and plastic cover boards which can be easily removable and easy for disinfection. The mattress platform can do 3-way for back board and offer the patient's more comfortable.
- Control Nurse Control System:** The nurse or supervisor can adjust all the controls and find the comfortable and proper positions for the patients.
- Column Motor System:** Electric lifting units in two columns inside the mattress platform height adjustment with TRUCKS postures, which can also ensure the matrix stability.
- Controls in The Side Rails:** Controls in the side rails increase the patient's independence so that the patients can operate it according to the self-requirements.
- RAF Boards Lock:** The bed board locks prevent accidental removal of the footboard when raising or lowering the bed.
- 3-Ray Cassette Holder:** The holders' special sitting construction allows the cassette to be comfortably inserted between the mattress platform from the side of the bed, and the position of 3-Ray Cassette is adjustable according to the status of patients.
- Manual/Electric GPN:** The electric GPN is easy and convenient to operate that is one key control. And the manual GPN is equipped with damping device, which can let the back rest fall down slowly to ensure the safety of the patient when the power is off, the whole process can be single hand operation.
- Standing armrest (optional)**
- Light light (optional)**





A3

Technical features	
Outer dimensions (Total height)	2213/2140/2000mm (1+2/3/4)
Interior dimensions	1740/1700/1600mm (1+2/3/4)
Bed height	630-1000mm (1+2/3/4)
Motor attachment	±7°
Maximum sleep rest	±60°
Tilt/TT	±12°
Height of side rail (above mattress surface)	350mm (1+3/4)
Wedge opening height	200mm

Electric parameters	
Power supply	200/230V, 50/60 Hz
Watts at rest	13A, 450W
Position upper body and rest	90°
Equal rest security classification	Class I
Level of protection against fire	Medical grade (UL)
Electrical safety	IEC/EN 60601-1

Certificates	
CE mark (in accordance with European standards)	Product design, electrical safety, EMC, fire, safety, stability

DA-7

Multifunction Electric ICU Bed

Standard configuration

- Constant Height Head End:** Fixed height head end enables quick and easy access to the patient's head, neck and thorax.
- Split Side Rails:** The Split RH side rails provide the patient with protection against falls.
- Removable Mattress Platform:** The mattress platform is provided with boards which can be easily removed and easy for sterilization. The mattress platform can be 30° back board and offer the patient more comfortable.
- Control Nurse Control System:** The nurse or supervisor can adjust all the positions and functions comfortably and proper positions for the patient.
- Column Motor System:** Flexion/Extension in two columns enable the mattress platform height adjustment and TILT/TT positions, which can also ensure the bed's stability.

6. Controls in The Side Rails: Controls in the side rails increase the patient's independence so that the patients can operate it according to the self requirement.


7. Bed Boards Locks: The bed board locks prevent accidental removal of the bed boards when cleaning or handling the bed.

8. X-Ray Cassette Holder: The holder is special sliding construction allows the cassette to be vertically inserted beneath the mattress platform from the side of the bed, and the position of X-Ray Cassette is adjustable according to the status of patient.

9. Manual/Electric OR: The electric OR is easy and convenient to operate that is one key control. And the manual OR is equipped with damping device, which can let the back rest fall down slowly to ensure the safety of the patient when the power is off. Its whole process can be single hand operation.

10. Night Light Control:

Dimensions



DA-2 Multifunction Electric ICU Bed

Standard configuration

1. **Spill Side Rails:** The Jany PP side rails provide the patient with protection against falls.
2. **Removable Mattress Platform:** Easy removable and handy for maintenance. The mattress platform can lift 2-way for back support and after the patient's a more comfortable.
3. **Jany Board Lattice:** The bed board lattice prevent accidental removal of the bed boards after opening of folding the bed.
4. **Protective corner bumpers:**
5. **Lifting pole or infusion stand holes:**
6. **Bedside holders:**
7. **Angle indicator:** The angle gauges of side rails in the head and foot direction show the angles of the bed and can be set at the whole bed mattress platform respectively.
8. **Extension of the bed:** The integrated bed extension adjust the mattress platform length to fit individual patient's height.
9. **Four 125mm casters with central locking system:**
10. **Manual/Electric CPR:** The electric CPR is easy and convenient to operate that is only for emergency and the Manual CPR is equipped with damping device, which can let the back rest fall down smoothly to ensure the safety of the patient when the power is off, the whole process can be single hand operation.

Technical features	
Clear dimensions (Side rail up)	2230W x 1810mm L x 110mm H
Mattress platform	1300W x 600mm L x 150mm H
Bed height	445-750mm L x 120mm H
Bed width (bed)	2070mm L x 900mm H
Maximum load	≤ 350
Maximum height	≤ 800
TV size	$\leq 12''$
Height of side extension (mattress platform)	300mm L x 300mm H
Side-railing foot	200kg

Certificates	
<p>Product has been certified according to European norms of CE mark system EN 60601-1: 2012, EN 60601-1-2: 2014, EN 60601-1-2: 2014</p>	<p>Product has been certified according to European norms of CE mark system EN 60601-1: 2012, EN 60601-1-2: 2014, EN 60601-1-2: 2014</p>



DA-2 Multifunction Electric ICU Bed

Standard configuration

1. Split Side Rails: The dual PP side rails provide the patient with protection against falls.
2. Removable Mattress Platform: Easy removable and easy for installation. The mattress platform can do X-ray for back board and offer the patient more comfortable.
3. HP Mattress Locks: The lock board locks prevent accidental removal of the bed board when steering or handling the bed.
4. Protective corner bumpers
5. Lifting pole or infusion stand holes
6. Mattress holders
7. Angle gauge: The angle gauges of both side, in the head section, indicate when the angles of the backrest and the tilt of the side rail mattress platform respectively.
8. Extension of the bed: The integrated bed extension allows the mattress platform length to the individual patient's height.
9. Four CTRs in diameter wheels with central locking system
10. Manual/Electric CPR: The electric CPR is easy and convenience to operate that is one key control. And the manual CPR is equipped with damping device, which can let the backrest fall down slowly to ensure the safety of the patient when the power is off, the valve pressure can be single hand operation.

Technical features	
Color (the inside / the outside)	Light Grey / Silver
Address column	1 (EBC) / 2 (EBC)
Bed length	1475 (2000) (mm)
Bed width (mm)	800 (850)
Maximum bed height	650
Minimum bed height	480
Height	650
Height of side rail (without mattress platform)	800 (850)
Gate locking tool	2 (edge)
Certificates	
Product Medical is certified according to CE standard Factory and quality system ISO9001:2015, ISO13485:2012, ISO14001:2015	Product is certified according to CE standard Factory and quality system and hospital beds ISO9001:2015, ISO13485:2012, ISO14001:2015 ISO13485:2012, ISO14001:2015





DA-2
Multifunction Electric ICU Bed

Technical features		Death parameters	
Outer dimensions (2 beds side by side)	2200*1010*1400mm (L x W x H)	Power supply	220V/110V, 50HZ/60HZ
Electric columns	1, 1000*400*600mm (L x W x H)	Material used	1.4308, 304SS
Bed height	1100-1250mm (L x W x H)	Protection against electric shock	IP00
Bed movement	300mm (L x W x H)	Electromagnetic compatibility	Class B
Maximum bedload	≥200	Level of protection against electric shock	Applied IEC60755-01
Maximum height of bed	≥200	Electric safety inspection	90% max. 2000V/1min
Height of bed	≥120		
Weight of main unit (without electric column)	380kg (L x W x H)	Certificates	Product has been manufactured according to European norms for medical technology, and has passed the following standards: EN60601-1, EN60601-1-2, EN ISO 14971, EN ISO 13485, ISO 9001:2015, ISO 13485:2015, EN ISO 13485:2015, ISO 13485:2015
Self-weight of bed	300kg		

Standard configuration

1. Split Side Rails

The 1000*1100 side rails provide the patient with protection against falls.

2. Removable Mattress Platform Easy removable and easy for disinfection. The mattress platform can do X-ray for back lesion and offer the patient's more comfortable.

3. HP Boards Locks The bed board locks prevent accidental removal of the bed boards when lowering or raising the bed.

4. Protective corner bumpers

5. Lifting pole or infusion stand frame

6. Mattress holders

7. Angle Indicator The angle gauges of side rails in the head and foot direction show the angles of the footboard and the tilt of the whole bed mattress platform respectively.


8. Extension of the bed The integrated bed extension adjusts the mattress platform length to the individual patients' height.

9. Integrated scales system The in-bed scales control panel located under the bed and is protected against moisture.

10. Four 120mm casters with central locking system

11. Manual/Electric CPR The electric CPR is easy and convenient to operate that is one key control. And the manual CPR is equipped with damping device, which can let the back rest fold down slowly to ensure the safety of the patient when the power is off, the whole process can be single hand operation.

Dimensions




DA-3

Three function Electric Bed



Standard Configurations

- One pair of HDPE head and foot boards
- HDPE side rails with damping (4)
- Mattress (2)
- Handle control (1)
- W. Pole (x4)
- Drainage bag hooks (4)
- Luxury wheels locking casters (4)




DA-3

Three function Electric Bed



Standard Configurations

- One pair of HDPE head and foot boards
- One pair of Aluminium alloy collapsible side rail
- Mattress (2)
- Handle control (1)
- W. Pole (x4)
- Drainage bag hooks (4)
- Luxury wheels locking casters (4)



DA-11

Two function Electric Bed

Standard Configuration

- One pair of HDPE head and foot boards
- HDPE side rails with sliding top
- Motors (2)
- Handic controls (1)
- LV, Pda rails (4)
- Storage bag hooks (4)
- Luxury control locking casters (4)




DA-11

Two function Electric Bed

Standard Configuration

- One pair of HDPE head and foot boards
- One pair of Aluminum alloy folding side rail
- Motors (2)
- Handic controls (1)
- LV, Pda rails (4)
- Storage bag hooks (4)
- Luxury control locking casters (4)



Three crank Manual Bed A-1

Standard Configurations

- One pair of HCPE head and foot boards
- HCPE side rails with clamping kit
- Manual crank system (2)
- UV Protection (1)
- Drawn up bag hooks (4)
- Luxury central locking cabinet (1)



SIZE: 2000x1000x750mm




A-1

Three crank Manual Bed

Standard Configurations

- One pair of HDPE head and foot boards
- One pair of clear facing side rails
- Manual crank system (2)
- IV Pole holes (4)
- Drainage bag Hooks (4)
- Luxury control locking casters (4)



SIZE: 2000x800x800 (mm)




A-5

Three crank Manual Bed

Standard Configurations

- One pair of HDPE head and foot boards
- One pair of Acrylic cranks facing side rails
- Manual crank system (2)
- IV Pole holes (4)
- Drainage bag Hooks (4)
- Luxury control locking casters (4)



SIZE: 2000x800x800 (mm)

Two crank Manual Bed B-6

Standard Configurations

- One pair of HDPE head and foot boards
- HDPE side rails with compound C
- Manual crank system (2)
- 1/2" Hole holes (4)
- Clearance leg Hooks (4)
- Lacey central locking casters (4)



1000 1200 1400 1600 1800



B-10

Two crank Manual Bed



B-11-1

Two crank Manual Bed



Standard Configurations

- One pair of HPTC head and foot boards
- One pair of Aluminum alloy folding side rails
- Manual crank system (2)
- IV Pole (each) (1)
- Storage bag Hooks (4)
- Luxury control locking system (4)



Side: 1200*1000*2050mm



Standard Configurations

- One pair of HPTC head and foot boards
- One pair of Aluminum alloy folding side rails
- Manual crank system (2)
- IV Pole (each) (1)
- Storage bag Hooks (4)
- Luxury control locking system (4)



Side: 1200*1000*2050mm



DA-2

Electric Child Hospital Bed



177

Standard Configurations

- One pair of HDPE head and foot boards
- One pair of steel lifting side rail
- Motor (1)
- Handle control (1)
- 12" Pulp base (1)
- Drainage bag Holes (1)
- Luxury vinyl flooring casters (4)



950 - 1200 x 1700 x 450mm




B-35

Two crank Child Bed

Standard Configurations

- One pair of HDPE head and foot boards
- One pair of steel lifting side rail
- Manual crank system (2)
- 12" Pulp base (1)
- Drainage bag Holes (1)
- Luxury vinyl flooring casters (4)



950 - 1200 x 1700 x 450mm



B-35

Single Dark Child bed

SIZE: L 1050+W820+H1030mm



(B-35-2)



B-35 Single Dark Child bed SIZE: L 1050+W820+H1030mm



B-46 Hybrid Bed SIZE: L100+W610+H80-100mm



B-36 Single Dark Child bed SIZE: L 1050+W820+H1030mm



B-36 Single Dark Child bed SIZE: L 1050+W820+H1030mm





(F-46-A2)

32 | www.hoshizaki.com

Emergency Trolley F-46

SIZE: L860 x W507 x H1810mm

Standard Configurations:

- 400 Drawers (5)
- Sliding shelf
- Central locking system (1)
- Dia. 125mm wheels with brakes (4)
- Anti-bumper (1)

Standard Accessories:

- Waste bin (2)
- Flexible disposal container holder (1)
- Flexible disposal container (1)
- Defibrillator shelf
- CPR board (1)
- Disposable holder (1)
- OLV pipe (1)
- Oxygen tank holder
- Power strip
- Power strip holder
- Disposable (pink) seat
- Top mat (PVC)

Optional:

- Label box
- Medicine Cassette holder (Sterilize shelf)



(F-1-A1)

Anesthesia Trolley F-1

SIZE: L860 x W507 x H1810mm

Standard Configurations:

- Sliding shelves (5)
- Sliding shelf
- Central locking system (1)
- Dia. 125mm wheels with brakes (4)
- Anti-bumper (1)

Standard Accessories:

- Waste bin (2)
- Flexible disposal container holder (1)
- Flexible disposal container (1)
- Defibrillator holder (1)
- Top mat (PVC)

Optional:

- Label box
- Defibrillator shelf
- Oxygen pipe holder
- Power strip
- Power strip holder
- CPR board (1)
- Medicine Cassette holder (Sterilize shelf)



(F-46-S1)

32 www.hanmi.com

Emergency Trolley F-46

SIZE: 1485x560x1100mm

Standard Configurations:

- Steel Drawers (2)
- Cabinet (1)
- Shelf (1)
- Central locking system (1)
- Dia. 125 mm wheels with brakes (4)
- Anti-Bumper (4)

Standard Accessories:

- Waste bin (2)
- Needle disposal container holder (1)
- Needle disposal container (1)
- Disinfectant holder (1)
- IV pole (1)
- One-line seat
- Top rail (PVC)
- CPR mask (1)

Optional:

- Label box
- Gas/bottle shelf
- Oxygen tank holder
- Power strip
- Polyurethane holder
- Medicine Cabinet holder (Stainless steel)



(F-45-S1)

Medicine Trolley F-45

SIZE: 1485x560x1100mm

Standard Configurations:

- ABS Drawers (2)
- Shelf (1)
- Central locking system (1)
- Dia. 125 mm wheels with brakes (4)
- Anti-Bumper (4)

Standard Accessories:

- Waste bin (2)
- Needle disposal container holder (1)
- Needle disposal container (1)
- Disinfectant holder (1)
- IV pole (1)
- Medicine Cabinet holder (Stainless steel)
- Top rail (PVC)

Optional:

- Label box
- Oxygen tank holder
- Power strip
- Power strip holder

Five function Electric Home Care Bed DA-2

Standard Configurations

- ① One set of Aluminium head and foot boards and side rails
- ② Remote control (2)
- ③ Mattress (4)
- ④ Liner (Polyester) (4)
- ⑤ Luxury bed linen (optional) (4)



SIZE: 2070 (L) x 1060 (W) x 1020 (H)



Five function Electric Home Care Bed DA-2

Standard Configurations

- One pair of wooden head and foot boards and side rails
- Handic control (1)
- Motors (4)
- UV Protection (2)
- Luxury control locking casters (4)



DA-2 1210x1900x1050-1050



Three function Electric Home Care Bed DA-3

Standard Configurations

- One pair of Wooden head and foot boards
- Easy raising side rails (4)
- Remote control
- Motor (2)
- UV Protection LED



SIZE: 2000*1000*1000mm



H1


Two function Electric Bed DA-11

Standard Configurations

- One pair of wooden head and foot boards and casters
- One pair of aluminum alloy collapsible casters
- Handic control (1)
- Mattress (2)
- UV Protection (4)



SIZE: 1,200x2,000x1000mm



V1



V2

DA-11
Two function Electric Home Care Bed

Standard Configurations

- One pair of flexible head and foot boards and casters
- One pair of aluminum alloy sliding side rails
- Hand control (1)
- Mattress (2)
- 1 V-Pole holes (4)
- One 125mm casters with external brake (2)



SIZE: 2080 x 1020 x 1000mm



V3

DA-11
Two function Electric Home Care Bed

Standard Configurations

- One pair of wooden head and foot boards and casters
- One pair of Aluminum alloy sliding side rails
- Hand control (1)
- Mattress (2)
- 1 V-Pole holes (4)



SIZE: 2080 x 1020 x 1000mm






Five function Electric Bed DA-2

Standard configurations

- One pair of HDPE head and foot boards
- HDPE side rails with damping (4)
- Motors (3)
- Handle controls (1)
- Two sets of built-in side rail control button
- (1) Pole holes (4)
- Drainage bag hooks (4)
- Luxury control locking casters (4)




30. www.homedoc.com



Three function Electric Bed DA-3

Standard Configurations

- One pair of HDPE head and foot boards
- HDPE side rails with damping (4)
- Motors (3)
- Handle controls (1)
- Two sets of built-in side rail control button
- (1) Pole holes (4)
- Drainage bag hooks (4)
- Luxury control locking casters (4)



E-mail: sales@homedoc.com Tel: 86-571-86111111



Three function Electric Bed
DA-3

Standard Configurations

- One pair of HDPE head and foot boards
- One pair of Aluminium alloy folding side rails
- Motor (2)
- Hand control (1)
- U.V. Protection (4)
- Drainage bag holder (4)
- Luxury control locking system (4)




Size: 2100x1000x1000-1000mm



Two function Electric Bed
DA-11

Standard Configurations

- One pair of HDPE head and foot boards
- One pair of Aluminium alloy folding side rails
- Motor (2)
- Hand control (1)
- U.V. Protection (4)
- Drainage bag holder (4)
- CW, 120mm castors with 400kg/200kg/100kg




Size: 2100x1000x1000mm



Two crank Manual Bed B-6

Standard Configurations

- One pair of HDPE head and foot boards
- HDPE side rails with bumpers (H)
- Manual crank system (C)
- 1x1, Fold table (H)
- Storage bag hooks (H)
- Luxury control locking casters (H)



Three crank Manual Bed A-5

Standard Configurations

- One pair of HDPE head and foot covers
- One pair of Aluminium alloy folding side rails
- Manual crank system (2)
- 17 Pole holes (4)
- Drainage bag holder (2)
- Lazy control bed control (4)



2000 x 1000 x 800 (mm)





A-5 Three crank manual bed SIZE : L2100xW960xH400-750mm



B-11-1 Two crank manual bed SIZE : L2100xW960xH400mm



B-10 Manual bed with side table SIZE : L2150xW960xH500mm



B-12 Manual bed with side table SIZE : L2150xW960xH500mm



C-4-1
Four drive orthopedic bed
SIZE: L2170×W980×H800mm



(C4)



C-5-1
Two drive orthopedic bed
SIZE: L2170×W980×H800mm



(C4)

- Standard configurations**
- (1) A set of foam mattress
 - (2) Table (1)
 - (3) Handle control (1)
 - (4) Dip 15° in a cabinet with individual frame (1)



DB-40 Electric examination bed SIZE: L 1920×W900×H100-1700mm

(C4)



B-40 Standard steel frame orthopedic bed SIZE: L 1920×W900×H100mm

(C4)

Birthing Bed

B-48

The LDR room is a single room for labor, delivery, recovery, and postpartum (LDRP). The equipment of the bed is suitable for all birth and delivery processes except cesarean section and general anesthesia delivery. All single delivery rooms are designed for the entire delivery process from birth to postpartum and newborn care, and can handle most complications. LDR bed, as the key equipment in a single room can be fully adjusted to accommodate pre-delivery and various delivery positions, including lithotomy, sitting, squatting, lateral, Semi-prone and Trendelenburg. Complications and operations can be performed immediately without the referring transferring patients. If transfer is needed, the adjusted LDR bed can be lifted to a stretcher height.



02 Birthing bed - Birthing room

Standard configuration

1.Side Rails: PP side rails, built-in steel frame provide more secure and reliable protection, prevent patients from falling.

2.Built-in side rail controls: Controls on the side rails increase the independence of patients, can operate it according to self-requirement.

3.Mattress Platform: The back section and seat plate are made of engineering plastics, which is more firm and easy to disinfect.

4.V-shaped incision mattress: There is a v-shaped opening for det collection and delivery.

5.Labor grips: Steel material which is shaped once, it is more firm and covered with soft foam which makes the grip feels comfortable, when not in use, it can be rotated and hidden under the bed surface to save space.

6.Foot pedal: engineering plastic cover, built-in steel frame and equipped with mechanical locking system, can adjust position at any time, flexible and reliable.

7.Leg supports: The leg supports are permanently connected to the bed to avoid misposed components. The leg supports can be retracted and hidden under the bed to save space when they are not in use.

8.Removable foot section: High-strength alloy aluminum, it is lighter and easier to install and disassemble, height can be adjusted.

9.Instant CPR: Manual CPR allows the backrest to be restored to ensure patient safety and it is equipped with a bumper to prevent an instant drop and one-handed operation.

10.Trendelenburg: The bed can be tilted back to the head side with one button operation.

11. Central locking and steering system: Centralized control of easier orientation, universal and brake functions.

12.Battery: The bed can keep working without being connected to the power supply, bed lifting position adjustment and control during emergency transportation.

13.IV pole in the both side of head position

14.Infusion stand

15.Stain basin

16.Emergency stop button

17.Night light

18.Detachable headboards

19.Bumper

Specification parameters

Overall size:	2200*1000*1150mm (±0.5mm)
Maximum platform:	2200*1000mm (±0.5mm)
1.6kg stainless steel (with 12 casters)	4850mm (±0.5mm)
Height position (without mattress)	1000mm (±0.5mm)
Maximum back section angle	45.0°
Maximum seat section angle	4.5°
Maximum loading capacity	220kg

E-mail: jiangwei@hongyong.com Birthing 02



(B-48-1)

B-48 Birthing bed

SIZE: L1950/1450 × W960/660 × H650-960mm

Standard Configurations

- ABS resin cover (1)
- ABS side rails with damping (2)
- Motors (3)
- Leg supports (2)
- Lateral grips (2)
- LV Pivots (2)
- Latchy center locking system (4)
- Sponge mattress with artificial leather cover



04 - birthing | www.hanjin.com

B-45
Multi-function obstetric bed
SIZE: L1765 × W660/560 × H650-970mm

Size of sections

- Back section: 600mm × 600mm
- Seat section: 600mm × 450mm
- Leg section: 600mm × 230mm
- Rest: Degree of back rest adjustment
- 100°/90° / 60°/45°
- 0°/90°/180° / 90°/180°

TR Section: locked / not operated by hand wheels.
RL Section: operated by gas spring.

(B-45-1)

(B-42-1)

(B-43-1)

B-42
SIZE: L1765 × W660 × H650mm

B-43
SIZE: L1765 × W520 × H650mm

Product Catalogue

Product Catalogue

E-8-A3 Transport Stretcher is an economical and effective solution for various medical environments such as first aid, postoperative transfer, and temporary disposal.

Standard configuration

1. Central brake system: Equipped with four brake pedals on all sides of the bed make the brakes at the optimal position effectively and conveniently. Using the integrated pedals with high-quality bearings make the brakes more flexible and life span longer.

2. Multi-function instrument support: The instrument support can put the monitor and can also be used as a feedback to prevent accidental collapse of the patient.

3. Push Handle: Reducing the workload and providing the safety.

4. High quality mattress: The European standard water-proof cloth with the smooth surface of the mattress, easy to clean and not exposed.

5. Large diameter wheel: Using the imported 8-inch solid axle make it flexible and stable.

6. The fifth wheel: The fifth wheel can provide a smaller radius of gyration. The telescopic column design can slide smoothly even on the rough surface of stairs such as the elevator shaft, reducing effectively the damage caused by transport to patients.

7. PP side rails: The three-stopped function side rail provides more convenient operation for transferring the patient and avoids postoperative instrument damage and occupational injury of the nurse.

8. High-strength carbon steel structure and spray procedure: The high quality carbon steel and robot welding guarantee the mechanical strength. The spray surface treatment is easy to clean and guarantee a longer life.

9. Rapid lifting hydraulics: The integrated dual-pressure lifting system can be used to quickly lift the bed of the patient handle for 2 seconds in an emergency, and the bed will automatically lower the height to form a special body position for quick and timely disposal of the patient.

Technical parameters

Overall length	2110mm
Overall width (with side rail)	1200mm
Lowest position (low to platform)	100mm
Height (middle to low to platform)	660mm
Overall height (middle to platform)	1000mm
Maximum diameter	140mm
Maximum Travel Distance	4.15m
Mattress size	1980mm x 1000mm x 100mm
Maximum weight capacity	300kg

E-8 Transport Stretcher



E-8 Transport stretcher



Standard configuration

1. Central brake system: Equipped with four brake pedals on all sides of the bed make the brakes at the optimal position effectively and conveniently, using the imported castors with high-quality bearings make the brake more flexible and life-span longer.

2. Multi-function instrument support: The instrument support can put the monitor and can also be used as a headboard to prevent accidental slippage of the patient.

3. Push Handle: Reducing the yoddsast and preventing the injuries.

4. High quality mattress: The European standard water-proof cloth with the smooth surface of the mattress, easy to clean and not moldy.

5. Large diameter wheel: Using the imported 8-inch silent castor make it flexible and durable.

6. The fifth wheel: The fifth wheel can provide a smaller radius of gyration. The telescopic collapse design can slide smoothly even on the rough surface or obstacles such as the elevator sill, reducing effectively the damage caused by transport to patients.

7. Plastic coated side rails: The side rails with stainless steel column guardrail covers almost a full length of bed.

8. High-strength carbon steel structure and spray procedure: The high quality carbon steel and robot welding guarantee the mechanical strength. The spray surface treatment is easy to clean and guarantees a longer life.

9. Rapid lifting hydraulics: The imported dual-pressure lifting system can be used to quickly lift the bed or the push handle for 2 seconds in an emergency, and the bed will automatically locate the height to form a special body position for quick and timely disposal of the patient.

10. X-ray imaging: Equipped with X-ray material bed surface and X-ray cassette holder, the whole body can be X-rayed.

Technical parameters	
Overall length	2110mm
Overall width (max. side rails)	750mm
Overall position (from the platform)	500mm
Adjusted position (from the platform)	950mm
Maximum height (from the platform)	1500mm
Maximum load (max)	400kg
Maximum height (max)	1500mm
Maximum height (min)	1100mm
Maximum speed	500mm-1000mm/Min
Maximum weight capacity	100kg



E-8 Transport stretcher

REF.: L243-4120-1000-0000



- 1 The main platform of the stretcher is made of light weight aluminum alloy and the hydraulic pump system is fully made of 5-year standard material.
- 2 Control system with the remote control make the stretcher more stability, mobility and light.
- 3 The stretcher has the function of forward, 15° backward and reverse. The remote control can be controlled to the inside of the front end of the stretcher.

- 4 The base of the stretcher has the control system, the control panel is made of ABS material and shaped cover for which can be easily cleaned.
- 5 The stretcher is equipped with infusion poles, therapy beds and cotinine bed in various sizes.
- 6 It is the best choice for emergency room and ICU used for emergency patient.

E-3 Transport stretcher

REF.: L243-4120-1000-0000

- 1 Both of the platform and side rails are made of HCFE material shaped steel for all.
- 2 Mattress is controlled by hydraulic auxiliary spring.
- 3 Height adjustment is controlled by crank.
- 4 150mm cushions with control locking system.
- 5 To be equipped with steering center.





E-7 Stainless steel Operation Theater Transport Stretcher Size: L2600+W650+H100-200mm



E-5 Stainless steel Transport cot/IV Size: L1600+W650+H80-100mm



E-6 Stainless steel Transport stretcher Size: L2000+W650+H700



E-4

Operation Theater Transport Stretcher


SIZE: L3000+W700+H100-1000mm

- ① The bed can be moved smoothly when the two height-adjustable structure on the same level and can be locked automatically when completely slide into other structure which is equipped with safety device.
- ② Steering control ensure the stretcher go forward straightly.
- ③ Both of the platform and side rails are made of HCRPE material shaped one for all.
- ④ Backrest is controlled by hydraulic auxiliary gas spring.
- ⑤ Height adjustment is operated by crank.
- ⑥ Dia.150mm casters with central locking system.



DE-1

Electric mobile patient lift



Applications:

This product is applicable for long-term immobilized patients, and the patients who suffer from mobility problem or instability after surgery. It can be used with the help of caregivers or families, nursing centers or at home. The caregivers can lift or move the patients with a single operation, and the lift-saving design can avoid back injury of patient caused by manual force of the caregiver.

Features:

The main frame is made of high-strength steel with anti-rust powder coating on surface. It is featured by front universal casters, rear brake casters, adjustable width of leg of foot pedal, safe and reliable suspension system and emergency release lowering device, and the patients can be put down in case of blocked battery or motor fault.



Definition

1. Lifting attachment hook
2. Lifting boom
3. Raising handle
4. Hand motor
5. Mechanical emergency down
6. Operating handle
7. Electronic control bar
8. Adjustable chassis
9. Cross leg
10. Double casters with locking device



DE-1

Electric mobile patient lift

Definition

1. Lifting attachment hook
2. Lifting boom
3. Raising handle
4. Hand motor
5. Mechanical emergency down
6. Operating handle
7. Electronic control bar
8. Adjustable chassis
9. Cross leg
10. Double casters with locking device



DE-1

Electric mobile patient lift

Definition

1. Lifting attachment hook
2. Lifting boom
3. Raising handle
4. Hand motor
5. Operating handle
6. Electronic control bar
7. Cross leg
8. Double casters with locking device

F-5 Emergency Trolley

SIZE: 1870 x 940 x 1100mm

It is suitable for emergency work. Table top can be folded temporarily towards two sides. The rear medicine cabinets are removable. Two drawers, two cabinets. Four polyethylene wheels, casters, two of them with brakes.



(F-13-01)

(F-13-2)

F-13 Record Trolley (40 Shelves)
SIZE: 1840 x 950 x 1120mm

F-14 Record Trolley (50 Shelves)
SIZE: 1850 x 940 x 1130mm



F-2 Anesthesia Trolley

SIZE: 1850 x 940 x 1100mm

Mainly consists of groups of drawers, which could store different kinds of goods. It is convenient for push to stop or with on the top. Robust, weather and water resistant and fixed on the two sides. Polyethylene wheels, casters with brakes.



It is suitable for emergency work. Table top can be folded temporarily towards two sides. The rear medicine cabinets are removable. Height of second drawer and third drawer 120mm. The two doors, which can be used to store different sizes of emergency instruments. Highest height of the adjustable IV stand 1050mm. Four polyethylene wheels, casters, two of them with brakes.



(F-5-1)



F-5 Emergency Trolley SIZE: 1800 x 940 x 1100mm

Medicine Trolley F-45

SIZE: 1200×W500×H1600mm



Drawers & ABS cabinet

- All drawers can be opened from two sides
- Adjustable medicine cassette
- Equipped with the cassette and waste bin
- With central locking system
- The layers of the medicine cassette can be customized



(F-45-1)

Emergency Trolley F-45

SIZE: 1200×W500×H1600mm

- Adjustable medicine cassette
- With the ABS cassette and waste bin
- Central locking system
- Adjustable lockers in the cabinet cabinet



(F-45-2)

Emergency Trolley F-46

SIZE: 1200×W500×H1600mm

- Two drawers
- The medicine cassette can be fixed or be adjustable
- Equipped with the cassette and waste bin
- With central locking system
- Delicate steel
- ABS cabinet cabinet
- Oxygen tank holder
- Power outlet & tower



(F-46-1)

Emergency Trolley F-5

SIZE: 1200×W500×H1600mm

- Two drawers
- Adjustable medicine cassette
- Trolley equipped with the cassette and waste bin
- With central locking system



(F-5-1)



F-17 Stainless steel trolley for treatment
Siz: 1200x640x1070mm

F-19 Stainless steel trolley for appliances(2 deck)
Siz: 1750x650x1070mm



F-21 Stainless steel trolley for appliances
Siz: 1200x640x1000mm

F-14 Stainless steel trolley for waste
Siz: 1200x640x1000mm



F-47 ABS trolley for appliances(2 deck)
Siz: 1700x640x1070mm

F-48 ABS trolley for treatment
Siz: 1700x640x1070mm



F-14 Stainless steel trolley for waste
Siz: 1200x640x1000mm

F-10 Stainless steel trolley for nursing
Siz: 1200x650x1000mm



D-9 Stainless steel appliance cupboard
SIZ: 1900x640x1170mm

D-12 Stainless steel appliance cupboard
SIZ: 1900x640x1170mm



D-15 4-door appliance cupboard with stainless steel base
SIZ: 1900x640x1170mm

D-17 3-door cupboard with stainless steel base for coats
SIZ: 1800x640x1170mm



D-11 Stainless steel appliance cupboard
SIZ: 1900x640x1170mm

D-13 Stainless steel appliance cupboard
SIZ: 1900x640x1170mm



D-19 2-door appliance cupboard with stainless steel base
SIZ: 1800x640x1170mm

D-20 6-door cupboard with stainless steel base for coats
SIZ: 1900x640x1170mm

Medical Cupboard

Medical Cupboard

F-44
Foldable accompany chair

SIZE: L2450xW1050xH420-540mm



F-44
Foldable accompany chair

SIZE: L 1800xW700xH400-500mm



F-38 Nurse stool

F-39 Nurse stool

F-38 Nurse stool



F-35 Stainless steel screen
SIZE: L2400xW1500mm



F-36 One-step footstool
SIZE: L480xW200xH400mm



F-38 Two-step footstool
SIZE: L480xW200xH400/500mm
E-mail: info@hospitals.com Haining



D-10 Bedside cabinet
SIZ: 1370 x 450 x 1000mm

D-14 Bedside cabinet
SIZ: 1330 x 450 x 1000mm

D-13 Bedside cabinet
SIZ: 1230 x 450 x 1000mm



D-2 ABS bedside cabinet
SIZ: 1475 x 445 x 1170mm

D-11 ABS bedside cabinet
SIZ: 1460 x 445 x 1170mm

D-12 ABS bedside cabinet
SIZ: 1460 x 445 x 1170mm



D-22 ABS and steel cabinet
SIZ: 1475 x 445 x 1170mm

D-21 ABS and steel cabinet
SIZ: 1475 x 445 x 1170mm

D-1 ABS bedside cabinet
SIZ: 1475 x 445 x 1170mm



D-10 ABS and steel cabinet
SIZ: 1475 x 445 x 1170mm

D-7 Eco-friendly cabinet
SIZ: 1460 x 445 x 1170mm

D-6 Bedside cabinet with storage
SIZ: 1460 x 445 x 1170mm

Hospital Furniture Series

Hospital Furniture Series

Medical Trolleys



Movable over bed table F-32

PE table top, wear-resistant and oil-resistant.
Aluminum alloy column lift system. Durable, steady and solid.
Diameter: 40mm mobile casters, flexible and convenient.
High-low: 820-1110mm.
Working load: 20kg.
Table top size: 520mm x 400mm.

82 Working www.hanbang.com

Movable over bed table F-32

High-density table top, wear-resistant and oil-resistant.
Aluminum alloy column lift system. Durable,
steady and solid.
Table top multi-angle flexible adjustment,
suitable for dining & reading.
Diameter: 50mm mobile casters, flexible and convenient.
High-low: 820-1110mm.
Working load: 20kg.
Desktop size: 600mm x 420mm.



Accessories & Enclosure



IV pole



Telescopic dining table



Lifting arm



Basket



Tray

© 2017 www.hanbang.com Working 83



Natural latex mattress



High density elastic sponge mattress



Natural coconut fibre mattress



High density sponge and natural coconut fibre suitable for both summer and winter



H-1
Mattress for full & electric bed
SIZE: L1000 x W1800 x H30mm



H-2
Mattress for the mattress platform of bed frame bed
SIZE: L1000 x W1800 x H30mm



H-3
Mattress for the mattress platform of bed frame bed
SIZE: L1000 x W1800 x H30mm



H-4
Mattress for stretcher
SIZE: L1000 x W650 x H30mm



H-5
Mattress for stretcher
SIZE: L1000 x W650 x H30mm

□ The user-defined width, length and thickness available upon request.



H-5
Mattress for stretcher
SIZE: L1000 x W650 x H30mm



H-4
Mattress for orthopedic bed
SIZE: L1000 x W650 x H30mm

Accessories



H-6 Bed A

H-7 Bed B

H-8 Bed C



H-12

Luxurious integrated mattress

Size: 1600x800x100mm

Size: 1500x800x120mm

Size: 1500x800x140mm

Matress cover: PU waterproof and

breathable material

Matress fill: High resilience sponge



H-13

Luxurious integrated mattress

Size: 1600x800x100mm

Size: 1500x800x120mm

Size: 1500x800x140mm

Matress cover: PU waterproof and breathable material

Matress fill: High resilience sponge and memory foam

H-14

Anti-Pressure Ulcer mattress

Technical parameters:

Matress

Material: Cover: Nylon PU

Cell: Nylon PVC

Cell: 30cmx10cmx10cm, Thickness: 2cm

Dimensions: L2000xW800xH120mm

Pump

Electrical: 220V/110V, 50/60HZ

Pressure range: 30-120mmHg

Dimensions: L270xW130xH120mm



H-15

Anti-Pressure Ulcer mattress

Technical parameters:

Matress

Material: Cover: Nylon PU

Cell: Nylon PVC

Cell: 30cmx10cmx10cm, Thickness: 2cm

Dimensions: L2000xW800xH120mm

Pump

Electrical: 220V/110V, 50/60HZ

Pressure range: 30-120mmHg

Dimensions: L270xW130xH120mm






FDA



ISO 13485:2016 Y110207-1905



ISO



Pukang

企业文化

责 任：铸医疗精品

使 命：为健康保驾护航

目 标：树百年企业

生存论：质量 诚信

发展论：创新 博纳

价值观：感恩 务实



FORMULARUL STANDARD AL DOCUMENTULUI UNIC DE ACHIZIȚII EUROPEAN

1. Documentul unic de achiziții european, (în continuare, DUAЕ) este o declarație pe proprie răspundere, prin care operatorul economic confirmă îndeplinirea criteriilor de calificare și selecție necesare în cadrul procedurilor de achiziție publică în Republica Moldova.
2. Formularul este completat, semnat electronic și transmis autorității contractante la depunerea ofertei.
3. Un DUAЕ depus de către operatorul economic în cadrul unei proceduri de achiziție publică anterioară poate fi reutilizat, cu condiția ca informațiile cuprinse în formular să fie corecte și valabile la data depunerii acestuia.
4. Ofertantul care prezintă în DUAЕ informații false sau documentele justificative prezentate nu confirmă informația indicată în documentul prezentat este exclus din procedura de achiziție publică și/sau poate răspunde conform legislației.
5. Formularul DUAЕ este constituit din 7 capitole, și anume:
 - 1) Capitolul I. Informații privind procedura de achiziție publică și autoritatea/entitatea contractantă;
 - 2) Capitolul II. Informații referitoare la operatorul economic;
 - 3) Capitolul III. Motive de excludere din cadrul procedurii de achiziție publică;
 - 4) Capitolul IV. Criteriile de calificare și selecție a operatorilor economici;
 - 5) Capitolul V. Indicații generale pentru criteriile de selecție a operatorilor economici;
 - 6) Capitolul VI. Preselecția candidaților pentru procedura de atribuire a contractului de achiziție publică;
 - 7) Capitolul VII. Declarații finale.
6. Prezentarea formularului DUAЕ la depunerea ofertei care nu este conform cu cerințele stabilite în Documentația de atribuire duce la respingerea ofertei.

Capitolul I. Informații privind procedura de achiziție publică și autoritatea/entitatea contractantă

Compartimentul se completează doar de către autoritatea/entitatea contractantă.

Cod poziție	Conținutul cerinței	Răspuns
1	2	3
A. Informații despre publicare		

1A.1	Numărul anunțului/invitației publicate în Buletinul achizițiilor publice, și după caz numărul anunțului publicat în Jurnalul Oficial al Uniunii Europene	ocds-b3wdp1-MD-1611585746439
B. Identitatea autorității/entității contractante		
1B.1	Denumirea autorității/entității contractante	IMSP Institutul Mamei și Copilului (IMC)
1B.2	Număr unic de identificare (IDNO) a autorității/entității contractante	1003600151643

Capitolul II. Informații referitoare la operatorul economic

Compartimentul se completează doar de către operatorii economici.

Cod poziție	Conținutul cerințelor	Răspuns
1	2	3
A. Informații privind operatorul economic		
2A.1	Denumirea operatorul economic	«TRIUMF-MOTIV» SRL
2A.2	Țara	Moldova
2A.3	Cod poștal	2043
2A.4	Oraș/Localitate	mun. Chisinau
2A.5	Adresa juridică	str. Grenoble 193 of. 1301
2A.6	Pagina web	
2A.7	Persoana sau persoanele de contact	Jighili Tatiana
2A.7.1	<i>Telefon</i>	+373 22 768841
2A.7.2	<i>Adresa de e-mail</i>	triumf.motiv@mail.ru
2A.8	Număr unic de identificare (IDNO/IDNP)	1012600021180
2A.9	Numărul cod TVA	0308703
2A.10	Forma organizatorico-juridică a activității de antreprenariat	Societatea cu raspundere limitata
2A.11	Numele acționarilor / asociaților	Jighili Tatiana
2A.12	Operatorul economic este: <ul style="list-style-type: none"> • întreprindere mică • întreprindere mijlocie • și altele 	întreprindere mică
2A.13	În cazul în care achiziția este rezervată: operatorul economic este un atelier protejat sau o întreprindere socială, sau va asigura executarea contractului în contextul programelor de angajare protejată?	Da
2A.13.1	<i>Dacă da, care este procentul corespunzător de lucrători cu dizabilități sau defavorizați?</i>	0%
2A.13.2	<i>Specificați carei sau căror categorii de</i>	Nu

	<i>lucrători cu dizabilități sau defavorizați le aparțin angajații în cauză?</i>	
2A.14	Operatorul economic participă la procedura de achiziții publice împreună cu alți operatori economici?	Nu
2A.14.1	<i>Dacă Da, precizați rolul operatorului economic în cadrul grupului (lider, responsabil cu îndeplinirea unor sarcini specifice, etc).</i>	-
2A.14.2	<i>Numiți operatorii economici care participă la procedura respectivă de achiziție publică.</i>	-
2A.14.3	<i>Specificați denumirea grupului participant.</i>	-
<i>Notă. Dacă ați răspuns Da la întrebarea 2A.14, asigurați-vă ca operatorii economici menționați să prezinte un formular DUAE separat.</i>		
B. Informații privind reprezentanții operatorului economic		
Indicați numele persoanei (persoanelor) împuternicită (împuternicite) să îl reprezinte pe operatorul economic în scopurile prezentei proceduri de achiziție publică.		
2B.1	Nume și prenume	Jighili Tatiana
2B.2	Poziție/acționând în calitate de..	administrator
2B.3	Țară	Republica Moldova
2B.4	Telefon	+373 22 768841
2B.5	Adresa de e-mail	triumf.motiv@mail.ru
C. Informații privind utilizarea capacităților altor entități		
2C.1	Operatorul economic utilizează capacitățile altor entități pentru a satisface criteriile de selecție prevăzute în capitolul IV, precum și (dacă este cazul) criteriile și regulile menționate în capitolul V de mai jos?	Nu
<i>Notă. Dacă ați răspuns Da la întrebarea 2C.1, prezentați un formular DUAE separat care să cuprindă informațiile solicitate în secțiunile A și B din capitolul respectiv și din capitolul III pentru fiecare dintre entitățile în cauză, completat și semnat în mod corespunzător de entitățile în cauză. Atragem atenția asupra faptului că trebuie incluși, de asemenea, tehnicienii sau organismele tehnice implicate, indiferent dacă fac sau nu parte din întreprinderea operatorului economic, în special cei care răspund de controlul calității și, în cazul contractelor de achiziții publice de lucrări, tehnicienii sau organismele tehnice la care poate face apel operatorul economic în vederea executării lucrărilor. În măsura în care este relevant pentru capacitatea (capacitățile) specifică (specifice) utilizată (utilizate) de operatorul economic, includeți informațiile prevăzute în capitolele IV și V pentru fiecare dintre entitățile în cauză.</i>		
D. Informații privind subcontractanții pe ale căror capacități operatorul economic se bazează		
2D.1	Operatorul economic intenționează să subcontracteze vreo parte din contract cu alți	Nu

	operatori economici?	
2D.1.1	<i>Dacă Da, enumerați subcontractanții propuși.</i>	

Capitolul III. Motive de excludere din cadrul procedurii de achiziție publică

Compartimentul se completează de către operatorii economici.

Cod poziție	Conținutul cerințelor	Răspuns
A. Motive referitoare la condamnări prin hotărârea definitivă a unei instanțe judecătorești		
1	2	3
3A.1	<p>Participare la o organizație criminală. Operatorul economic însuși sau orice persoană care este membru al organismului de administrare, de conducere sau de supraveghere al acestuia sau care are putere de reprezentare, de decizie sau de control în cadrul acestuia a făcut obiectul unei condamnări pronunțate printr-o hotărâre definitivă pentru participare la o organizație criminală, printr-o condamnare pronunțată cu cel mult cinci ani în urmă sau în care continuă să se aplice o perioadă de excludere prevăzută în mod direct în condamnare?</p>	Nu
3A.2	<p>Corupție. Operatorul economic însuși sau orice persoană care este membru al organismului de administrare, de conducere sau de supraveghere al acestuia sau care are putere de reprezentare, de decizie sau de control în cadrul acestuia a făcut obiectul unei condamnări pentru corupție pronunțate printr-o hotărâre definitivă, printr-o condamnare pronunțată cu cel mult cinci ani în urmă sau în care continuă să se aplice o perioadă de excludere prevăzută în mod direct în condamnare?</p>	Nu
3A.3	<p>Fraude. Operatorul economic însuși sau orice persoană care este membru al organismului de administrare, de conducere sau de supraveghere al acestuia sau care are putere de reprezentare, de decizie sau de control în cadrul acestuia a făcut obiectul unei condamnări pentru fraudă pronunțate printr-o hotărâre definitivă, printr-o condamnare pronunțată cu cel mult cinci ani în urmă sau în</p>	Nu

	care continuă să se aplice o perioadă de excludere prevăzută în mod direct în condamnare?	
3A.4	<p>Infrațiuni teroriste sau infrațiuni legate de activitățile teroriste.</p> <p>Operatorul economic însuși sau orice persoană care este membru al organismului de administrare, de conducere sau de supraveghere al acestuia sau care are putere de reprezentare, de decizie sau de control în cadrul acestuia a făcut obiectul unei condamnări pentru infrațiuni teroriste sau infrațiuni legate de activități teroriste, pronunțate printr-o hotărâre definitivă, printr-o condamnare pronunțată cu cel mult cinci ani în urmă sau în care continuă să se aplice o perioadă de excludere prevăzută în mod direct în condamnare?</p>	Nu
3A.5	<p>Spălare de bani sau finanțarea terorismului.</p> <p>Operatorul economic însuși sau orice persoană care este membru al organismului de administrare, de conducere sau de supraveghere al acestuia sau care are putere de reprezentare, de decizie sau de control în cadrul acestuia a făcut obiectul unei condamnări pentru infrațiuni teroriste sau infrațiuni legate de activități teroriste, pronunțate printr-o hotărâre definitivă, printr-o condamnare pronunțată cu cel mult cinci ani în urmă sau în care continuă să se aplice o perioadă de excludere prevăzută în mod direct în condamnare?</p>	Nu
3A.6	<p>Exploatarea prin muncă a copiilor și alte forme de trafic de persoane.</p> <p>Operatorul economic însuși sau orice persoană care este membru al organismului de administrare, de conducere sau de supraveghere al acestuia sau care are putere de reprezentare, de decizie sau de control în cadrul acestuia a făcut obiectul unei condamnări pronunțate printr-o hotărâre definitivă pentru exploatare prin muncă a copiilor și alte forme de trafic de persoane, printr-o condamnare pronunțată cu cel mult cinci ani în urmă sau în care continuă să se aplice o perioadă de excludere prevăzută în mod direct în condamnare?</p>	Nu
3A.7	În cazul că răspunsul este Da pentru cel puțin una din întrebările 3A.1 – 3A.6, puteți furniza dovezi care să arate că măsurile luate sunt suficiente pentru a demonstra fiabilitatea, în pofida existenței unui motiv de excludere?	-

3A.7.1	<i>Dacă Da, descrieți aceste măsuri.</i>	-
B. Motive privind plata impozitelor sau/și a contribuțiilor de asigurări sociale		
Plata impozitelor		
3B.1	Operatorul economic și-a onorat obligațiile cu privire la plata impozitelor, taxelor și contribuțiilor sociale în conformitate cu prevederile legale în vigoare în Republica Moldova sau în țara în care este stabilit?	Da
3B.1.1	<i>Dacă Nu, în ce mod a fost stabilită obligația cu privire la plata impozitelor, taxelor și contribuțiilor sociale?</i>	-
3B.1.2	<i>În cazul în care, încălcarea cu referire la obligațiile privind plata impozitelor, taxelor și contribuțiilor sociale a fost stabilită printr-o hotărâre judecătorească sau administrativă, această decizie este definitivă?</i>	Da
3B.1.3	<i>În cazul în care, încălcarea cu referire la obligațiile privind plata impozitelor, taxelor și contribuțiilor sociale a fost stabilită printr-o hotărâre judecătorească sau administrativă, precizați data și numărul deciziei.</i>	-
3B.2	Operatorul economic beneficiază, în condițiile legii, de eşalonarea obligațiilor de plată a impozitelor, taxelor și contribuțiilor de asigurări sociale ori de alte facilități în vederea plății acestora, inclusiv a majorărilor de întârziere (penalităților) și/sau a amenzilor? Notă: <i>Se completează doar în cazul în care ați răspuns Nu, la întrebarea din 3B.1.</i>	-
3B.2.1	<i>Dacă Da, operatorul economic este în măsură să furnizeze actul privind eşalonarea obligațiilor de plată a impozitelor, taxelor și contribuțiilor de asigurări sociale ori de alte facilități în vederea plății acestora?</i>	-
3B.3	Operatorul economic este în măsură să furnizeze un certificat cu privire la plata impozitelor sau să furnizeze informații privind onorarea obligațiilor fiscale?	-
3B.4	Informațiile privind lipsa/existența restanțelor față de bugetul public național sunt disponibile gratuit pentru autorități, prin accesarea unei baze de date naționale? Dacă da, specificați informația care ar permite verificarea.	-
		-
		-

C. Includerea în lista de interdicție a operatorilor economici		
3C.1	Operatorul economic este înscris în lista de interdicție a operatorilor economici?	
3C.1.1	<i>În cazul că răspunsul este Da pentru întrebarea 3C.1, puteți furniza dovezi care să arate că măsurile luate sunt suficiente pentru a demonstra fiabilitatea, în pofida existenței unui motiv de excludere?</i>	-
3C.1.2	<i>Dacă Da, descrieți aceste măsuri.</i>	-
D. Motive legate de insolvabilitate, conflicte de interese sau abateri profesionale		
	Obligațiile aplicabile în domeniul mediului, muncii și asigurărilor sociale	
3D.1	Operatorul economic a încălcat obligațiile în domeniul mediului în ultimii 3 ani?	Nu
3D.1.1	<i>În cazul că răspunsul este Da pentru întrebarea 3D.1, puteți furniza dovezi care să arate că măsurile luate sunt suficiente pentru a demonstra fiabilitatea, în pofida existenței unui motiv de excludere?</i>	-
3D.1.2	<i>Dacă Da, descrieți aceste măsuri.</i>	-
3D.2	Operatorul economic a încălcat obligațiile în domeniul social în ultimii 3 ani?	Nu
3D.2.1	<i>În cazul că răspunsul este Da pentru întrebarea 3D.2, puteți furniza dovezi care să arate că măsurile luate sunt suficiente pentru a demonstra fiabilitatea, în pofida existenței unui motiv de excludere?</i>	-
3D.2.2	<i>Dacă Da, descrieți aceste măsuri.</i>	-
3D.3	Operatorul economic a încălcat obligațiile în domeniul muncii în ultimii 3 ani?	Nu
3D.3.1	<i>În cazul că răspunsul este Da pentru întrebarea 3D.3, puteți furniza dovezi care să arate că măsurile luate sunt suficiente pentru a demonstra fiabilitatea, în pofida existenței unui motiv de excludere?</i>	-
3D.3.2	<i>Dacă Da, descrieți aceste măsuri.</i>	-
	Insolvabilitatea	
3D.4	Operatorul economic este în situație de insolvabilitate sau de lichidare a activității antreprenoriale ca urmare a unei hotărâri judecătorești?	Nu
3D.4.1	<i>În cazul că răspunsul este Da pentru întrebarea 3D.4, puteți furniza dovezi care să arate că măsurile luate sunt suficiente pentru a demonstra</i>	-

	<i>fiabilitatea, în pofida existenței unui motiv de excludere?</i>	
3D.4.2	<i>Dacă Da, descrieți aceste măsuri.</i>	-
	Active administrate de lichidator	
3D.5	Activele operatorului economic sunt administrate de un lichidator sau de o instanță?	Nu
3D.5.1	<i>În cazul că răspunsul este Da pentru întrebarea 3D.5, puteți furniza dovezi care să arate că măsurile luate sunt suficiente pentru a demonstra fiabilitatea, în pofida existenței unui motiv de excludere?</i>	-
3D.5.2	<i>Dacă Da, descrieți aceste măsuri.</i>	-
	Activitățile economice sunt suspendate	
3D.6	Activitățile economice ale operatorului economic sunt suspendate?	Nu
3D.6.1	<i>În cazul că răspunsul este Da pentru întrebarea 3D.6, puteți furniza dovezi care să arate că măsurile luate sunt suficiente pentru a demonstra fiabilitatea, în pofida existenței unui motiv de excludere?</i>	-
3D.6.2	<i>Dacă Da, descrieți aceste măsuri.</i>	-
	Acorduri cu alți operatori economici care vizează denaturarea concurenței	
3D.7	Operatorul economic, în ultimii 3 ani, a încheiat acorduri cu alți operatori economici care au ca obiect denaturarea concurenței, fapt constatat prin decizie a organului abilitat în acest sens?	Nu
3D.7.1	<i>În cazul că răspunsul este Da pentru întrebarea 3D.7, puteți furniza dovezi care să arate că măsurile luate sunt suficiente pentru a demonstra fiabilitatea, în pofida existenței unui motiv de excludere?</i>	-
3D.7.2	<i>Dacă Da, descrieți aceste măsuri.</i>	-
	Conflict de interese	
3D.8	Operatorul economic se află într-o situație de conflict de interese care nu poate fi remediată?	Nu
3D.8.1	<i>În cazul că răspunsul este Da pentru întrebarea 3D.8, puteți furniza dovezi care să arate că măsurile luate sunt suficiente pentru a demonstra fiabilitatea, în pofida existenței unui motiv de excludere?</i>	-
3D.8.2	<i>Dacă Da, descrieți aceste măsuri.</i>	-
	Etica profesională	
3D.9	Operatorul economic a fost condamnat, în ultimii 3	Nu

	ani, prin hotărâre definitivă a unei instanțe judecătorești, pentru o faptă care a adus atingere eticii profesionale sau pentru comiterea unei greșeli în materie profesională?	
3D.9.1	<i>În cazul că răspunsul este Da pentru întrebarea 3D.9, puteți furniza dovezi care să arate că măsurile luate sunt suficiente pentru a demonstra fiabilitatea, în pofida existenței unui motiv de excludere?</i>	-
3D.9.2	<i>Dacă Da, descrieți aceste măsuri.</i>	-
	Integritatea	
3D.10	Operatorul economic, în ultimii 3 ani, se face vinovat de o abatere profesională, care îi pune la îndoială integritatea?	Nu
3D.10.1	<i>În cazul că răspunsul este Da pentru întrebarea 3D.10, puteți furniza dovezi care să arate că măsurile luate sunt suficiente pentru a demonstra fiabilitatea, în pofida existenței unui motiv de excludere?</i>	-
3D.10.2	<i>Dacă Da, descrieți aceste măsuri.</i>	-

Capitolul IV. Criteriile de calificare și selecție a operatorilor economici

Compartimentul se completează de către autoritatea/entitatea (coloana nr.2) contractantă și operatorii economici (coloana nr.3).

Cod poziție	Conținutul cerințelor	Răspuns
1	2	3
A. Capacitatea de exercitare a activității profesionale		
4A.1	Operatorul economic este în măsură să furnizeze documentul/documentele prin care se va demonstra înregistrarea acestuia?	Da
4A.1.1	<i>Dacă Da, indicați actele de înregistrare a activității antreprenoriale și genul (genurile) de activitate determinate de legislație, aferent obiectului procedurii de atribuire a contractului, în baza căreia întreprinderea are dreptul să execute viitorul contract de achiziție publică.</i>	<ul style="list-style-type: none"> • Licența de activitate • Autorizația • Certificat de înregistrare
4A.1.2	<i>Actele de înregistrare a activității antreprenoriale, sunt disponibile gratuit pentru autorități dintr-o bază de date națională? Dacă da, specificați informația care ar permite verificarea.</i>	-
		-
		-
4A.2	Activitatea antreprenorială deține o certificare și/sau o autorizare echivalentă aferent obiectului procedurii de atribuire a contractului, în cadrul unui sistem național?	Da

4A.2.1	<i>Dacă Da, operatorul economic este în măsură să furnizeze documentul/documentele prin care se va demonstra certificarea și/sau autorizarea activității acestuia?</i>	Da
4A.2.3	<i>Actele privind certificarea sau autorizarea sunt disponibile gratuit pentru autorități, dintr-o bază de date națională? Dacă da, specificați informația care ar permite verificarea.</i>	<i>Adresa de internet:</i> /text/
		<i>Autoritatea sau organismul emitent(ă):</i> /text/
		<i>Referința exactă a documentației:</i> /text/
4A.3	Genurile de activitate, și/sau certificarea, și/sau autorizarea privind activitatea de întreprinzător, acoperă criteriile de selecție impuse de autoritatea/entitatea contractantă în anunțul/invitația de participare?	Da
B. Capacitatea economică și financiară		
	Declarații bancare	
4B.1	Operatorul economic este în măsură să furnizeze declarații bancare sau, după caz, dovezi privind asigurarea riscului profesional în conformitate cu cerințele din documentația de atribuire?	Da
4B.1.1	<i>Informația menționată la punctul 4B.1 este disponibilă gratuit pentru autorități, dintr-o bază de date națională? Dacă da, specificați informația care ar permite verificarea ei.</i>	<i>Adresa de internet:</i> /text/
		<i>Autoritatea sau organismul emitent(ă):</i> /text/
		<i>Referința exactă a documentației:</i> /text/
	Cifra de afaceri anuală (volumul vânzărilor)	Nu se aplică
4B.2	Operatorul economic este în măsură să demonstreze o cifră de afaceri anuală, după cum urmează: Valoare _____ Perioada _____ <i>Notă. Se completează de către autoritatea contractantă valoarea și perioada</i>	<input type="checkbox"/> Da <input type="checkbox"/> Nu
4B.2.1	<i>Specificați care este cifra de afaceri anuală, conform datelor din raportul financiar.</i>	<i>Valoarea [număr]</i> Anul /text/
	Cifra de afaceri medie anuală	Nu se aplică

4B.3	<p>Operatorul economic este în măsură să demonstreze o cifră medie anuală de afaceri, după cum urmează:</p> <p>Valoare _____ Perioada _____</p> <p><i>Notă. Se completează de către autoritatea contractantă valoarea și perioada</i></p>	<input type="checkbox"/> Da <input type="checkbox"/> Nu
4B.3.1	<p><i>Specificați cifra de afaceri, conform datelor din raportul financiar.</i></p>	<p><i>Valoarea [număr]</i></p> <p><i>Anul text/</i></p> <p><i>Valoarea [număr]</i></p> <p><i>Anul text/</i></p> <p><i>Valoarea [număr]</i></p> <p><i>Anul text/</i></p> <p><i>Valoarea medie totală [număr]</i></p>
Raport financiar		
4B.4	<p>Operatorul economic este în măsură să furnizeze raportul financiar înregistrat, extrase din raportul financiar?</p>	Da
4B.5	<p>Informațiile privind situația economică și financiară sunt disponibile gratuit pentru autorități, dintr-o bază de date națională? Dacă da, specificați informația care ar permite verificarea.</p>	<p>Adresa de internet: text </p> <p>Autoritatea sau organismul emitent(ă): text </p> <p>Referința exactă a documentației: text </p>
C. Capacitatea tehnică și/sau profesională Nu se aplică		
4C.1	<p>Operatorul economic este în măsură să furnizeze documentele solicitate de către autoritatea/entitatea contractantă în anunțul de participare, care demonstrează capacitatea tehnică și/sau profesională pentru executarea viitorului contract.</p>	Da
4C.1.1	<p><i>Informațiile privind capacitatea tehnică și/sau profesională sunt disponibile gratuit pentru autorități, dintr-o bază de date națională? Dacă da, specificați informația care ar permite verificarea.</i></p>	<p><i>Adresa de internet: text/</i></p> <p><i>Autoritatea sau organismul emitent(ă): text/</i></p> <p><i>Referința exactă a documentației: text/</i></p>

	Instalații tehnice și măsuri de asigurare a calității	
4C.2	Operatorul economic este în măsură să furnizeze detalii referitoare la tehnicienii sau organismele tehnice, specificate în anunțul de participare/documentația de atribuire, pe care autoritatea/entitatea contractantă le poate solicita, în special cele responsabile de controlul calității în legătură cu acest exercițiu de achiziție publică?	Da
4C.3	Operatorul economic este în măsură să furnizeze o informație cu privire la sistemele de management și de trasabilitate utilizate în cadrul lanțului de aprovizionare?	
4C.3.1	<i>Informațiile sunt disponibile gratuit pentru autorități, dintr-o bază de date națională? Dacă da, specificați informația care ar permite verificarea.</i>	<i>Adresa de internet:</i> /text/
		<i>Autoritatea sau organismul emitent(ă):</i> /text/
		<i>Referința exactă a documentației:</i> /text/
	Utilaje, instalații și echipament tehnic	Nu se aplică
4C.4	Operatorul economic dispune de utilaje și echipament necesar pentru îndeplinirea corespunzătoare a contractului de achiziție publică?	<input type="checkbox"/> Da <input type="checkbox"/> Nu
4C.5	Operatorul economic este în măsură să furnizeze o informație cu privire la dotările specifice, utilajul și echipamentul necesar pentru îndeplinirea contractului, conform cerințelor stabilite în anunțul de participare și documentația de atribuire?	<input type="checkbox"/> Da <input type="checkbox"/> Nu
	Pregătirea profesională și calificarea personalului	Nu se aplică
4C.6	Operatorul economic are în cadrul întreprinderii personal calificat conform cerințelor stabilite în anunțul de participare sau în documentația de atribuire?	<input type="checkbox"/> Da <input type="checkbox"/> Nu
4C.7	Operatorul economic este în măsură să furnizeze o informație privind personalul de specialitate propus pentru executarea contractului, conform cerințelor stabilite în anunțul de participare și documentația de atribuire?	<input type="checkbox"/> Da <input type="checkbox"/> Nu
4C.8	Indicați efectivele medii anuale de personal angajat din ultimii trei ani de activitate.	Anul text
		Angajați [număr]

		Anul text
		Angajați [număr]
		Anul text
		Angajați [număr]
	Numărul membrilor personalului de conducere	
4C.9	Indicați numărul membrilor personalului de conducere ale operatorului economic pe parcursul ultimilor trei ani.	Anul text
		Persoane [număr]
		Anul text
		Persoane [număr]
		Anul text
		Persoane [număr]
	Mostre, descrieri, fotografii	
4C.10	Operatorul economic este în măsură să furnizeze eşantioane (mostre), descrieri și/sau fotografii ale produselor/serviciilor care urmează să fie furnizate/prestate, conform cerințelor stabilite în documentația de atribuire?	Da
	Pentru contractele de achiziție publică de lucrări	Nu se aplică
4C.11	În perioada de referință, operatorul economic a îndeplinit lucrări specifice sau similare obiectului de achiziție indicat în anunțul de participare și în documentația de atribuire?	
4C.11.1	<i>Dacă Da, enumerați-le specificând descrierea lucrărilor, valoarea lor, data de începere, data procesului verbal de recepție la terminarea lucrărilor, beneficiarul și altă informație relevantă.</i>	/text/
	Pentru contractele de achiziție publică de bunuri	
4C.12	În perioada de referință, operatorul economic a efectuat livrări specifice obiectului de achiziție indicat în anunțul de participare și în documentația de atribuire?	<input type="checkbox"/> Da <input type="checkbox"/> Nu
4C.12.1	<i>Dacă Da, enumerați-le specificând descrierea livrărilor, valoarea lor, data de începere, data furnizării, beneficiarul și altă informație relevantă.</i>	/text/
	Pentru contractele de achiziție publică de servicii	Nu se aplică
4C.13	În perioada de referință, operatorul economic a prestat servicii similare cu obiectul de achiziție indicat în anunțul de participare și în documentația de atribuire?	<input type="checkbox"/> Da <input type="checkbox"/> Nu
4C.13.1	<i>Dacă Da, enumerați-le specificând descrierea serviciilor, valoarea lor, durata de execuție, data</i>	/text/

	<i>începerii, beneficiarul și altă informație relevantă.</i>	
4C.14	În cazul că răspunsul este Da pentru una din întrebările 4C.11 – 4C.13, puteți furniza dovezi prin care se va demonstra îndeplinirea lucrărilor, livrarea bunurilor, prestarea serviciilor similare conform cerințelor documentației de atribuire?	<input type="checkbox"/> Da <input type="checkbox"/> Nu
D. Standarde de asigurare a calității		
4D.1	Operatorul economic este în măsură să furnizeze certificate emise de organisme independente prin care se atestă faptul că operatorul economic respectă standardele de asigurare a calității conform cerințelor stabilite în anunțul de participare și în documentația atribuire?	<input type="checkbox"/> Da <input type="checkbox"/> Nu
4D.2	Informațiile privind standardele de asigurare a calității, sunt disponibile gratuit pentru autorități, dintr-o bază de date națională? Dacă da, specificați informația care ar permite verificarea.	Adresa de internet: text
		Autoritatea sau organismul emitent(ă): text
		Referința exactă a documentației: text
E. Standarde de protecție a mediului Nu se aplică		
4E.1	Operatorul economic este în măsură să furnizeze certificate emise de organisme independente prin care se atestă faptul că operatorul economic respectă standardele de protecție a mediului, conform cerințelor stabilite în anunțul de participare și în documentația de atribuire?	<input type="checkbox"/> Da <input type="checkbox"/> Nu
4E.2	Informațiile privind standardele de protecția mediului, sunt disponibile gratuit pentru autorități, dintr-o bază de date națională? Dacă da, specificați informația care ar permite verificarea.	Adresa de internet: text
		Autoritatea sau organismul emitent(ă): text
		Referința exactă a documentației: text
F. Permitea controlurilor		
4F.1	Operatorul economic permite efectuarea verificărilor de către autoritatea/entitatea contractantă referitor la capacitățile economice și	<input type="checkbox"/> Da <input type="checkbox"/> Nu

	financiare, de producție sau tehnice privind executarea viitorului contract de achiziție publică?	
--	---	--

Capitolul V. Indicații generale pentru criteriile de calificare și selecție

Compartimentul se completează de către autoritatea/entitatea contractantă (coloana nr.2) și operatorii economici (coloana nr.3).

Cod poziție	Conținutul cerințelor	Răspuns
1	2	3
A. Îndeplinirea tuturor criteriilor de selecție impuse		
5A.1	<p>Operatorul economic este în măsură să furnizeze în Sistemul informațional automatizat „Registrul de stat al achizițiilor publice” sau prin mijloace electronice, sau dacă e cazul, pe suport de hârtie autorității contractante: formularele, certificatele, avizele și alte documente indicate de către autoritatea/entitatea contractantă în anunțul de participare și în documentația de atribuire?</p> <p>Termen 3 zile de la solicitare.</p> <p><i>Notă. Numărul de zile se indică de către autoritatea contractantă ținând cont de cantitatea și caracterul documentelor solicitate.</i></p>	Da
5A.2	<p>Informațiile care să îi permită autorității/entității contractante să obțină documentele indicate în anunțul de participare și în documentația de atribuire, sunt disponibile gratuit și direct prin accesarea unei baze de date naționale în orice stat? Dacă da, specificați informația care ar permite verificarea.</p>	<p>Adresa de internet: text </p> <p>Autoritatea sau organismul emitent(ă): text </p> <p>Referința exactă a documentației: text </p>

Capitolul VI. Preselecția candidaților pentru procedura de atribuire a contractului de achiziție publică

Compartimentul se solicită de către autoritatea contractantă doar în cadrul procedurilor de achiziție publică: licitația restrânsă, negociere, dialog competitiv și parteneriatul pentru inovare.

Cod poziție	Conținutul cerințelor	Răspuns
1	2	3
A. Îndeplinirea tuturor criteriilor de selecție impuse		

6A.1	Operatorul economic/candidatul îndeplinește criteriile de selecție stabilite de către autoritatea contractantă în invitația de participare și în documentația de atribuire.	Da
6A.2	Operatorul economic/candidatul dispune și este în măsură să furnizeze în Sistemul informațional automatizat „Registrul de stat al achizițiilor publice” sau prin mijloace electronice, sau dacă e cazul, pe suport de hârtie autorității contractante certificate sau alte forme de documente justificative, după cum este cerut în invitația de participare și în documentația de atribuire.	Da

Capitolul VII. Declarații finale

Operatorul economic declară că informațiile prezentate în capitolele II – V (după caz II-VI) sunt exacte și corect furnizate, cunoscând pe deplin consecințele cazurilor grave de declarații false.

Operatorul economic declară în mod oficial, că poate să furnizeze la solicitarea autorității/entității contractante fără întârziere, certificatele și documentele justificative solicitate, cu excepția cazului în care autoritatea/entitatea contractantă are posibilitatea de a obține documentele justificative în cauză direct prin accesarea unei baze de date relevante, care este disponibilă gratuit, cu condiția că operatorul economic să fi furnizat informațiile necesare (adresa de internet, autoritatea sau organismul emitent(ă), referința exactă a documentației) care să îi permită autorității contractante sau entității contractante să facă acest lucru și se consimte accesul la informațiile menționate, în cazul în care acest lucru este necesar.

Operatorul economic declară în mod oficial că este de acord ca IMSP Institutul Mamei și Copilului (IMC), astfel cum este descrisă în capitolul I secțiunea A să obțină acces la documentele justificative privind informațiile pe care le-a furnizat în acest DUAE în scopul desfășurării procedurii de achiziție [ocds-b3wdp1-MD-1611585746439](https://www.ocsd.md/ocds-b3wdp1-MD-1611585746439).

(Se va completa și semna de către operatorul economic)

Nume: Jighili Tatiana

Funcția: Administrator

Adresa: mun. Chisinau, str. Grenoble 193 of. 1301

Semnătura



CERTIFICAT
privind lipsa sau existența restanțelor față de bugetul public național

Nr.
№

din
от

1. Destinația / Назначение

2. Date despre contribuabil / Информация о налогоплательщике

Denumirea Наименование	Codul fiscal / Numărul de identificare Фискальный код / Идентификационный номер
<input type="text" value="TRIUMF-MOTIV S.R.L."/>	<input type="text" value="1012600021180"/>
Adresa sediului de bază (strada, numărul) Адрес основного месторасположения (улица, номер)	Codul - Denumirea localității Код - Наименование населенного пункта
<input type="text" value="Traian bd. nr.18 bl.1 of.80"/>	<input type="text" value="0110-SEC.BOTANICA"/>

**3. Atestarea lipsei sau existenței restanțelor conform datelor Sistemului Informațional Automatizat /
Подтверждение отсутствия или наличия недоимки согласно данных Информационной автоматизированной системы**

La data emiterii prezentului certificat restanța față de bugetul public național constituie/ На дату выдачи данной справки недоимка перед национальным публичным бюджетом составляет:
0,00 lei/лей.

4. Valabil pînă la / Действителен до 16.02.2021

5. Autentificarea Serviciului Fiscal de Stat / Подтверждение Государственной налоговой службы




Semnătura/Подпись

ANA STOICOV
Numele și prenumele/Фамилия и имя

FORMULARUL OFERTEI (F3.1)

Data depunerii ofertei: „04” decembrie 2021

Procedura de achiziție Nr.: [ocds-b3wdp1-MD-1611585746439](#)

Anunț de participare Nr.: 21035058

Către: IMSP Institutul Mamei și Copilului (IMC)

declară că: «TRIUMF-MOTIV» SRL

a) Au fost examinate și nu există rezervări față de documentele de atribuire, inclusiv modificările nr. _____

b) «TRIUMF-MOTIV» SRL se angajează să presteze, în conformitate cu documentele de atribuire și condițiile stipulate în specificațiile tehnice și preț, următoarele servicii

Mobilier pentru secția ginecologie

c) Suma totală a ofertei fără TVA constituie:

265448,30 (două sute șaiszeci și cinci mii patru sute patruzeci și opt)

d) Suma totală a ofertei cu TVA constituie:

318537,96 (trei sute optsprezece mii cinci sute treizeci și șapte)

e) Prezenta ofertă va rămîne valabilă pentru perioada de timp specificată în FDA3.8., începînd cu data-limită pentru depunerea ofertei, în conformitate cu FDA4.2., va rămîne obligatorie și va putea fi acceptată în orice moment pînă la expirarea acestei perioade;

f) În cazul acceptării prezentei oferte, «TRIUMF-MOTIV» SRL se angajează să obțină o Garanție de bună execuție în conformitate cu FDA6, pentru executarea corespunzătoare a contractului de achiziție publică.

g) Nu sîntem în nici un conflict de interese, în conformitate cu art. 74 din Legea nr. 131 din 03.07.2015 privind achizițiile publice.

h) Compania semnatară, afiliații sau sucursalele sale, inclusiv fiecare partener sau subcontractor ce fac parte din contract, nu au fost declarate neeligibile în baza prevederilor legislației în vigoare sau a regulamentelor cu incidență în domeniul achizițiilor publice.

Semnat:

Nume: Jighili Tatiana

În calitate de: administrator

Ofertantul: *SRL Triumf-Motiv*

Adresa: str. Grenoble 193 of 1301

Data: „11” decembrie 2020

