

 MEDICI



CYSTOSCOPY



ENDOMED



Cystoscopy



ENDOMED



Urology Scopes	page
<i>Cystoscopes</i>	06
<i>Fiber Light Cables</i>	07
Cistoscopy-Urethrotomy	page
<i>Sheaths</i>	08-09
<i>Working Sheaths - Bridges - Albarran - Sealing Cup</i>	10
<i>Laser Sheaths</i>	11
<i>Monopolar Flexible Electrodes - Monopolar cables / adapter</i>	12
<i>Bipolar Flexible Electrodes, Bipolar cables / adapters</i>	13
<i>Flexible/Semirigid Forceps-Scissors, WL 400mm</i>	14-19
<i>Optical Forceps</i>	20
<i>Flexible Stone Extractors</i>	21
Lithotripsy	page
<i>Optical Lithotripsy Forceps/Sheaths</i>	22-23
<i>MAUERMAYER/Optical Lithotripsy Forceps</i>	24-25
Monopolar Resectoscopy	page
<i>Working Elements</i>	27
<i>Sheaths</i>	28-29
<i>Obturators - Cables / adapters</i>	30
<i>HF Electrodes / Cold Preparation Knives</i>	31
<i>Slim Working Elements - 19Ch Slim HF Electrodes</i>	32
<i>Slim Sheaths</i>	33
Laser Resectoscopy	page
<i>Laser Working Elements - Optical forceps for tissue removing after enucleation</i>	34
<i>Optical Forceps for tissue/sheath</i>	35
Bipolar Resectoscopy	page
<i>Bipolar Working Elements</i>	37
<i>Sheaths</i>	38-39
<i>Obturators - Cables</i>	40
<i>24Ch Bipolar HF Electrodes / Cold Preparation Knives</i>	41
<i>Mini Working Elements</i>	42
<i>Mini Sheaths - Obturators / 17Ch Mini HF Electrodes - Cables</i>	43

Cystoscopy

Content

Urethrotomy *page*

<i>Working Elements</i>	44
<i>Sheaths - Working bridges</i>	45
<i>Obturators</i>	46
<i>Cold Knives</i>	46
<i>OTIS Urethrotome</i>	47
<i>Evacuators - Accessories</i>	48

Nephroscopy *page*

<i>Nephroscopes</i>	49
<i>Nephroscopes Forceps</i>	50
<i>Nephroscope Sheaths</i>	51
<i>Mini Nefroscope complete SET</i>	52
<i>Mini Nefroscope - Forceps</i>	53

Uretherorenoscopy *page*

<i>Urethero-renoscopes - Lithotripter Adaptors</i>	54 - 55
<i>Forceps and Scissors</i>	56 - 61

Accessories *page*


<i>Catheter introducers</i>	62
<i>Bougies Dilatings</i>	63
<i>Metal Catheters</i>	63

Pediatric Urology *page*

<i>Endoscopes</i>	64
<i>Cystoscope complete SET</i>	65
<i>Urethrotome Complete SET</i>	66
<i>Resectoscope complete SET</i>	67

Cystoscopes

High-Definition, wide angle
Autoclavable, max.134°C/2,3bar/5min



Medici Endoscope-line consists of high quality telescopes which have been developed according to the most modern technology and production standards. A new generation optic system assures a unique color, contrast and highly defined details reproduction, both in the center of the image and at the edges. A particularly true color reproduction and a markable depth of focus guarantee a natural picture. Distal and proximal sapphire windows provide an extremely high level of scratches resistance.

Diameter 2,9mm

Ordering n°	Ø	Viewing Angle	Working length
40 302 LA.HD	2,9mm	0°	302mm
40 302 LB.HD	2,9mm	12°	302mm
40 302 LE.HD	2,9mm	30°	302mm

Diameter 4,0mm

Ordering n°	Ø	Viewing Angle	Working length
40 302 NA.HD	4,0mm	0°	302mm
40 302 NB.HD	4,0mm	12°	302mm
40 302 ND.HD	4,0mm	25°	302mm
40 302 NE.HD	4,0mm	30°	302mm
40 302 NG.HD	4,0mm	70°	302mm



Olympus
Cystoscope Connection



Wolf Connection



Olympus
Arthroscop Connection




Stryker Connection

Cystoscopy

Fiber Light Cables

Fiber Light Cables, Xenon Safe, Led White Light

Medici Optical Fiber Cable is made to resist and to shield against very high thermic energies especially in the use of **Xenon** light sources due to the fusion of light fiber in the cable itself.
This guarantees **20%** light more in the operating field.



New High Performances White Line-LED Light Cables
New «WhiteLine» LED series Optical Fibers Light Cables have been designed and made up to be used with cutting edge LED Light Sources. By enhancing the trasmission effectiveness of an already well-established and first-choice optical fibers light cable, light output and illumination, when operating with a LED light source togheter with a modern HD telescope, can be visibly and considerably increased.

3,5mm diameter , xenon safe, for Ø 2,9 - 4,0mm scopes

Xenon	LED	Working length	Xenon	LED	Working length
49 180 X	49 180 XL	1800mm	49 300 X	49 300 XL	3000mm
49 230 X	49 230 XL	2300mm	49 400 X	49 400 XL	4000mm
49 250 X	49 250 XL	2500mm	49 500 X	49 500 XL	5000mm

4,9mm diameter , xenon safe, for Ø 10,00mm scopes

Xenon	LED	Working length	Xenon	LED	Working length
49 180 P	49 180 PL	1800mm	49 300 P	49 300 PL	3000mm
49 230 P	49 230 PL	2300mm	49 400 P	49 400 PL	4000mm
49 250 P	49 250 PL	2500mm	49 500 P	49 500 PL	5000mm

Adaptors for optic fiber light cables

Ordering n°	Projector end	Description	Ordering n°	Instrument end
49 110 A		Medici/Storz	49 010 A	
49 110 B		Acmi/Stryker	49 010 B	
49 110 C		Wolf/Dyonics	49 010 C	
49 110 D		Olympus/Acme		
49 110 F		Olympus new	49 010 F	

ENDOMED

Cystoscopy

Cysto-Urethroscope Sheaths



Cysto-Urethroscope sheaths for adults, with 2 fixed stopcocks, for Ø 2,9/4,0 - w/302mm Scopes, continuous flow.

System	Colour	Ø	Sheath only	Obturator only	Sheath QL	Obturator QL	Endoscope
4104109	Black	15 Ch	4104009	4114009			Ø 2,9 mm
4110108	Black	16 Ch			4101008	4111008	Ø 2,9 mm
4103110	Yellow	17 Ch	4103010	4113010			Ø 4,0 mm
4110110	Yellow	17 Ch			4101010	4111010	Ø 4,0 mm
4103111	Green	19 Ch	4103011	4113011			Ø 4,0 mm
4110111	Green	19 Ch			4101011	4111011	Ø 4,0 mm
4103112	Red	21 Ch	4103012	4113012			Ø 4,0 mm
4110112	Red	21 Ch			4101012	4111012	Ø 4,0 mm
4103113	Blue	23 Ch	4103013	4113013			Ø 4,0 mm
4110113	Blue	23 Ch			4101013	4111013	Ø 4,0 mm
4103114	White	25 Ch	4103014	4113014			Ø 4,0 mm
4110114	White	25 Ch			4101014	4111014	Ø 4,0 mm



Visual Obturator

Ordering n°	Ordering QL n°	Colour	Ø
4114039	4111039	Black	15 Ch
4113040	4111040	Yellow	17 Ch
4113041	4111041	Green	19 Ch
4113042	4111042	Red	21 Ch
4113043	4111043	Blue	23 Ch
4113044	4111044	White	25 Ch



Ordering n°	Description
4133060	Cystoscope adapter for female urethroscope

ENDOMED

Cystoscopy

Cysto-Urethroscope Sheaths



Cysto-Urethroscope sheaths for adults, with central valve, for Ø4,0mm WL302mm Scopes, continuous flow.

System	Colour	Ø	Sheath only	Obturator only	Sheath QL	Obturator QL
4105115	Yellow	17 Ch	4105015	4113010		
4110115	Yellow	17 Ch			4102015	4111010
4105116	Green	19 Ch	4105016	4113011		
4110116	Green	19 Ch			4102016	4111011
4105117	Red	21 Ch	4105017	4113012		
4110117	Red	21 Ch			4102017	4111012
4105118	Blue	23 Ch	4105018	4113013		
4110118	Blue	23 Ch			4102018	4111013
4105119	White	25 Ch	4105019	4113014		
4110119	White	25 Ch			4102019	4111014



Visual Obturator

Ordering n°	Ordering QL n°	Colour	Ø
4113040	4111040	Yellow	17 Ch
4113041	4111041	Green	19 Ch
4113042	4111042	Red	21 Ch
4113043	4111043	Blue	23 Ch
4113044	4111044	White	25 Ch

Cysto-Urethroscope Working-Sheath Bridges



Ordering n°	Ordering QL n°	Description
4115020	4111020	Diagnostic Endoscope bridge
4115021	4111021	Endoscope bridge, with 1 Instrument channel, 12 Ch
4115022	4111022	Endoscope bridge, with 2 Instrument channels, 12 Ch



Ordering n°	Ordering QL n°	Description
4115030	4111030	Albarran Working Element with deflector and 1 Ø 12 Ch Instrument channel, with notches
4115035		Albarran Working Element with deflector and 1 Ø 12 Ch Instrument channel, with continuous movement
4115032		Protection Rod for Albarran




Ordering n°	Ordering QL n°	Description
4115031	4111031	Albarran Working Element with deflector and 2 Ø 12 Ch Instrument channels, with notches
4115036		Albarran Working Element with deflector and 2 Ø 12 Ch Instrument channels, with continuous movement
4115032		Protection Rod for Albarran

Ordering n°	Description
090 -100	Sealing Cup



Cystoscopy

Laser Cysto-Urethroscope Sheaths



Laser cystoscope-urethroscope sheath, continuous flow, with standard obturator, quick lock system, for 4mm 30° Scope

System	Colour	Ø	Sheath only	Obturator only
4106100	Blue	23 Ch	4106000	4116003



Visual obturator, for laser cystoscope-urethroscope sheath

Ordering n°	Colour	Ø
4116001	Blue	23 Ch



Working Insert for continuous flow Laser Cystoscope Urethroscope-Sheath with 8Ch working channel, colour code blue

Ordering n°	Colour	Ø
4116002	Blue	23 Ch

Albarran deflector for laser cystoscope

Ordering n°	Colour	Ø
4116004	Albarran Working Element with deflector and 1 Instrument channels.	
4116005	Albarran Working Element with deflector and 2 Instrument channels.	

Monopolar Flexible Electrodes



Flexible loop monopolar electrode



Flexible needle monopolar electrode



Flexible button monopolar electrode



WL 470mm	Ø	WL 670mm	Ø
4323090	5 Ch	4323090L	5 Ch
4323091	7 Ch	4323091L	7 Ch
4323092	9 Ch	4323092L	9 Ch

WL 470mm	Ø	WL 670mm	Ø
4323082	3 Ch	4323082L	3 Ch
4323088	5 Ch	4323088L	5 Ch
4323089	7Ch	4323089L	7 Ch

WL 470mm	Ø	WL 670mm	Ø
4323083	3 Ch	4323083L	3 Ch
4323084	4 Ch	4323084L	4 Ch
4323085	5 Ch	4323085L	5 Ch
4323086	6 Ch	4323086L	6 Ch
4323087	7 Ch	4323087L	7 Ch
4323094	8 Ch	4323094L	8 Ch
4323093	9 Ch	4323093L	9 Ch
4323095	10 Ch	4323095L	10 Ch

Monopolar Cables with 2mm HF connection



Ø 6mm Medici



Ø 4mm Martin/Berchthold



Ø 5mm Erbe/STORZ



Ø 8mm Valleylab/Bovie

Length	Ording n°	Ording n°	Ording n°	Ording n°
3mt	2373068	2373066	2373069	2373067
5mt	2375068	2375066	2375069	2375067

Adapter	Ording n°
---------	-----------

Monopolar adapter
Medici / Ø 2-8mm



2370016

Cystoscopy

Bipolar Flexible Electrodes



Ordering n°	Ø	WL
4323237	5 Ch	360mm



Flexible straight needle bipolar electrode

Ordering n°	Ø	WL
4323236	5 Ch	360mm



Flexible needle bipolar electrode

Ordering n°	Ø	WL
4323235	5 Ch	360mm



Flexible button bipolar electrode

Bipolar Cables



Martin

Ordering n°	Side plug, generator	Length
2373003	Martin	3mt
2375003	Martin	5mt
2373001	2 Banana	3mt
2375001	2 Banana	5mt



2 Banana Ø 4mm



Valleylab

Ordering n°	Side plug, generator	Length
2373004	Valleylab	3mt
2375004	Valleylab	5mt
2373002	Erbe	3mt
2375002	Erbe	5mt



Erbe



Medici

Ordering n°	Side plug, generator	Length
2373093	Medici	3mt
2375093	Medici	5mt

Bipolar adapters



Ordering n°	Side plug, generator
2370017	Medici/Martin
2370018	Medici/Erbe
2370019	2 Banana 4mm




ENDOMED

Cystoscopy

Cysto-Urethroscope Forceps, wl400mm



Fix handle system
With spring




Biopsy Oval Cup Sharp




Grasping forceps, interlocking teeth, concave, short, for stone street



Alligator



3-Prongs Retriever



Flexible	Semi Rigid	Ø Ch	Ø mm
42004008	42004008S	2,5	0,8
42004010	42004010S	3,0	1,0
42004012	42004012S	3,5	1,2
42004014	42004014S	4,0	1,4
42004016	42004016S	5,0	1,6
42004021	42004021S	6,0	2,1
42004023	42004023S	7,0	2,3
42004030	42004030S	9,0	3,0

Flexible	Semi Rigid	Ø Ch	Ø mm
42074012	42074012S	3,5	1,2
42074016	42074016S	5,0	1,6
42074023	42074023S	7,0	2,3

Flexible	Semi Rigid	Ø Ch	Ø mm
42044008	42044008S	2,5	0,8
42044010	42044010S	3,0	1,0
42044012	42044012S	3,5	1,2
42044014	42044014S	4,0	1,4
42044016	42044016S	5,0	1,6
42044023	42044023S	7,0	2,3
42044030	42044030S	9,0	3,0

Flexible	Semi Rigid	Ø Ch	Ø mm
42094010	42094010S	3,0	1,0
42094016	42094016S	5,0	1,6
42094023	42094023S	7,0	2,3

ENDOMED

Cystoscopy

Cysto-Urethroscope Forceps, w/400mm




Fix handle system
With spring

Flexible	Semi Rigid	Ø Ch	Ø mm
42084012	42084012S	3,5	1,2
42084016	42084016S	5,0	1,6

Flexible	Semi Rigid	Ø Ch	Ø mm
42254012	42254012S	3,5	1,2
42254016	42254016S	5,0	1,6
42254023	42254023S	7,0	2,3

Flexible	Semi Rigid	Ø Ch	Ø mm
42014010	42014010S	3,0	1,0
42014012	42014012S	4,0	1,3
42014016	42014016S	5,0	1,6
42014021	42014021S	6,0	2,1
42014023	42014023S	7,0	2,3
42014030	42014030S	9,0	3,0

Flexible	Semi Rigid	Ø Ch	Ø mm
42024023	42024023S	7,0	2,3
42024030	42024030S	9,0	3,0




Grasping forceps, long, for stone street



Stone fragments
Grasping Forceps




Single action Scissors



Single action
Hook Scissors

Optical Instruments



Optical Instruments with Coated Handle
for Ø4,0mm-wl302mm Scopes

	Ordering n°	QUICK LOCK n°	Description	for Scope
	4133050	4131050	Optical biopsy spoon forceps, 4,3mm, double action jaws	Ø 4,0 mm, 0/12°, wl 302 mm
	4133051	4131051	Optical grasping forceps, serrated, double action jaws	Ø 4,0 mm, 0/12°, wl 302 mm
	4133052	4131052	Optical biopsy punch forceps, cutting, double action jaws	Ø 4,0 mm, 0/12°, wl 302 mm
	4133053	4131053	Optical biopsy forceps with short jaws 2,3mm double action jaws	Ø 4,0 mm, 70°, wl 302 mm
	4133054	4131054	Optical biopsy forceps with short jaws 2,3mm, double action jaws	Ø 4,0 mm, 12/30°, wl 302 mm
	4133055	4131055	Optical scissor, hook shaped, double action jaws	Ø 4,0 mm, 0/12°, wl 302 mm
	4133065	4131065	Grasping forceps for Stents, double action jaws	Ø 4,0 mm, 0/12°, wl 302 mm
	4133058	4131058	Optical Forceps Adapter, for outer 26Ch resectoscope-sheath	
	4133059	4131059	Optical Forceps Adapter, for resectoscope-sheath	

for sheaths check cystoscope pages

Cystoscopy

Flexible Loops Stone Extractor/Injection cannula



Ordering n°	Description	Ordering n°	Description
4133552	Stone extractor with 4 wires w/o handle, 5Ch, 600mm	4360559	Teflon Tubing
4133553	Stone extractor with 4 wires w/o handle, 7Ch, 600mm	4360561	Teflon 3Ch tubing
4133554	Stone extractor with 5 wires w/o handle, 5Ch, 600mm	4360550.3	Handle for 3Ch stone extractor
4133554A	Stone extractor with 5 wires w/o handle, 7Ch, 600mm	4360550.5	Handle for 5Ch stone extractor
4133555	Stone extractor with 6 wires w/o handle, 5Ch, 600mm	4360550.7	Handle for 7Ch stone extractor
4133555A	Stone extractor with 6 wires w/o handle, 7Ch, 600mm		
4133560	Stone extractor with 4 wires w/o handle, 3Ch, 600mm		
4133560A	Stone extractor with 4 wires w/o handle, 3Ch 900mm		
4133560B	Stone extractor with 4 wires w/o handle, 3Ch 1200mm		



Ordering n°	Description
4133556	Flexible Injection Cannula with luer lock connection for Ø 6Ch (2,0mm) working channels, working lenght 500 mm

ENDOMED

Optical Lithotripsy Forceps



Optical stone grasping forceps for lithotripsy of small stones or capturing of stone fragments after therapy with lithotripter, quick lock connection, for Ø4,0mm wL302mm 12/30° scopes.

Bayonet n°	Quick Lock n°	Description
4133056	4131056	Optical Stone Punch, for removal of small stones fragments only



for WL302mm Scopes, continuous flow

System	Colour	Ø	Sheath only	Obturator only
4103114	White	25 Ch	4103014	4113014




Cysto-Urethroscope sheaths for adults, with central valve, for Ø4,0mm WL302mm Scopes, continuous flow

System	Colour	Ø	Sheath only	Obturator only
4105119	White	25 Ch	4105019	4113014


Cystoscopy

Sheath for Lithotripsy Forceps



Continuous Flow outer sheath, double sheath system, quick-lock, with 2 stopcocks, with obturator, 24/26Ch

Ordering n°	Description
4417122A	Fixed outer sheath, all around perforations, 26Ch
4417127A	Rotatable outer sheath, all around perforations, 26Ch



Standard sheath with central valve, quick-lock, **oblique sheath end**

System	Sheath	Ø	Obturator
4417153	4417152	27Ch	4417123



Standard sheath, with 1 stopcock, **oblique sheath end**, quick-lock

System	Sheath	Ø	Obturator
4417118	4417116	27Ch	4417123



Adapter for Optical Punch, with resectoscope sheath


Ordering n°	Description
4133059	Adapter for Optical Stone Punch, with resectoscope sheath
4131059	Adapter for Optical Stone Punch, QL, with resectoscope sheath

Cystoscopy


Lithotripsy Stone Punch



Ordering n°	Description
4201077	Working Element for Punch Lithotripsy, (MAUERMAYER), quick lock device



System	Colour	Ø	Sheath only	Obturator only
4211181	Blue	23 Ch	4211081	4211080




System	Colour	Ø	Sheath only	Obturator only
4211178	Blue	23 Ch	4211078	4211080



Ordering n°	Description
4211079	Telescope adapter with 7Ch Instrument channel, for flexible instruments only, quick lock device


Cystoscopy

Lithotripsy Stone Forceps



Cystoscopy Lithotripter/Stone crusher
with handle and screw mechanism

Ordering n°	Description
4133076	Optical Stone Forceps



DETACHABLE


All sheaths and working elements can be ordered with bayonet connection or Quick Lock connection



Bayonet connection sheaths



Quick-Lock connection sheaths



Bayonet connection working element



Quick-Lock connection working element

Cystoscopy

Monopolar Resectoscope Working Elements for Ø4,0mm Scopes



Ordering n°	Description	Scope
4403100	Working Element, passive action, closed handle, 24-26Ch / 27-28,5Ch, Bayonet connection	Ø 4mm, WI302mm, 0°-12°-30°
4401100	Working Element, passive action, closed handle, 24-26Ch /27-28,5Ch, Quick-Lock connection	Ø 4mm, WI302mm, 0°-12°-30°



Ordering n°	Description	Scope
4403110	Working Element, active action, closed handle, 24-26Ch / 27/28,5Ch, Bayonet	Ø 4mm, WI302mm, 0°-12°-30°
4401110	Working Element, active action, closed handle, 24-26Ch / 27/28,5Ch, Quick-Lock	Ø 4mm, WI302mm, 0°-12°-30°


Cystoscopy

Resectoscope Sheaths



Standard sheath, with 1 stopcock, **oblique sheath end**, with obturator

System	Sheath	Ø	Obturator
4413117	4413115	24Ch	4413123
4413118	4413116	27Ch	4413123



Standard sheath with central valve, **oblique sheath end**, with obturator

System	Sheath	Ø	Obturator
4413151	4413150	24Ch	4413123
4413153	4413152	27Ch	4413123


Cystoscopy

Resectoscope Sheaths



Continuous Flow sheath, double sheath system, with 2 stopcocks, **ROTATABLE**, oblique shaft 30° end, with obturator, 24/26Ch

System	Inner sheath	Inner Tip	Outer sheath	Outer sheath Model	
4413125	4413126	Obblique	4413127A	all around perforations	
4413125A	4413126A	Straight	4413127B	long holes all around, perforations	
			4413127C	long holes upper perforations	
			4413127D	upper and lower perforations	
			4413127E	upper perforations	
			4413127F	extra small holes all around perforations	
Obturator		4413123			



Continuous Flow sheath, double sheath system, with 2 stopcocks, **FIXED**, oblique shaft 30° end, with obturator, 24/26Ch

System	Inner sheath	Inner Tip	Outer sheath	Outer sheath Model	
4413120	4413121	Obblique	4413122A	all around perforations	
4413120A	4413121A	Straight	4413122B	all around, long holes perforations	
			4413122C	upper/lower perforations	
Obturator		4413123			

For Quick-Lock sheaths refer to bipolar system

ENDOMED

Resectoscope Obturators



Ordering n°	Description
4413130	Deflecting tip 24Ch obturator, yellow
4413131	Deflecting tip 27Ch obturator, yellow




Ordering n°	Description
4413137	24Ch Visual Obturator with 6Ch Instrument channel, yellow
4413138	27Ch Visual Obturator with 9Ch Instrument channel, black



Ordering n°	Description	Ordering n°	Description
4413139	24Ch Visual Obturator, yellow	4413134	27Ch Visual Obturator, black

Monopolar Cables with 2 mm HF connection



Length	Ordering n°	Ordering n°	Ordering n°	Ordering n°
3mt	-	2373066	2373069	2373067
5mt	2375068	2375066	2375069	2375067

Adapter	Ordering n°
Monopolar adapter Medici / Ø 2-8mm	2370016



Cystoscopy

Monopolar Resectoscope HF Electrodes



Monopolar Resectoscope HF Electrodes

Description	24Ch Yellow	27Ch Brown	
HF 30° angled Loop Electrode, for 30°scope, cutting wire 0,35mm	4423200	4423201	
HF Loop Electrode, straight cutting wire 0,35mm	4423202	4423212	
HF Loop Electrode, 90°angled, for 0° scope, cutting wire 0,35mm	4423213	4423214	
HF Knife Electrode	4423203	4423203A	
HF Ball Electrode, 3mm	4423204	4423204A	
HF Ball Electrode, 5mm	4423205	4423205A	
HF coagulating cylinder Electrode, 3mm	4423206	4423206A	
HF coagulating cylinder Electrode, 5mm	4423207	4423207A	
HF Cone shaped Electrode	4423208		
HF Spiked Vapor electrode, 3mm	4423215	4423215A	
HF Spiked Vapor electrode, 5mm	4423216	4423216A	
HF Vaporisation Electrode, 3mm	4423217	4423217A	
HF Vaporisation Electrode, 5mm	4423218	4423218A	
HF Needle Electrode	4423225		
HF smooth band-Electrode for 0°scope	4423226		
HF smooth band Electrode for 30°scope	4423230		
HF Band-Vaporisation Electrode	4423228		
Curette, sharp	4423220		
Curette, blunt	4423227		
Preparation Cold Knife, Straight	4321341		
Preparation Cold Knife, 90°	4321342		
Preparation Cold Knife H, 90°	4321345		



Sterilization stainless steel tube for Electrodes and cold knives 4423990

ENDOMED

Slim Monopolar Resectoscope Working Elements for Ø2,9mm Scopes/Slim Resectoscope HF Electrodes



Ordering n°	Description	Scope
4402100	Working Element, passive action, closed handle, SLIM, 19-22Ch	Ø 2,8mm, WI302mm, 12°
4402110	Working Element, active action, closed handle, SLIM, 19-22Ch	Ø 2,8mm, WI302mm, 12°




Monopolar Resectoscope HF Electrodes

	Description	19Ch
	HF 30° angled Loop Electrode, for 30°scope, cutting wire 0,35mm	4422200
	HF Loop Electrode, straight, cutting wire 0,35mm	4422202
	HF Knife Electrode	4422203
	HF 3mm Ball Electrode	4422204
	HF Cylinder Electrode	4422206
	HF 90° angled Loop Electrode, for 0°scope, cutting wire 0,35mm	4422213
	HF Vaporisation Electrode	4422217


Cystoscopy

Slim Resectoscope Sheaths



Continuous Flow sheath, double sheath system, with 2 stopcocks, **ROTATABLE**, oblique shaft end, without obturator, 19/22Ch.

System	Inner sheath	Outer sheath	Model	Obturator
4412125	4412126	4412127	all around perforations	4412123



Continuous Flow sheath, double sheath system, with 2 stopcocks, **FIXED**, oblique shaft end, without obturator, 19/22Ch.

System	Inner sheath	Outer sheath	Model	Obturator
4412120	4412121	4412122	all around perforations	4412123




Sheath	Description	Obturator
4412115	Standard Resectoscope sheath, with 1 stopcock, oblique shaft end, without obturator, 19Ch.	4412123




Sheath	Description
4412135	Visual Obturator for 19Ch resectoscope sheath.

Cystoscopy

Laser Resectoscope



Ordering n°	Description
4404100/0,8	Laser Working Element, passive action, for Ø4,0mm scopes for flexible laser probe until 0,8 mm
4404100/1,2	Laser Working Element, passive action, for Ø4,0mm scopes for flexible laser probe until 1,2 mm
4404110/0,8	Laser Working Element, passive action, for Ø2,9mm scopes for flexible laser probe until 0,8 mm
4404110/1,2	Laser Working Element, passive action, for Ø2,9mm scopes for flexible laser probe until 1,2 mm
4404111	Luer Lock Connector
4404111L	Long Luer Lock Connector



Ordering n°	Description
4404100	Laser Working Element, passive action, without button, for Ø4,0mm scopes
4404050	Laser Working sheath, for Ø4,0mm scopes, for Laser probes (up to 0,7mm)
4404100A	Laser probe guiding channel for Laser probes (up to 0,8mm)
4404100B	Laser probe guiding channel for Laser probes (up to 1,0mm)
4404100C	Laser probe guiding channel for Laser probes (up to 1,2mm)
4404100D	Laser probe guiding channel for Laser probes (up to 1,5mm)
4404118	Fiber stop, T-B adapter with 3 silicon seals Long Luer Lock Connector

ENDOMED

Cystoscopy

Optical Forceps for tissue/Sheath




Optical forceps for tissue removing after enucleation, to be used with following sheaths, for Ø4,0mm w/302mm 12/30° Scopes

Ordering n°	Description
4413000	Optical forceps for tissue removing after enucleation
4413120	Courette for tissue removing Ø24Ch



Continuous Flow outer sheath, double sheath system, quick-lock, with 2 stopcocks, **FIXED/ROTATABLE**, with obturator, 26Ch

	Description
Fixed outer sheath, all around perforations, 26Ch	4417122A
Rotatable outer sheath, all around perforations, 26Ch	4417127A



Standard sheath with central valve, quick-lock, **oblique sheath end**

27Ch	4417152	4417123
------	---------	---------




Standard sheath, with 1 stopcock, **oblique sheath end**, quick-lock

27Ch	4417116	4417123
------	---------	---------

All sheaths and working elements can be ordered with bayonet or quick lock connection




Bayonet connection sheaths



Bayonet connection
working element




Quick-Lock connection
sheaths



Quick-Lock connection
working element

Cystoscopy

Bipolar Resectoscope Working Elements for Ø4,0mm Scopes



Ordering n°	Description	Scope
4407100	Bipolar Working Element, passive action, closed handle, quick lock connection, for adult, 24-26Ch / 27-28,5Ch	Ø 4mm, Wl302mm, 0°-12°-30°
4407100STO	Bipolar Working Element, passive action, closed handle, Bayonet connection, for adult, 24-26Ch / 27-28,5Ch	Ø 4mm, Wl302mm, 0°-12°-30°




Ordering n°	Description	Scope
4407110	Bipolar Working Element, active action, closed handle, quick lock, 24/26Ch 27/28,5Ch	Ø 4mm, Wl302mm, 0°-12°-30°
4407110STO	Bipolar Working Element, active action, closed handle, bayonet, 24/26Ch 27/28,5Ch	Ø 4mm, Wl302mm, 0°-12°-30°

Resectoscope Quick-Lock Sheaths



Continuous Flow sheath, double sheath system, quick-lock, with 2 stopcocks, **FIXED**, oblique shaft end, with obturator, 24/26Ch

System	Inner sheath	Inner Tip	Outer sheath	Outer sheath Model	
4417120	4417121	Obblique	4417122A	all around perforations	
4417120A	4417121A	Straight	4417122D	upper/lower perforations	
			4417122B	all around, long holes perforations	
Obturator			4417123		



Continuous Flow sheath, double sheath system, quick-lock, with 2 stopcocks, **ROTATABLE**, oblique shaft end, with obturator, 24/26Ch.


System	Inner sheath	Inner Tip	Outer sheath	Outer sheath Model	
4417125	4417126	Obblique	4417127A	all around perforations	
4417125A	4417126A	Straight	4417127B	all around, long holes perforations	
			4417127C	long holes upper perforations	
			4417127D	upper and lower perforations	
			4417127E	upper perforations	
			4417127F	all around/extra small holes perforations	
Obturator			4417123		

For Bayonet connector sheaths refer to Monopolar system

ENDOMED

Cystoscopy

Resectoscope Sheaths, Quick-Lock



Standard sheath with central valve, quick-lock, **oblique sheath end**

System	Sheath	Ø	Obturator
4417151	4417150	24Ch	4417123
4417153	4417152	27Ch	4417123



Standard sheath, with 1 stopcock, **oblique sheath end**, quick-lock

System	Sheath	Ø	Obturator
4417117	4417115	24Ch	4417123
4417118	4417116	27Ch	4417123

Cystoscopy

Resectoscope Obturators



Description	Quick-Lock	Bayonet
Deflecting tip 24Ch Obturator, yellow	4417130	4413130
Deflecting tip 27Ch Obturator, black	4417131	4413131



Description	Quick-Lock	Bayonet
24Ch Visual Obturator with 6Ch Instrument channel, yellow	4417137	4413137
27Ch Visual Obturator with 9Ch Instrument channel, black	4417138	4413138




Description	Quick-Lock	Bayonet
24Ch Visual Obturator, yellow	4417139	4413139
27Ch Visual Obturator, black	4417134	4413134



Resectoscope Bipolar Cables

Ordering n°	Description	Ordering n°	Description
2375079	Medici Bipolar cable, 5mt	2373080	Valleylab Bipolar cable, 3mt



Cystoscopy

Bipolar Resectoscope HF Electrodes



Bipolar Resectoscope HF Electrodes

24Ch TC	24Ch PT	24Ch STO	22Ch WF	24Ch OLY	Description
4427200	4427220	4427200STO	4427240	4427230M	HF 30°angled, Loop Electrode for 30°scope, cutting wire 0,35mm, MEDIUM size
4427200/B					HF 30°angled, Loop Electrode for 30°scope, cutting wire 0,30mm, MEDIUM size
4427200/04					HF 30°angled, Loop Electrode for 30°scope, cutting wire 0,40mm, MEDIUM size
4427202	4427222	4427202STO		4427232	HF Loop Electrode, straight, cutting wire 0,35mm
4427213	4427226	4427213STO	4427241	4427235	HF Loop Electrode, 90°angled, for 0° scope, cutting wire 0,35mm
4427203		4427203STO	4427243	4427233	HF Knife Electrode
4427204		4427204STO		4427234	HF Ball Electrode, 3mm
4427206		4427206STO	4427246	4427236	HF Vaporitation Electrode



24Ch OLY	Description
4427230M	HF 30°angled, Loop Electrode for 30°scope, cutting wire 0,35mm, MEDIUM size
4427230S	HF 30°angled, Loop Electrode for 30°scope, cutting wire 0,35mm SMALL size
4427230L	HF 30°angled, Loop Electrode for 30°scope, cutting wire 0,35mm, LARGE size
4427231M	HF 12° angled, Loop Electrode for 12° scope, cutting wire 0,35mm MEDIUM size
4427231S	HF 12° angled, Loop Electrode for 12° scope, cutting wire 0,35mm SMALL size
4427231L	HF 12° angled, Loop Electrode for 12° scope, cutting wire 0,35mm, LARGE size



24Ch OLY	Description
4427237M	HF 45° angled, Loop Electrode for 30° scope, cutting wire 0,35mm MEDIUM size
4427237S	HF 45° angled, Loop Electrode for 30° scope, cutting wire 0,35mm SMALL size
4427237L	HF 45° angled, Loop Electrode for 30° scope, cutting wire 0,35mm, LARGE size


24Ch GYR	Description
4427250	HF 30°angled, Loop Electrode for 30°scope, cutting wire 0,35mm, Use with Gyrus super Pulse Generator only.




Description	Ordering n°
Sterilization stainless steel tube for Electrodes and cold knives	4423990

ENDOMED

Mini Bipolar Resectoscope Working Elements for Ø2,9mm Scopes



Ordering n°	Description
4408100	Bipolar Working Element, passive action, closed handle, quick-lock, for 17,0Ch - 17,5/18,5Ch. Sheaths, Ø 2,9mm, WI 302mm, 0°-12°-30° Scope



Continuous Flow sheath, double sheath system, with 2 stopcocks, oblique shaft end

ROTATABLE System	Inner sheath	Inner Tip	Outer sheath	Obturator
4418125	4418126	Oblique	4418127	4418123

FIX System	Inner sheath	Inner Tip	Outer sheath	Obturator
4418120	4418121	Oblique	4418122	4418123

Cystoscopy

Resectoscope Sheaths



System	Sheath	Ø	Obturator
4418117	4418115	17Ch	4418123



Bipolar Resectoscope HF Electrodes


Description	24Ch Yellow
HF 30° angled Loop Electrode, for 30°scope, cutting wire 0,35mm	4428200
HF 30° angled Loop Electrode, for 30°scope, cutting wire 0,30mm	4428200/0,3
HF Loop Electrode, straight cutting wire 0,35mm	4428202
HF 90° angled Loop Electrode, for 0°scope, cutting wire 0,35mm	4428213
HF Knife Electrode	4428203
HF Ball Electrode, 3mm	4428204



Resectoscope Bipolar Cables



Ordering n°	Description	Ordering n°	Description
2375079	Medici Bipolar cable, 5mt	2373080	Valleylab Bipolar cable, 3mt



Bipolar adapters

Ordering n°	Side plug, generator
2370017	Medici/Martin
2370018	Medici/Erbe
2370019	2 Banana 4mm



Urethrotome Working Element for Ø4,0mm Scopes



Sachse Urethrotome

Do not use with HF energy!!

Ordering n°	Description	Scope
4403100	Working Element, passive action, closed handle, with guide tube for cold knives, for adult	Ø 4mm, WI302mm, 0°
4403101	Working Element, passive action, open handle, with guide tube for could knives, for adult	Ø 4mm, WI302mm, 0°
4303100	Working element, passive, for 15,5Ch Urethrotome, without HF connector	Ø 2,9mm, WI302mm, 0°



Ordering n°	Description	Scope
4311400	21Ch Urethrotome sheath with lateral catheter insertion, 5Ch, w/o Obturator, for adult	Ø 4,0mm, WL 302mm, 0°
4313450	15,5Ch Urethrotome sheath with lateral catheter insertion, 3Ch, w/o Obturator to be used with 4303100	Ø 2,9mm, WL 302mm, 0°

Cystoscopy

Urethrotome Sheaths



Ordering n°	Description	Scope
4311403	Outer Sheath, half round for placing balloon catheter, slides to be used with 21 Ch sheath (4311400)	Ø 4,0mm, WI 302mm, 0°



Ordering n°	Description	Scope
4311404	Continuous flow 21Ch outer sheath, optional for Continuous flow, slides over 4311400	Ø 4,0mm, WI 302mm, 0°



Ordering n°	Description	Scope
4311402	Telescope adapter with 1 Instrument channel for 5Ch flexible Instruments to be used with 21Ch sheath	Ø 4,0mm, WI 302mm, 0°
4312402	Telescope adapter with 1 Instrument channel for 5Ch flexible Instruments to be used with 17Ch sheath	Ø 2,9mm, WI 302mm, 0°
4313454	Telescope adapter 1 Instrument channel for 5Ch flexible Instruments to be used with 15,5Ch sheath	Ø 2,9mm, WI 302mm, 0°
090-100	Sealing Cup 10pcs	

Urethrotome Obturators-Knives



Ordering n°	Description
4311405	Standard Obturator
4312401	Standard obturator for 7Ch Urethrotome sheath
4313451	Standard obturator for 5Ch Urethrotome sheath



Ordering n°	Description	Scope
4311406	Visual Obturator	Ø 4mm, WI302mm, 0°




Ordering n°	Description	Scope
4311401	Hollow obturator with central channel, for insertion of guiding catheter	Ø 4mm, WI302mm, 0°




Description	21Ch	17/15Ch
Cold Knife, Straight	4321410	4323410
Cold Knife, Round	4321411	4323411
Cold Knife, Straight Serrated	4321412	4323412
Cold Knife, ring-like	4321413	4323413
Cold Knife, Hook-like	4321414	4323414
Cold Knife, Sickle-like	4321415	

Cystoscopy

Urethrotome and Accessories



Ordering n°	Description
166-1702-00	OTIS Urethrotome Dilator SET, 2 Knives, 3 different Tips in a wooden case



Ordering n°	Description
166-1702-01	OTIS Urethrotome



Ordering n°	Description
166-1702-02	Ball Tip for OTIS Urethrotome
166-1702-03	Flat Tip for OTIS Urethrotome
166-1702-04	Conical Tip for OTIS Urethrotome



Ordering n°	Description
166-1702-99	Knife for OTIS Urethrotome

Cystoscopy

Accessories



Ordering n°	Description
4133500	Evacuator (Glass bulb + Rubber bulb) w/o sheath connector
4133504	Glass Bulb
4133505	Rubber Bulb



Ordering n°	Description
4133502	Sheath connector, simple with tubing
4133503	Sheath connector with locking device and tubing
4133503A	Sheath connector with tubing, QUICK-LOCK device
4133058	Sheath connector, QUICK-LOCK device to BAYONET



Ordering n°	Description
4133507	Bladder Syringe 50ml with connector
4133507A	Bladder Syringe 75ml with connector
4133507B	Bladder Syringe 100ml with connector
4133507C	Bladder Syringe 150ml with connector
4133507D	Bladder Syringe 200ml with connector
4133507Q	Bladder Syringe 50ml with quick-lock device
4133507AQ	Bladder Syringe 75ml with quick-lock device
4133507BQ	Bladder Syringe 100ml with quick-lock device
4133507CQ	Bladder Syringe 150ml with quick-lock device
4133507DQ	Bladder Syringe 200ml with quick-lock device


Cystoscopy

Nephroscopes



*High Definition, Autoclavable,
max.134°C/2,2bar/5min*

Ordering n°	Description
45200YO	Medici Nephroscope, 45° angled ocular, 6° vision angle, WL 200mm, Ø5 mm working channel, 80° field of view (+/-5°), autoclavable
45200YC	Medici Nephroscope, 45° angled ocular, 15° vision angle, WL 200mm, Ø5 mm working channel, 80° field of view (+/-5°), autoclavable
45250YO	Medici Nephroscope, 45° angled ocular, 6° vision angle, WL 250mm, Ø5 mm working channel, 70° field of view (+/-5°), autoclavable
45250YC	Medici Nephroscope, 45° angled ocular, 15° vision angle, WL 250mm, Ø5 mm working channel, 70° field of view (+/-5°), autoclavable



Ordering n°	Description
45201YO	Medici Nephroscope, 90° angled ocular, 6° vision angle, WL 200mm, Ø5 mm working channel, 70° field of view (+/-5°), autoclavable
45201YC	Medici Nephroscope, 90° angled ocular, 15° vision angle, WL 200mm, Ø5 mm working channel, 70° field of view (+/-5°), autoclavable
45251YO	Medici Nephroscope, 90° angled ocular, 6° vision angle, WL 250mm, Ø5 mm working channel, 70° field of view (+/-5°), autoclavable
45251YC	Medici Nephroscope, 90° angled ocular, 15° vision angle, WL 250mm, Ø5 mm working channel, 70° field of view (+/-5°), autoclavable

Ordering n°	Description
45251YY	Irrigation adaptor M18x1 Ø5,0 with valve for simultaneous working and irrigation



Ordering n°	Description
4133131	Stopcock for Nephroscope

ENDOMED

Nephroscope Forceps, Semirigid, Ø3,5mm

Fix handle system
with luerlock port for easy
and optimal cleaning



360°rotatable
With or without spring



WL 320mm	WL 450mm	WL 320mm - rotatable	WL 450mm - rotatable
45013235	45014535	45013235R	45014535R

Stone grasping forceps for nephroscope, Alligator teeth



WL 320mm	WL 450mm	WL 320mm - rotatable	WL 450mm - rotatable
45033235	45034535	45033235R	45034535R

Stone grasping forceps, for nephroscope, with fenestrated jaws




WL 320mm	WL 450mm	WL 320mm - rotatable	WL 450mm - rotatable
45023235	45024535	45023235R	45024535R

Biopsy forceps for nephroscope, cup, sharp, single action jaws



WL 320mm	WL 450mm	WL 320mm - rotatable	WL 450mm - rotatable
45043235	45044535	45043235R	45044535R

Micro-scissors, straight, single action jaws



WL 320mm	WL 450mm	WL 320mm - rotatable	WL 450mm - rotatable
45053235	45054535	45053235R	45054535R


3-prongs Retriever forceps



Ordering n°	Description
45400530	Three-prong Stone grasper, for 10Ch channel (3mm), Working length 400mm, with luer lock for irrigation, U-spring handle, self closing

Cystoscopy

Nephroscope Sheaths



26CH	24CH	Description
4511124	4511100	Nephroscope-sheath, 1 fixed stopcock, WL200mm
4511126	4511102	Nephroscope-sheath, 1 rotating stopcock, WL200mm
4511121	4511101	Obturator for Nephroscope sheath, WL200mm
4501126	4501102	Nephroscope-sheath, 1 rotating stopcock, WL250mm
4501121	4501101	Obturator for Nephroscope sheath, WL250mm
4501124	4501100	Nephroscope-sheath, 1 fixed stopcock, WL250mm




26CH	Description
4511122	Nephroscope sheath, 26Ch, 1 fixed stopcock, WL200mm, distal irrigation
4511123	Nephroscope sheath, 26Ch, 1 rotating stopcock, WL200mm, distal irrigation
4511121	Obturator for 26Ch Nephroscope sheath
4501123	Nephroscope sheath, 26Ch, 1 rotating stopcock, WL250mm, distal irrigation
4501121	Obturator for 26Ch Nephroscope sheath, WL250mm
4501122	Nephroscope sheath, 26Ch, 1 fixed stopcock, WL250mm, distal irrigation

Cystoscopy


Mini-Nephroscope

High Definition

Autoclavable, max.134°C/2,2bar/5min



Ording n°	Description
45220NA	Nephroscope with 30° angled ocular, Ø 12Ch, viewing angle 12°, WL 220mm, Ø 7,0Ch working channel, 1x5,0mm or 2x3,0mm




Ording n°	Description
4511250	Operative sheath, 15/18Ch, for Continuous flow /Mini-Nephroscopy
4511251	Operative sheath, 16,5/19,5Ch, for Continuous flow /Mini-Nephroscopy
4511252	Operative sheath, 21/24Ch, for Continuous flow / Mini-Nephroscopy
4511255	Applicator for seal, to be used with sheath + plunger
4511256	Dilator with central channel for wire guiding, for 15/18Ch sheath
4511257	Dilator, double channel for wire guiding, for 16,5/19,5Ch sheath
4511258	Dilator, double channel for wire guiding, for 21/24Ch sheath

ENDOMED

Cystoscopy


Mini-Nephroscope Forceps, Semirigid, Ø1,8mm



WL 320mm	WL 320mm - rotatable	
45013218	45013218R	
Stone grasping forceps for nephroscope, Alligator teeth		
WL 320mm	WL 320mm - rotatable	
45023218	45023218R	
Biopsy forceps for nephroscope, cup, sharp, single action jaws		
WL 320mm	WL 320mm - rotatable	
45043218	45043218R	
Micro-scissors, straight, single action jaws		

Cystoscopy


Ureterorenoscopes



High Definition 30.000 PIXEL
Autoclavable, max.134°C/2,2bar/5min

Ordering n°	MARBERGER Ø 4,5/6,5 Fr
46315JA1	Semirigid Ureterorenoscope, 10.000 PIXEL, Marberger ocular, Ø steps by 4,5/6,5Ch, direction of view 5°, field of view 90°, WL 315mm, working channel Ø 4,0 Ch for 1x3ch.
46430JA1	Semirigid Ureterorenoscope, 10.000 PIXEL, Marberger ocular, Ø steps by 4,5/6,5Ch, direction of view 5°, field of view 90°, WL 430mm, working channel Ø 4,0 Ch for 1x3ch.
Ordering n°	MARBERGER Ø 6,0/7,5 Fr
46315RA1	Semirigid Ureterorenoscope, 30.000 PIXEL, Marberger ocular, Ø steps by 6,0/7,5Ch, direction of view 5°, field of view 90°, WL 315mm, working channel Ø 5,1 Ch for 1x4 or 2X2,4ch.
46430RA1	Semirigid Ureterorenoscope, 30.000 PIXEL, Marberger ocular, Ø steps by 6,0/7,5Ch, direction of view 5°, field of view 90°, WL 430mm, working channel Ø 5,2 Ch for 1x4 or 2x2,4ch.
46315RB1	Semirigid Ureterorenoscope, 30.000 PIXEL, Marberger ocular, Ø steps by 6,0/7,5Ch, direction of view 12°, field of view 90°, WL 315mm, working channel Ø 5,1 Ch for 1x4 or 2X2,4ch.
46430RB1	Semirigid Ureterorenoscope, 30.000 PIXEL, Marberger ocular, Ø steps by 6,0/7,5Ch, direction of view 12°, field of view 90°, WL 430mm, working channel Ø 5,2 Ch for 1x4 or 2x2,4ch.
Ordering n°	MARBERGER Ø 8,0/9,8 Fr
46315TB1	Semirigid Ureterorenoscope, 30.000 PIXEL, Marberger ocular, Ø steps by 8,0/9,8Ch, direction of view 12°, field of view 90°, WL 315mm, working channel Ø 6,8 Ch for 1x5 or 2X3,0ch.
46430TB1	Semirigid Ureterorenoscope, 30.000 PIXEL, Marberger ocular, Ø steps by 8,0/9,8Ch, direction of view 12°, field of view 90°, WL 430mm, working channel Ø 6,8 Ch for 1x5 or 2X3,0ch.
Ordering n°	MARBERGER Ø 8,5/11,5 Fr
46315VB1	Semirigid Ureterorenoscope, 30.000 PIXEL, Marberger ocular, Ø steps by 8,5/11,5Ch, direction of view 12°, field of view 90°, WL 315mm, working channel Ø 6,8 Ch for 1x6 or 2X4,0ch.
46430VB1	Semirigid Ureterorenoscope, 30.000 PIXEL, Marberger ocular, Ø steps by 8,5/11,5Ch, direction of view 12°, field of view 90°, WL 430mm, working channel Ø 6,8 Ch for 1x6 or 2X4,0ch.


Ordering n	Description
46ACC2	Instrument Bridge
46ACC4	Adapter for EMS Lithotripter LC1
46ACC6	Adapter for EMS Lithoreipter LC2
46ACC8	Stopcock 6mm, Luer Lock



ENDOMED

Cystoscopy

Ureterorenoscopes



*High Definition 30.000 PIXEL
Autoclavable, max.134°C/2,2bar/5min*

Ordering n°		BICHLER Ø 4,5/6,5 Fr
46315JA2	Semirigid Ureterorenoscope, 10.000 PIXEL, with 30° angled ocular, Ø steps by 4,5/6,5Ch, direction of view 5°, field of view 90°, WL 315mm, working channel Ø 4,0 Ch for 1x3ch.	
46430JA2	Semirigid Ureterorenoscope, 10.000 PIXEL, with 30° angled ocular, Ø steps by 4,5/6,5Ch, direction of view 5°, field of view 90°, WL 430mm, working channel Ø 4,0 Ch for 1x3ch.	
Ordering n°		BICHLER Ø 6,0/7,5 Fr
46315RA2	Semirigid Ureterorenoscope, 30.000 PIXEL, with 30° angled ocular, Ø steps by 6,0/7,5Ch, direction of view 5°, field of view 90°, WL 315mm, working channel Ø 5,1 Ch for 1x4 or 2X2,4ch.	
46430RA2	Semirigid Ureterorenoscope, 30.000 PIXEL, with 30° angled ocular, Ø steps by 6,0/7,5Ch, direction of view 5°, field of view 90°, WL 430mm, working channel Ø 5,2 Ch for 1x4 or 2x2,4ch.	
46315RB2	Semirigid Ureterorenoscope, 30.000 PIXEL, with 30° angled ocular, Ø steps by 6,0/7,5Ch, direction of view 12°, field of view 90°, WL 315mm, working channel Ø 5,1 Ch for 1x4 or 2X2,4ch.	
46430RB2	Semirigid Ureterorenoscope, 30.000 PIXEL, with 30° angled ocular, Ø steps by 6,0/7,5Ch, direction of view 12°, field of view 90°, WL 430mm, working channel Ø 5,2 Ch for 1x4 or 2x2,4ch.	
Ordering n°		BICHLER Ø 8,0/9,8 Fr
46315TB2	Semirigid Ureterorenoscope, 30.000 PIXEL, with 30° angled ocular, Ø steps by 8,0/9,8Ch, direction of view 12°, field of view 90°, WL 315mm, working channel Ø 6,8 Ch for 1x5 or 2X3,0ch.	
46430TB2	Semirigid Ureterorenoscope, 30.000 PIXEL, with 30° angled ocular, Ø steps by 8,0/9,8Ch, direction of view 12°, field of view 90°, WL 430mm, working channel Ø 6,8 Ch for 1x5 or 2X3,0ch.	
Ordering n°		BICHLER Ø 8,5/11,5 Fr
46315VB2	Semirigid Ureterorenoscope, 30.000 PIXEL, STRAIGHT ocular, Ø steps by 8,5/11,5Ch, direction of view 12°, field of view 90°, WL 315mm, working channel Ø 6,8 Ch for 1x6 or 2X4,0ch.	
46430VB2	Semirigid Ureterorenoscope, 30.000 PIXEL, STRAIGHT ocular, Ø steps by 8,5/11,5Ch, direction of view 12°, field of view 90°, WL 430mm, working channel Ø 6,8 Ch for 1x6 or 2X4,0ch.	
Ordering n°		STRAIGHT Ø 6,0/7,5 Fr
46315RA3	Semirigid Ureterorenoscope, 30.000 PIXEL, STRAIGHT ocular, Ø steps by 6,0/7,5Ch, direction of view 5°, field of view 90°, WL 315mm, working channel Ø 5,1 Ch for 1x4 or 2X2,4ch.	
46430RA3	Semirigid Ureterorenoscope, 30.000 PIXEL, STRAIGHT ocular, Ø steps by 6,0/7,5Ch, direction of view 5°, field of view 90°, WL 430mm, working channel Ø 5,2 Ch for 1x4 or 2x2,4ch.	
46315RB3	Semirigid Ureterorenoscope, 30.000 PIXEL, STRAIGHT ocular, Ø steps by 6,0/7,5Ch, direction of view 12°, field of view 90°, WL 315mm, working channel Ø 5,1 Ch for 1x4 or 2X2,4ch.	
46430RB3	Semirigid Ureterorenoscope, 30.000 PIXEL, STRAIGHT ocular, Ø steps by 6,0/7,5Ch, direction of view 12°, field of view 90°, WL 430mm, working channel Ø 5,2 Ch for 1x4 or 2x2,4ch.	
Ordering n°		STRAIGHT Ø 8,0/9,8 Fr
46315TB3	Semirigid Ureterorenoscope, 30.000 PIXEL, STRAIGHT ocular, Ø steps by 8,0/9,8Ch, direction of view 12°, field of view 90°, WL 315mm, working channel Ø 6,8 Ch for 1x5 or 2X3,0ch.	
46430TB3	Semirigid Ureterorenoscope, 30.000 PIXEL, STRAIGHT ocular, Ø steps by 8,0/9,8Ch, direction of view 12°, field of view 90°, WL 430mm, working channel Ø 6,8 Ch for 1x5 or 2X3,0ch.	

ENDOMED

Ureterorenoscope Forceps, wl600mm




Biopsy Oval Cup Sharp



Grasping forceps, cup, serrated



Alligator



Grasping forceps,
for stone street



Fix handle system
with spring

Flexible	Semi Rigid	Ø Ch	Ø mm
46006008	46006008S	2,5	0,8
46006010	46006010S	3,0	1,0
46006012	46006012S	4,0	1,4
46006016	46006016S	5,0	1,6
46006021	46006021S	6,0	2,0
46006023	46006023S	7,0	2,3
46006030	46006030S	9,0	3,0

Flexible	Semi Rigid	Ø Ch	Ø mm
46076012	46076012S	4,0	1,4
46076016	46076016S	5,0	1,6
46076023	46076023S	7,0	2,3
46076030	46076030S	9,0	3,0

Flexible	Semi Rigid	Ø Ch	Ø mm
46046008	46046008S	2,5	0,8
46046010	46046010S	3,0	1,0
46046012	46046012S	4,0	1,4
46046016	46046016S	5,0	1,6
46046023	46046023S	7,0	2,3
46046030	46046030S	9,0	3,0

Flexible	Semi Rigid	Ø Ch	Ø mm
46086012	46086012S	4,0	1,4
46086016	46086016S	5,0	1,6

Cystoscopy

Ureterorenoscope Scissors, Forceps, wl600mm



Fix handle system
with spring

Flexible	Semi Rigid	Ø Ch	Ø mm
46016010	46016010S	3,0	1,0
46016012	46016012S	4,0	1,2
46016016	46016016S	5,0	1,6
46016023	46016023S	7,0	2,3
46016030	46016030S	9,0	3,0

Flexible	Semi Rigid	Ø Ch	Ø mm
46056023	46056023S	7,0	2,3

Flexible	Semi Rigid	Ø Ch	Ø mm
46626012	46626012S	4,0	1,4
46626016	46626016S	5,0	1,6

Flexible	Semi Rigid	Ø Ch	Ø mm
46256012	46256012S	4,0	1,4
46256016	46256016S	5,0	1,6
46256023	46256023S	7,0	2,3




Single action Scissors




Double action Scissors



Uretero-Slitting
retrograde Scissors



Stone fragments
Grasping Forceps




Catheter introducers-Clamps-Forceps




Ordering n°	Description	WL
166-1804-39	Catheter introducer, GUYON, straight	390 mm




Ordering n°	Description	WL
166-1805-35	Catheter introducer, GUYON, curved	350 mm



Ordering n°	Description	WL
166-1707-11	Meatus clamp, strauss	110 mm



Ordering n°	Description	WL
166-1705-08	Meatus clamp, stockmann	80 mm



Ordering n°	Description	WL
166-1608-20	Foreign body forceps, MATHIEU	200 mm
166-1608-28	Foreign body forceps, MATHIEU	280 mm

Cystoscopy

Dilating Bougies-Metal Catheters



	Dilating Bougie van BUREN	Dilating Bougie GUYON	Metal Catheter for man	Metal Catheter for women	Coxeter Prostate Catheter
6 Ch	166-2001-06	166-2005-06			
8 Ch	166-2001-08	166-2005-08	166-2101-08	166-2103-08	166-2109-08
10 Ch	166-2001-10	166-2005-10	166-2101-10	166-2103-10	166-2109-10
12 Ch	166-2001-12	166-2005-12	166-2101-12	166-2103-12	166-2109-12
14 Ch	166-2001-14	166-2005-14	166-2101-14	166-2103-14	166-2109-14
16 Ch	166-2001-16	166-2005-16	166-2101-16	166-2103-16	166-2109-16
18 Ch	166-2001-18	166-2005-18	166-2101-18	166-2103-18	166-2109-18
20 Ch	166-2001-20	166-2005-20	166-2101-20	166-2103-20	166-2109-20
22 Ch	166-2001-22	166-2005-22	166-2101-22	166-2103-22	166-2109-22
24 Ch	166-2001-24	166-2005-24	166-2101-24	166-2103-24	166-2109-24
26 Ch	166-2001-26	166-2005-26			
28 Ch	166-2001-28	166-2005-28			
30 Ch	166-2001-30	166-2005-30			
32 Ch	166-2001-32	166-2005-32			
34 Ch	166-2001-34	166-2005-34			
36 Ch	166-2001-36	166-2005-36			
38 Ch	166-2001-38	166-2005-38			
40 Ch	166-2001-40	166-2005-40			

Cystoscopy

Pediatric Endoscopes




High Definition, wide angle,
autoclavable, max. 134° C / 2,2 bar / 5 min

Diameter 2,0

Ordering n°	Ø	Viewing Angle	Working length
40 188 CA.HD	2,0mm	0°	188mm
40 188 CE.HD	2,0mm	30°	188mm

Diameter 2,7


Ordering n°	Ø	Viewing Angle	Working length
40 188 GA.HD	2,7mm	0°	188mm
40 188 GE.HD	2,7mm	30°	188mm
40 188GG.HD	2,7mm	70°	188mm



Ordering n°	Ø	Description
4117020	13 Ch	Examination insert, telescope bridge


Cystoscopy

Pediatric Cystoscope Sheaths



Cystoscope-urethroscope sheath,
with two fixed stopcocks, 3 Ch instrument channel

System	Ø	Sheath	Obturator	Scope
4107113	13 Ch	4107013	4117013	Ø 2,7mm WL187mm
4108113	11 Ch	4108013	4118013	Ø 2,0mm WL187mm
4109113	09 Ch	4109013	4119013	Ø2,0mm WL187mm
4109113A	09 Ch	4109013A	4119013A	Ø1,9mm WL120mm
4109113B	7,5Ch	4109013B	4119013B	Ø1,9mm WL117mm



Working insert with ALBARRAN lever

Ordering n°	Ø	Scope
4117015	13 Ch	Ø 2,7mm WL187mm


Pediatric Urethrotome



Pediatric Working Element, Passive

Ordering n°	Ø
4405100	13 Ch
4406100	11 Ch

Urethrotome Sheath, with two rotatable stopcocks



Ordering n°	Ø	Obturator
4314400	13 Ch	4314401
4315400	11 Ch	4315401



Ordering n°	Description
4314402	Examination insert, with 1 instrument channel, 13 Ch
4315402	Examination insert, with 1 instrument channel, 11 Ch


	13 Ch	11 Ch	Description
	4324410	4325410	Cold Knife, straight
	4324411	4325411	Cold Knife, round
	4324412	4325412	Cold Knife, hook shaped
	4324413	4325412	Cold Knife, sickle knife

Cystoscopy

Pediatric Resectoscope

Pediatric Working Element, Passive

Ordering n°	Ø
4405100	13 Ch
4406100	11 Ch



Resectoscope Sheath, with rotatable stopcock

System	Description	Obturator
4415115	Resectoscope Sheath, with rotatable stopcock, Ø 13 Ch	4415116
4416115	Resectoscope Sheath, with rotatable stopcock, Ø 11 Ch	4416116

Ordering n°	Description
4314402	Examination insert, with 1 instrument channel, Ø 13 Ch
4315402	Examination insert, with 1 instrument channel, Ø 11 Ch



13 Ch	11 Ch	Description
4425200	4426200	HF Loop Electrode, Gr.1 small
4425201	4426201	HF Loop Electrode, Gr.2 large
4425203	4426203	HF Knife Electrode
4425204	4426204	HF Ball Electrode
4425204	4425205	HF Hook Electrode



Cystoscopy

Memo

ENDOMED



MEDICI

Company:



ENDOMED

web: www.endomedsrl.com

tel. 0771.726355

tel. 0823.1656213

fax. 0823.932337

mail: info@endomedsrl.com

Distributed By: