

Specificații tehnice (F4.1)

Numărul procedurii de achiziție: nr. 21028294 din 16.09.2020						
Denumirea procedurii de achiziție: Calculatoare, imprimante și accesorii pentru computer						
Denumirea bunurilor	Modelul articolului	Țara de origine	Producătorul	Specificarea tehnică deplină solicitată de către autoritatea contractantă	Specificarea tehnică deplină propusă de către ofertant	Standarde de referință
2	3	4	5	6	7	8
Lot 1. Calculatoare, imprimante și accesorii pentru computer						
PC+Keyboard+Mouse+Monitor+UPS+Filtru	PC+Keyboard+Mouse+Monitor+UPS+Filtru			<p>Form factor: Tower with minimal dimensions (330*175*405) CPU: min. 3.2GHz,min 2 core min. 4 fluxuri, min. 4Mb cache, max. 14nm, FAN: min. 120Mm RAM: min. 4Gb, min. DDR4, possibility of upgrade up to min. 32Gb HDD SSD: min. 128GB, R/W: min R/W:520/320MB/s, 20K/75K IOPS, 3D-NAND TLC HDD: min. 500 GB Sata 3,min7200 Rear ports: min. 2xPS/2, min. 4xUSB2.0, min.2xUSB3.0, VGA, DVI sau HDMI, LAN Internal connectors: min. 4xSATA, min. , min. 1xPCIEx16x, min. 2xPCIEx1x, Com Header or Com external port</p>	<p>CPU Intel Pentium G5420 3.8GHz (2C/4T,4MB, S1151, 14nm, Integrated Intel UHD Graphics 610, 58W) Box MB Asus PRIME H310M-R R2.0-SI, Socket 1151, Intel H310 (9th/8th Gen CPU), Dual 2xDDR4-2666, 1 x PCIe 3.0/2.0 x16 (x16 mode, gray) 1 x PCIe 2.0 x1, CPU Intel graphics, VGA, DVI, HDMI, 4xSATA3, 1x Com Header 4GB DDR4-2400 Kingston ValueRam, PC19200, CL17, 1.2V KVR24N17S6/4 2.5" SSD 128GB GOODRAM CX400, SATAIII, Read: 550 MB/s, Write: 450 MB/s, 3D NAND TLC SSDPR-CX400-128 3.5" HDD 1.0TB Seagate BarraCuda Compute, 7200rpm, 64MB, SATAIII ST1000DM010</p>	

				<p>PSU: min. 550W, ATX min. 2.2, 120mm FAN Filtru: 220/230V, min. 5xGermany Sockets, min. 3m. Keyboard: Standard, USB 1.2 m Mouse: Standard Optical, USB 1.5 m Monitor: min. 21,5 inch, 5ms, min 200 cd/m2, DVI, VGA, Speakers Integrated UPS: Line Interactive, min. 1000VA, min. 2xGermany Sockets, Metal</p>	<p>Case ATX 550W Soho 5911BK, 1xUSB3.0, 2xUSB2.0, Black, ATX-550W-12cm Prelungitor cu protectie Defender ES black 3m, 5 sockets Keyboard Esperanza Titanium TKR101 - Russian Layout / Office keyboard standard, 107 buttons, USB Mouse Spacer optic led albastru black USB SPMO-080 21.5" AOC LED 22E1D Matte Black (2ms, 20M:1, 250cd, 1920x1080, 170°/160°, VGA, DVI, HDMI, Audio Line-out, Speakers 2 x 2W, VESA) SVEN UP-L1000E, Line-interactive UPS with AVR, 1000VA /510W, 6 x Schuko outlets (3 backed up, all 6 surge protected), LED status indication,Black Garantie 24 luni</p>	
2.Notebook	HP 255 G7	China	HP	<p>15.6" ;CPU min 2.3 Ghz,min. 4 fluxuri, max. 14nm, min. 2Mb cache,min 4Gb , min 256 SSD, HDMI, Gbit Ethernet, 802.11ac, Bluetooth, min 3x USB 3.0, Card Reader, Webcam, DOS, min 2-cell Battery</p>	<p>HP 255 G7 / 15.6 FHD AG SVA 220 Ryzen 3 3200U/ 8GB 1D DDR4 2400 / 256GB PCIe NVMe Value / DOS2.0 / No ODD / 1yw / Jet kbd TP Imagepad with numeric keypad / AC 2x2+BT 4.2 / Dark Ash Silver Textured Mesh Knit with VGA Webcam no Optical Drive / SeaShipmen Garantie 24 luni</p>	
3.Printer monochrome laser + cable USB2.0 min. 3M+ cartus de rezerva (725A)	Printer Canon i-Sensys LBP6030+ Cable USB AM-BM 3m + Cartus 725	China	Canon	<p>Print tehnologie: Laser Format hartie: A4, A5, A6, B5, Postcards Viteza de printare alb/negru: până la 18 ppm Prima pagină evacuată (pregătit) Alb-negru : 7.8 Rezoluție: min 2400x600 Conectare: Hi-Speed USB 2.0 Cartuș de toner: All-in-One cartridges Compatibil cu cartus 725</p>	<p>Printer Canon i-Sensys LBP6030 Black, A4, 2400x600 dpi, A4, 2400x600 dpi, 18ppm, 60-163 g/m2, 32Mb+SCoA Win, CAPT, Max. 5k pages per month, Paper Inp Cartus 725 compatibil Cable USB AM-BM 3m LANBERG (print) with Ferrite core CA-USBA-11CC-0030-BK Garantie 24 luni</p>	

4. Multifunctional Imprimantă/Copiator/Scanner/Fax + cable USB2.0 min. 3M+ cartus de rezerva(tip 737)	MFD Canon i-Sensys MF237w+ Cable USB AM-BM 3m+ Cartus 737 compatibil	China	Canon	<p>Funcții: Imprimantă/Copiator/Scanner/Fax Print tehnologie: Laser Viteză de imprimare/copiere : până la 23 ppm (A4) Calitatea imprimării: Până la 1200 x 1200 dpi Limbaje de imprimare: UFR II-LT Cartuș de toner: All-in-One cartridges Timp de ieșire a primei copii: 9,0 secunde sau mai puțin Sortare în memorie, 2 pe 1, 4 pe 1, copiere cărți de identitate Compatibil cu cartus 737</p>	<p>MFD Canon i-Sensys MF237w, laser, Printer/Scanner/Copier/Fax/Wi-Fi, ADF(35-sheet),Net,WiFi, A4, 256Mb, 1200x1200dpi, 23 ppm, 60-163g/m2, Scan 9600x9600 Cartus 737 compatibil Cable USB AM-BM 3m LANBERG (print) with Ferrite core CA-USBA-11CC-0030-BK Garantie 24 luni</p>	
5. Monitor	21.5" AOC LED 22E1D	China	AOC	<p>Monitor: min. 21,5 inch, 5ms, min 200 cd/m2, DVI, VGA, Speakers Integrated</p>	<p>21.5" AOC LED 22E1D Matte Black (2ms, 20M:1, 250cd, 1920x1080, 170°/160°, VGA, DVI, HDMI, Audio Line-out, Speakers 2 x 2W, VESA) Garantie 24 luni</p>	
6. Printer monochrome Matricial +cable LPT	Printer Epson LX-350 +cable LPT	China	Epson	<p>Print tehnologie: MATricial Interfata: USB / Paralel Configuratie pini: 9 Viteza de imprimare: 347 Viteza de tiparire (cps): HighSpeed-Draft: 10 cpi: 347 caractere/s, 12 cpi: 357 caractere/s, Draft: 10 cpi: 260 caractere/s, 12 cpi: 312 caractere/s, NLQ: 10 cpi: 65 caractere/s, 12 cpi: 78 caractere/s Buffer (KB): 128 Tip mediu printare: Coli de hârtie (cu unul sau mai multe straturi), Hârtie fără sfârșit (cu unul sau mai multe straturi), Etichete (cu unul sau mai multe straturi), Rolă de hârtie, Plicuri Perioada de viata: 400 Milioane de caractere/ac</p>	<p>Printer Epson LX-350, A4 Print tehnologie: MATricial Interfata: USB / Paralel Configuratie pini: 9 Viteza de imprimare: 347 Viteza de tiparire (cps): HighSpeed-Draft: 10 cpi: 347 caractere/s, 12 cpi: 357 caractere/s, Draft: 10 cpi: 260 caractere/s, 12 cpi: 312 caractere/s, NLQ: 10 cpi: 65 caractere/s, 12 cpi: 78 caractere/s Buffer (KB): 128 Tip mediu printare: Coli de hârtie (cu unul sau mai multe straturi), Hârtie fără sfârșit (cu unul sau mai multe straturi), Etichete (cu unul sau mai multe straturi), Rolă de hârtie, Plicuri Perioada de viata: 400 Milioane de caractere/ac + cable LPT</p>	

7. UPS	SVEN UP-L1000E	China	SVEN	Line Interactive, min. 1000VA, min. 2xGermany Sockets, Metal	SVEN UP-L1000E, Line-interactive UPS with AVR, 1000VA /510W, 6 x Schuko outlets (3 backed up, all 6 surge protected), LED status indication,Black Garantie 24 luni
8. Wifi Router	TP-LINK Archer C50	China	TP-LINK	Standard Wi-Fi: IEEE 802.11a/n/ac 5 GHz IEEE 802.11b/g/n 2.4 GHz.. Lan::10/100/1000 Min 4 Antens	TP-LINK Archer C50 AC1200 Wireless Dual Band Router, Mediatek, 867Mbps at 5GHz + 300Mbps at 2.4GHz, 802.11ac/a/b/g/n, 1 10/100M WAN + 4 10/100M LAN, 4 Antens Garantie 24 luni
9. Camera Web	Logitech HD Webcam C270	China	Logitech	Rezoluție foto: min 1280 x 720 Rezoluție video: min 1280 x 720 Focalizare: Manual Microfon: Da Rezoluție matrice: min 1.3 MP	Logitech HD Webcam C270, Microphone, HD 720p video calls & recording, 3 Megapixel images, USB Garantie 24 luni
10. Mouse	Mouse SVEN RX-112	China	Sven	Mouse: Standard Optical, USB+Ps/2 min: 1.5 m	Mouse SVEN RX-112, Optical, 800 dpi, 3 buttons, Ambidextrous, Black, USB+PS/2 Garantie 24 luni
11. Acumulator UPS	Baterie UPS 12V/ 9AH Ultra Power	China	Ultra	Tip acumulator: plumb -acid Tensiune nominala: 12 V Capacitate 9.0 A	Baterie UPS 12V/ 9AH Ultra Power

Semnat: _____ Numele, Prenumele: Constantin Alexandru În calitate de: director
Ofertantul: Triomac SRL Adresa: Orhei, str Stefan cel Mare 3, ap 16