

THE NETHERLANDS
(N E D E R L A N D)**COMMUNICATION**Concerning ⁽¹⁾:

- ~~approval granted~~
- ~~approval extended~~
- ~~approval refused~~
- ~~approval withdrawn~~
- ~~production definitely discontinued~~

of a type of tyre for motor vehicles pursuant to Regulation number 54.

Approval number: E4*54R00/23*43559*01

1. Manufacturer's name and address : ZODO TIRE CO., LIMITED.
The South of Yalujiang Road Wenzhuang
Village, Qinghe Agency of Cao County Heze
City, Shandong Province 274400 China (PRC)
2. Tyre type designation ⁽²⁾
 - 2.1. Brand name(s)/trademark(s) : CONSTANCY; ILINK; LUXXAN; RHINO;
ARIVO; GRENLANDER; TTYRE; CRYSTAL;
ROCKBLADE; FRONWAY; SAILWIN; XBRI;
ROADMARCH; KANGS; ZMAX;
XCENTWAY; ADERENZA; CONCEPTA
 - 2.2. Trade description (s)/Commercial name(s)/ : Winter GL989; Winter IL989; ICEPOWER 989;
ICEWINNER 989; WINMASTER ARW6;
INSPIRER W22; THIRTY; ROCK 989S;
SNOWROVER 989; ICEPIONEER 989;
GREENTOUR A/S; MULTIMILE A/S;
FRONTOUR A/S; FREIMILE A/S; Vanderful
A/S; CARGOPLUS 2; INSPIRER A/S 2;
FORTY; ROCK A/S TWO; VAN A/S; X-
SPIDER+ A/S; MILEPRO C30; TOURPRO C30;
DURAPLUS C30; LONGRACE C30;
TRANSITO ARZ6-C; INSPIRER L5; ROCK
830C; VANXPRO; VANMEJOR C30;
Perseverant 905; CARGOMAX D2; MAGA A/T
TWO; TERRAMAX LSR2 A/T; TERRA
XPLORER C2 A/T; ROCKBLADE A/T II;
GLADIATAX A/T II; TERRAMAX ARV PRO

A/T; FORZA A/T 2; INSPIRER A/T II; TOUGH TRAC A/T II; CAPACITY; ROCK 737 A/T; PRIMEMAX A/T II; DREAMWIND A/T; CLIMBER A/T II; OPENLAND A/T D2; L-MAX9; LY399; VANPLUS 09; VANTOUR 09; TRANSITO ARZ6-X; CARGOPLUS 2; INSPIRER L4; RT28; TWENTY; ROCK 838C; PRIMEVAN 9; MAXCELL 09; Perseverant 902; LOADING PRO

3. If applicable, name and address of the manufacturer's representative : Not applicable
4. Summarized description:
- 4.1. Size of tyre : 215/65R16C; 215/65R16LT
- 4.2. Category of use : ~~normal~~/snow/special⁽¹⁾
- 4.3. Structure : ~~diagonal (bias-ply)~~/radial⁽¹⁾
- 4.4. Tyre class : C2/C3⁽¹⁾
- 4.5. Speed category symbol:
- 4.5.1. nominal : R
- 4.5.2. additional (if applicable) : ---
- 4.6. Load-capacity indices:
- 4.6.1. Corresponding to nominal speed:
– single : 109
– twinned (dual) : 107
- 4.6.2. Corresponding to additional speed:
– single : ---
– twinned (dual) : ---
5. Technical service and, where applicable, test laboratory approved for purposes of approval or of verification of conformity : IDIADA Automotive Technology, S.A.
L'Albornar, P.O. Box 20
43710 Santa Oliva (Tarragona)
Spain
6. Date of report issued by that service : April 22, 2019
May 27, 2021
7. Number of report issued by that service : CS054-A0-2019-00595
CN21050574
8. Reason(s) for extension (if applicable) : Addition of brand name;
Addition of trade description;
The technical service is changed from TÜV
NORD Mobilität GmbH & Co. KG into
IDIADA(The test report No. CS054-A0-2019-
00595 issued on the date of April 22, 2019 by



TÜV NORD Mobilität GmbH & Co. KG (refer to the type approval E4*54R00/23*43559*00) is valid and unnecessary to perform re-testing.);
Modification of manufacturer name

9. Any remarks : ---
10. Place : Zoetermeer
11. Date : 14 June 2021
12. Signature :



R. R. van der Spek

13. Annexed to this communication is a list of documents in the approval file deposited at the administrative service having delivered the approval and which can be obtained upon request.
- Application form relating to ECE approval for a pneumatic tyre pursuant to Regulation number 54.
 - The drawing of the tyre's sidewalls, tread and dimensioned cross-section.
 - The test report as mentioned in item 7.

⁽¹⁾ Strike out what does not apply.

⁽²⁾ A list of brand name(s)/trademark(s) or Trade description(s)/ Commercial name(s) may be annexed to this communication.

Statement manufacturer and authorization regarding application

This statement must only be sent with new "00" applications. This applies to both the statements that the application has not been submitted to another authority and the authorization of the applicant. If the authorized party is changed in the meantime (i.e. in case of an extension or correction request), this declaration must be filled in again.

1 **EC & UNECE type-approval number** : E4*54R00/23*43559*01

2 **Manufacturer/** **Manufacturer's representative** ⁽¹⁾

3 Company name : ZODO TIRE CO., LIMITED
4 Name authorized person : Hailong Ren
5 Job title : Supervision
6 E-mail address : 295512660@qq.com
7 Address manufacturer : The South of Yalujiang Road, Wenzhuang Village, Qinghe Agency of Cao County
Heze City, Shandong Province 274400, China (PRC)
8 Country : China(PRC)

9 **Statement**

10 Hereby : Hailong Ren ,
11 declares on behalf of
the manufacturer : ZODO TIRE CO., LIMITED ,
12 for the application with
type-approval number : E4*54R00/23*43559*01 ,
13 the following:
14 a) the manufacturer has not applied for an EC & UNECE type-approval for the same type to any other approval
authority, and no other approval authority granted the manufacturer such an approval;
15 b) no approval authority has refused to grant type-approval of that type;
16 c) no approval authority has withdrawn type-approval of that type;
17 d) the manufacturer has not revoked an application for a type-approval of that type.

18 **Authorization regarding handling of this application (if applicable)** ⁽²⁾

19 Company name : IDIADA Automotive Technology, S.A.
20 E-mail address : QualityHomologations@idiada.com
21 Address : PO Box 20 Santa Oliva, l'Albornar 43710, Tarragona
22 Country : Spain

23 **Authorization**

24 By means of this
declaration, I : Hailong Ren ,
25 on behalf of : ZODO TIRE CO., LIMITED ,
26 authorizes : IDIADA Automotive Technology, S.A. ,
27 to respectively apply for a type-approval with type-approval number:
E4*54R00/23*43559*01 ,
28 handle all communication concerning this application and receive the type-approval certificate.

29 Date	Place	Name:
30 27/05/2021	Heze, China	ZODO TIRE CO., LIMITED

31 On their behalf, signature : 
32 Name : Hailong Ren

⁽¹⁾ Mark the specific checkbox.

⁽²⁾ This authorization only concerns the application procedure and all activities that are directly or indirectly related to this procedure. If and insofar as other procedures, including the lodging of objections, are deemed necessary, a new authorization must be submitted in respect of that specific procedure.

TECHNICAL DOCUMENTATION

APPLICATION FOR APPROVAL EXTENSION OF A TYPE OF PNEUMATIC TYRE ACCORDING TO
ECE REGULATION No. 54, 00 SERIES OF AMENDMENTS

- | | | | |
|--------|--|---|---|
| 1. | The Brand name(s) or trademark(s) ⁽²⁾ | : | <u>CONSTANCY; ILINK; LUXXAN; RHINO; ARIVO; GRENLANDER; TTYRE; CRYSTAL; ROCKBLADE; FRONWAY; SAILWIN; XBRI; ROADMARCH; KANGS; ZMAX; XCENTWAY; ADERENZA; CONCEPTA</u> |
| 2. | Trade description(s) or Commercial name(s) ⁽²⁾ | : | <u>Winter GL989; Winter IL989; ICEPOWER 989; ICEWINNER 989; WINMASTER ARW6; INSPIRER W22; THIRTY; ROCK 989S; SNOWROVER 989; ICEPIONEER 989; GREENTOUR A/S; MULTIMILE A/S; FRONTOUR A/S; FREIMILE A/S; Vanderful A/S; CARGOPLUS 2; INSPIRER A/S 2; FORTY; ROCK A/S TWO; VAN A/S; X-SPIDER+ A/S; MILEPRO C30; TOURPRO C30; DURAPLUS C30; LONGRACE C30; TRANSITO ARZ6-C; INSPIRER L5; ROCK 830C; VANXPRO; VANMEJOR C30; Perseverant 905; CARGOMAX D2; MAGA A/T TWO; TERRAMAX LSR2 A/T; TERRA XPLOER C2 A/T; ROCKBLADE A/T II; GLADIATAX A/T II; TERRAMAX ARV PRO A/T; FORZA A/T 2; INSPIRER A/T II; TOUGH TRAC A/T II; CAPACITY; ROCK 737 A/T; PRIMEMAX A/T II; DREAMWIND A/T; CLIMBER A/T II; OPENLAND A/T D2; L-MAX9; LY399; VANPLUS 09; VANTOUR 09; TRANSITO ARZ6-X; CARGOPLUS 2; INSPIRER L4; RT28; TWENTY; ROCK 838C; PRIMEVAN 9; MAXCELL 09; Perseverant 902; LOADING PRO;</u> |
| 3. | Manufacturer's name and address | : | <u>ZODO TIRE CO., LIMITED</u>
The South of Yalujiang Road Wenzhuang Village, Qinghe Agency of Cao County Heze City, Shandong Province
274400 China (PRC) |
| 4. | If applicable, name and address of manufacturer's representative | : | not applicable |
| 5. | Summarised description, | | |
| 5.1. | Tyre size designation | : | 215/65R16C; 215/65R16LT |
| 5.2. | Category of use | : | normal/special /snow ⁽¹⁾ |
| 5.3. | Structure | : | diagonal (bias ply) /radial ⁽¹⁾ |
| 5.4. | Speed category symbol | | |
| 5.4.1. | Nominal | : | R |
| 5.4.2. | Additional (if applicable) | : | not applicable |
| 5.5. | Load capacity indices | | |
| 5.5.1. | corresponding to nominal speed | : | single: 109, twinned (dual): 107 |
| 5.5.2. | corresponding to nominal speed | : | single: ---, twinned (dual): --- |
| 6. | Overall dimensions | : | |
| | overall section width | : | 221.1 |
| | outer diameter | : | 684.4 |
| 7. | Factor 'x' | : | 0.70 |
| 8. | Ply-rating number for diagonal (bias ply) tyres | : | 8 PR |
| 9. | Rims on which the tyre can be mounted | : | 61/2 J |

(1) Strike out what does not apply.

(2) Modified points are underlined for extension.

- 10. Measuring rim and test rim : see attached test report
- 11. Tyre class : C2 / ~~C3~~⁽¹⁾
- 12. State whether the tyre is : tube less / ~~tube type~~⁽¹⁾
- 13. Traction tyre : ~~Yes / no (see the tread pattern detail in drawing)~~⁽¹⁾
- 14. State if special use tyre : ~~Yes~~/no⁽¹⁾
Professional Off-Road : ~~Yes~~/no⁽¹⁾
Tread depth / Void to fill ratio : n.a.
- 15. The inflation pressure for the dimension measurement and : 475 KPa(also see attached test report)
for the load/speed endurance test pressure
- 16. Submitted for approval on (date) : May 21 2021

We herewith declare that we have not applied and will not apply for approval with another Contracting Party of the ECE for the same type of product.



Signature : *Ren Hailong*

.....



Name: Ren Hailong

THIS APPLICATION IS ACCOMPANIED BY:


- A drawing of the tyre's side wall, tread and dimensioned cross section.
- The test report.

-
-

(1) Strike out what does not apply.
(2) Modified points are underlined for extension.



UPPER





LOWER

TREAD PATTERNS
REFER TO ATTACHMENT 20210521


1	CONSTANCY; ILINK; LUXXAN; RHINO; ARIVO; GRENLANDER; TTYRE; CRYSTAL; ROCKBLADE; FRONWAY; SAILWIN; XBRI; ROADMARCH; KANGS; ZMAX; XCENTWAY; ADERENZA; CONCEPTA.	8	M+S
		9	MADE IN CHINA
2	Tread pattern : please refer to attachment 20210521 in figure 1	10	LOAD RANGE D MAX. LOAD SINGLE 1030 kg (2271 LBS) AT 475 kPa (69 PSI) MAX.PRESS. MAX. LOAD DUAL 975 kg (2149 LBS) AT 475 kPa (69 PSI) MAX.PRESS.
3	PLIES:TREAD 2 POLYESTER+2 STEEL+1 NYLON SIDEWALL 2 POLYESTER	11	DOT 17B XXXXXX XXXX(DATE CODE)
		12	ECE APPROVAL MARK
4	RIM: 6 1/2J	13	SAFETY WARNING
5	RADIAL TUBELESS	14	
6	MOLD No.	15	DOT 17B XXXXXX
7	215/65R16C 109/107R 8PR or 215/65R16LT 109/107R 8PR	16	STUDLESS

TIRE SIZE	D(mm)	S(mm)	A(mm)	LOAD INDEX SPEED CODE	REMARK
215/65R16C or 215/65R16LT	686	221	165	109/107R	———

SCALE : FREE	DATE : 2021.05.21	DESIGNED BY	CHECKED BY	APPROVED BY	DRAWING NO.	
ZODO TIRE CO.,LIMITED		Xu Huili	Xie Baoshan	Shen Maoqiao	TITLE	215/65R16C 109/107R 8PR or 215/65R16LT 109/107R 8PR



UPPER





LOWER

TREAD PATTERNS
REFER TO ATTACHMENT 20210521


1	CONSTANCY; ILINK; LUXXAN; RHINO; ARIVO; GRENLANDER; TTYRE; CRYSTAL; ROCKBLADE; FRONWAY; SAILWIN; XBRI; ROADMARCH; KANGS; ZMAX; XCENTWAY; ADERENZA; CONCEPTA.	8	M+S
		9	MADE IN CHINA
2	Tread pattern : please refer to attachment 20210521 in figure 2	10	LOAD RANGE D MAX. LOAD SINGLE 1030 kg (2271 LBS) AT 475 kPa (69 PSI) MAX.PRESS. MAX. LOAD DUAL 975 kg (2149 LBS) AT 475 kPa (69 PSI) MAX.PRESS.
3	PLIES:TREAD 2 POLYESTER+2 STEEL+1 NYLON SIDEWALL 2 POLYESTER	11	DOT 17B XXXXXX XXXX(DATE CODE)
4	RIM: 6 1/2J	12	ECE APPROVAL MARK
5	RADIAL TUBELESS	13	SAFETY WARNING
6	MOLD No.	14	▲ ALL SEASONS
7	215/65R16C 109/107R 8PR or 215/65R16LT 109/107R 8PR	15	DOT 17B XXXXXX

TIRE SIZE	D(mm)	S(mm)	A(mm)	LOAD INDEX SPEED CODE	REMARK
215/65R16C or 215/65R16LT	686	221	165	109/107R	——

SCALE : FREE	DATE : 2021.05.21	DESIGNED BY	CHECKED BY	APPROVED BY	DRAWING NO.	
ZODO TIRE CO.,LIMITED		Xu Huili	Xie Baoshan	Shen Maoqiao	TITLE	215/65R16C 109/107R 8PR or 215/65R16LT 109/107R 8PR



UPPER



LOWER

TREAD PATTERNS
REFER TO ATTACHMENT 20210521


1	CONSTANCY; ILINK; LUXKAN; RHINO; ARIVO; GRENLANDER; TTYRE; CRYSTAL; ROCKBLADE; FRONWAY; SAILWIN; XBRI; ROADMARCH; KANGS; ZMAX; XCENTWAY; ADERENZA; CONCEPTA.	8	LOAD RANGE D MAX. LOAD SINGLE 1030 kg (2271 LBS) AT 475 kPa (69 PSI) MAX.PRESS. MAX. LOAD DUAL 975 kg (2149 LBS) AT 475 kPa (69 PSI) MAX.PRESS.
2	Tread pattern : please refer to attachment 20210521 in figure 3 and in figure 4 and in figure 5 and in figure 6	9	MADE IN CHINA
3	PLIES:TREAD 2POLYESTER+2STEEL+1NYLON SIDEWALL 2POLYESTER	10	DOT 17B XXXXXX XXXX(DATE CODE)
4	RIM: 6 1/2J	11	ECE APPROVAL MARK
5	RADIAL TUBELESS	12	TREADWEAR XXX TRACTION X TEMPERATURE X
6	MOLD No.	13	SAFETY WARNING
7	215/65R16C 109/107R 8PR or 215/65R16LT 109/107R 8PR M+S	14	DOT 17B XXXXXX

TIRE SIZE	D(mm)	S(mm)	A(mm)	LOAD INDEX SPEED CODE	REMARK
215/65R16C or 215/65R16LT	686	221	165	109/107R	—


SCALE : FREE	DATE : 2021.05.21	DESIGNED BY	CHECKED BY	APPROVED BY	DRAWING NO.	
ZODO TIRE CO.,LIMITED		Xu Huili	Xie Baoshan	Shen Maoqiao	TITLE	215/65R16C 109/107R 8PR or 215/65R16LT 109/107R 8PR

ATTACHMENT 20210521


TIRE SIZE 215/65R16C 109/107R 8PR
or
215/65R16LT 109/107R 8PR




Winter GL989;
Winter IL989;
ICEPOWER 989;
ICEWINNER 989;
WINMASTER ARW6;
INSPIRER W22;
THIRTY;
ROCK 989S;
SNOWROVER 989;
ICEPIONEER 989;




GREENTOUR A/S;
MULTIMILE A/S;
FRONTOUR A/S;
FREIMILE A/S;
Vanderful A/S;
CARGOPLUS 2;
INSPIRER A/S 2;
FORTY; ROCK A/S TWO;
VAN A/S;
X-SPIDER+ A/S;




MILEPRO C30; TOURPRO C30;
DURAPLUS C30;
LONGRACE C30;
TRANSITO ARZ6-C;
INSPIRER L5;
ROCK 830C; VANXPRO;
VANMEJOR C30;
Perseverant 905;
CARGOMAX D2;



MAGA A/T TWO; TERRAMAX LSR2 A/T;
TERRA XPLORER C2 A/T;
ROCKBLADE A/T II;
GLADIATAX A/T II;
TERRAMAX ARV PRO A/T;
FORZA A/T 2;
INSPIRER A/T II; TOUGH TRAC A/T II;
CAPACITY; ROCK 737 A/T;
PRIMEMAX A/T II;
DREAMWIND A/T;
CLIMBER A/T II;
OPENLAND A/T D2;



L-MAX9; LY399;
VANPLUS 09;
VANTOUR 09;
TRANSITO ARZ6-X;
CARGOPLUS 2;
INSPIRER L4;
RT28; TWENTY;
ROCK 838C;
PRIMEVAN 9;
MAXCELL 09;
Perseverant 902;



LOADING PRO;

6 TREAD WEAR INDICATORS EQUALLY SPACED

DRAWN BY	Xu Huili	CHECKED BY	Xie Baoshan	APPROVED BY	Shen Maoqiao	ZDDO TIRE CO., LIMITED
----------	----------	------------	-------------	-------------	--------------	------------------------

REPORT No. CN21050574**APPROVAL OF PNEUMATIC TYRES FOR COMMERCIAL VEHICLES
AND THEIR TRAILERS REFERRING TO UN REGULATION NO. 54R00/23**

Approval number : E4*54R00/23*43559*01

Applicant : ZODO TIRE CO., LIMITED

Manufacturer : ZODO TIRE CO., LIMITED
The South of Yalujiang Road Wenzhuang Village, Qinghe Agency
of Cao County Heze City, Shandong Province 274400 China (PRC)

Brand-name(s)/trademark(s) : CONSTANCY; ILINK; LUXXAN; RHINO; ARIVO;
GRENLANDER; TTYRE; CRYSTAL; ROCKBLADE; FRONWAY; SAILWIN; XBRI; ROADMARCH;
KANGS; ZMAX; XCENTWAY; ADERENZA; CONCEPTA

Trade description(s)/Commercial name(s) : Winter GL989; Winter IL989; ICEPOWER 989; ICEWINNER
989; WINMASTER ARW6; INSPIRER W22; THIRTY; ROCK 989S; SNOWROVER 989; ICEPIONEER 989;
GREENTOUR A/S; MULTIMILE A/S; FRONTOUR A/S; FREIMILE A/S; Vanderful A/S; CARGOPLUS 2;
INSPIRER A/S 2; FORTY; ROCK A/S TWO; VAN A/S; X-SPIDER+ A/S; MILEPRO C30; TOURPRO C30;
DURAPLUS C30; LONGRACE C30; TRANSITO ARZ6-C; INSPIRER L5; ROCK 830C; VANXPRO;
VANMEJOR C30; Perseverant 905; CARGOMAX D2; MAGA A/T TWO; TERRAMAX LSR2 A/T; TERRA
XPLORER C2 A/T; ROCKBLADE A/T II; GLADIATAX A/T II; TERRAMAX ARV PRO A/T; FORZA A/T
2; INSPIRER A/T II; TOUGH TRAC A/T II; CAPACITY; ROCK 737 A/T; PRIMEMAX A/T II;
DREAMWIND A/T; CLIMBER A/T II; OPENLAND A/T D2; L-MAX9; LY399; VANPLUS 09; VANTOUR
09; TRANSITO ARZ6-X; CARGOPLUS 2; INSPIRER L4; RT28; TWENTY; ROCK 838C; PRIMEVAN 9;
MAXCELL 09; Perseverant 902; LOADING PRO

Tyre size designation : 215/65R16C; 215/65R16LT

Place and date of test report issue : L'Albornar, Santa Oliva (Tarragona)
27/05/2021

CONCLUSIONS: Modification introduced to the tyre, as detailed in the annex to this report, grant grounds for approval extension with respect to formerly certified tyre-type, and FULFILS the specifications relating to the approval of pneumatic tyres for motor vehicles according to Supplement 23 to the original version of the UN Regulation NO.54

Performed by:

Yu(alex) Zhang
HOMOLOGATION ENGINEER

Revised by:

Josep Masip Gomez
DEPARTMENT MANAGER

* THE PRESENTED RESULTS REFER ONLY TO THE TESTED SAMPLE
* THE PARTIAL REPRODUCTION OF THIS REPORT WITHOUT THE PERMISSION OF IDIADA IS COMPLETELY FORBIDDEN

ANNEX TO THE REPORT**Reason(s) for extension:**

- Addition of brand name: KANGS; ZMAX; XCENTWAY; ADERENZA; CONCEPTA
- Addition of trade descriptions: ICEPIONEER 989; CARGOPLUS 2; X-SPIDER+ A/S; MILEPRO C30; TOURPRO C30; DURAPLUS C30; LONGRACE C30; TRANSITO ARZ6-C; INSPIRER L5; ROCK 830C; VANXPRO; VANMEJOR C30; Perseverant 905; CARGOMAX D2; MAGA A/T TWO; TERRAMAX LSR2 A/T; TERRA XPLOER C2 A/T; ROCKBLADE A/T II; GLADIATAX A/T II; TERRAMAX ARV PRO A/T; FORZA A/T 2; INSPIRER A/T II; TOUGH TRAC A/T II; CAPACITY; ROCK 737 A/T; PRIMEMAX A/T II; DREAMWIND A/T; CLIMBER A/T II; OPENLAND A/T D2; L-MAX9; LY399; VANPLUS 09; VANTOUR 09; TRANSITO ARZ6-X; CARGOPLUS 2; INSPIRER L4; RT28; TWENTY; ROCK 838C; PRIMEVAN 9; MAXCELL 09; Perseverant 902; LOADING PRO
- Modification of manufacturer name
- The technical service is changed from TÜV NORD Mobilität GmbH & Co. KG into IDIADA(The test report No. CS054-A0-2019-00595 issued on the date of April 22, 2019 by TÜV NORD Mobilität GmbH & Co. KG (refer to the type approval E4*54R00/23*43559*00) is valid and unnecessary to perform re-testing.)

Test Place : L'Albornar, Santa Oliva (Tarragona)

Test Date : 27/05/2021



Yu (alex) Zhang
HOMOLOGATION ENGINEER

* THE PRESENTED RESULTS REFER ONLY TO THE TESTED SAMPLE
* THE PARTIAL REPRODUCTION OF THIS REPORT WITHOUT THE PERMISSION OF IDIADA IS COMPLETELY FORBIDDEN