

Manufacturer: BAS STEEL PROFILE SRL str. Vocalinaia 28, Taraclia, Moldova Phone: +373 78 436 481		MILL'S TEST CERTIFICATE (ACCTO EN10204 / 3.1) No. 1277 Date: 02.02.2023		Transport: YMM734/A126AB			
Customer: METALCA-ZUEV		A06 Welded cold sized tubes STEEL Grade S235JRH, Direct welded		A03 B03 B06		A10	
Contract No. 1D		A07 Package wrapped with 6 straps through the side 100% NDT on the weld seam, NDT on the weld seam acc. EN ISO 1085 ,		Total weight, Kg 23799		Total length, m 8 466,00 (meters)	
Specification № 0009/1D		Plain ends, straight cut from mill		EN 10219-1/2 S235JRH		Pieces: 1411	
Order No.						Bundles: 23	
Destination Moldova						2174	

Product description													
Nr.	B07			B01-B02	B09	B10	B11						
		Product	Dimension(mm)	Thickness(mm)	length(mm)	Deviation		B08	B12	B13			
crt.	Nr. Bundles	Heat						Bundles	Pieces	Netto Weight (kg)	Brutto weight, kg	Meters	
1	7069\22	890489	S235JRH-EN 10219-1/2	50x30	3	+50/0	6 000	1	63	1215 -		378	
2	7068\22	890489	S235JRH-EN 10219-1/2	50x30	3	+50/0	6 000	1	63	1216 -		378	
3	8092\22	221381-3	S235JRH-EN 10219-1/2	50x30	3	+50/0	6 000	1	63	1198		378	
4	8094\22	221381-3	S235JRH-EN 10219-1/2	50x30	3	+50/0	6 000	1	63	1195 -		378	
5	0019\23	122483	S235JRH-EN 10219-1/2	80x40	2	+50/0	6 000	1	54	1054 -		324	
6	0018\23	122703	S235JRH-EN 10219-1/2	80x40	2	+50/0	6 000	1	54	1074 -		324	
7	0023\23	122483	S235JRH-EN 10219-1/2	80x40	2	+50/0	6 000	1	54	1071		324	
8	0022\23	122483	S235JRH-EN 10219-1/2	80x40	2	+50/0	6 000	1	54	1088 -		324	
9	8435\22	122035-9	S235JRH-EN 10219-1/2	60x40	2	+50/0	6 000	1	63	1030 -		378	
10	6348\22	180294	S235JRH-EN 10219-1/2	60x40	2	+50/0	6 000	1	63	1063 -		378	
11	6496\22	890488	S235JRH-EN 10219-1/2	60x40	2	+50/0	6 000	1	63	1085 -		378	
12	8437\22	21210131	S235JRH-EN 10219-1/2	60x40	2	+50/0	6 000	1	63	1017 -		378	
13	0002\23	122421	S235JRH-EN 10219-1/2	60x60	2	+50/0	6 000	1	42	831 -		252	
14	0003\23	122421	S235JRH-EN 10219-1/2	60x60	2	+50/0	6 000	1	42	827 -		252	
15	0004\23	122421	S235JRH-EN 10219-1/2	60x60	2	+50/0	6 000	1	42	820 -		252	
16	0005\23	122526	S235JRH-EN 10219-1/2	60x60	2	+50/0	6 000	1	42	825 -		252	
17	0115\23	122213-1	S235JRH-EN 10219-1/2	80x40	3	+50/0	6 000	1	42	1232 -		252	
18	0114\23	122214	S235JRH-EN 10219-1/2	80x40	3	+50/0	6 000	1	42	1248 -		252	
19	0112\23	122214	S235JRH-EN 10219-1/2	80x40	3	+50/0	6 000	1	42	1248 -		252	
20	0111\23	122213-1	S235JRH-EN 10219-1/2	80x40	3	+50/0	6 000	1	42	1217 -		252	
21	9270\22	21210134	S235JRH-EN 10219-1/2	30x20	1,5	+50/0	6 000	1	67	476 -		402	
22	9056\22	21210134	S235JRH-EN 10219-1/2	30x20	1,5	+50/0	6 000	1	144	906 -		864	
23	9213\22	21210134	S235JRH-EN 10219-1/2	30x20	1,5	+50/0	6 000	1	144	913 -		864	

Manufacturer: BAS STEEL PROFILE SRL str. Vocallinaia 28, Taraclia, Moldova Phone: +373 78 436 481		MILL'S TEST CERTIFICATE (ACC.TO EN10204 / 3.1)		Transport: YMM/34/A176AB			
Customer: METALUCA-ZUEV		No. 1277 Date: 02.02.2023		A03		B08 Pieces: 1411	
Contract No. 1D Specification Ne 0009/1D		Welded cold sized tubes STEEL Grade S235JRH, Direct welded Package wrapped with 6 straps through the side 100% NOT on the weld seam, NOT on the weld seam acc. EN ISO 1088 ,		A07		B12 Total weight, Kg 23799 EN 10219-1/2 S235JRH	
Order No. Destination Moldova		Plain ends, straight cut from mill		A10		B08 Bundles: 23	
				2174			

		Mechanical Test											
		C02		C03									
		Direction of the test pieces		Test temperature									
B09	B10	Heat		C01		C11		C12		C13		D02	
Dimension(mm)	W.T.(mm)	Grade		Nr. Bundles		ReH		Rm		A		Ra	
												µm	
												sure, bar./min.	
50x30	3	S235JRH	7069\22	890489	L	319	427	29	-	-	-	-	-
50x30	3	S235JRH	7068\22	890489	L	319	427	29	-	-	-	-	-
50x30	3	S235JRH	8092\22	221381-3	L	305	400	30	-	-	-	-	-
50x30	3	S235JRH	8094\22	221381-3	L	305	400	30	-	-	-	-	-
50x30	2	S235JRH	0019\23	122483	L	284	397	32	-	-	-	-	-
80x40	2	S235JRH	0018\23	122703	L	284	397	32	-	-	-	-	-
80x40	2	S235JRH	0023\23	122483	L	284	397	32	-	-	-	-	-
80x40	2	S235JRH	0022\23	122035-9	L	289	402	29	-	-	-	-	-
80x40	2	S235JRH	8435\22	180294	L	325	420	31	-	-	-	-	-
60x40	2	S235JRH	6348\22	890488	L	351	444	29	-	-	-	-	-
60x40	2	S235JRH	8437\22	21210131	L	319	412	28	-	-	-	-	-
60x40	2	S235JRH	0002\23	122421	L	319	412	28	-	-	-	-	-
60x40	2	S235JRH	0003\23	122421	L	319	412	28	-	-	-	-	-
60x60	2	S235JRH	0004\23	122526	L	338	451	26	-	-	-	-	-
60x60	2	S235JRH	0005\23	122213-1	L	329	417	29	-	-	-	-	-
80x40	3	S235JRH	0114\23	122214	L	304	417	29	-	-	-	-	-
80x40	3	S235JRH	0112\23	122214	L	304	417	29	-	-	-	-	-
80x40	3	S235JRH	0111\23	122213-1	L	329	451	26	-	-	-	-	-
80x40	1,5	S235JRH	9270\22	21210134	L	410	450	15	-	-	-	-	-
30x20	1,5	S235JRH	9056\22	21210134	L	410	450	15	-	-	-	-	-
30x20	1,5	S235JRH	9213\22	21210134	L	410	450	15	-	-	-	-	-

We state on our sole responsibility that the delivered products are in conformity with production standards or with contract Addendums.
Visual inspection: checked without any objection
Tolerances on dimensions and shape: pass

Graded: up,
Eng. Stiliuș Nicolae

Signature of the QM representative
Eng. Bogdan Vartică