

SPECIFICAȚII TEHNICE (F4.1)

Numărul licitației: nr. ocds-b3wdp1-MD-1542028503188	24/4/2019	Alternativa nr.-
Denumirea licitației: LT Principesa Natalia Dadiani	Lot (1-4)	Pagina 1 din 1

LOT	Denumirea bunurilor și/sau a serviciilor	Modelul articolului	Țara de origine	Producătorul	Specificarea tehnică deplină solicitată	Specificarea tehnică deplină propusă de către ofertant	Standarde de referință
1	2	3	4	5	6	7	8
1	PC1 (Case, monitor, keyboard, mouse, Boxe)	ATOL	MDA	AccentElectronic	Conform Caietului de sarcini	HPC B-13 ATX Case, 1xUSB3.0, 2xUSB2.0 / HD Audio, Black + Green decoration PSU XILENCE XP500R6, 500W, "Performance C" Series, ATX 2.3.1, Active PFC, 120mm fan, +12V (15A/15A), 20+4 Pin, 4x SATA, 1x PCI-E 6+2pin, 2x Peripheral, ErP2014 norm, Black Biostar B450MH, Socket AM4, AMD B450, Dual 2xDDR4-3200, APU AMD graphics, VGA, HDMI, 1xPCIe X16, 4xSATA3, RAID, 1x M.2, 2xPCIe X1, ALC887 HDA, GbE LAN, 6xUSB3.1, 105W, mATX AMD Ryzen 5 1600X, Socket AM4, 3.6-4.0GHz (6C/12T), 16MB L3, 14nm 95W, Box (without cooler) DEEPCOOL Cooler "GAMMAXX 200T", Socket 775/1150/1151 & AM4/FM2/AM3, up to 100W, 120x120x25mm, 900~1600rpm, 17.8~26.1 dBA, 54.25CFM, 4 pin, PWM, Hydro Bearing, 2 heatpipes direct contact 2.5" SSD 240GB GOODRAM IRDM, SATAIII, Sequential Reads: 550 MB/s, Sequential Writes: 540 MB/s, Maximum Random 4k: Read: 61,000 IOPS / Write: 87,000 IOPS, Thickness- 7mm, Controller Phison PS3110-S10, NAND MLC 3.5" HDD 1.0TB Toshiba HDWD110UZSVA P300, for Desktop, 7200rpm, 64MB, SATAIII 8GB DDR4-3200 Kingston HyperX® FURY DDR4, PC25600, CL18, 1.2V, Auto-overclocking, Asymmetric BLACK heat spreader, Intel XMP Ready (Extreme Memory Profiles) 21.5" ACER IPS LED Nitro VG220Q ZeroFrame Black/Red (1ms, 16:9, 100M:1, 250cd, 1920x1080, 178°/178°, VGA, HDMIx2, FreeSync, Speakers 2 x 2W, VESA) [UM.WV0EE.006] (31310474103) Genius Scorpion K215 Gaming Keyboard, 12 function keys, 10 multimedia keys, 7 colors backligt, Spill resistant design, USB, Black (31010105100) Genius DX-120 Optical Mouse, 1200 dpi, USB, Black SVEN SPS-607 Black, 2.0 / 2x3W RMS, wooden, 3" Windows 10 Professional 64-bit Russian 1pk DSP OEI DVD	

2	PC2 (Case, monitor, keyboard, mouse, Boxe)	ATOL	MDA	AccentElectronic	Conform Caietului de sarcini	HPC B-13 ATX Case , 1xUSB3.0, 2xUSB2.0 / HD Audio, Black + Green decoration PSU XILENCE XP500R6, 500W, "Performance C" Series, ATX 2.3.1, Active PFC, 120mm fan,+12V (15A/15A), 20+4 Pin, 4x SATA, 1x PCI-E 6+2pin, 2x Peripheral, ErP2014 norm, Black 2.5" SSD 240GB GOODRAM IRDM, SATAIII, Sequential Reads: 550 MB/s, Sequential Writes: 540 MB/s, Maximum Random 4k: Read: 61,000 IOPS / Write: 87,000 IOPS, Thickness- 7mm, Controller Phison PS3110-S10, NAND MLC (31310474103) Genius Scorpion K215 Gaming Keyboard, 12 function keys, 10 multimedia keys, 7 colors backligt, Spill resistant design, USB, Black (31010105100) Genius DX-120 Optical Mouse, 1200 dpi, USB, Black Biostar B450MH, Socket AM4, AMD B450, Dual 2xDDR4-3200, APU AMD graphics, VGA, HDMI, 1xPCIe X16, 4xSATA3, RAID, 1x M.2, 2xPCIe X1, ALC887 HDA, GbE LAN, 6xUSB3.1, 105W, mATX SVEN SPS-607 Black, 2.0 / 2x3W RMS, wooden, 3" Windows 10 Professional 64-bit Russian 1pk DSP OEI DVD AMD Ryzen 3 2200G, Socket AM4, 3.5-3.7GHz (4C/4T), 4MB L3, Integrated Radeon Vega 8 Graphics up to 2Gb, 14nm 65W, Box (with Wraith Stealth Cooler) 4GB DDR4-2400 GOODRAM, PC19200, CL17, 1.2V 19.5" AOC LED E2070SWN Black (5ms, 20M:1, 200cd, 1600x900, VGA, VESA)	
3	Accesorii	Tp-Link, Genius, SVEN	China	Tp-Link, Genius, SVEN	Conform Caietului de sarcini	(31310474103) Genius Scorpion K215 Gaming Keyboard, 12 function keys, 10 multimedia keys, 7 colors backligt, Spill resistant design, USB, Black buc 5 (31010105100) Genius DX-120 Optical Mouse, 1200 dpi, USB, Black buc 10 TP-LINK TL-SG1024 24-port Gigabit Switch, 24 10/100/1000M RJ45 ports, 1U 19-inch rack-mountable steel case buc 1 TP-LINK TL-WR940N N450 Wireless Router, Atheros, 3T3R, 450Mbps on 2.4GHz, 802.11n/b/g, 1 WAN + 4 LAN, with 3 fixed antennas buc 1 Surge Protector SVEN SF-05L, 5 Sockets, 3.0m, Black buc 5 Surge Protector SVEN SF-05L, 5 Sockets, 5.0m, Black buc 3 Cable Extension USB2.0 - 1.8m - Cablexpert CCF-USB2-AMAF-6, Premium quality, 1.8 m, USB2.0 A-plug A-socket, with Ferrite core, Black buc 2 Gembird USB Hub UHB-U2P4-03, 4 ports, USB 2.0 buc 2 16GB USB3.1 Kingston DataTraveler 50 16GB Silver/Green, USB 3.1, Metal casing, Compact, lightweight, capless design, (Read 30 MByte/s, Write 5 MByte/s) buc 2	

4	Tabla interactiva cu soft integrat	SB480	Canada	SmartBoard	Conform Caietului de sarcini	SMARTBOARD SB480 4:3, DIAGONALA 195 CM Suprafata activa 77" diagonala, Aspect 4:3 Rezolutia suprafetei active 32767 × 32767 Specificație Conform Caietului de sarcini *VIDEOPROIECTOR OPTOMA X308STE, SHORT THROW, XGA 1024 X 768, 3500 LUMENI, CONTRAST 22000:1 Specificație Conform Caietului de sarcini kit de montare compatibil cu tabla si proiectorul: Suport de montare a proiectorului pe perete: - compatibil cu videoproietorul - extensibil de la 482 mm pana la 1270 mm - ajustabil: +/- schimbare orizontală de 30 mm, schimbare verticală +/- 40 mm - confectionat din material durabil - posibilitatea inclinării videoproietorului cu +/- 5° - canal pentru cabluri cablu VGA 10m (male-male connectors) cablu HDMI 10m (male-male connectors) Prelungitor USB 3m (male-female connectors)	
	TOTAL						

Semnat: _____

Nume: **Cobîlaș Eugeniu**

În calitate de: **Administrator**

Ofertantul: **„Accent Electronic” SA**

Adresa: or. Chișinău, str. Bulgară 33/1

Data: 24/4/2019