	<b>SAFETY DATA SHEET</b>	Page : 1 / 11
		Revision nr : 1.0
	<b>Transformer Oil T-1500</b>	Issue date : 17/05/2022
		Supersedes :

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Substance  
Trade name : Transformer Oil T-1500  
Chemical name : Distillates (petroleum), hydrotreated light naphthenic  
EC Index : 649-466-00-2  
EC-No. : 265-156-6  
CAS-No. : 64742-53-6

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Professional use, Industrial use  
Use of the substance/mixture : Insulating and cooling of power transformers

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

Heydar Aliyev Baku Oil Refinery  
1, Oktay Veliyev street  
AZ 1060 Baku - Azerbaijan  
T (+99412) 521 23 21 - (+99412) 521 23 19 - F (+99412) 521 23 03  
[office.haor@socar.az](mailto:office.haor@socar.az) - [www.socar.az](http://www.socar.az)

### 1.4. Emergency telephone number

Country	Official advisory body	Address	Emergency number
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals-24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Asp. Tox. 1 H304

Full text of H- and EUH-statements: see section 16

### 2.2. Label elements


Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS08

Signal word : Danger

	<b>SAFETY DATA SHEET</b>	Page : 2 / 11
		Revision nr : 1.0
	<b>Transformer Oil T-1500</b>	Issue date : 17/05/2022
		Supersedes :

Contains : Distillates (petroleum), hydrotreated light naphthenic  
 Hazard statements (CLP) : H304 - May be fatal if swallowed and enters airways.  
 Precautionary statements (CLP) : P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER, a doctor.  
 P331 - Do NOT induce vomiting.  
 P501 - Dispose of contents and container to an approved waste disposal plant.  
 Listed in Annex VI : EC Index-No.: 649-466-00-2

### 2.3. Other hazards

Other hazards : Results of PBT and vPvB assessment : Not applicable.

The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Comments : \* Note L: The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions – Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.  
 Substance name : Distillates (petroleum), hydrotreated light naphthenic  
 CAS-No. : 64742-53-6  
 EC-No. : 265-156-6  
 EC Index : 649-466-00-2

Substance name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Distillates (petroleum), hydrotreated light naphthenic (*)	(CAS-No.) 64742-53-6 (EC-No.) 265-156-6 (EC Index) 649-466-00-2	100	Asp. Tox. 1, H304

Full text of H- and EUH-statements: see section 16


### 3.2. Mixtures

Not applicable

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

Additional advice : First aider: Pay attention to self-protection!. Concerning personal protective equipment to use, see section 8. Never give anything by mouth to an unconscious person. In case of doubt or persistent symptoms, consult always a physician. Show this safety data sheet to the doctor in attendance.  
 Inhalation : Remove casualty to fresh air and keep warm and at rest. Give oxygen or artificial respiration if necessary. In case of doubt or persistent symptoms, consult always a physician.

	<b>SAFETY DATA SHEET</b>	Page : 3 / 11
		Revision nr : 1.0
	<b>Transformer Oil T-1500</b>	Issue date : 17/05/2022
		Supersedes :

- Skin contact : Remove contaminated clothing and shoes. Gently wash with plenty of soap and water. In case of doubt or persistent symptoms, consult always a physician.
- Eyes contact : Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. In case of doubt or persistent symptoms, consult always a physician.
- Ingestion : Rinse mouth thoroughly with water. Do NOT induce vomiting. Get immediate medical advice/attention.

#### **4.2. Most important symptoms and effects, both acute and delayed**

- Inhalation : May cause irritation to the respiratory tract.
- Skin contact : May cause skin irritation. The following symptoms may occur: Redness, pain.
- Eyes contact : May cause eye irritation. The following symptoms may occur: Redness, pain.
- Ingestion : May be fatal if swallowed and enters airways. May cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

#### **4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

### **SECTION 5: Firefighting measures**

#### **5.1. Extinguishing media**

- Suitable extinguishing media : carbon dioxide (CO<sub>2</sub>), powder, alcohol-resistant foam, water spray.
- Unsuitable extinguishing media : Strong water jet.

#### **5.2. Special hazards arising from the substance or mixture**

- Specific hazards : Not flammable. Heating will cause a rise in pressure with a risk of bursting.
- Hazardous decomposition products in case of fire : Carbon oxides (CO, CO<sub>2</sub>).

#### **5.3. Advice for firefighters**

- Firefighting instructions : Evacuate area. Use water spray or fog for cooling exposed containers. Contain the extinguishing fluids by bunding. Prevent fire fighting water from entering the environment.
- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus.
- Other information : Do not allow run-off from fire-fighting to enter drains or water courses. Dispose of waste in accordance with environmental legislation.

### **SECTION 6: Accidental release measures**

#### **6.1. Personal precautions, protective equipment and emergency procedures**

##### **6.1.1. For non-emergency personnel**


- For non-emergency personnel : Evacuate unnecessary personnel. Keep upwind. Provide adequate ventilation. Do not breathe vapours. Avoid contact with skin, eyes and clothing. Wear recommended personal protective equipment. Concerning personal protective equipment to use, see section 8. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

##### **6.1.2. For emergency responders**

- For emergency responders : Ensure procedures and training for emergency decontamination and disposal are in place. Concerning personal protective equipment to use, see section 8.

#### **6.2. Environmental precautions**

Do not allow to enter into surface water or drains. Notify authorities if product enters sewers or public waters.

	<b>SAFETY DATA SHEET</b>	Page : 4 / 11
		Revision nr : 1.0
	<b>Transformer Oil T-1500</b>	Issue date : 17/05/2022
		Supersedes :

### **6.3. Methods and material for containment and cleaning up**

Methods for cleaning up : Stop leak if safe to do so. Dam up the liquid spill. Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal. Recover large spills by pumping (use an explosion proof or hand pump). Place in a suitable container for disposal in accordance with the waste regulations (see Section 13). This material and its container must be disposed of in a safe way, and as per local legislation.

### **6.4. Reference to other sections**

Concerning personal protective equipment to use, see section 8. Concerning disposal elimination after cleaning, see section 13.

## **SECTION 7: Handling and storage**

### **7.1. Precautions for safe handling**

Precautions for safe handling : Provide adequate ventilation. Do not breathe vapours. Avoid contact with skin, eyes and clothing. Use personal protective equipment as required. Concerning personal protective equipment to use, see section 8. Take any precaution to avoid mixing with Incompatible materials, Refer to Section 10 on Incompatible Materials. Ensure proper process control to avoid excess waste discharge (temperature, concentration, pH, time). Avoid release to the environment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hygiene measures : Keep good industrial hygiene. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke when using this product. Keep away from food, drink and animal feedingstuffs. Remove contaminated clothes. Separate working clothes from town clothes. Launder separately. Wash contaminated clothing before reuse.

### **7.2. Conditions for safe storage, including any incompatibilities**

Storage conditions : Store in a dry, cool and well-ventilated place. Do not store near or with any of the incompatible materials listed in section 10. Bund storage facilities to prevent soil and water pollution in the event of spillage.

Heat and ignition sources : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Protect from sunlight.

Special rules on packaging : Containers which are opened should be properly resealed and kept upright to prevent leakage. Keep container tight closed.

Packaging materials : Keep only in the original container. Suitable material: Mild steel, Stainless steel. Unsuitable material: Synthetic material.

### **7.3. Specific end use(s)**

Oil.


## **SECTION 8: Exposure controls/personal protection**

### **8.1. Control parameters**

Additional information : Recommended monitoring procedures :. Personal air monitoring. Room air monitoring

### **8.2. Exposure controls**

Engineering measure(s) : Provide adequate ventilation. Organisational measures to prevent /limit releases, dispersion and exposure. See Section 7 for information on safe handling.


	<b>SAFETY DATA SHEET</b>	Page : 5 / 11
		Revision nr : 1.0
	<b>Transformer Oil T-1500</b>	Issue date : 17/05/2022
		Supersedes :

- Personal protective equipment : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
- Hand protection : Wear chemically resistant gloves (tested to EN374) . Suitable material: Not determined. Breakthrough time : Not determined. Thickness. Not determined. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.
- Eye protection : Use suitable eye protection (EN166): Safety glasses
- Body protection : Wear suitable protective clothing
- Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment. Half-face mask (DIN EN 140). full face mask (DIN EN 136). Filter type: (ABEK) (EN14387). The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used. (EN 137)
- Thermal hazard protection : Not required for normal conditions of use. Use dedicated equipment.
- Environmental exposure controls : Avoid release to the environment. Comply with applicable Community environmental protection legislation.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

- Physical state : Liquid
- Appearance : Liquid.
- Colour : clear. Yellow.
- Odour : Petroleum.
- Odour threshold : No data available
- pH : No data available
- Relative evaporation rate (butylacetate=1) : No data available
- Melting / freezing point : No data available
- Freezing point : No data available
- Initial boiling point and boiling range : No data available
- Flash point : 138 °C
- Auto-ignition temperature : No data available
- Decomposition temperature : No data available
- Flammability (solid, gas) : Not applicable,liquid
- Vapour pressure : No data available
- Vapour density : No data available
- Relative density : No data available
- Density : 0,8839 g/cm<sup>3</sup>
- Solubility : Insoluble in water.
- Partition coefficient n-octanol/water : No data available
- Kinematic viscosity : 10,6 mm<sup>2</sup>/s (40 °C)
- Dynamic viscosity : 2,616 mm<sup>2</sup>/s (40 °C)

	<b>SAFETY DATA SHEET</b>	Page : 6 / 11
		Revision nr : 1.0
	<b>Transformer Oil T-1500</b>	Issue date : 17/05/2022
		Supersedes :

Explosive properties	: Not applicable. The study does not need to be conducted because there are no chemical groups associated with explosive properties present in the molecule.
Oxidising properties	: Not applicable. The classification procedure needs not to be applied because there are no chemical groups present in the molecule which are associated with oxidising properties.
Explosive limits	: No data available
Particle size	: Not applicable
Particle size distribution	: Not applicable
Particle shape	: Not applicable
Particle aspect ratio	: Not applicable
Particle aggregation state	: Not applicable
Particle agglomeration state	: Not applicable
Particle specific surface area	: Not applicable
Particle dustiness	: Not applicable

## **9.2. Other information**

### **9.2.1. Information with regard to physical hazard classes**

No additional information available

### **9.2.2. Other safety characteristics**

No additional information available

## **SECTION 10: Stability and reactivity**

### **10.1. Reactivity**

None under normal conditions. Reference to other sections: 10.4 & 10.5.

### **10.2. Chemical stability**

Stable under normal conditions.

### **10.3. Possibility of hazardous reactions**

No dangerous reactions known under normal conditions of use.

### **10.4. Conditions to avoid**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Protect from sunlight. See Section 7 for information on safe handling.

### **10.5. Incompatible materials**

Oxidising agents. See Section 7 for information on safe handling.

### **10.6. Hazardous decomposition products**


Reference to other sections 5.2.

## **SECTION 11: Toxicological information**

### **11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Acute toxicity : Not classified (Based on available data, the classification criteria are not met)

<b>Distillates (petroleum), hydrotreated light naphthenic (64742-53-6)</b>	
LD50/oral/rat	> 5000

	<b>SAFETY DATA SHEET</b>	Page : 7 / 11
		Revision nr : 1.0
	<b>Transformer Oil T-1500</b>	Issue date : 17/05/2022
		Supersedes :

<b>Distillates (petroleum), hydrotreated light naphthenic (64742-53-6)</b>	
LD50/dermal/rabbit	> 2000
LC50/inhalation/4h/rat	2180 mg/m <sup>3</sup> (Exposure time: 4 h)

Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met) pH: No data available
Serious eye damage/irritation	: Not classified (Based on available data, the classification criteria are not met) pH: No data available
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard	: May be fatal if swallowed and enters airways.

<b>Transformer Oil T-1500 (64742-53-6)</b>	
Kinematic viscosity	10,6 mm <sup>2</sup> /s (40 °C)

Other information	: Symptoms related to the physical, chemical and toxicological characteristics. For further information see section 4.
-------------------	--

## **11.2. Information on other hazards**

### **11.2.1. Endocrine disrupting properties**

Adverse health effects caused by endocrine disrupting properties	: The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605
--	---

### **11.2.2 Other information**


Other information	: Symptoms related to the physical, chemical and toxicological characteristics, For further information see section 4
-------------------	---

## **SECTION 12: Ecological information**

### **12.1. Toxicity**

Environmental properties	: According to the criteria of the European classification and labelling system, the substance/the product has not to be labelled as "dangerous for the environment".
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

<b>Distillates (petroleum), hydrotreated light naphthenic (64742-53-6)</b>	
LC50 - Fish [1]	> 5000 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
EC50 - Crustacea [1]	> 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)

	<b>SAFETY DATA SHEET</b>	Page : 8 / 11
		Revision nr : 1.0
	<b>Transformer Oil T-1500</b>	Issue date : 17/05/2022
		Supersedes :

### **12.2. Persistence and degradability**

<b>Transformer Oil T-1500 (64742-53-6)</b>	
Persistence and degradability	No additional information available.

### **12.3. Bioaccumulative potential**

<b>Transformer Oil T-1500 (64742-53-6)</b>	
Partition coefficient n-octanol/water	No data available
Bioaccumulative potential	No additional information available.

### **12.4. Mobility in soil**

<b>Transformer Oil T-1500 (64742-53-6)</b>	
Mobility in soil	No data available

### **12.5. Results of PBT and vPvB assessment**

<b>Transformer Oil T-1500 (64742-53-6)</b>	
Results of PBT assessment	Not applicable

### **12.6. Endocrine disrupting properties**

Adverse effects on the environment caused by endocrine disrupting properties : The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

### **12.7. Other adverse effects**

Other adverse effects : No data available

## **SECTION 13: Disposal considerations**

### **13.1. Waste treatment methods**

Product/Packaging disposal recommendations : Avoid release to the environment. Dispose of empty containers and wastes safely. See Section 7 for information on safe handling. Refer to manufacturer/supplier for information on recovery/recycling. Recycling is preferred to disposal or incineration. If recycling is not possible, eliminate in accordance with local valid waste disposal regulations. Handle contaminated packages in the same way as the substance itself. Dispose of contaminated materials in accordance with current regulations.


European waste catalogue (2001/573/EC, 75/442/EEC, 91/689/EEC) : This material and its container must be disposed of as hazardous waste. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities

## **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

<b>ADR</b>	<b>IMDG</b>	<b>IATA</b>	<b>ADN</b>	<b>RID</b>
<b>14.1. UN number</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.2. UN proper shipping name</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable



	<b>SAFETY DATA SHEET</b>	Page : 9 / 11
		Revision nr : 1.0
	<b>Transformer Oil T-1500</b>	Issue date : 17/05/2022
		Supersedes :

ADR	IMDG	IATA	ADN	RID
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.3. Transport hazard class(es)</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.4. Packing group</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.5. Environmental hazards</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

#### **14.6. Special precautions for user**

Special precautions for user : No data available

#### **- Overland transport**

Not applicable

#### **- Transport by sea**

Not applicable

#### **- Air transport**

Not applicable

#### **- Inland waterway transport**

Not applicable

#### **- Rail transport**

Not applicable

#### **14.7. Maritime transport in bulk according to IMO instruments**

Code: IBC : No data available.

### **SECTION 15: Regulatory information**

#### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

##### **15.1.1. EU-Regulations**

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:


3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	Transformer Oil T-1500 ; Distillates (petroleum), hydrotreated light naphthenic
--	---

Transformer Oil T-1500 is not on the REACH Candidate List

Transformer Oil T-1500 is not on the REACH Annex XIV List

##### **15.1.2. National regulations**

**France**

	<b>SAFETY DATA SHEET</b>	Page : 10 / 11
		Revision nr : 1.0
	<b>Transformer Oil T-1500</b>	Issue date : 17/05/2022
		Supersedes :

No ICPE	Installations classées Désignation de la rubrique	Code Régime	Rayon
na	Not Applicable	na	na

#### Germany

Regulatory reference	: WGK 1, Slightly hazardous to water
German storage class (LGK)	: LGK 12 - Non-combustible liquids
Hazardous Incident Ordinance (12. BlmSchV)	: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

#### Netherlands

Waterbezwaarlijkheid	: B (4) - Weinig schadelijk voor in het water levende organismen
SZW-lijst van kankerverwekkende stoffen	: The substance is not listed
SZW-lijst van mutagene stoffen	: The substance is not listed
SZW-lijst van reprotoxische stoffen – Borstvoeding	: The substance is not listed
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid	: The substance is not listed
SZW-lijst van reprotoxische stoffen – Ontwikkeling	: The substance is not listed

#### Denmark

Recommendations Danish Regulation	: Young people below the age of 18 years are not allowed to use the product
-----------------------------------	---


### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

Abbreviations and acronyms:

ABM = Algemene beoordelingsmethodiek
ADN = Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation du Rhin
ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
CLP = Classification, Labelling and Packaging Regulation according to 1272/2008/EC
IATA = International Air Transport Association
IMDG = International Maritime Dangerous Goods Code
LEL = Lower Explosive Limit/Lower Explosion Limit
UEL = Upper Explosion Limit/Upper Explosive Limit
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
BTT = Breakthrough time (maximum wearing time)
DMEL = Derived Minimal Effect level
DNEL = Derived No Effect Level
EC50 = Median Effective Concentration
EL50 = Median effective level
ErC50 = EC50 in terms of reduction of growth rate
ErL50 = EL50 in terms of reduction of growth rate
EWC = European waste catalogue
LC50 = Median lethal concentration
LD50 = Median lethal dose

	<b>SAFETY DATA SHEET</b>	Page : 11 / 11
		Revision nr : 1.0
	<b>Transformer Oil T-1500</b>	Issue date : 17/05/2022
		Supersedes :

	LL50 = Median lethal level
	NA = Not applicable
	NOEC = No observed effect concentration
	NOEL: no-observed-effect level
	NOELR = No observed effect loading rate
	NOAEC = No observed adverse effect concentration
	NOAEL = No observed adverse effect level
	N.O.S. = Not Otherwise Specified
	OEL = Occupational Exposure Limits - Short Term Exposure Limits (STELs)
	PNEC = Predicted No Effect Concentration
	Quantitative structure-activity relationship (QSAR)
	STOT = Specific Target Organ Toxicity
	TWA = time weighted average
	VOC = Volatile organic compounds
	WGK = Wassergefährdungsklasse (Water Hazard Class under German Federal Water Management Act)

Sources of key data used to compile the : ECHA (European Chemicals Agency). LOLI. Analytical data. datasheet

Training advice : Training staff on good practice. Manipulations are to be done only by qualified and authorised persons.

Full text of H- and EUH-statements:

Asp. Tox. 1	Aspiration hazard, Category 1
H304	May be fatal if swallowed and enters airways.

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878  
Classification according to Regulation (EC) No. 1272/2008 [CLP]  
Labelling according to Regulation (EC) No. 1272/2008 [CLP]

**DISCLAIMER OF LIABILITY** The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.