




MEDICAL ENDOSCOPE COLD LIGHT SOURCE

| | |
|---|---|
| <p>XD series medical endoscope cold light source(XD-180)</p> | |
|  <p>Art. No. : A0608</p> | <p>CE FDA</p> <ul style="list-style-type: none"> ◆ 180VA Germany OSRAM Xenon Lamp ◆ Color temperature: 6500K approximate sunlight ◆ Lamp life: at least 500 hours  <p>Art.No.:A0608.1</p> |
| <p>XD series medical endoscope cold light source(XD-250)</p> | |
|  <p>Art. No. : A0401</p> | <p>CE FDA</p> <ul style="list-style-type: none"> ◆ 250VA China Xenon Lamp ◆ Color temperature: 6500K approximate sunlight ◆ Lamp life: at least 500 hours  <p>Art.No.:A0401.1</p>  <p>Reflective bowl (Art.No.:A0607.2)</p> |
| <p>XD series medical endoscope cold light source(XD-350)</p> | |
|  <p>Art. No. : A0607</p> | <p>CE FDA</p> <ul style="list-style-type: none"> ◆ 350VA US Xenon lamp ◆ Color temperature: 6500K approximate sunlight ◆ Lamp life: at least 500 hours  <p>350VA lamp(Art.No.:A0607.1)</p> |
| <p>LED series medical endoscope cold light source(LED300)</p> | |
|  <p>Art. No. : A0911</p> | <p>CE FDA</p> <ul style="list-style-type: none"> ◆ 180VA LED Lamp ◆ Color temperature: 6500K ◆ Lamp life: Up to 20000hours ◆ Maximum illuminance output: 1500lm |

PORTABLE ENDOSCOPE CAMERA SYSTEM

| | |
|---|---|
| <p>F series medical endoscope camera system (F168DL)</p> | |
|  <p>Art. No. : A1003 (SD card static storage) Art. No. : A1004 (SD card dynamic storage)</p> | <p>CE FDA</p> <ul style="list-style-type: none"> ◆ Camera head: 1/3" CCD waterproof camera head ◆ Scanning standard: DVI output 600 lines ◆ Output: Video/RGB/Y/C/BNC ◆ Light source: LED Lamp ◆ Light source color Temp: 6000K ◆ Storage: SD card static & dynamic storage |
| <p>F series medical endoscope camera system (F168DPL)</p> | |
|  <p>Art. No. : A1305</p> | <p>CE FDA</p> <ul style="list-style-type: none"> ◆ Camera head: 1/3" CCD waterproof camera head ◆ Scanning standard: DVI output 600 lines ◆ Output: Video x2 ◆ Light source: LED Lamp ◆ Light source color Temp: 6000K ◆ Storage: SD card static & dynamic storage ◆ Monitor: 15" |
| <p>F series medical endoscope camera system (F168DPL)</p> | |
|  <p>Art. No. : A1305-1</p> | <p>CE FDA</p> <ul style="list-style-type: none"> ◆ Camera head: 1/3" CCD waterproof camera head ◆ Scanning standard: DVI output 600 lines ◆ Output: Video x2 ◆ Light source: LED Lamp ◆ Light source color Temp: 6000K ◆ Storage: SD card static & dynamic storage ◆ Monitor: 15" |
| <p>HD series medical endoscope camera system (HD180DPL)</p> | |
|  <p>Art. No. : A1702</p> | <p>CE FDA</p> <ul style="list-style-type: none"> ◆ Camera head: FULL HD CMOS waterproof camera head ◆ Scanning standard: DVI output 1000 lines ◆ Output: Video x2 ◆ Light source: LED Lamp ◆ Light source color Temp: 6000K ◆ Storage: USB static & dynamic storage ◆ Monitor: 15.6" HD screen |

FullHD Hysteroscopes



| | Diameter | | Viewing angle | | | | Item no. |
|-----------------------------|----------|--------|---------------|-----|-----|-----|-----------|
| | Ø 2.9 mm | Ø 4 mm | 0° | 12° | 30° | 70° | |
| FullHD Hysteroscope, 300 mm | • | | • | | | | 18-2344HD |
| FullHD Hysteroscope, 300 mm | | • | • | | | | 18-2340HD |
| FullHD Hysteroscope, 300 mm | • | | | • | | | 18-2345HD |
| FullHD Hysteroscope, 300 mm | | • | | • | | | 18-2342HD |
| FullHD Hysteroscope, 300 mm | • | | | | • | | 18-2346HD |
| FullHD Hysteroscope, 300 mm | | • | | | • | | 18-2341HD |
| FullHD Hysteroscope, 300 mm | | • | | | | • | 18-2343HD |

Diagnostic Sheaths incl. Obturator

1 Stopcock, Rotatable



| | | | For use with scope | Color coding | Item no. |
|---|--|---------|--|--------------|----------------|
| | | | Ø 2.9 mm Ø 4 mm 12°/ 30° 12°/ 30° | | |
| Diagnostic sheath incl. obturator, 1 stopcock, rotatable | | | • | ● | 18-2316 |
| includes | Diagnostic sheath, 1 stopcock, rotatable | 18-2349 | | | |
| and | Standard obturator for 18-2349 | 18-2303 | | | |
| Diagnostic sheath incl. obturator, 1 stopcock, rotatable | | | • | ● | 18-2314 |
| includes | Diagnostic sheath, 1 stopcock, rotatable | 18-2348 | | | |
| and | Standard obturator for 18-2348 | 18-2301 | | | |

Diagnostic Sheaths incl. Obturator

1 Stopcock, Rigid



| | | | For use with scope | Color coding | Item no. |
|---|--------------------------------------|-----------|--|--------------|------------------|
| | | | Ø 2.9 mm Ø 4 mm 0° 12°/ 30° 12°/ 30° | | |
| Diagnostic sheath incl. obturator, 1 stopcock, rigid | | | • | ● | 18-2306-0 |
| includes | Diagnostic sheath, 1 stopcock, rigid | 18-2359-0 | | | |
| and | Standard obturator for 18-2359-0 | 18-2303 | | | |
| Diagnostic sheath incl. obturator, 1 stopcock, rigid | | | • | ○ | 18-2306 |
| includes | Diagnostic sheath, 1 stopcock, rigid | 18-2359 | | | |
| and | Standard obturator for 18-2359 | 18-2303 | | | |
| Diagnostic sheath incl. obturator, 1 stopcock, rigid | | | • | ● | 18-2305 |
| includes | Diagnostic sheath, 1 stopcock, rigid | 18-2339 | | | |
| and | Standard obturator for 18-2339 | 18-2301 | | | |

Biopsy Forceps

For Use with Diagnostic and Operative Sheaths



| | Diameter | | Type | | Length | | Item no. |
|-------------------------------|----------|---------|----------|------------|--------|--------|--------------|
| | Ø 5 Fr. | Ø 7 Fr. | flexible | semi-rigid | 340 mm | 400 mm | |
| Biopsy forceps, double-action | • | | • | | | • | 18-2330 |
| Biopsy forceps, double-action | | • | • | | | • | 18-2310 |
| Biopsy forceps, double-action | • | | | • | • | | 18-2330SR-34 |
| Biopsy forceps, double-action | • | | | • | | • | 18-2330SR |
| Biopsy forceps, double-action | | • | | • | • | | 18-2310SR-34 |
| Biopsy forceps, double-action | | • | | • | | • | 18-2310SR |

Foreign Body Forceps

For Use with Diagnostic and Operative Sheaths



| | Diameter | | Type | | Length | | Item no. |
|-------------------------------------|----------|---------|----------|------------|--------|--------|--------------|
| | Ø 5 Fr. | Ø 7 Fr. | flexible | semi-rigid | 340 mm | 400 mm | |
| Foreign body forceps, double-action | • | | • | | | • | 18-2333 |
| Foreign body forceps, double-action | | • | • | | | • | 18-2325 |
| Foreign body forceps, double-action | • | | | • | • | | 18-2333SR-34 |
| Foreign body forceps, double-action | • | | | • | | • | 18-2333SR |

Serrated Grasping Forceps

For Use with Diagnostic and Operative Sheaths



| | Diameter | | Type | | Length | | Item no. |
|--|----------|---------|----------|------------|--------|--------|--------------|
| | Ø 5 Fr. | Ø 7 Fr. | flexible | semi-rigid | 340 mm | 400 mm | |
| Serrated grasping forceps, double-action | • | | • | | | • | 18-2332 |
| Serrated grasping forceps, double-action | | • | • | | | • | 18-2320 |
| Serrated grasping forceps, double-action | • | | | • | • | | 18-2332SR-34 |
| Serrated grasping forceps, double-action | • | | | • | | • | 18-2332SR |
| Serrated grasping forceps, double-action | | • | | • | • | | 18-2320SR-34 |
| Serrated grasping forceps, double-action | | • | | • | | • | 18-2320SR |